
DRACO
TOSHIBA
MAY-2015
208117-02-140
SEMI – SECURE
TSIO CHIP DNS62


208117-02-140
SEMI – SECURE
TSIO CHIP DN562
ASSEMBLY ORIGIN
DRACO
TOSHIBA
MAY-2015
DO NOT COVER ANY DRIVE HOLES
NHAB
SCH 207496 GBR 207497
PCB 207500
DESIGNED IN U.S.A. 2015


208117-02-140
SEMI – SECURE
TSIO CHIP DN562
TOSHIBA
MAY-2015
DRACO
SCH 207496 GBR 207497
PCB 207500
DESIGNED IN U.S.A. 2015
STATIC SENSITIVE




6mm CLEARANCE AREA
82154
VE-MIDCOM
F1518 LF
T2
U24
U25
U26
U27
J24
L64
Q18
Q21
Q15
Q22
R284
R291
R292
R293
R299
R279
R17
R18
R16
R27
R34
R32
R30
R744
R270
R272
C449
C448
C450
C459
C481
C497
FL5
Y1
FB16
C1190
C1191
RV32
RV33


MODEM
J21
6mm CLEARANCE AREA
VENDOR
PCB
E232140380C
FB12
FB11
RV32
RV33
C550
C551
CR24
R278
R277
J24


HT CIRCUIT
PCB 207479
PCBA
208117-02-140
ASSEMBLY ORIGIN
SEMI – SECURE
TSIO CHIP DN562
TOSHIBA
DO NOT COVER ANY DRIVE HOLES
MAY-2015


HT CIRCUIT
PCB 207479
207264-03
R507264B00156E
208117-02-140
Airgain
MAIN POWER


PCBA
PCB 206634
N2420DS
TOSHIBA
DISK DRIVE DT01ABA2
CAPACITY:2.0TB
RATED:5V 430mA,12
WARRANTY VOID IF SCREW IS REMOVE


J5
J4
J6
PCB 207479
PCBA
PCB VENDOR
K56I-24
207264-03
R507264B00156E
Airgain
N2420DCS


R507264B00156E
207264-03
PCB VENDOR
K56I-24A
J4
J1
(ANT0)


SCH 207475 GBR 207476
DESIGNED IN U.S.A. 2015
ASSEMBLY ORIG
J1
J2
J3
SHLD1
ANT1
RV1
RV2
C12
C23
C38


SHLD1
ANT1
J1
J3
SCH 207475 GBR 207476
DESIGNED IN U.S.A. 2015
ASSEMBLY ORIG




6mm CLEARANCE AREA
A
B
FB14
FB15
R394
C592
R393
R392
R390
R391
C591
R389
R434
R438
R437
C642
C643
C636
C637
FB19
FB18
FB17
C628
C635
C1206
C1207
CR41
C1204
C1205
CR39
C1202
C1203
CR37
C1200
C1201
CR35
CR42
RV50
RV53
CR40
RV59
RV54
CR38
RV60
RV55
CR36
RV56
RV61
CR51
CR45
CR52
C646
R20
SLD
Pb