

Industriparken 27,
DK-2750 Ballerup
Denmark
Phone: +45 56 18 00 00
Fax: +45 56 18 00 99
www.sennheiser.com

Ballerup: 09.02.2015

To whom it may concern,

Declaration of Identity

We, Sennheiser Communications A/S, declare under our sole responsibility that product series

Office Runner (OR) , DW & SD are different in a terms of electronics, mechanics & Microsoft Lync software adaptation with the D 10 Series (It has been used as a reference family for al DECT Series) in Nemko during 2014.

The PCB main (RF PCBoard) design are completely identical in all DECT base stations (SD,DW , D 10 ,OR ,OR Blue) exactly the same strategy has been followed for the all headsets design.

The PCB main (RF PCBoard) is identical in all DECT headsets with the differences in a wearing stile , position of the implemented battery or the headsets speaker numbers (1 or 2 speakers)

DECT Series				
D 10 Series	DW Series	OR Series	OR Blue Series	SD Series

Table 1: ¹ Products overview

¹All of the approved products have also different country code as an extension of the name : EU, US, UK, AUS - depends of the Frequency band and the wall cube charge input pins .For more details please see the Appendix I followed by this Declaration



Yours sincerely

Edina Mujan
Regulatory Compliance Manager
Sennheiser Communications A/S

Appendix I

"DECLARATION OF IDENTITY"

Date :09-02-2015

BY Edina Mujan



Base stations highlighted in RED do have all interfaces

All Base stations have same RF pcb and slightly different shape of the interface boards for the phone or for the PC communications .

	DW BS (USB interface for softphone) + Phone interface	OR BS Blue (USB interface for softphone) + Phone interface	OR BS (USB interface for softphone) + Phone interface	SD BS (USB interface for softphone) + Phone interface
	DW BS ML (USB interface for softphone) + Phone interface // Certified for MS Lync-ML	Does not exist	Does not exist	SD BS ML (USB interface for softphone) + Phone interface // Certified for MS Lync-ML
D 10 BS PHONE (USB interface only for firmware upgrading)+Phone interface	DW BS PHONE (USB interface BUT ONLY for firmware upgrading)+ (Phone interface)+	Does not exist	Does not exist	SD BS PHONE (USB interface BUT ONLY for firmware upgrading)+(Phone interface)
D 10 BS USB (USB interface for softphone)	DW BS USB (USB interface for softphone)	Does not exist	Does not exist	SD BS USB (USB interface for softphone)
D 10 BS USB ML (USB interface for softphone) // Certified for MS Lync -ML	DW BS USB ML (USB interface for softphone) - Certified for MS Lync	Does not exist	Does not exist	SD BS USB ML (USB interface for softphone) - Certified for MS Lync

DECT families -Certification in NEMKO 2014

- 4 product series on the market (DW, SD, OR , OR Blue) the additional D 10 was introduced in 2014
- DW Series
- SD Series
- D 10 Series
- OR Series
- OR Series Blue



DW Series



OR Series



OR Series Blue



SD Series



D 10 Series

DECT Base stations front view

DW BS -US



Figure 1.1: Front side DW BS -US with DW 10 HS




Figure 1.4 : Front side OR BS Blue -US

SD BS - US



Figure 1.2: Front side SD BS -US with SH 10 HS

D 10 BS PHONE-US



Figure 1.3 : Front side D 10 BS -US with SH 10 HS

DECT Base stations phone /USB interfaces view

DW BS USB -US




Figure 2.1: Back side DW BS USB -US

SD BS USB - US



Figure 2.2: Back side SD BS USB -US

D 10 BS USB - US



Figure 2.3: Back side D 10 BS USB -US



Figure 2.4: Back side DW BS -US




Figure 2.5: Back side SD BS -US



Figure 2.6: Back side D 10 BS PHONE -US

Differences

DW BS-US




Figure 1.7: Cross section view of DW BS-US

SD BS -US




Figure 1.8 : Cross section view of SD BS -US

D 10 BS PHONE -US




Figure 1.9 : Cross section view of D 10 BS PHOBE-US

Differences

DW BS-US




Figure 3.1: Inner side of DW BS-US

SD BS-US




Figure 3.2: Inner side of SD BS-US

D 10 BS PHONE-US




Figure 3.3: Inner side of D 10 BS PHONE-US

Differences

DW BS-US




Figure 4.1: PCB IFB top view DW BS - US

SD BS -US




Figure 4.2: IFB PCB top view in SD BS - US

D 10 BS PHONE -US




Figure 4.3: New IFB PCB top view in D 10 BS PHONE-US

Differences

DW BS-US




Figure 5.1: PCB IFB Bottom view DW BS -US

SD BS -US



Figure 5.2: IFB PCB bottom view in SD BS-US

D 10 BS PHONE-US




Figure 5.3: New IFB PCB bottom view in D 10 BS PHONE-US

DW BS -US





Figure 6.1: PCB Main top view DW BS -US

SD BS & D10 BS PHONE-US

100% same
This is the radio and
antenna PCB

DW BS-US



SD BS -US& D 10 BS PHONE-US

100% same.
This is the radio and
antenna PCB

Figure 7.1 PCB Main bottom view DW BS -US

The Headsets -Declaration of identity

The Headsets have different mechanical form factor



DW 10 HS



DW 20 HS



DW 30 HS



OR 10 HS

Does not exist

Does not exist



OR 10 HS

OR 20 HS
OR 20 Blue HS

OR 30 HS
OR 30 Blue HS



SD 10 HS



SD 20 HS



SD 30 HS



D 10 HS


Does not exist

Does not exist

D 20 HS

D 30 HS

100% same in all products



Electronics & Print Card

The Headsets -Declaration of identity

The Headsets have different mechanical form factor



DW 10 HS
D 10 HS
OR 10 HS
OR 10 Blue-HS
SD 10 HS



Electronics & Print Card

DW 20 HS
SD 20 HS



Electronics & Print Card

DW 30 HS
SD 30 HS