

ITEM

PART NUMBER

DESCRIPTION

QTY

10

10039167

SCR,METRIC M4 X 16 DIN 7964C THREAD LENGTH 5MM

1

20

10039163

SPRING,COMPRESSION REMOTE ELEC NEO V3.0

1

30

10039031

COVER,HSNG REMOTE ELEC NEO V3.0

1

40

10039166

WASHER,Ø3mm DIN 34815

1

50

7742101

SCR,METRIC M4 X 10 DIN 7985 GAL/ZN

4

60

10039105

CLAMP,WIRE MOUNT REMOTE ELEC NEO V3.0

2

70

10039540

^CABLE ASSY,50 OHM MICRO COAX IPEX1 TO SMA FEMALE 25CM

1

80

10063440

SCR,METRIC ST 2.9 X 9.5 DIN 7981-C-H GAL/ZN

4

90

10039539

ANT,EXT DUAL-BAND WIFI W/40CM RG174 SMA MALE

1

100

10038806

TR4330 RF EAS TX/RX PCB W/SOM

1

110

7317812

CABLE TIE,L 3.15" W .08"

2

120

10039032

CHASSIS,HSNG REMOTE ELEC NEO V3.0

1

130

7103009

CABLE TIE MT,ADH BACK 3/4"

2

FIX CABLE WITH RIBS

FIX CABLE WITH ITEM60

70

2

50

60

80

100

90

110

120

150

2X 130

2

60

REVISIONS

REVISION

CHANGE NO.

DATE

ENGINEER

00

CR2716

2024-06-28

Maxwell.W

01

CR2716J

2024-11-28

Maxwell.W

02

CR2716AJ

2025-04-07

HuangW

03

CR2716AT

2025-04-27

HuangW

NOTICE TO PERSONS RECEIVING THIS DRAWING AND/OR TECHNICAL INFORMATION:

Checkpoint Systems claims proprietary rights to the material disclosed heron. This drawing and/or technical information is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown or referred to heron without direct written permission from Checkpoint Systems to the user. This drawing and/or technical information is the property of Checkpoint Systems and is loaned for the mutual assistance, to be returned when its purpose has been served.

THIS DRAWING AND/OR TECHNICAL INFORMATION IS THE PROPERTY OF CHECKPOINT SYSTEMS, INC.

NO DEVIATION OF THIS DRAWING WILL BE ACCEPTED UNLESS APPROVED BY CHECKPOINT SYSTEMS ENGINEERING DEPARTMENT

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS.

0 up to 6

over 6 up to 30

over 30 up to 120

over 120 up to 400

over 400 up to 1200

±0.1

±0.2

±0.3

±0.5

±0.8

FLATNESS WITHIN: ±0.6, MACHINED ANGLES: ±1°

UNLESS OTHERWISE SPECIFIED,GEOMETRIC TOLERANCES REFLECT ISO 2768-1 TOLERANCE CLASS M, MEDIUM BREAK ALL CORNERS AND EDGES.

MATERIAL: SEE NOTES

THIRD ANGLE

FINISH: SEE NOTES

CRITICAL DIMENSION

© 2020 CHECKPOINT SYSTEMS, INC.

Checkpoint

NAME:

DWG ASSY, REMOTE ELEC NEO V3.0

PART #: 10039030

REVISION: 03

CREATED BY: Maxwell.W

ON: 2024-06-28

SHEET SIZE: B

SCALE: 1:10


SHEET 1 OF 1

NOTES:

1. ALL ASSEMBLY MATERIALS & PROCESSES MUST BE COMPLIANT WITH CHECKPOINT ENVIRONMENTAL REGULATION COMPLIANCE SPECIFICATION 7299437

2. LATEST REVISION OF ALL SPECIFICATIONS AND DOCUMENTS REFERENCED WITH THIS DOCUMENT SHALL BE USED

20201022_TEMPLATE



REVISIONS			
REVISION	CHANGE NO.	DATE	ENGINEER
00	CR2697	2022/08/18	Horry Q
01	ECN8381	2023/06/16	Horry Q
.	.	.	.

NOTES:

- ALL ASSEMBLY MATERIALS & PROCESSES MUST BE COMPLIANT WITH CHECKPOINT ENVIRONMENTAL REGULATION COMPLIANCE SPECIFICATION 7299437
- LATEST REVISION OF ALL SPECIFICATIONS AND DOCUMENTS REFERENCED WITH THIS DOCUMENT SHALL BE USED
- ADHERE FOAM DISC(ITEM 40) TO CENTER OF BOTH END CAP(ITEM 20)
- INSTALL END CAP ONTO ONE END OF HSNG TUBE(ITEM 10), INSERT FERRITE GROUP(ITEM 50) AND INSTALLED COUPLER BOARD(ITEM 60) TOGETHER WITH H BRACKET(ITEM 30) INTO HSNG TUBE
- PLACE BETWEEN 0-3 FOAM DISC INTO HSNG TUBE TO BE SURE OF KEEPING INTERNAL PARTION TIGHT INSIDE OF HSNG TUBE
- KNOCK OFF CENTER WALL OF END CAP, THROUGH OUT THE CABLE ASSY(ITEM 70) WITH LABLE(ITEM 80) ATTACHED, PACK 2 PCS FERRITE CORE(ITEM 90) INTO INSTALLATION KIT
- INSTALL KNOCKED HOLE END CAP ONTO LAST END OF HSNG TUBE
- ATTACH PRODUCT LABEL(ITEM 80) ONTO HSNG APPROX POSITION, LABEL CENTER SHOULD ALIGN WITH TWO PIT CENTER OF END CAP

NOTICE TO PERSONS RECEIVING THIS DRAWING AND/OR TECHNICAL INFORMATION: Checkpoint Systems claims proprietary rights to the material disclosed heron. This drawing and/or technical information is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown or referred to heron without direct written permission from Checkpoint Systems to the user. This drawing and/or technical information is the property of Checkpoint Systems and is loaned for the mutual assistance, to be returned when its purpose has been served. THIS DRAWING AND/OR TECHNICAL INFORMATION IS THE PROPERTY OF CHECKPOINT SYSTEMS, INC. NO DEVIATION OF THIS DRAWING WILL BE ACCEPTED UNLESS APPROVED BY CHECKPOINT SYSTEMS ENGINEERING DEPARTMENT		UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS. 0 over 6 over 30 over 120 over 400 up to 6 up to 30 up to 120 up to 400 up to 1200 ±0.1 ±0.2 ±0.3 ±0.5 ±0.8 FLATNESS WITHIN: ±0.6, MACHINED ANGLES: ±1° UNLESS OTHERWISE SPECIFIED, GEOMETRIC TOLERANCES REFLECT ISO 2768-1 TOLERANCE CLASS M, MEDIUM BREAK ALL CORNERS AND EDGES.		© 2020 CHECKPOINT SYSTEMS, INC. Checkpoint NAME: DWG ASSY BUMPER ANTENNA NS45	
MATERIAL: SEE NOTES		FINISH: SEE NOTES		PART #: 10036758	REVISION: 01
THIRD ANGLE		= CRITICAL DIMENSION		CREATED BY: Horry Qi ON: 2022/08/18	SHEET SIZE: B SCALE: 1:10 SHEET 1 OF 1

