






CONSTRUCTION PHOTOS OF EUT

Brand : DELL / Model : DWRFID2003






End-product Portable Computer (Brand: DELL / Model: P115F)







Speedwire antenna










WNC antenna









BUREAU
VERITAS

PROPERTY OF D

essing any parts or devices. Note: Longer POST time may occur if battery cable was disconnected for

注意：電池警告事項，請參考說明書
禁止拆解、撞擊、擠壓或投入火中。若出現嚴重鼓脹，請勿繼續使用，請勿置于高溫環境中，電池浸水後禁止使用！

CAUTION
Do not expose the battery to temperatures above 65°C (149°F). See the manual for safety instructions.

PRÉCAUTION
Ne pas soumettre la batterie à des températures supérieures à 65°C (149°F). Voir le manuel pour des instructions de sécurité.

VORSICHT
Der Akku darf niemals Temperaturen über 65°C ausgesetzt werden. Sicherheitsanweisungen finden Sie im Handbuch.

2217-2548
porter:
ll Corporation (Thailand) Co., Ltd.
CP6/51/80-2

TP

UL US
LISTED

24LY
I.T.E.
ACCESSORY
MH29637

PS
E

デル・テクノロジー株式会社*

TUV Rheinland
CERTIFIED

Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID XXXXXXXXX

YUxxxxx-xxxxx
Shenzhen BYD Lithium
Battery Company Limited
A/S 연락처: 080-854-0066

廢電池請回收

5

OF DELL, NOT FOR RESALE

connected for service/repair.

Cells made in China / 电芯制造地：中国
Assembled in China / 电池组组装地：中国
Rechargeable Li-ion Battery / 锂离子電池組 / 二次鋰電池組
Model / 型号 / 型號：X9FTM
Rated Capacity / 額定容量 / 額定容量：7650mAh
Limited Charging Voltage / 充電限制電壓 / 充電限制電壓：13.29V

structions.
pour des
en finden Sie im

PS
E

R33724

クノロジーズ株式会社*

5

Li-ion 00
Japan Only

CE
For EU Only
Raheen Business Park
Limerick Ireland

廢電池請回收

5

CN-0965V4-BDS00-
19H-5096-X01
Made In China
DP/N 0965V4