CONSTRUCTION PHOTOS OF EUT

Brand: DELL / Model: DWRFID2403






X401:26MHZ
TOP
Taroko USH Board w/ FIPS
233649-SB
Q48.Y0000.CTYB
DELL

End-product (Brand: DELL / Model: P135F)






H11 HDMI1
EL5702 D5702 D5703
D5701
D5710
D5704
EL5704
D5705
U57D1
PT4701
PR4710
R1738
H2
D5709


M2L3
H6
USB3
FP1
CLIP8
CLIP10
D9202
C9204
Q9202
C9208
R9224
R9201
EL9201
R9202
Q9203
ED3504
U3601
FC8904
FC8903
C3801
C3805
C3804
C3803




GND
16
15
14
USH
ARL
CN
BOT
SC


2550 NVMe Micron 256GB
R-R-MU2-MTFDKBAXXXTGE
DP/N 07DN0M (電壓)
FW:25500300 3.3V
MY-07DN0M-MCP00
-44M-01ON-A00
PN:MTFDKBK256TGE-1BL1AABDA
MDL(型號):MTFDKBK256TGE
SN:
24164858EBFE
PRODUCT OF
MALAYSIA
PSID:
7AA59FD800CCD552B3
1F9C2AD9509943
Gen4 x4
NVM express™ Leopoldstrasse 250 Munich 80807 Germany
SSD London Rd Bracknell RG12 2AA UK
0 30 20 10 mm
10 20 30 40 50 60


TOL1BK97Y
www.micron.com
LPN: 862-500127
CAN ICES-3(B)/NMB-3(B)
WARRANTY VOID IF REMOVED
E320115
D33F63
RoHS
0 30 20 10 mm
10 20 30 40 50 60




ADHESIVE





DELL
55.0 Wh
Rechargeable
Li-ion Battery
Type: W8YWH
11.7V
电芯制造地: 中国
电池组装地: 中国
锂离子电池组/二次鋰電池組
额定容量/額定容量: 4700mAh
型号/型號: W8YWH
额定能量: 55Wh
充电限制电压/充電限制電壓: 13.50V
标称电压/標稱電壓: 11.7V
生产厂: 深圳市比亚迪锂电池有限公司
Cells made in China
Assembled in China
Rechargeable Li-ion Battery
Rated Capacity: 4700mAh
Model: W8YWH
Nominal Energy: 55Wh
Limited Charging Voltage: 13.50V
Nominal Voltage: 11.7V
LISTED

DELL
Battery questions? visit www.dell.com/regulatory_compliance
Disconnect and remove battery before accessing any parts or devices
Note: longer POST time may occur if battery is disconnected for service or repair
CAUTION Do not expose the battery to temperatures above 65 °C (149 °F). See the manual for safety instructions.
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference
(2) This device must accept any interference received, including interference that may cause undesired operation.
CAN ICES-3(B) / NMB-3(B)
PROPERTY OF DELL,NOT FOR RESALE


RFID Antenna


16
15
14
CN
SC
BOT
CONATEL
DELL


Antenna length: 40*40mm
CONATEL
DELL
Taroko16 NFC
025.902GY.0001
2024/06/27
HB REV:0A


TAROKO16 NFC RFID
15/06/2024
HB X01


TAROKO16 NFC RFID
15/06/2024
HB X01
ADHESIVE
mm