


RF Exposure Report

(TAS Characterization Evaluation)

FCC ID : E2K-QCNCM825
Equipment : WiFi 7/BT Combo module
Brand Name : DELL
Model Name : QCNCM825
Applicant : Dell Inc.
One Dell Way, Round Rock, TX 78682,
USA
Standard : FCC 47 CFR Part 2 (2.1093)

We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. Laboratory, the test report shall not be reproduced except in full.



Approved by: Cona Huang / Deputy Manager

Sporton International Inc. Wensan Laboratory
No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan



Table of Contents

1. Introduction	4
2. SAR Characterization.....	4
2.1 SAR design target and uncertainty.....	4
2.2 SAR Char Table	5

History of this test report

Report No.	Version	Description	Issued Date
FA3D0452A	01	Initial issue of report	Mar. 19, 2024

1. Introduction

Qualcomm® FastConnect™ WIFI Time Averaged SAR (TAS) operates based on a power limit obtained from this SAR and PD compliance test Note characterization report completed on a device. The power limit and other FastConnect WIFI TAS parameters produced in this characterization report must be entered into the board data file (BDF) to enable the FastConnect WIFI TAS feature.

Terminologies in this report

Plimit	The time-averaged RF power which corresponds to SAR_design_target.
Pmax	Maximum target power level
SAR_design_target:	The design target for SAR compliance. It should be less than regulatory power density limit to account for all device design related uncertainties.
SAR char	Plimit for all the technologies/bands

2. SAR Characterization

The design target (denoted as RFexptarget) for RF exposure compliance (1g SAR or 10g SAR or PD) must be specified for FastConnect WIFI TAS WLAN before determining the power level required to meet the RFexptarget for each radio configuration and usage case supported. The SAR characterization procedure is define in the section3.3 of Qualcomm FastConnect document No.:80-39282-3.

2.1 SAR design target and uncertainty

1g SAR design Target (W/kg)	0.84
Device uncertainty	Uncertainty dB (k=2)
	1.5

To account for total uncertainty, SAR_design_target should be determined as:

$$SAR_design_target < SAR_{regulatory_limit} \times 10^{\frac{-total\ uncertainty}{10}}$$

2.2 SAR Char Table

Remark:

1. Pmax is used for RF tune up procedure. The maximum allowed output power is equal to Pmax + TXAGC uncertainty.
2. The Plimit values, corresponding to SAR_design_target.

<P_{limit} for supported technologies and bands (P_{limit} in BDF file)>

	Mode	Channel	Frequency (MHz)	Main Ant		Aux Ant		Main+Aux Ant	
				Plimit	Pmax	Plimit	Pmax	Plimit	Pmax
2.4GHz WLAN	802.11b 1Mbps	1	2412	14.50	18.00	14.50	18.00	17.50	21.00
		6	2437	14.50	18.00	14.50	18.00	17.50	21.00
		11	2462	14.50	18.00	14.50	18.00	17.50	21.00
		12	2467	14.50	14.25	14.50	14.25	17.50	17.25
		13	2472	14.50	14.25	14.50	14.25	17.50	17.25
	802.11g 6Mbps	1	2412	14.50	18.00	14.50	18.00	17.50	21.00
		6	2437	14.50	18.00	14.50	18.00	17.50	21.00
		11	2462	14.50	18.00	14.50	18.00	17.50	21.00
		12	2467	14.50	16.00	14.50	16.00	17.50	17.25
		13	2472	14.50	12.25	14.50	12.25	17.50	17.25
	802.11n-HT20 MCS0	1	2412	14.50	17.75	14.50	17.75	17.50	20.75
		6	2437	14.50	18.00	14.50	18.00	17.50	21.00
		11	2462	14.50	15.00	14.50	15.00	17.50	18.00
		12	2467	14.50	13.00	14.50	13.00	17.50	16.00
		13	2472	14.50	9.00	14.50	9.00	17.50	12.00
	802.11n-HT40 MCS0	3	2422	14.50	14.75	14.50	14.75	17.50	17.75
		6	2437	14.50	16.00	14.50	16.00	17.50	19.00
		9	2452	14.50	14.25	14.50	14.25	17.50	17.25
		10	2457	14.50	11.75	14.50	11.75	17.50	14.75
		11	2462	14.50	6.50	14.50	6.50	17.50	9.50
	802.11ac-VHT20 MCS0	1	2412	14.50	17.75	14.50	17.75	17.50	20.75
		6	2437	14.50	18.00	14.50	18.00	17.50	21.00
		11	2462	14.50	15.00	14.50	15.00	17.50	18.00
		12	2467	14.50	13.00	14.50	13.00	17.50	16.00
		13	2472	14.50	9.00	14.50	9.00	17.50	12.00
	802.11ac-VHT40 MCS0	3	2422	14.50	14.75	14.50	14.75	17.50	17.75
		6	2437	14.50	16.00	14.50	16.00	17.50	19.00
		9	2452	14.50	14.25	14.50	14.25	17.50	17.25
		10	2457	14.50	11.75	14.50	11.75	17.50	14.75
		11	2462	14.50	6.50	14.50	6.50	17.50	9.50
	802.11ax-HE20 MCS0	1	2412	14.50	17.75	14.50	17.75	17.50	20.75
		6	2437	14.50	18.00	14.50	18.00	17.50	21.00
		11	2462	14.50	15.00	14.50	15.00	17.50	18.00
		12	2467	14.50	13.00	14.50	13.00	17.50	16.00
		13	2472	14.50	9.00	14.50	9.00	17.50	12.00
	802.11ax-HE40 MCS0	3	2422	14.50	14.75	14.50	14.75	17.50	17.75
		6	2437	14.50	16.00	14.50	16.00	17.50	19.00
		9	2452	14.50	14.25	14.50	14.25	17.50	17.25
		10	2457	14.50	11.75	14.50	11.75	17.50	14.75
		11	2462	14.50	6.50	14.50	6.50	17.50	9.50
	802.11be-EHT20 MCS0	1	2412	14.50	17.75	14.50	17.75	17.50	20.75
		6	2437	14.50	18.00	14.50	18.00	17.50	21.00
		11	2462	14.50	15.00	14.50	15.00	17.50	18.00
		12	2467	14.50	13.00	14.50	13.00	17.50	16.00
		13	2472	14.50	9.00	14.50	9.00	17.50	12.00
	802.11be-EHT40 MCS0	3	2422	14.50	14.75	14.50	14.75	17.50	17.75
		6	2437	14.50	16.00	14.50	16.00	17.50	19.00
		9	2452	14.50	14.25	14.50	14.25	17.50	17.25
		10	2457	14.50	11.75	14.50	11.75	17.50	14.75
		11	2462	14.50	6.50	14.50	6.50	17.50	9.50

	Mode	Channel	Frequency (MHz)	Main Ant		Aux Ant		Main+Aux Ant	
				Plimit	Pmax	Plimit	Pmax	Plimit	Pmax
5.2GHz WLAN	802.11a 6Mbps	36	5180	14.50	17.25	15.00	17.25	17.50	20.25
		40	5200	14.50	17.50	15.00	17.50	17.50	20.50
		44	5220	14.50	17.50	15.00	17.50	17.50	20.50
		48	5240	14.50	17.50	15.00	17.50	17.50	20.50
	802.11n-HT20 MCS0	36	5180	14.50	17.00	15.00	17.00	17.50	20.00
		40	5200	14.50	17.50	15.00	17.50	17.50	20.50
		44	5220	14.50	17.50	15.00	17.50	17.50	20.50
		48	5240	14.50	17.50	15.00	17.50	17.50	20.50
	802.11n-HT40 MCS0	38	5190	14.50	16.00	15.00	16.00	17.50	19.00
		46	5230	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ac-VHT20 MCS0	36	5180	14.50	17.00	15.00	17.00	17.50	20.00
		40	5200	14.50	17.50	15.00	17.50	17.50	20.50
		44	5220	14.50	17.50	15.00	17.50	17.50	20.50
		48	5240	14.50	17.50	15.00	17.50	17.50	20.50
	802.11ac-VHT40 MCS0	38	5190	14.50	16.00	15.00	16.00	17.50	19.00
		46	5230	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ac-VHT80 MCS0	42	5210	14.50	15.00	15.00	15.00	17.50	18.00
	802.11ax-HE20 MCS0	36	5180	14.50	17.00	15.00	17.00	17.50	20.00
		40	5200	14.50	17.50	15.00	17.50	17.50	20.50
		44	5220	14.50	17.50	15.00	17.50	17.50	20.50
		48	5240	14.50	17.50	15.00	17.50	17.50	20.50
	802.11ax-HE40 MCS0	38	5190	14.50	16.00	15.00	16.00	17.50	19.00
		46	5230	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ax-HE80 MCS0	42	5210	14.50	15.00	15.00	15.00	17.50	18.00
	802.11be-EHT20 MCS0	36	5180	14.50	17.00	15.00	17.00	17.50	20.00
		40	5200	14.50	17.50	15.00	17.50	17.50	20.50
		44	5220	14.50	17.50	15.00	17.50	17.50	20.50
		48	5240	14.50	17.50	15.00	17.50	17.50	20.50
	802.11be-EHT40 MCS0	38	5190	14.50	16.00	15.00	16.00	17.50	19.00
		46	5230	14.50	17.00	15.00	17.00	17.50	20.00
	802.11be-EHT80 MCS0	42	5210	14.50	15.00	15.00	15.00	17.50	18.00

	Mode	Channel	Frequency (MHz)	Main Ant		Aux Ant		Main+Aux Ant	
				Plimit	Pmax	Plimit	Pmax	Plimit	Pmax
5.3GHz WLAN	802.11a 6Mbps	52	5260	14.50	17.50	15.00	17.50	17.50	20.50
		56	5280	14.50	17.50	15.00	17.50	17.50	20.50
		60	5300	14.50	17.50	15.00	17.50	17.50	20.50
		64	5320	14.50	17.00	15.00	17.00	17.50	20.00
	802.11n-HT20 MCS0	52	5260	14.50	17.50	15.00	17.50	17.50	20.50
		56	5280	14.50	17.50	15.00	17.50	17.50	20.50
		60	5300	14.50	17.50	15.00	17.50	17.50	20.50
		64	5320	14.50	17.25	15.00	17.25	17.50	20.25
	802.11n-HT40 MCS0	54	5270	14.50	17.00	15.00	17.00	17.50	20.00
		62	5310	14.50	15.75	15.00	15.75	17.50	18.75
	802.11ac-VHT20 MCS0	52	5260	14.50	17.50	15.00	17.50	17.50	20.50
		56	5280	14.50	17.50	15.00	17.50	17.50	20.50
		60	5300	14.50	17.50	15.00	17.50	17.50	20.50
		64	5320	14.50	17.25	15.00	17.25	17.50	20.25
	802.11ac-VHT40 MCS0	54	5270	14.50	17.00	15.00	17.00	17.50	20.00
		62	5310	14.50	15.75	15.00	15.75	17.50	18.75
	802.11ac-VHT80 MCS0	58	5290	14.50	14.25	15.00	14.25	17.50	17.25
	802.11ac-VHT160 MCS0	50	5250	14.50	12.25	15.00	12.25	17.50	15.25
	802.11ax-HE20 MCS0	52	5260	14.50	17.50	15.00	17.50	17.50	20.50
		56	5280	14.50	17.50	15.00	17.50	17.50	20.50
		60	5300	14.50	17.50	15.00	17.50	17.50	20.50
		64	5320	14.50	17.25	15.00	17.25	17.50	20.25
	802.11ax-HE40 MCS0	54	5270	14.50	17.00	15.00	17.00	17.50	20.00
		62	5310	14.50	15.75	15.00	15.75	17.50	18.75
	802.11ax-HE80 MCS0	58	5290	14.50	14.25	15.00	14.25	17.50	17.25
	802.11ax-HE160 MCS0	50	5250	14.50	12.25	15.00	12.25	17.50	15.25
	802.11be-EHT20 MCS0	52	5260	14.50	17.50	15.00	17.50	17.50	20.50
		56	5280	14.50	17.50	15.00	17.50	17.50	20.50
		60	5300	14.50	17.50	15.00	17.50	17.50	20.50
		64	5320	14.50	17.25	15.00	17.25	17.50	20.25
	802.11be-EHT40 MCS0	54	5270	14.50	17.00	15.00	17.00	17.50	20.00
		62	5310	14.50	15.75	15.00	15.75	17.50	18.75
	802.11be-EHT80 MCS0	58	5290	14.50	14.25	15.00	14.25	17.50	17.25
	802.11be-EHT160 MCS0	50	5250	14.50	12.25	15.00	12.25	17.50	15.25



	Mode	Channel	Frequency (MHz)	Main Ant		Aux Ant		Main+Aux Ant	
				Plimit	Pmax	Plimit	Pmax	Plimit	Pmax
5.5GHz WLAN	802.11a 6Mbps	100	5500	14.50	17.50	15.00	17.50	17.50	20.50
		116	5580	14.50	17.50	15.00	17.50	17.50	20.50
		124	5620	14.50	17.50	15.00	17.50	17.50	20.50
		132	5660	14.50	17.50	15.00	17.50	17.50	20.50
		140	5700	14.50	17.50	15.00	17.50	17.50	20.50
		144	5720	14.50	17.50	15.00	17.50	17.50	20.50
	802.11n-HT20 MCS0	100	5500	14.50	17.50	15.00	17.50	17.50	20.50
		116	5580	14.50	17.50	15.00	17.50	17.50	20.50
		124	5620	14.50	17.50	15.00	17.50	17.50	20.50
		132	5660	14.50	17.50	15.00	17.50	17.50	20.50
		140	5700	14.50	16.25	15.00	16.25	17.50	19.25
		144	5720	14.50	17.50	15.00	17.50	17.50	20.50
	802.11n-HT40 MCS0	102	5510	14.50	15.25	15.00	15.25	17.50	18.25
		110	5550	14.50	17.00	15.00	17.00	17.50	20.00
		126	5630	14.50	17.00	15.00	17.00	17.50	20.00
		134	5670	14.50	17.00	15.00	17.00	17.50	20.00
		142	5710	14.50	17.00	15.00	17.00	17.50	20.00
		100	5500	14.50	17.50	15.00	17.50	17.50	20.50
	802.11ac-VHT20 MCS0	116	5580	14.50	17.50	15.00	17.50	17.50	20.50
		124	5620	14.50	17.50	15.00	17.50	17.50	20.50
		132	5660	14.50	17.50	15.00	17.50	17.50	20.50
		140	5700	14.50	16.25	15.00	16.25	17.50	19.25
		144	5720	14.50	17.50	15.00	17.50	17.50	20.50
		102	5510	14.50	15.25	15.00	15.25	17.50	18.25
	802.11ac-VHT40 MCS0	110	5550	14.50	17.00	15.00	17.00	17.50	20.00
		126	5630	14.50	17.00	15.00	17.00	17.50	20.00
		134	5670	14.50	17.00	15.00	17.00	17.50	20.00
		142	5710	14.50	17.00	15.00	17.00	17.50	20.00
		106	5530	14.50	14.50	15.00	14.50	17.50	17.00
		122	5610	14.50	16.50	15.00	16.50	17.50	19.50
	802.11ac-VHT80 MCS0	138	5690	14.50	16.50	15.00	16.50	17.50	19.50
		802.11ac-VHT160 MCS0	114	5570	14.50	12.75	15.00	17.50	15.75
	802.11ax-HE20 MCS0	100	5500	14.50	17.50	15.00	17.50	17.50	20.50
		116	5580	14.50	17.50	15.00	17.50	17.50	20.50
		124	5620	14.50	17.50	15.00	17.50	17.50	20.50
		132	5660	14.50	17.50	15.00	17.50	17.50	20.50
		140	5700	14.50	16.25	15.00	16.25	17.50	19.25
		144	5720	14.50	17.50	15.00	17.50	17.50	20.50
	802.11ax-HE40 MCS0	102	5510	14.50	15.25	15.00	15.25	17.50	18.25
		110	5550	14.50	17.00	15.00	17.00	17.50	20.00
		126	5630	14.50	17.00	15.00	17.00	17.50	20.00
		134	5670	14.50	17.00	15.00	17.00	17.50	20.00
		142	5710	14.50	17.00	15.00	17.00	17.50	20.00
		106	5530	14.00	14.50	15.00	14.50	17.00	17.00
	802.11ax-HE80 MCS0	122	5610	14.50	16.50	15.00	16.50	17.50	19.50
		138	5690	14.50	16.50	15.00	16.50	17.50	19.50
	802.11ax-HE160 MCS0	114	5570	14.50	12.75	15.00	12.75	17.50	15.75
	802.11be-EHT20 MCS0	100	5500	14.50	17.50	15.00	17.50	17.50	20.50
		116	5580	14.50	17.50	15.00	17.50	17.50	20.50
		124	5620	14.50	17.50	15.00	17.50	17.50	20.50
		132	5660	14.50	17.50	15.00	17.50	17.50	20.50
		140	5700	14.50	16.25	15.00	16.25	17.50	19.25
		144	5720	14.50	17.50	15.00	17.50	17.50	20.50
	802.11be-EHT40 MCS0	102	5510	14.50	15.25	15.00	15.25	17.50	18.25
		110	5550	14.50	17.00	15.00	17.00	17.50	20.00
		126	5630	14.50	17.00	15.00	17.00	17.50	20.00
		134	5670	14.50	17.00	15.00	17.00	17.50	20.00
		142	5710	14.50	17.00	15.00	17.00	17.50	20.00
		106	5530	14.00	14.50	15.00	14.50	17.00	17.00
	802.11be-EHT80 MCS0	122	5610	14.50	16.50	15.00	16.50	17.50	19.50
		138	5690	14.50	16.50	15.00	16.50	17.50	19.50
	802.11be-EHT160 MCS0	114	5570	14.50	12.75	15.00	12.75	17.50	15.75



				Main Ant		Aux Ant		Main+Aux Ant	
5.8GHz WLAN	Mode	Channel	Frequency (MHz)	Plimit	Pmax	Plimit	Pmax	Plimit	Pmax
	802.11a 6Mbps	149	5745	14.50	17.50	15.00	17.50	17.50	20.50
		157	5785	14.50	17.50	15.00	17.50	17.50	20.50
		165	5825	14.50	17.50	15.00	17.50	17.50	20.50
	802.11n-HT20 MCS0	149	5745	14.50	17.50	15.00	17.50	17.50	20.50
		157	5785	14.50	17.50	15.00	17.50	17.50	20.50
		165	5825	14.50	17.50	15.00	17.50	17.50	20.50
	802.11n-HT40 MCS0	151	5755	14.50	17.00	15.00	17.00	17.50	20.00
		159	5795	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ac-VHT20 MCS0	149	5745	14.50	17.50	15.00	17.50	17.50	20.50
		157	5785	14.50	17.50	15.00	17.50	17.50	20.50
		165	5825	14.50	17.50	15.00	17.50	17.50	20.50
	802.11ac-VHT40 MCS0	151	5755	14.50	17.00	15.00	17.00	17.50	20.00
		159	5795	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ac-VHT80 MCS0	155	5775	14.50	16.50	15.00	16.50	17.50	19.50
	802.11ax-HE20 MCS0	149	5745	14.50	17.50	15.00	17.50	17.50	20.50
		157	5785	14.50	17.50	15.00	17.50	17.50	20.50
		165	5825	14.50	17.50	15.00	17.50	17.50	20.50
	802.11ax-HE40 MCS0	151	5755	14.50	17.00	15.00	17.00	17.50	20.00
		159	5795	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ax-HE80 MCS0	155	5775	14.50	16.50	15.00	16.50	17.50	19.50
	802.11be-EHT20 MCS0	149	5745	14.50	17.50	15.00	17.50	17.50	20.50
		157	5785	14.50	17.50	15.00	17.50	17.50	20.50
		165	5825	14.50	17.50	15.00	17.50	17.50	20.50
	802.11be-EHT40 MCS0	151	5755	14.50	17.00	15.00	17.00	17.50	20.00
		159	5795	14.50	17.00	15.00	17.00	17.50	20.00
	802.11be-EHT80 MCS0	155	5775	14.50	16.50	15.00	16.50	17.50	19.50



	Mode	Channel	Frequency (MHz)	Main Ant		Aux Ant		Main+Aux Ant	
				Plimit	Pmax	Plimit	Pmax	Plimit	Pmax
5.9GHz WLAN	802.11a 6Mbps	169	5845	14.50	13.75	15.00	13.75	17.50	16.75
		173	5865	14.50	13.75	15.00	13.75	17.50	16.75
		177	5885	14.50	13.75	15.00	13.75	17.50	16.75
	802.11n-HT20 MCS0	169	5845	14.50	17.25	15.00	17.25	17.50	20.25
		173	5865	14.50	17.25	15.00	17.25	17.50	20.25
		177	5885	14.50	16.00	15.00	16.00	17.50	19.00
	802.11n-HT40 MCS0	167	5835	14.50	17.00	15.00	17.00	17.50	20.00
		175	5875	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ac-VHT20 MCS0	169	5845	14.50	17.25	15.00	17.25	17.50	20.25
		173	5865	14.50	17.25	15.00	17.25	17.50	20.25
		177	5885	14.50	16.00	15.00	16.00	17.50	19.00
	802.11ac-VHT40 MCS0	167	5835	14.50	17.00	15.00	17.00	17.50	20.00
		175	5875	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ac-VHT80 MCS0	171	5855	14.50	16.50	15.00	16.50	17.50	19.50
	802.11ac-VHT160 MCS0	163	5815	14.50	12.00	15.00	12.00	17.50	15.00
	802.11ax-HE20 MCS0	169	5845	14.50	17.25	15.00	17.25	17.50	20.25
		173	5865	14.50	17.25	15.00	17.25	17.50	20.25
		177	5885	14.50	16.00	15.00	16.00	17.50	19.00
	802.11ax-HE40 MCS0	167	5835	14.50	17.00	15.00	17.00	17.50	20.00
		175	5875	14.50	17.00	15.00	17.00	17.50	20.00
	802.11ax-HE80 MCS0	171	5855	14.50	16.50	15.00	16.50	17.50	19.50
	802.11ax-HE160 MCS0	163	5815	14.50	12.00	15.00	12.00	17.50	15.00
	802.11be-EHT20 MCS0	169	5845	14.50	17.25	15.00	17.25	17.50	20.25
		173	5865	14.50	17.25	15.00	17.25	17.50	20.25
		177	5885	14.50	16.00	15.00	16.00	17.50	19.00
	802.11be-EHT40 MCS0	167	5835	14.50	17.00	15.00	17.00	17.50	20.00
		175	5875	14.50	17.00	15.00	17.00	17.50	20.00
	802.11be-EHT80 MCS0	171	5855	14.50	16.50	15.00	16.50	17.50	19.50
	802.11be-EHT160 MCS0	163	5815	14.50	12.00	15.00	12.00	17.50	15.00

	Mode	Channel	Frequency (MHz)	Main Ant		Aux Ant		Main+Aux Ant	
				Plimit	Pmax	Plimit	Pmax	Plimit	Pmax
WiFi 6GHz	802.11a 6Mbps	1	5955	14.50	15.75	15.00	15.75	17.50	18.75
		57	6235	14.50	15.75	15.00	15.75	17.50	18.75
		93	6415	14.50	15.75	15.00	15.75	17.50	18.75
		117	6535	14.50	16.50	15.00	16.50	17.50	19.50
		181	6855	14.50	16.50	15.00	16.50	17.50	19.50
	802.11ax-HE20 MCS0	1	5955	14.50	16.50	15.00	16.50	17.50	19.50
		57	6235	14.50	16.50	15.00	16.50	17.50	19.50
		93	6415	14.50	16.50	15.00	16.50	17.50	19.50
		117	6535	14.50	16.50	15.00	16.50	17.50	19.50
		181	6855	14.50	16.50	15.00	16.50	17.50	19.50
	802.11ax-HE40 MCS0	3	5965	14.50	16.00	15.00	16.00	17.50	19.00
		59	6245	14.50	16.00	15.00	16.00	17.50	19.00
		91	6405	14.50	16.00	15.00	16.00	17.50	19.00
		123	6565	14.50	16.00	15.00	16.00	17.50	19.00
		179	6845	14.50	16.00	15.00	16.00	17.50	19.00
	802.11ax-HE80 MCS0	7	5985	14.50	15.50	15.00	15.50	17.50	18.50
		55	6225	14.50	15.50	15.00	15.50	17.50	18.50
		87	6385	14.50	15.50	15.00	15.50	17.50	18.50
		135	6625	14.50	15.50	15.00	15.50	17.50	18.50
		167	6785	14.50	15.50	15.00	15.50	17.50	18.50
	802.11ax-HE160 MCS0	15	6025	14.50	15.50	15.00	15.50	17.50	18.50
		47	6185	14.50	15.50	15.00	15.50	17.50	18.50
		79	6345	14.50	15.50	15.00	15.50	17.50	18.50
		143	6665	14.50	15.50	15.00	15.50	17.50	18.50
	802.11be-EHT20 MCS0	1	5955	14.50	16.50	15.00	16.50	17.50	19.50
		57	6235	14.50	16.50	15.00	16.50	17.50	19.50
		93	6415	14.50	16.50	15.00	16.50	17.50	19.50
		117	6535	14.50	16.50	15.00	16.50	17.50	19.50
		181	6855	14.50	16.50	15.00	16.50	17.50	19.50
	802.11be-EHT40 MCS0	3	5965	14.50	16.00	15.00	16.00	17.50	19.00
		59	6245	14.50	16.00	15.00	16.00	17.50	19.00
		91	6405	14.50	16.00	15.00	16.00	17.50	19.00
		123	6565	14.50	16.00	15.00	16.00	17.50	19.00
		179	6845	14.50	16.00	15.00	16.00	17.50	19.00
	802.11be-EHT80 MCS0	7	5985	14.50	15.50	15.00	15.50	17.50	18.50
		55	6225	14.50	15.50	15.00	15.50	17.50	18.50
		87	6385	14.50	15.50	15.00	15.50	17.50	18.50
		135	6625	14.50	15.50	15.00	15.50	17.50	18.50
		167	6785	14.50	15.50	15.00	15.50	17.50	18.50
	802.11be-EHT160 MCS0	15	6025	14.50	15.50	15.00	15.50	17.50	18.50
		47	6185	14.50	15.50	15.00	15.50	17.50	18.50
		79	6345	14.50	15.50	15.00	15.50	17.50	18.50
		143	6665	14.50	15.50	15.00	15.50	17.50	18.50
	802.11be-EHT320 MCS0	31	6105	14.50	14.50	15.00	14.50	17.50	17.50
		63	6265	14.50	14.50	15.00	14.50	17.50	17.50