


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side	FCC+ISED_Support Band
	(mm)	(mm)	(mm)	(mm)	
WLAN/BT Aux Ant 1	95.65	72.00	7.26	245.24	Wi-Fi 2.4G / 5G / 6G / BT
WLAN Main Ant 0	105.68	56.00	245.28	7.25	Wi-Fi 2.4G / 5G / 6G
RFID	60.00	85.00	163.00	59.00	RFID

<Rear Face View> Tablet




Antenna	To Front Side	To Rear Side	FCC+ISED_Support Band
	(mm)	(mm)	
WLAN/BT Aux Ant 1	2.15	7.20	Wi-Fi 2.4G / 5G / 6G / BT
WLAN Main Ant 0	2.15	7.30	Wi-Fi 2.4G / 5G / 6G
RFID	18.00	2.15	RFID

<Front Face View> Laptop Mode (180°)




Antenna	To Top Side	To Baseline	To Left Side	To Right Side	FCC+ISED_Support Band
	(mm)	(mm)	(mm)	(mm)	
WLAN/BT Aux Ant 1	95.65	72.00	7.26	245.24	Wi-Fi 2.4G / 5G / 6G / BT
WLAN Main Ant 0	105.68	56.00	245.28	7.25	Wi-Fi 2.4G / 5G / 6G
RFID	60.00	85.00	163.00	59.00	RFID

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face	FCC+ISED_Support Band
	(mm)	
WLAN/BT Aux Ant 1	89.00	Wi-Fi 2.4G / 5G / 6G / BT
WLAN Main Ant 0	82.00	Wi-Fi 2.4G / 5G / 6G
RFID	85.00	RFID

<Photographs of Body SAR Test Setup>



<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 13 mm



Left Side of Tablet Mode Tested at 20 mm



Right Side of Tablet Mode Tested at 15 mm



Left Side of Tablet Mode Tested at 0mm_with Handle



Right Side of Tablet Tested at 0mm_with Handle

<Photographs of Power Density Test Setup>




Bottom of Laptop Mode Tested at 0 mm



Rear Face of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Mode Tested at 0 mm



Top Side of Tablet Mode Tested at 0 mm



Bottom Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Tested at 0mm_ with Handle