


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Laptop Mode (180°)




Antenna	To Top Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)
WWAN Main Ant 0	5.50	185.57	179.20	39.60
Antenna	To Bottom Side	To Baseline	To Left Side	To Right Side
WLAN/BT Aux Ant 0	27.50	199.10	5.90	287.60
WLAN Main Ant 1	27.60	199.10	287.60	5.90

<Right Side View> Laptop Mode(90°)




Antenna	Rear Face (mm)
WWAN Main Ant 0	192.00
WLAN/BT Aux Ant 0	5.70
WLAN Main Ant 1	5.90

<Front Face View> Tablet



Antenna	To Top Side (mm)	To Bottom Side (mm)	To Left Side (mm)	To Right Side (mm)
WWAN Main Ant 0	5.50	185.57	179.20	39.60
WLAN Main Ant 1	27.50	199.10	287.60	5.90
WLAN/BT Aux Ant 0	27.60	199.10	5.90	287.60

<Right Side View> Convertible PC Tablet Mode



Antenna	To Front Side (mm)	To Rear Side (mm)
WWAN Main Ant 0	2.45	16.69
WLAN Main Ant 1	17.10	5.70
WLAN/BT Aux Ant 0	17.10	5.90

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Mode Tested at 0 mm



Top Side of Tablet Mode Tested at 0 mm



Bottom Side of Tablet Mode Tested at 0 mm

<Photographs of Body SAR Test Setup Without P-Sensor>



Rear Face of Tablet Mode Tested at 20 mm



Top Side of Tablet Mode Tested at 21 mm

<Photographs of Bottom Body SAR Test Setup>



Bottom for Laptop Tested at 0 mm



Front for Laptop Tested at 0 mm