

Regulatory WWAN Antenna Information

Platform	
Platform Owner	DELL
Brand Name	DELL
Model Name	P175G
ODM	Compal
	TB mode
Antenna	
Manufacturer	speed
Part Number	■ Tx1/Rx1 Antenna WWAN Main/AUX: F-0G-FH-6165-002-00(DC33002RF1L)
	■ MIMO2/3 Antenna WWAN: F-0G-FH-6155-004-00(DC33002R91L)
Module	
With WWAN Module	FM350-GL
(Check Box)	L860-GL-16

Antenna Sample / Antenna Data

Requirements for worldwide regulatory approval

Section	Description of Required OEM / ODM Antenna Information	US / IC	EU	Japan	Taiwan	S.Korea
1A	Part Number for Antenna only	Required	Required	Required	Required	Required
1B	Antenna Manufacturer Name	Required	Required	Required	Required	Required
1C	Description of Antenna Type	Required	N/A	N/A	N/A	N/A
1D	Part number of Antenna Assembly / cable impedance, length & diameter.	Required	Desired	Desired	Desired	Desired
1E	Tx1, Tx2 & Tx3 antenna (Peak Gain W/ cable loss) *	Required	Required	Required	Required	Required
	1E OR 1F, 1G, 1H					
1F	Tx1, Tx2 & Tx3 antenna (Peak Gain only) *	Required	Required	Required	Required	Required
1G	VSWR of cable including connector	Required	Required	Required	Required	Required
1H	Tx1, Tx2 & Tx3 antenna (Cable loss W/ connector) *	Required	Required	Required	Required	Required
2	Dimensioned Photographs <u>and</u> Drawings of Tx1, Tx2, and Tx3 (or Rx3) antennas	Required	Required	Required	Required	Required
3	Radiation patterns of antennas loaded in the host platform.	Required	Desired	Required	N/A	Required
4	Platform model name / number - correlated to antenna manufacturer and antenna part number	Required	Required	Desired	Required	Desired
5	Photograph(s) or Drawings showing location of antennas in platform. <u>(S. Korea requires photographs of antennas for approval submission).</u> <u>Taiwan requires pictures of each antenna type shown in the system.</u>	Required	Required	Desired	<u>Required (Photos)</u>	<u>Required (Photos)</u>
6	Mech. drawings / photos with dimensions of antenna locations and distance from end-user (For evaluation of SAR testing requirement).	Required	N/A	N/A	N/A	N/A
7	Photograph(s) or Drawings showing the location of all antennas (WLAN, other) and distance between those transmitting antennas. Information will be used to evaluate whether co-location testing is required.	Required	N/A	N/A	N/A	N/A
8	Local representative contact information for LMA/ PARS process.	Required	N/A	N/A	N/A	N/A

Antenna Information

Section 1. Antenna Assembly Specifications

1A Antenna Part Number	1B Manufacture	1C Antenna Type	1D Cable Assembly Part Number and Information	1E *Peak Gain W/ Cable loss (dBi)	1F Peak Gain w/o Cable Loss (dBi)	1G VSWR	1H Cable Loss (dBi)
Tx/Rx1 Antenna speed P/N: F-0G-FH-6165-002-00 Customer P/N: DC33002RF1L	speed	PIFA	Cable length: 319mm diameter: 1.13mm 50 ohm SLL Coaxial MAIN Connector: I-PEX PN:20565-001R-13	617-698MHz -12.87 dBi (peak)	617-698MHz -12.32 dBi (peak)	617-698MHz 3.50 max	617-698MHz 0.55 dBi (peak)
				698-821MHz -6.43 dBi (peak)	698-821MHz -5.88 dBi (peak)	698-821MHz 3.50 max	698-821MHz 0.55 dBi (peak)
				824-960MHz -5.91 dBi (peak)	824-960MHz -5.33 dBi (peak)	824-960MHz 3.50 max	824-960MHz 0.58 dBi (peak)
				1425-1515MHz -9.90 dBi (peak)	1425-1515MHz -9.2 dBi (peak)	1425-1515MHz 3.50 max	1425-1515MHz 0.70 dBi (peak)
				1710-2200MHz -3.60 dBi (peak)	1710-2200MHz -2.8 dBi (peak)	1710-2200MHz 3.50 max	1710-2200MHz 0.80 dBi (peak)
				2300-2690MHz -1.99 dBi (peak)	2300-2690MHz -1.1 dBi (peak)	2300-2690MHz 3.50 max	2300-2690MHz 0.89 dBi (peak)
				3400-3800MHz -5.07 dBi (peak)	3400-3800MHz -4.01 dBi (peak)	3400-3800MHz 3.50 max	3400-3800MHz 1.06 dBi (peak)
				4200-4700MHz -3.53 dBi (peak)	4200-4700MHz -2.31 dBi (peak)	4200-4700MHz 3.50 dBi (peak)	4200-4700MHz 1.22 dBi (peak)
	speed	PIFA	Cable length: 511mm diameter: 1.13mm 50 ohm SLL Coaxial AUX Connector: I-PEX PN:20565-001R-13	5150-5925MHz -2.39 dBi (peak)	5150-5925MHz -1.04 dBi (peak)	5150-5925MHz 3.50 max	5150-5925MHz 1.35 dBi (peak)
				617-698MHz -12.96 dBi (peak)	617-698MHz -12.15 dBi (peak)	617-698MHz 3.50 max	617-698MHz 0.81 dBi (peak)
				698-821MHz -5.81 dBi (peak)	698-821MHz -4.93 dBi (peak)	698-821MHz 3.50 max	698-821MHz 0.88 dBi (peak)
				824-960MHz -6.05 dBi (peak)	824-960MHz -5.13 dBi (peak)	824-960MHz 3.50 max	824-960MHz 0.92 dBi (peak)
				1425-1515MHz -0.21 dBi (peak)	1425-1515MHz 0.91 dBi (peak)	1425-1515MHz 3.50 max	1425-1515MHz 1.12 dBi (peak)
				1557-1610 MHz -7.57 dBi (peak)	1557-1610 MHz -6.43 dBi (peak)	1557-1610 MHz 3.50 max	1557-1610 MHz 1.14 dBi (peak)
				1805-2200MHz -4.61 dBi (peak)	1805-2200MHz -3.31 dBi (peak)	1805-2200MHz 3.50 max	1805-2200MHz 1.3 dBi (peak)
				2300-2690MHz -0.42 dBi (peak)	2300-2690MHz 1.01 dBi (peak)	2300-2690MHz 3.50 max	2300-2690MHz 1.43 dBi (peak)

				3400-3800MHz -2.9 dBi (peak)	3400-3800MHz -1.21 dBi (peak)	3400-3800MHz 3.50 max	3400-3800MHz 1.69 dBi (peak)
				4200-4700MHz -2.58 dBi (peak)	4200-4700MHz -0.61 dBi (peak)	4200-4700MHz 3.50 dBi (peak)	4200-4700MHz 1.97 dBi (peak)
				5150-5925MHz -0.91 dBi (peak)	5150-5925MHz 1.26 dBi (peak)	5150-5925MHz 3.50 max	5150-5925MHz 2.17 dBi (peak)

1A Antenna Part Number	1B Manufacture	1C Antenna Type	1D Cable Assembly Part Number and Information	1E *Peak Gain W/ Cable loss (dBi)	1F Peak Gain w/o Cable Loss (dBi)	1G VSWR	1H Cable Loss (dBi)
Antenna speed P/N: F-0G-FH-6155-004-00 Customer P/N: DC33002R91L	speed	Coupled	Cable length: 147.5mm diameter: 1.13mm 50 ohm LL Coaxial Connector: I-PEX PN:20565-001R-13	1425-1515MHz -2.58 dBi (peak)	1425-1515MHz -2.26 dBi (peak)	1425-1515MHz 3.5 max	1425-1515MHz 0.32 dBi (peak)
				1710-2200MHz -2.23 dBi (peak)	1710-2200MHz -1.85 dBi (peak)	1710-2200MHz 3.5 max	1710-2200MHz 0.38 dBi (peak)
				2300-2690MHz -1.40 dBi (peak)	2300-2690MHz -0.99 dBi (peak)	2300-2690MHz 3.5 max	2300-2690MHz 0.41 dBi (peak)
				3400-3800MHz 0.02 dBi (peak)	3400-3800MHz 0.51 dBi (peak)	3400-3800MHz 3.5 max	3400-3800MHz 0.49 dBi (peak)
				4200-5000MHz 0.09 dBi (peak)	4200-5000MHz 0.66 dBi (peak)	4200-5000MHz 3.5 max	4200-5000MHz 0.57 dBi (peak)
	speed	Coupled	Cable length: 218mm diameter: 1.13mm 50 ohm LL Coaxial Connector: I-PEX PN:20565-001R-13	1805-2200MHz -1.65 dBi (peak)	1805-2200MHz -1.1 dBi (peak)	1805-2200MHz 3.5 max	1805-2200MHz 0.55 dBi (peak)
				2300-2690MHz -0.57 dBi (peak)	2300-2690MHz 0.04 dBi (peak)	2300-2690MHz 3.5 max	2300-2690MHz 0.61 dBi (peak)
				3400-3800MHz 0.49 dBi (peak)	3400-3800MHz 1.21 dBi (peak)	3400-3800MHz 3.5 max	3400-3800MHz 0.72 dBi (peak)
				4200-5000MHz -1.05 dBi (peak)	4200-5000MHz -0.21 dBi (peak)	4200-5000MHz 3.5 max	4200-5000MHz 0.84 dBi (peak)

- Antenna Peak Gain required being test in system basis.
- 1E frame contend absolutely peak antenna gain include H/V

Antenna Peak Gain Table: Low and middle band

Frequency (MHz)	TPx antenna		DRx antenna	
	Horizontal (dBi)	Vertical (dBi)	Horizontal (dBi)	Vertical (dBi)
617	-22.00	-22.72	-15.22	-15.77
634.5	-20.60	-21.40	-14.57	-14.60
652	-18.35	-19.02	-13.34	-12.96
663	-16.83	-16.23		
680.5	-15.41	-14.63		
698	-15.41	-12.87		
703	-15.12	-12.06		
707.5	-14.79	-12.03		
717	-13.79	-12.49	-7.76	-7.81
725.5	-13.22	-12.72	-7.46	-7.29
748	-11.04	-10.98	-9.55	-6.70
756	-10.43	-9.93	-6.81	-6.87
768	-9.41	-8.43	-6.60	-6.00
777	-8.69	-7.72	-5.81	-6.75
782	-8.19	-7.36	-6.11	-6.24
787	-7.87	-7.05	-6.38	-6.57
791			-6.46	-6.66
806			-6.66	-6.30
814	-6.43	-7.34	-6.93	-6.96
821			-7.37	-6.34
824	-7.45	-6.32	-7.35	-6.30
832	-5.91	-6.18	-7.25	-6.30
836.5	-6.07	-6.33	-7.15	-6.19
849	-6.07	-7.74	-6.10	-6.26
862	-6.97	-7.62	-6.05	-7.32
880	-6.45	-8.26	-8.15	-8.09
897.5	-6.90	-8.63	-9.36	-8.51
915	-8.17	-9.42	-9.71	-8.93
925	-8.62	-9.55	-9.87	-9.11
960	-10.31	-8.41	-10.60	-9.64
1427.9	-10.86	-9.93	-0.21	-6.99
1447.9	-10.42	-9.99	-1.78	-6.72
1455.4	-10.59	-9.97	-2.55	-6.61
1462.9	-10.50	-9.90	-3.17	-6.71
1496	-10.17	-10.56	-4.10	-6.72
1510.9	-10.93	-10.17	-4.02	-5.84
1557			-7.57	-8.06

1575			-8.07	-8.19
1610			-8.78	-8.06

High band


	TPx antenna		DRx antenna	
Frequency (MHz)	Horizontal	Vertical	Horizontal	Vertical
	(dBi)	(dBi)	(dBi)	(dBi)
1710	-5.61	-5.83		
1732.5	-5.04	-5.46		
1747.5	-4.76	-5.61		
1755	-4.78	-5.55		
1785	-4.93	-5.74		
1805	-5.13	-5.42	-8.40	-5.78
1850	-5.05	-5.40	-8.09	-9.06
1880	-4.33	-4.85	-6.46	-6.66
1910	-4.58	-4.08	-6.29	-6.31
1920	-4.52	-3.60	-6.20	-6.04
1950	-4.61	-4.20	-4.83	-5.36
1980	-4.60	-4.04	-4.89	-5.23
2110	-4.71	-4.35	-5.45	-5.12
2200	-4.09	-4.75	-4.61	-5.07
2300	-2.62	-2.46	-0.42	-1.79
2305	-2.39	-2.50	-0.53	-1.93
2315	-1.99	-2.74	-0.79	-2.03
2350	-2.30	-5.29	-1.85	-3.28
2400	-3.93	-4.99	-1.70	-3.23
2500	-5.67	-7.52	-1.33	-3.76
2570	-6.04	-8.26	-1.98	-4.08
2595	-6.14	-8.10	-1.86	-4.42
2620	-5.97	-7.00	-1.77	-4.46
2690	-5.38	-5.61	-1.01	-3.01
3400	-5.07	-5.51	-3.16	-4.14
3500	-8.51	-10.03	-2.90	-4.31
3600	-5.61	-6.80	-3.33	-5.39
3700	-6.18	-5.23	-4.16	-5.87
3800	-7.21	-6.17	-7.43	-7.35
4200	-5.48	-6.85	-5.02	-6.66
4400	-4.17	-5.98	-2.58	-3.04
4700	-3.53	-3.79	-4.78	-2.92
5150	-2.76	-2.99	-0.91	-1.17
5537.5	-2.39	-2.76	-5.69	-5.03
5925	-3.19	-3.46	-4.76	-5.06

	DRx2 antenna		DRx1 antenna	
Frequency (MHz)	Horizontal	Vertical	Horizontal	Vertical
	(dBi)	(dBi)	(dBi)	(dBi)
1452	-3.27	-3.38		
1474	-3.00	-3.60		
1496	-2.58	-3.46		
1710	-3.37	-3.55		
1732.5	-3.67	-4.30		
1747.5	-3.73	-4.26		
1755	-2.97	-4.42		
1785	-3.64	-5.39		
1805	-2.58	-5.55	-2.63	-4.98
1850	-3.40	-4.41	-2.56	-4.49
1880	-3.37	-3.28	-1.65	-3.57
1910	-3.39	-3.28	-1.90	-2.74
1920	-3.40	-2.96	-2.18	-2.54
1950	-3.45	-2.82	-2.01	-3.26
1980	-3.17	-2.23	-2.00	-4.24
2110	-2.86	-2.69	-3.05	-4.79
2200	-3.26	-3.03	-2.50	-3.11
2300	-2.08	-1.76	-0.57	-3.11
2305	-2.19	-1.87	-1.32	-2.92
2315	-2.32	-1.40	-1.11	-2.72
2350	-2.25	-1.83	-1.48	-3.13
2400	-2.53	-1.59	-1.18	-2.87
2500	-2.17	-2.54	-1.13	-0.81
2570	-1.66	-3.05	-1.67	-3.17
2595	-2.24	-2.64	-1.81	-3.17
2620	-3.07	-2.44	-1.99	-2.77
2690	-2.24	-2.25	-1.41	-2.92
3400	0.02	-0.46	0.49	-2.19
3500	-0.16	-0.11	-0.25	-1.66
3600	0.49	-0.29	-0.01	-2.33
3700	-2.29	-3.39	0.45	-3.10
3800	0.01	-1.41	-0.63	-2.48
4200	-0.74	0.09	-1.58	-1.51
4400	-0.37	-0.72	-1.54	-1.05
4700	-0.91	-2.48	-1.49	-1.37
5000	-1.99	-1.72	-3.91	-4.09

Section 2. Dimensioned Photos or Drawings of Antennas

Include a dimensioned photo and dimensioned drawing of Main antenna here.

TPx Antenna Dimensioned Drawing:



Technical drawing of a cable assembly, showing a cross-section and a side view. The drawing includes various dimensions and callouts:

- Top Dimensions:**
 - $\Delta \textcircled{1} \textcircled{2} 322.5 \pm 2.0$ DARWIN MAIN ACETATE TAPE
 - $\Delta \textcircled{1} \textcircled{2} 305.5 \pm 2.0$ DARWIN AUX ACETATE TAPE
 - $\Delta \textcircled{1} \textcircled{2} 259.5 \pm 2.0$ LTE AUX $\phi 1.13\text{mm}$ SUPER LOW LOSS, BLACK/GRAY
 - $\Delta \textcircled{1} \textcircled{2} 249.5 \pm 2.0$ LTE MAIN $\phi 1.13\text{mm}$ SUPER LOW LOSS, WHITE/GRAY
 - $\textcircled{1} \textcircled{2} * 161.90 \pm 1.00$
 - $\Delta \textcircled{1} \textcircled{2} * 3.00 \pm 0.30$
- Left Side Dimensions:**
 - $\textcircled{1} \textcircled{2} * 162.00 \pm 1.00$
 - $\textcircled{1} \textcircled{2} * 85.00 \pm 0.1(2)$
 - $\textcircled{1} \textcircled{2} * 6.0 \pm 0.1(2)$
 - 2.88
- Internal Dimensions and Callouts:**
 - 39
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
 - 24
 - 25
 - 26
 - 27
 - 28
 - 29
 - 30
 - 31
 - 32
 - 33
 - 34
 - 35
 - 36
 - 37
 - 38
 - 39
 - 40
 - 41
 - 42
 - 43
 - 44
 - 45
 - 46
 - 47
 - 48
 - 49
 - 50
 - 51
 - 52
 - 53
 - 54
 - 55
 - 56
 - 57
 - 58
 - 59
 - 60
 - 61
 - 62
 - 63
 - 64
 - 65
 - 66
 - 67
 - 68
 - 69
 - 70
 - 71
 - 72
 - 73
 - 74
 - 75
 - 76
 - 77
 - 78
 - 79
 - 80
 - 81
 - 82
 - 83
 - 84
 - 85
 - 86
 - 87
 - 88
 - 89
 - 90
 - 91
 - 92
 - 93
 - 94
 - 95
 - 96
 - 97
 - 98
 - 99
 - 100
- Other Callouts:**
 - RELEASE PAPER
 - HOT BAR
 - LIMITING Z=1.45mm(MAX) INCLUDE ACE TAPE
 - DETAIL 'D'
 - DETAIL 'D'
 - WINDING E

③ $\varnothing 102.0 \pm 2.0$ P_SENSOR $\varnothing 0.81\text{mm}$ LOW LOSS, GREEN

① $\varnothing 36.5 \pm 2.0$ MIMO2 $\varnothing 1.13\text{mm}$ LOW LOSS, BLUE

② $\varnothing 36.5 \pm 2.0$ MIMO3 $\varnothing 1.13\text{mm}$ LOW LOSS, ORANGE

BLUE MARK LINE

11.50

9

10

4

11

12

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442


443

444

445</


Include a dimensioned photo and dimensioned drawing of Aux antenna here.

DRx1 Antenna Dimensioned Drawing:




Section 3. Radiation characteristics of antennae Loaded in Host Platform
WWAN Main Antenna (TPx)

617MHz




Center Frequency	617 MHz
Horizontal (dBi) peak	-22.00
Vertical (dBi) peak	-22.72

634.5MHz




Center Frequency	634.5MHz
Horizontal (dBi) peak	-20.60
Vertical (dBi) peak	-21.40

652MHz




Center Frequency	652MHz
Horizontal (dBi) peak	-18.35
Vertical (dBi) peak	-19.02

663MHz




Center Frequency	663MHz
Horizontal (dBi) peak	-16.83
Vertical (dBi) peak	-16.23

680.5MHz




Center Frequency	680.5 MHz
Horizontal (dBi) peak	-15.41
Vertical (dBi) peak	-14.63

698MHz




Center Frequency	698MHz
Horizontal (dBi) peak	-15.41
Vertical (dBi) peak	-12.87

703MHz




Center Frequency	703 MHz
Horizontal (dBi) peak	-15.12
Vertical (dBi) peak	-12.06

707.5MHz




Center Frequency	707.5MHz
Horizontal (dBi) peak	-14.79
Vertical (dBi) peak	-12.03

717MHz




Center Frequency	717MHz
Horizontal (dBi) peak	13.79
Vertical (dBi) peak	-12.49

725.5MHz




Center Frequency	725.5MHz
Horizontal (dBi) peak	-13.22
Vertical (dBi) peak	-12.72

748MHz




Center Frequency	748MHz
Horizontal (dBi) peak	-11.04
Vertical (dBi) peak	-10.98

756MHz




Center Frequency	756MHz
Horizontal (dBi) peak	-10.43
Vertical (dBi) peak	-9.93

768MHz




Center Frequency	768MHz
Horizontal (dBi) peak	-9.41
Vertical (dBi) peak	-8.43

777MHz




Center Frequency	777MHz
Horizontal (dBi) peak	-8.69
Vertical (dBi) peak	-7.72

782MHz




Center Frequency	782MHz
Horizontal (dBi) peak	-8.19
Vertical (dBi) peak	-7.36

787MHz




Center Frequency	787MHz
Horizontal (dBi) peak	-7.87
Vertical (dBi) peak	-7.05

814MHz




Center Frequency	814MHz
Horizontal (dBi) peak	-6.43
Vertical (dBi) peak	-7.34

824MHz




Center Frequency	824MHz
Horizontal (dBi) peak	-7.45
Vertical (dBi) peak	-6.32

832MHz




Center Frequency	832MHz
Horizontal (dBi) peak	-5.91
Vertical (dBi) peak	-6.18

836.5MHz




Center Frequency	836.5MHz
Horizontal (dBi) peak	-6.07
Vertical (dBi) peak	-6.33

849MHz




Center Frequency	849MHz
Horizontal (dBi) peak	-6.07
Vertical (dBi) peak	-7.74

862MHz




Center Frequency	862MHz
Horizontal (dBi) peak	-6.97
Vertical (dBi) peak	-7.62

880MHz




Center Frequency	880MHz
Horizontal (dBi) peak	-6.45
Vertical (dBi) peak	-8.26

897.5MHz




Center Frequency	897.5MHz
Horizontal (dBi) peak	-6.90
Vertical (dBi) peak	-8.63

915MHz




Center Frequency	915MHz
Horizontal (dBi) peak	-8.17
Vertical (dBi) peak	-9.42

925MHz




Center Frequency	925MHz
Horizontal (dBi) peak	-8.62
Vertical (dBi) peak	-9.55

960MHz




Center Frequency	960MHz
Horizontal (dBi) peak	-10.31
Vertical (dBi) peak	-8.41

1427.9MHz




Center Frequency	1427.9MHz
Horizontal (dBi) peak	-10.86
Vertical (dBi) peak	-9.93

1447.9MHz




Center Frequency	1447.9MHz
Horizontal (dBi) peak	-10.42
Vertical (dBi) peak	-9.99

1455.4MHz




Center Frequency	1455.4MHz
Horizontal (dBi) peak	-10.59
Vertical (dBi) peak	-9.97

1462.9MHz




Center Frequency	1462.9MHz
Horizontal (dBi) peak	-10.50
Vertical (dBi) peak	-9.90

1496MHz




Center Frequency	1496MHz
Horizontal (dBi) peak	-10.17
Vertical (dBi) peak	-10.56

1510.9 MHz




Center Frequency	1510.9 MHz
Horizontal (dBi) peak	-10.93
Vertical (dBi) peak	-10.17

1710 MHz




Center Frequency	1710 MHz
Horizontal (dBi) peak	-5.61
Vertical (dBi) peak	-5.83

1732.5 MHz




Center Frequency	1732.5 MHz
Horizontal (dBi) peak	-5.04
Vertical (dBi) peak	-5.46

1747.5 MHz




Center Frequency	1747.5 MHz
Horizontal (dBi) peak	-4.76
Vertical (dBi) peak	-5.61

1755 MHz




Center Frequency	1755 MHz
Horizontal (dBi) peak	-4.78
Vertical (dBi) peak	-5.55

1785 MHz




Center Frequency	1785 MHz
Horizontal (dBi) peak	-4.93
Vertical (dBi) peak	-5.74

1805 MHz




Center Frequency	1805 MHz
Horizontal (dBi) peak	-5.13
Vertical (dBi) peak	-5.42

1850 MHz




Center Frequency	1850 MHz
Horizontal (dBi) peak	-5.05
Vertical (dBi) peak	-5.40

1880 MHz




Center Frequency	1880 MHz
Horizontal (dBi) peak	-4.33
Vertical (dBi) peak	-4.85

1910MHz




Center Frequency	1910MHz
Horizontal (dBi) peak	-4.58
Vertical (dBi) peak	-4.08

1920MHz




Center Frequency	1920MHz
Horizontal (dBi) peak	-4.52
Vertical (dBi) peak	-3.60

1950MHz




Center Frequency	1950MHz
Horizontal (dBi) peak	-4.61
Vertical (dBi) peak	-4.20

1980MHz




Center Frequency	1980MHz
Horizontal (dBi) peak	-4.60
Vertical (dBi) peak	-4.04

2110MHz




Center Frequency	2110MHz
Horizontal (dBi) peak	-4.71
Vertical (dBi) peak	-4.35

2200MHz




Center Frequency	2200MHz
Horizontal (dBi) peak	-4.09
Vertical (dBi) peak	-4.75

2300MHz




Center Frequency	2300MHz
Horizontal (dBi) peak	-2.62
Vertical (dBi) peak	-2.46

2305MHz




Center Frequency	2305MHz
Horizontal (dBi) peak	-2.39
Vertical (dBi) peak	-2.50

2315MHz




Center Frequency	2315MHz
Horizontal (dBi) peak	-1.99
Vertical (dBi) peak	-2.74

2350MHz




Center Frequency	2350MHz
Horizontal (dBi) peak	-2.30
Vertical (dBi) peak	-5.29

2400MHz




Center Frequency	2400MHz
Horizontal (dBi) peak	-3.93
Vertical (dBi) peak	-4.99

2500MHz




Center Frequency	2500MHz
Horizontal (dBi) peak	-5.67
Vertical (dBi) peak	-7.52

2570MHz




Center Frequency	2570MHz
Horizontal (dBi) peak	-6.04
Vertical (dBi) peak	-8.26

2595MHz




Center Frequency	2595MHz
Horizontal (dBi) peak	-6.14
Vertical (dBi) peak	-8.10

2620MHz




Center Frequency	2620MHz
Horizontal (dBi) peak	-5.97
Vertical (dBi) peak	-7.00

2690MHz




Center Frequency	2690MHz
Horizontal (dBi) peak	-5.38
Vertical (dBi) peak	-5.61

3400MHz




Center Frequency	3400MHz
Horizontal (dBi) peak	-5.07
Vertical (dBi) peak	-5.51

3500MHz




Center Frequency	3500MHz
Horizontal (dBi) peak	-8.51
Vertical (dBi) peak	-10.03

3600MHz




Center Frequency	3600MHz
Horizontal (dBi) peak	-5.61
Vertical (dBi) peak	-6.80

3700MHz




Center Frequency	3700MHz
Horizontal (dBi) peak	-6.18
Vertical (dBi) peak	-5.23

3800MHz




Center Frequency	3800MHz
Horizontal (dBi) peak	-7.21
Vertical (dBi) peak	-6.17

4200MHz




Center Frequency	4200MHz
Horizontal (dBi) peak	-5.48
Vertical (dBi) peak	-6.85

4400MHz




Center Frequency	4400MHz
Horizontal (dBi) peak	-4.17
Vertical (dBi) peak	-5.98

4700MHz




Center Frequency	4700MHz
Horizontal (dBi) peak	-3.53
Vertical (dBi) peak	-3.79

5150MHz




Center Frequency	5150MHz
Horizontal (dBi) peak	-2.76
Vertical (dBi) peak	-2.99

5537.5MHz



Center Frequency	5537.5MHz
Horizontal (dBi) peak	-2.39
Vertical (dBi) peak	-2.76


5925MHz



Center Frequency	5925MHz
Horizontal (dBi) peak	-3.19
Vertical (dBi) peak	-3.46


WWAN Aux Antenna (DRx)

617MHz




Center Frequency	617MHz
Horizontal (dBi) peak	-15.22
Vertical (dBi) peak	-15.77

634MHz




Center Frequency	634MHz
Horizontal (dBi) peak	-14.57
Vertical (dBi) peak	-14.60

652MHz




Center Frequency	652MHz
Horizontal (dBi) peak	-13.34
Vertical (dBi) peak	-12.96

717MHz




Center Frequency	717MHz
Horizontal (dBi) peak	-7.76
Vertical (dBi) peak	-7.81

725.5MHz




Center Frequency	725.5MHz
Horizontal (dBi) peak	-7.46
Vertical (dBi) peak	-7.29

748MHz




Center Frequency	748MHz
Horizontal (dBi) peak	-9.55
Vertical (dBi) peak	-6.70

756MHz




Center Frequency	756MHz
Horizontal (dBi) peak	-6.81
Vertical (dBi) peak	-6.87

768MHz




Center Frequency	768MHz
Horizontal (dBi) peak	-6.60
Vertical (dBi) peak	-6.00

777MHz




Center Frequency	777MHz
Horizontal (dBi) peak	-5.81
Vertical (dBi) peak	-6.75

782MHz




Center Frequency	782MHz
Horizontal (dBi) peak	-6.11
Vertical (dBi) peak	-6.24

787MHz




Center Frequency	787MHz
Horizontal (dBi) peak	-6.38
Vertical (dBi) peak	-6.57

791MHz




Center Frequency	791MHz
Horizontal (dBi) peak	-6.46
Vertical (dBi) peak	-6.66

806MHz




Center Frequency	806MHz
Horizontal (dBi) peak	-6.66
Vertical (dBi) peak	-6.30

814MHz




Center Frequency	814MHz
Horizontal (dBi) peak	-6.93
Vertical (dBi) peak	-6.96

821MHz




Center Frequency	821MHz
Horizontal (dBi) peak	-7.37
Vertical (dBi) peak	-6.34

824MHz




Center Frequency	824MHz
Horizontal (dBi) peak	-7.35
Vertical (dBi) peak	-6.30

832MHz




Center Frequency	832MHz
Horizontal (dBi) peak	-7.25
Vertical (dBi) peak	-6.30

836.5MHz




Center Frequency	836.5MHz
Horizontal (dBi) peak	-7.15
Vertical (dBi) peak	-6.19

849MHz




Center Frequency	849MHz
Horizontal (dBi) peak	-6.10
Vertical (dBi) peak	-6.26

862MHz




Center Frequency	862MHz
Horizontal (dBi) peak	-6.05
Vertical (dBi) peak	-7.32

880MHz




Center Frequency	880MHz
Horizontal (dBi) peak	-8.15
Vertical (dBi) peak	-8.09

897.5MHz




Center Frequency	897.5MHz
Horizontal (dBi) peak	-9.36
Vertical (dBi) peak	-8.51

915MHz




Center Frequency	915MHz
Horizontal (dBi) peak	-9.71
Vertical (dBi) peak	-8.93

925MHz




Center Frequency	925MHz
Horizontal (dBi) peak	-9.87
Vertical (dBi) peak	-9.11

960MHz




Center Frequency	960MHz
Horizontal (dBi) peak	-10.60
Vertical (dBi) peak	-9.64

1427.9MHz




Center Frequency	1427.9MHz
Horizontal (dBi) peak	-0.21
Vertical (dBi) peak	-6.99

1447.9MHz




Center Frequency	1447.9MHz
Horizontal (dBi) peak	-1.78
Vertical (dBi) peak	-6.72

1455.4MHz




Center Frequency	1455.4MHz
Horizontal (dBi) peak	-2.55
Vertical (dBi) peak	-6.61

1462.9MHz




Center Frequency	1462.9MHz
Horizontal (dBi) peak	-3.17
Vertical (dBi) peak	-6.71

1496MHz




Center Frequency	1496MHz
Horizontal (dBi) peak	-4.10
Vertical (dBi) peak	-6.72

1510.9MHz




Center Frequency	1510.9MHz
Horizontal (dBi) peak	-4.02
Vertical (dBi) peak	-5.84

1557MHz




Center Frequency	1557MHz
Horizontal (dBi) peak	-7.57
Vertical (dBi) peak	-8.06

1575MHz




Center Frequency	1575MHz
Horizontal (dBi) peak	-8.07
Vertical (dBi) peak	-8.19

1610MHz




Center Frequency	1610MHz
Horizontal (dBi) peak	-8.78
Vertical (dBi) peak	-8.06

1805 MHz




Center Frequency	1805 MHz
Horizontal (dBi) peak	-8.40
Vertical (dBi) peak	-5.78

1850 MHz




Center Frequency	1850 MHz
Horizontal (dBi) peak	-8.09
Vertical (dBi) peak	-9.06

1880 MHz




Center Frequency	1880 MHz
Horizontal (dBi) peak	-6.46
Vertical (dBi) peak	-6.66

1910MHz




Center Frequency	1910MHz
Horizontal (dBi) peak	-6.29
Vertical (dBi) peak	-6.31

1920MHz




Center Frequency	1920MHz
Horizontal (dBi) peak	-6.20
Vertical (dBi) peak	-6.04

1950MHz




Center Frequency	1950MHz
Horizontal (dBi) peak	-4.83
Vertical (dBi) peak	-5.36

1980MHz




Center Frequency	1980MHz
Horizontal (dBi) peak	-4.89
Vertical (dBi) peak	-5.23

2110MHz




Center Frequency	2110MHz
Horizontal (dBi) peak	-5.45
Vertical (dBi) peak	-5.12

2200MHz




Center Frequency	2200MHz
Horizontal (dBi) peak	-4.61
Vertical (dBi) peak	-5.07

2300MHz




Center Frequency	2300MHz
Horizontal (dBi) peak	-0.42
Vertical (dBi) peak	-1.79

2305MHz




Center Frequency	2305MHz
Horizontal (dBi) peak	-0.53
Vertical (dBi) peak	-1.93

2315MHz




Center Frequency	2315MHz
Horizontal (dBi) peak	-0.79
Vertical (dBi) peak	-2.03

2350MHz




Center Frequency	2350MHz
Horizontal (dBi) peak	-1.85
Vertical (dBi) peak	-3.28

2400MHz




Center Frequency	2400MHz
Horizontal (dBi) peak	-1.70
Vertical (dBi) peak	-3.23

2500MHz




Center Frequency	2500MHz
Horizontal (dBi) peak	-1.33
Vertical (dBi) peak	-3.76

2570MHz




Center Frequency	2570MHz
Horizontal (dBi) peak	-1.98
Vertical (dBi) peak	-4.08

2595MHz




Center Frequency	2595MHz
Horizontal (dBi) peak	-1.86
Vertical (dBi) peak	-4.42

2620MHz




Center Frequency	2620MHz
Horizontal (dBi) peak	-1.77
Vertical (dBi) peak	-4.46

2690MHz




Center Frequency	2690MHz
Horizontal (dBi) peak	-1.01
Vertical (dBi) peak	-3.01

3400MHz




Center Frequency	3400MHz
Horizontal (dBi) peak	-3.16
Vertical (dBi) peak	-4.14

3500MHz




Center Frequency	3500MHz
Horizontal (dBi) peak	-2.90
Vertical (dBi) peak	-4.31

3600MHz




Center Frequency	3600MHz
Horizontal (dBi) peak	-3.33
Vertical (dBi) peak	-5.39

3700MHz




Center Frequency	3700MHz
Horizontal (dBi) peak	-4.16
Vertical (dBi) peak	-5.87

3800MHz




Center Frequency	3800MHz
Horizontal (dBi) peak	-7.43
Vertical (dBi) peak	-7.35

4200MHz




Center Frequency	4200MHz
Horizontal (dBi) peak	-5.02
Vertical (dBi) peak	-6.66

4400MHz




Center Frequency	4400MHz
Horizontal (dBi) peak	-2.58
Vertical (dBi) peak	-3.04

4700MHz




Center Frequency	4700MHz
Horizontal (dBi) peak	-4.78
Vertical (dBi) peak	-2.92

5150MHz




Center Frequency	5150MHz
Horizontal (dBi) peak	-0.91
Vertical (dBi) peak	-1.17

5537.5MHz




Center Frequency	5537.5MHz
Horizontal (dBi) peak	-5.69
Vertical (dBi) peak	-5.03

5925MHz




Center Frequency	5925MHz
Horizontal (dBi) peak	-4.76
Vertical (dBi) peak	-5.06

1452 MHz




Center Frequency	1452 MHz
Horizontal (dBi) peak	-3.27
Vertical (dBi) peak	-3.38

1474 MHz




Center Frequency	1474 MHz
Horizontal (dBi) peak	-3.00
Vertical (dBi) peak	-3.60

1496 MHz




Center Frequency	1496 MHz
Horizontal (dBi) peak	-2.58
Vertical (dBi) peak	-3.46

1710 MHz




Center Frequency	1710 MHz
Horizontal (dBi) peak	-3.37
Vertical (dBi) peak	-3.55

1732.5 MHz




Center Frequency	1732.5 MHz
Horizontal (dBi) peak	-3.67
Vertical (dBi) peak	-4.30

1747.5 MHz




Center Frequency	1747.5 MHz
Horizontal (dBi) peak	-3.73
Vertical (dBi) peak	-4.26

1755 MHz




Center Frequency	1755 MHz
Horizontal (dBi) peak	-2.97
Vertical (dBi) peak	-4.42

1785 MHz




Center Frequency	1785 MHz
Horizontal (dBi) peak	-3.64
Vertical (dBi) peak	-5.39

1805 MHz




Center Frequency	1805 MHz
Horizontal (dBi) peak	-2.58
Vertical (dBi) peak	-5.55

1850 MHz




Center Frequency	1850 MHz
Horizontal (dBi) peak	-3.40
Vertical (dBi) peak	-4.41

1880 MHz




Center Frequency	1880 MHz
Horizontal (dBi) peak	-3.37
Vertical (dBi) peak	-3.28

1910MHz




Center Frequency	1910MHz
Horizontal (dBi) peak	-3.39
Vertical (dBi) peak	-3.28

1920MHz




Center Frequency	1920MHz
Horizontal (dBi) peak	-3.40
Vertical (dBi) peak	-2.96

1950MHz




Center Frequency	1950MHz
Horizontal (dBi) peak	-3.45
Vertical (dBi) peak	-2.82

1980MHz




Center Frequency	1980MHz
Horizontal (dBi) peak	-3.17
Vertical (dBi) peak	-2.23

2110MHz




Center Frequency	2110MHz
Horizontal (dBi) peak	-2.86
Vertical (dBi) peak	-2.69

2200MHz




Center Frequency	2200MHz
Horizontal (dBi) peak	-3.26
Vertical (dBi) peak	-3.03

2300MHz




Center Frequency	2300MHz
Horizontal (dBi) peak	-2.08
Vertical (dBi) peak	-1.76

2305MHz




Center Frequency	2305MHz
Horizontal (dBi) peak	-2.19
Vertical (dBi) peak	-1.87

2315MHz




Center Frequency	2315MHz
Horizontal (dBi) peak	-2.32
Vertical (dBi) peak	-1.40

2350MHz




Center Frequency	2350MHz
Horizontal (dBi) peak	-2.25
Vertical (dBi) peak	-1.83

2400MHz




Center Frequency	2400MHz
Horizontal (dBi) peak	-2.53
Vertical (dBi) peak	-1.59

2500MHz




Center Frequency	2500MHz
Horizontal (dBi) peak	-2.17
Vertical (dBi) peak	-2.54

2570MHz




Center Frequency	2570MHz
Horizontal (dBi) peak	-1.66
Vertical (dBi) peak	-3.05

2595MHz




Center Frequency	2595MHz
Horizontal (dBi) peak	-2.24
Vertical (dBi) peak	-2.64

2620MHz




Center Frequency	2620MHz
Horizontal (dBi) peak	-3.07
Vertical (dBi) peak	-2.44

2690MHz




Center Frequency	2690MHz
Horizontal (dBi) peak	-2.24
Vertical (dBi) peak	-2.25

3400MHz




Center Frequency	3400MHz
Horizontal (dBi) peak	0.02
Vertical (dBi) peak	-0.46

3500MHz




Center Frequency	3500MHz
Horizontal (dBi) peak	-0.16
Vertical (dBi) peak	-0.11

3600MHz




Center Frequency	3600MHz
Horizontal (dBi) peak	0.49
Vertical (dBi) peak	-0.29

3700MHz




Center Frequency	3700MHz
Horizontal (dBi) peak	-2.29
Vertical (dBi) peak	-3.39

3800MHz




Center Frequency	3800MHz
Horizontal (dBi) peak	0.01
Vertical (dBi) peak	-1.41

4200MHz




Center Frequency	4200MHz
Horizontal (dBi) peak	-0.74
Vertical (dBi) peak	0.09

4400MHz




Center Frequency	4400MHz
Horizontal (dBi) peak	-0.37
Vertical (dBi) peak	-0.72

4700MHz



Center Frequency	4700MHz
Horizontal (dBi) peak	-0.91
Vertical (dBi) peak	-2.48


5000MHz



Center Frequency	5000MHz
Horizontal (dBi) peak	-1.99
Vertical (dBi) peak	-1.72


MIMO3 Antenna (DRx1)

1805 MHz




Center Frequency	1805 MHz
Horizontal (dBi) peak	-2.63
Vertical (dBi) peak	-4.98

1850 MHz




Center Frequency	1850 MHz
Horizontal (dBi) peak	-2.56
Vertical (dBi) peak	-4.49

1880 MHz




Center Frequency	1880 MHz
Horizontal (dBi) peak	-1.65
Vertical (dBi) peak	-3.57

1910MHz




Center Frequency	1910MHz
Horizontal (dBi) peak	-1.90
Vertical (dBi) peak	-2.74

1920MHz




Center Frequency	1920MHz
Horizontal (dBi) peak	-2.18
Vertical (dBi) peak	-2.54

1950MHz




Center Frequency	1950MHz
Horizontal (dBi) peak	-2.01
Vertical (dBi) peak	-3.26

1980MHz




Center Frequency	1980MHz
Horizontal (dBi) peak	-2.00
Vertical (dBi) peak	-4.24

2110MHz




Center Frequency	2110MHz
Horizontal (dBi) peak	-3.05
Vertical (dBi) peak	-4.79

2200MHz




Center Frequency	2200MHz
Horizontal (dBi) peak	-2.50
Vertical (dBi) peak	-3.11

2300MHz




Center Frequency	2300MHz
Horizontal (dBi) peak	-0.57
Vertical (dBi) peak	-3.11

2305MHz




Center Frequency	2305MHz
Horizontal (dBi) peak	-1.32
Vertical (dBi) peak	-2.92

2315MHz




Center Frequency	2315MHz
Horizontal (dBi) peak	-1.11
Vertical (dBi) peak	-2.72

2350MHz




Center Frequency	2350MHz
Horizontal (dBi) peak	-1.48
Vertical (dBi) peak	-3.13

2400MHz




Center Frequency	2400MHz
Horizontal (dBi) peak	-1.18
Vertical (dBi) peak	-2.87

2500MHz




Center Frequency	2500MHz
Horizontal (dBi) peak	-1.13
Vertical (dBi) peak	-0.81

2570MHz




Center Frequency	2570MHz
Horizontal (dBi) peak	-1.67
Vertical (dBi) peak	-3.17

2595MHz




Center Frequency	2595MHz
Horizontal (dBi) peak	-1.81
Vertical (dBi) peak	-3.17

2620MHz




Center Frequency	2620MHz
Horizontal (dBi) peak	-1.99
Vertical (dBi) peak	-2.77

2690MHz




Center Frequency	2690MHz
Horizontal (dBi) peak	-1.41
Vertical (dBi) peak	-2.92

3400MHz




Center Frequency	3400MHz
Horizontal (dBi) peak	0.49
Vertical (dBi) peak	-2.19

3500MHz




Center Frequency	3500MHz
Horizontal (dBi) peak	-0.25
Vertical (dBi) peak	-1.66

3600MHz




Center Frequency	3600MHz
Horizontal (dBi) peak	-0.01
Vertical (dBi) peak	-2.33

3700MHz




Center Frequency	3700MHz
Horizontal (dBi) peak	0.45
Vertical (dBi) peak	-3.10

3800MHz




Center Frequency	3800MHz
Horizontal (dBi) peak	-0.63
Vertical (dBi) peak	-2.48

4200MHz




Center Frequency	4200MHz
Horizontal (dBi) peak	-1.58
Vertical (dBi) peak	-1.51

4400MHz




Center Frequency	4400MHz
Horizontal (dBi) peak	-1.54
Vertical (dBi) peak	-1.05

4700MHz



Center Frequency	4700MHz
Horizontal (dBi) peak	-1.49
Vertical (dBi) peak	-1.37


5000MHz



Center Frequency	5000MHz
Horizontal (dBi) peak	-3.91
Vertical (dBi) peak	-4.09


Section 4. Antenna Host Platform Location Information

Include a **dimensioned photo(s) or dimensioned drawing(s)** of Main and Aux antenna placements (measurements are not required for receive-only antenna). Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.



Section 5. Antenna dimensional information for SAR evaluation

Include a **dimensioned photo(s) or dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.



Section 6. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between all WLAN transmit antennas and other co-located radiator transmit antenna such as Bluetooth, WWAN,..

(Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)

