

FCC SAR TEST REPORT

FCC ID : E2KRMMG1
Equipment : 5G Module
Brand Name : COMPAL
Model Name : RMM-G1
Applicant : Compal Electronics, Inc.
No.581 & 581-1, Ruiguang Rd., Neihu
District,Taipei City, 11492 Taiwan
Manufacturer : Compal Electronics, Inc.
No.581 & 581-1, Ruiguang Rd., Neihu
District,Taipei City, 11492 Taiwan
Standard : FCC 47 CFR Part 2 (2.1093)

The product was installed into Portable Computer (Brand Name DELL, Model Name: P207G) during test.

The product was received on Mar. 25, 2026 and testing was started from Apr. 14, 2026 and completed on May 01, 2026. We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample provide by manufacturer and the test data has been evaluated in accordance with the test procedures given in 47 CFR Part 2.1093 and FCC KDB and has been pass the FCC requirement.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. Laboratory, the test report shall not be reproduced except in full.



Approved by: Cona Huang / Deputy Manager



Sporton International Inc. Wensan Laboratory

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan



Table of Contents

1. Statement of Compliance	4
2. Guidance Applied.....	5
3. Equipment Under Test (EUT) Information.....	6
3.1 General Information	6
3.2 General LTE SAR Test and Reporting Considerations	17
3.3 General 5G NR SAR Test and Reporting Considerations	20
4. Proximity Sensor Triggering Test.....	23
5. RF Exposure Limits.....	31
5.1 Uncontrolled Environment.....	31
5.2 Controlled Environment.....	31
5.3 RF Exposure limit for above 6GHz	32
6. Specific Absorption Rate (SAR).....	33
6.1 Introduction	33
6.2 SAR Definition.....	33
7. System Description and Setup	34
7.1 Test Site Location.....	34
7.2 E-Field Probe.....	35
7.3 Data Acquisition Electronics (DAE)	35
7.4 Phantom.....	36
7.5 Device Holder.....	37
8. Measurement Procedures	38
8.1 Spatial Peak SAR Evaluation.....	38
8.2 Power Reference Measurement.....	39
8.3 Area Scan	39
8.4 Zoom Scan.....	40
8.5 Volume Scan Procedures.....	40
8.6 Power Drift Monitoring.....	40
9. Test Equipment List.....	41
10. System Verification	42
10.1 Tissue Verification	42
10.2 System Performance Check Results.....	43
11. RF Exposure Positions	44
11.1 SAR Testing for Tablet.....	44
12. UMTS /LTE Output Power (Unit: dBm)	45
13. UL/DL Carrier aggregation	150
14. 5G NR Output Power (Unit: dBm)	155
15. Antenna Location	220
16. SAR Test Results	226
16.1 Body SAR	228
16.2 Repeated SAR Measurement	238
16.3 Power Class 2 and Power Class 3 Linearity	239
17. Simultaneous Transmission Analysis.....	241
17.1 Body Exposure Conditions.....	242
17.2 SPLSR Evaluation and Analysis.....	244
18. Uncertainty Assessment	251
19. References.....	251
Appendix A. Plots of System Performance Check	
Appendix B. Plots of High SAR Measurement	
Appendix C. DASY Calibration Certificate	
Appendix D. Test Setup Photos	



History of this test report

Report No.	Version	Description	Issued Date
FA5D2601-04	01	Initial issue of report	May 08, 2026

1. Statement of Compliance

The maximum results of Specific Absorption Rate (SAR) for **Compal Electronics, Inc., 5G Module, RMM-G1**, are as follows.

Equipment Class	Frequency Band	Highest SAR Summary	Highest Body Simultaneous Transmission 1g SAR (W/kg)
		Body (Separation 0mm)	
		1g SAR (W/kg)	
Licensed	WCDMA II	0.93	1.56
	WCDMA IV	1.17	
	WCDMA V	0.27	
	LTE Band 7	1.13	
	LTE Band 12/17	0.60	
	LTE Band 13	0.87	
	LTE Band 14	0.83	
	LTE Band 2/25	1.17	
	LTE Band 5/26	0.87	
	LTE Band 30	1.09	
	LTE Band 4/66	1.14	
	LTE Band 71	0.19	
	LTE Band 38/41	1.18	
	LTE Band 48	1.17	
	FR1 n5	0.99	
	FR1 n7	1.19	
	FR1 n2/n25	1.10	
	FR1 n30	1.19	
	FR1 n66	1.18	
	FR1 n71	0.26	
	FR1 n/n41	1.15	
	FR1 n48	1.15	
	FR1 n77/n78	1.17	
Date of Testing:		2026/04/14 ~ 2026/05/01	

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation and the FCC designation No. TW3786 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC test. This device is in compliance with Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits (1.6 W/kg for Partial-Body 1g SAR) specified in FCC 47 CFR part 2 (2.1093) and ANSI/IEEE C95.1-1992, and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528-2013 and FCC KDB publications.

Reviewed by: Jason Wang
Report Producer: Daisy Peng



2. Guidance Applied

The Specific Absorption Rate (SAR) testing specification, method, and procedure for this device is in accordance with the following standards, the below KDB standard may not including in the TAF code without accreditation.

- FCC 47 CFR Part 2 (2.1093)
- ANSI/IEEE C95.1-1992
- IEEE 1528-2013
- FCC KDB 865664 D01 SAR Measurement 100 MHz to 6 GHz v01r04
- FCC KDB 865664 D02 SAR Reporting v01r02
- FCC KDB 447498 D01 General RF Exposure Guidance v06
- FCC KDB 616217 D04 SAR for laptop and tablets v01r02
- FCC KDB 941225 D01 3G SAR Procedures v03r01
- FCC KDB 941225 D05 SAR for LTE Devices v02r05
- FCC KDB 941225 D05A Rel.10 LTE SAR Test Guidance v01r02

3. Equipment Under Test (EUT) Information

3.1 General Information

Product Feature & Specification	
Equipment Name	5G Module
Brand Name	COMPAL
Model Name	RMM-G1
FCC ID	E2KRMMG1
Wireless Technology and Frequency Range	WCDMA Band II: 1850 MHz ~ 1910 MHz WCDMA Band IV: 1710 MHz ~ 1755 MHz WCDMA Band V: 824 MHz ~ 849 MHz LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12: 699 MHz ~ 716 MHz LTE Band 13: 777 MHz ~ 787 MHz LTE Band 14: 788 MHz ~ 798 MHz LTE Band 17: 704 MHz ~ 716 MHz LTE Band 25: 1850 MHz ~ 1915 MHz LTE Band 26: 814 MHz ~ 849 MHz LTE Band 30: 2305 MHz ~ 2315 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 48: 3550 MHz ~ 3700 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz 5G NR n2 : 1850 MHz ~ 1910 MHz 5G NR n5 : 824 MHz ~ 849 MHz 5G NR n7 : 2500 MHz ~ 2570 MHz 5G NR n25 : 1850 MHz ~ 1915 MHz 5G NR n30 : 2305 MHz ~ 2315 MHz 5G NR n38 : 2570 MHz ~ 2620 MHz 5G NR n41 : 2496 MHz ~ 2690 MHz 5G NR n48 : 3550 MHz ~ 3700 MHz 5G NR n66 : 1710 MHz ~ 1780 MHz 5G NR n71 : 663 MHz ~ 698 MHz 5G NR n77: 3700 MHz ~ 3980 MHz, 3450 MHz ~ 3550 MHz 5G NR n78: 3700 MHz ~ 3800 MHz, 3450 MHz ~ 3550 MHz
Mode	RMC 12.2Kbps HSDPA HSUPA DC-HSDPA HSPA+ (16QAM uplink) LTE: QPSK, 16QAM, 64QAM, 256QAM 5G NR: DFT-s-OFDM/CP-OFDM, Pi/2 BPSK/QPSK/16QAM/64QAM/256QAM
Remark: 1. There are two antenna vendors. RF exposure evaluation selects WNC as the main test sample, and Auden will be spot-checked based on the worst case found in WNC.	

Host Information	
Equipment Name	Portable Computer
Brand Name	DELL
Model Name	P207G
Integrated WLAN Module 1	Brand Name: MediaTek Model Name: MT7922A22M
Integrated WLAN Module 2	Brand Name: MediaTek Model Name: MT7925B22M
Integrated WLAN Module 3	Brand Name: Intel® Model Name: AX211NGW
Integrated WLAN Module4	Brand Name: Intel® Model Name: BE211NGW
Integrated RFID Module	Brand Name: DELL Model Name: DWRFID2501
Wireless Technology and Frequency Range	WLAN 2.4 GHz Band: 2400 MHz ~ 2483.5 MHz WLAN 5.2 GHz Band: 5150 MHz ~ 5250 MHz WLAN 5.3 GHz Band: 5250 MHz ~ 5350 MHz WLAN 5.6 GHz Band: 5470 MHz ~ 5725 MHz WLAN 5.8 GHz Band: 5725 MHz ~ 5850 MHz WLAN 5.9 GHz Band: 5850 MHz ~ 5895 MHz WLAN 6GHz Band: 5925 MHz ~ 6425 MHz, 6425 MHz ~ 6525 MHz, 6525 MHz ~ 6875 MHz, 6875 MHz ~ 7125 MHz Bluetooth: 2400 MHz ~ 2483.5 MHz RFID: 13.56 MHz
Mode	WLAN:802.11a/b/g/n/ac/ax/be HT20/HT40/VHT20/VHT40/VHT80/VHT160/HE20/HE40/HE80/HE160/EHT20/EHT40/EHT80/EHT160/EHT320 Bluetooth BR/EDR/LE RFID: ASK
Remark: - The FCC ID: PD9AX211NG, Intel AX211NGW WLAN/BT module is integrated into this host, and the Sim-Tx compliance include in section17. - The FCC ID: PD9BE211NG, Intel BE211D2W WLAN/BT module is integrated into this host, and the Sim-Tx compliance include in section17. - The MediaTek MT7922A22M WLAN/Bluetooth module is also integrated into this host. The WLAN/Bluetooth power and SAR testing data can be found in the Sporton SAR Test Report, Report No.: FA620211-01, and the result is used for simultaneous transmission analysis. - The MediaTek MT7925B22M WLAN/Bluetooth module is also integrated into this host. The WLAN/Bluetooth power and SAR testing data can be found in the Sporton SAR Test Report, Report No.: FA620211-02, and the result is used for simultaneous transmission analysis. - This device is convertible type notebook PC, and there are two mode as usage way, one is laptop mode, another is tablet mode.	

**WWAN Antenna Information****NB_Auden**

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
WCDMA/ LTE/5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-146 (2) Cable length: 412.5 mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx1/Rx1 Antenna WWAN Main: Antenna P/N: Main: A23828-60 COMPAL P/N: DC33003501L	Auden Techno Corp.	Monopole	0.95
WCDMA/ LTE/5G NR FR1	2	1850	1910				-0.08
LTE/5G NR FR1	3	1710	1785				0.21
WCDMA/ LTE	4	1710	1755				0.21
WCDMA/ LTE/5G NR FR1	5	824	849				-0.53
LTE/5G NR FR1	7	2500	2570				0.38
WCDMA/ LTE/5G NR FR1	8	880	915				0.18
LTE/5G NR FR1	12	699	716				-0.44
LTE/5G NR FR1	13	777	787				0.59
LTE/5G NR FR1	14	788	798				-0.35
LTE	17	704	716				-0.44
LTE/5G NR FR1	18	815	830				-0.29
LTE	19	830	845				-0.65
LTE/5G NR FR1	20	832	862				-0.70
LTE/5G NR FR1	25	1850	1915				-0.08
LTE/5G NR FR1	26	814	849				-0.28
LTE/5G NR FR1	28	703	748				0.65
LTE/5G NR FR1	30	2305	2315				0.93
LTE	34	2010	2050				0.71
LTE/5G NR FR1	38	2570	2620				-0.14
LTE	39	1880	1920				-0.06
LTE/5G NR FR1	40	2300	2400				1.27
LTE/5G NR FR1	41	2496	2690				0.39
LTE	42	3400	3600				-0.28
LTE	43	3600	3800				-0.32
LTE	46	5150	5925				-0.23
LTE/5G NR FR1	48	3550	3700				-0.28
LTE/5G NR FR1	66	1710	1780				0.21
LTE	68	698	728				-0.23
LTE/5G NR FR1	70	1695	1710				-0.08
LTE/5G NR FR1	71	663	698				-1.88
5G NR FR1	77	3300	4200				-0.28
5G NR FR1	78	3300	3800				-0.28
5G NR FR1	79	4400	5000				-1.73
5G NR FR1	91	832	862				-0.70
5G NR FR1	92	832	862				0.18
5G NR FR1	93	880	915				0.18
5G NR FR1	94	880	915				0.18

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-160 (2) Cable length: 488mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx2/Rx3 Antenna WWAN Aux : Antenna P/N: A23828-60 COMPAL P/N: DC33003501L	Auden Techno Corp.	Monopole	0.20
5G NR FR1	2	1850	1910				1.44
5G NR FR1	3	1710	1785				1.91
WCDMA/ LTE	4	1710	1755				1.88
5G NR FR1	7	2500	2570				-0.67
5G NR FR1	25	1850	1915				1.44
5G NR FR1	30	2305	2315				-0.34
5G NR FR1	34	2010	2050				0.77
5G NR FR1	38	2570	2620				0.97
LTE	39	1880	1920				1.06
5G NR FR1	40	2300	2400				-0.10
5G NR FR1	41	2496	2690				0.97
LTE	42	3400	3600				-1.05
LTE	43	3600	3800				-1.05
LTE	46	5150	5925				-2.27
5G NR FR1	48	3550	3700				-1.05
5G NR FR1	66	1710	1780				1.91
5G NR FR1	70	1695	1710				1.91
5G NR FR1	77	3300	4200				-1.05
5G NR FR1	78	3300	3800				-1.05
5G NR FR1	79	4400	5000				-1.38

**TB_Auden**

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
WCDMA/ LTE/5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-146 (2) Cable length: 412.5 mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx1/Rx1 Antenna WWAN Main: Antenna P/N: A23828-60 COMPAL P/N: DC33003501L	Auden Techno Corp.	Monopole	-0.23
WCDMA/ LTE/5G NR FR1	2	1850	1910				-2.49
LTE/5G NR FR1	3	1710	1785				-2.38
WCDMA/ LTE	4	1710	1755				-2.38
WCDMA/ LTE/5G NR FR1	5	824	849				-4.29
LTE/5G NR FR1	7	2500	2570				-1.76
WCDMA/ LTE/5G NR FR1	8	880	915				-3.89
LTE/5G NR FR1	12	699	716				-5.01
LTE/5G NR FR1	13	777	787				-3.42
LTE/5G NR FR1	14	788	798				-4.15
LTE	17	704	716				-5.01
LTE/5G NR FR1	18	815	830				-4.22
LTE	19	830	845				-4.69
LTE/5G NR FR1	20	832	862				-4.78
LTE/5G NR FR1	25	1850	1915				-2.49
LTE/5G NR FR1	26	814	849				-4.22
LTE/5G NR FR1	28	703	748				-4.02
LTE/5G NR FR1	30	2305	2315				-1.06
LTE	34	2010	2050				0.06
LTE/5G NR FR1	38	2570	2620				-0.44
LTE	39	1880	1920				-2.49
LTE/5G NR FR1	40	2300	2400				-1.06
LTE/5G NR FR1	41	2496	2690				0.67
LTE	42	3400	3600				-1.21
LTE	43	3600	3800				-0.90
LTE	46	5150	5925				-0.43
LTE/5G NR FR1	48	3550	3700				-1.15
LTE/5G NR FR1	66	1710	1780				-2.38
LTE	68	698	728				-4.93
LTE/5G NR FR1	70	1695	1710				-3.13
LTE/5G NR FR1	71	663	698				-4.93
5G NR FR1	77	3300	4200				-0.90
5G NR FR1	78	3300	3800				-0.90
5G NR FR1	79	4400	5000				-2.59
5G NR FR1	91	832	862				-4.78
5G NR FR1	92	832	862				-4.05
5G NR FR1	93	880	915				-3.89
5G NR FR1	94	880	915				-3.89

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-160 (2) Cable length: 488mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx2/Rx3 Antenna WWAN Aux : Antenna P/N: A23828-60 COMPAL P/N: DC33003501L	Auden Techno Corp.	Monopole	0.20
5G NR FR1	2	1850	1910				1.44
5G NR FR1	3	1710	1785				1.91
WCDMA/ LTE	4	1710	1755				1.88
5G NR FR1	7	2500	2570				-0.67
5G NR FR1	25	1850	1915				1.44
5G NR FR1	30	2305	2315				-0.34
5G NR FR1	34	2010	2050				0.77
5G NR FR1	38	2570	2620				0.97
LTE	39	1880	1920				1.06
5G NR FR1	40	2300	2400				-0.10
5G NR FR1	41	2496	2690				0.97
LTE	42	3400	3600				-1.05
LTE	43	3600	3800				-1.05
LTE	46	5150	5925				-2.27
5G NR FR1	48	3550	3700				-1.05
5G NR FR1	66	1710	1780				1.91
5G NR FR1	70	1695	1710				1.91
5G NR FR1	77	3300	4200				-1.05
5G NR FR1	78	3300	3800				-1.05
5G NR FR1	79	4400	5000				-1.38

**NB_WNC**

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
WCDMA/ LTE/5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-146 (2) Cable length: 412.5 mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx1/Rx1 Antenna WWAN Main: Antenna P/N: 81ELBK15.G09 COMPAL P/N: DC330035F0L	WNC Corporation	Monopole	0.93
WCDMA/ LTE/5G NR FR1	2	1850	1910				-0.08
LTE/5G NR FR1	3	1710	1785				0.17
WCDMA/ LTE	4	1710	1755				0.17
WCDMA/ LTE/5G NR FR1	5	824	849				-0.57
LTE/5G NR FR1	7	2500	2570				0.35
WCDMA/ LTE/5G NR FR1	8	880	915				0.14
LTE/5G NR FR1	12	699	716				-0.46
LTE/5G NR FR1	13	777	787				0.56
LTE/5G NR FR1	14	788	798				-0.38
LTE	17	704	716				-0.46
LTE/5G NR FR1	18	815	830				-0.33
LTE	19	830	845				-0.68
LTE/5G NR FR1	20	832	862				-0.71
LTE/5G NR FR1	25	1850	1915				-0.08
LTE/5G NR FR1	26	814	849				-0.31
LTE/5G NR FR1	28	703	748				0.64
LTE/5G NR FR1	30	2305	2315				0.90
LTE	34	2010	2050				0.69
LTE/5G NR FR1	38	2570	2620				-0.17
LTE	39	1880	1920				-0.07
LTE/5G NR FR1	40	2300	2400				1.24
LTE/5G NR FR1	41	2496	2690				0.34
LTE	42	3400	3600				-0.33
LTE	43	3600	3800				-0.36
LTE	46	5150	5925				-0.27
LTE/5G NR FR1	48	3550	3700				-0.33
LTE/5G NR FR1	66	1710	1780				0.17
LTE	68	698	728				-0.23
LTE/5G NR FR1	70	1695	1710				-0.13
LTE/5G NR FR1	71	663	698				-1.91
5G NR FR1	77	3300	4200				-0.33
5G NR FR1	78	3300	3800				-0.33
5G NR FR1	79	4400	5000				-1.76
5G NR FR1	91	832	862				-0.71
5G NR FR1	92	832	862				0.16
5G NR FR1	93	880	915				0.14
5G NR FR1	94	880	915				0.14

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-160 (2) Cable length: 488mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx2/Rx3 Antenna WWAN Aux : Antenna P/N: 81ELBK15.G09 COMPAL P/N: DC330035F0L	WNC Corporation	Monopole	0.18
5G NR FR1	2	1850	1910				1.44
5G NR FR1	3	1710	1785				1.88
WCDMA/ LTE	4	1710	1755				1.84
5G NR FR1	7	2500	2570				-0.72
5G NR FR1	25	1850	1915				1.44
5G NR FR1	30	2305	2315				-0.37
5G NR FR1	34	2010	2050				0.77
5G NR FR1	38	2570	2620				0.92
LTE	39	1880	1920				1.05
5G NR FR1	40	2300	2400				-0.11
5G NR FR1	41	2496	2690				0.92
LTE	42	3400	3600				-1.09
LTE	43	3600	3800				-1.09
LTE	46	5150	5925				-2.27
5G NR FR1	48	3550	3700				-1.09
5G NR FR1	66	1710	1780				1.88
5G NR FR1	70	1695	1710				1.88
5G NR FR1	77	3300	4200				-1.09
5G NR FR1	78	3300	3800				-1.09
5G NR FR1	79	4400	5000				-1.43

**TB_WNC**

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
WCDMA/ LTE/5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-146 (2) Cable length: 412.5 mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx1/Rx1 Antenna WWAN Main: Antenna P/N: 81ELBK15.G09 COMPAL P/N: DC330035F0L	WNC Corporation.	Monopole	-0.25
WCDMA/ LTE/5G NR FR1	2	1850	1910				-2.50
LTE/5G NR FR1	3	1710	1785				-2.42
WCDMA/ LTE	4	1710	1755				-2.42
WCDMA/ LTE/5G NR FR1	5	824	849				-4.33
LTE/5G NR FR1	7	2500	2570				-1.79
WCDMA/ LTE/5G NR FR1	8	880	915				-3.93
LTE/5G NR FR1	12	699	716				-5.03
LTE/5G NR FR1	13	777	787				-3.45
LTE/5G NR FR1	14	788	798				-4.18
LTE	17	704	716				-5.03
LTE/5G NR FR1	18	815	830				-4.22
LTE	19	830	845				-4.72
LTE/5G NR FR1	20	832	862				-4.79
LTE/5G NR FR1	25	1850	1915				-2.50
LTE/5G NR FR1	26	814	849				-4.22
LTE/5G NR FR1	28	703	748				-4.03
LTE/5G NR FR1	30	2305	2315				-1.09
LTE	34	2010	2050				0.04
LTE/5G NR FR1	38	2570	2620				-0.45
LTE	39	1880	1920				-2.50
LTE/5G NR FR1	40	2300	2400				-1.09
LTE/5G NR FR1	41	2496	2690				0.67
LTE	42	3400	3600				-1.22
LTE	43	3600	3800				-0.95
LTE	46	5150	5925				-0.47
LTE/5G NR FR1	48	3550	3700				-1.17
LTE/5G NR FR1	66	1710	1780				-2.42
LTE	68	698	728				-4.94
LTE/5G NR FR1	70	1695	1710				-3.18
LTE/5G NR FR1	71	663	698				-4.94
5G NR FR1	77	3300	4200				-0.95
5G NR FR1	78	3300	3800				-0.95
5G NR FR1	79	4400	5000				-2.62
5G NR FR1	91	832	862				-4.79
5G NR FR1	92	832	862				-4.07
5G NR FR1	93	880	915				-3.93
5G NR FR1	94	880	915				-3.93

Communication System	Band	Frequency(MHz) from low to high spectrum		1A Cable Assembly Part Number and Information	1B Antenna Manufacturer Name	1C Description of Antenna Type	1D * Peak Gain W/ Cable loss (dBi)
5G NR FR1	1	1920	1980	(1) Cable P/N: SY113L/50-160 (2) Cable length: 488mm Diameter: 1.13mm SLL 50 ohm Coaxial (3) Connector P/N: 20565-001R-13 Tx2/Rx3 Antenna WWAN Aux : Antenna P/N: 81ELBK15.G09 COMPAL P/N:DC330035F0L	WNC Corporation.	Monopole	0.20
5G NR FR1	2	1850	1910				1.40
5G NR FR1	3	1710	1785				1.86
WCDMA/ LTE	4	1710	1755				1.88
5G NR FR1	7	2500	2570				-0.69
5G NR FR1	25	1850	1915				1.44
5G NR FR1	30	2305	2315				-0.38
5G NR FR1	34	2010	2050				0.73
5G NR FR1	38	2570	2620				0.96
LTE	39	1880	1920				1.04
5G NR FR1	40	2300	2400				-0.13
5G NR FR1	41	2496	2690				0.96
LTE	42	3400	3600				-1.09
LTE	43	3600	3800				-1.07
LTE	46	5150	5925				-2.28
5G NR FR1	48	3550	3700				-1.08
5G NR FR1	66	1710	1780				1.87
5G NR FR1	70	1695	1710				1.90
5G NR FR1	77	3300	4200				-1.07
5G NR FR1	78	3300	3800				-1.10
5G NR FR1	79	4400	5000				-1.41

Auden NB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
P207G (Yukon PTL 360 14)	2.4GHz 2400-2483.5 MHz	5.2GHz 5150-5250MHz	5.3GHz 5250-5350MHz	5.6GHz 5470-5725MHz	5.8GHz 5725-5850MHz	5.9GHz 5850-5895MHz	6.2GHz 5925-6425MHz	6.5GHz 6425-6525MHz	6.7GHz 6525-6875MHz	7.0 GHz 6875-7125MHz
Main_A23830-30 (DC33003500L)	1.54	3.54	3.61	4.68	4.80	4.31	4.77	4.29	4.93	4.67
Aux_A23847-30 (DC33003502L)	2.09	3.60	3.58	4.67	4.85	4.35	4.71	4.12	4.63	4.77
Auden TB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
Yukon PTL 360 14	2.4GHz 2400-2483.5 MHz	5.2GHz 5150-5250MHz	5.3GHz 5250-5350MHz	5.6GHz 5470-5725MHz	5.8GHz 5725-5850MHz	5.9GHz 5850-5895MHz	6.2GHz 5925-6425MHz	6.5GHz 6425-6525MHz	6.7GHz 6525-6875MHz	7.0 GHz 6875-7125MHz
Main (A23830-30(DC33003500L))	2.15	3.42	3.51	4.72	4.94	4.31	4.71	4.22	4.34	4.40
Aux (A23847-30(DC33003502L))	1.85	3.57	3.60	4.69	4.35	4.36	4.73	4.14	4.93	4.93
HongBo NB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
Yukon PTL 360 14	2.4GHz 2400-2483.5 MHz	5.2GHz 5150-5250MHz	5.3GHz 5250-5350MHz	5.6GHz 5470-5725MHz	5.8GHz 5725-5850MHz	5.9GHz 5850-5895MHz	6.2GHz 5925-6425MHz	6.5GHz 6425-6525MHz	6.7GHz 6525-6875MHz	7.0 GHz 6875-7125MHz
Main(330-24064(DC33003400L))	1.17	3.17	3.57	4.41	4.33	4.38	4.34	4.21	4.42	4.45
Aux(330-24069(DC33003402L))	1.55	3.26	3.28	4.58	4.47	4.51	4.46	4.01	4.43	4.44
HongBo TB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
Yukon PTL 360 14	2.4GHz 2400-2483.5 MHz	5.2GHz 5150-5250MHz	5.3GHz 5250-5350MHz	5.6GHz 5470-5725MHz	5.8GHz 5725-5850MHz	5.9GHz 5850-5895MHz	6.2GHz 5925-6425MHz	6.5GHz 6425-6525MHz	6.7GHz 6525-6875MHz	7.0 GHz 6875-7125MHz
Main(330-24064(DC33003400L))	2.14	3.42	3.45	4.27	4.53	4.49	4.66	4.08	4.07	4.01
Aux_330-24069 (DC33003402L)	1.27	3.36	3.38	4.37	4.03	4.28	4.42	3.87	4.70	4.51



Auden NB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
Yukon GPT 360 14	2.4GHz	5.2GHz	5.3GHz	5.6GHz	5.8GHz	5.9GHz	6.2GHz	6.5GHz	6.7GHz	7.0 GHz
	2400-2483.5 MHz	5150-5250MHz	5250-5350MHz	5470-5725MHz	5725-5850MHz	5850-5895MHz	5925-6425MHz	6425-6525MHz	6525-6875MHz	6875-7125MHz
Main (A23830-30(DC33003500L))	1.06	2.94	2.91	4.18	4.10	4.11	4.17	4.09	4.43	3.96
Aux (A23847-30(DC33003502L))	1.91	2.90	2.88	4.17	4.15	3.45	3.21	1.12	2.73	3.07
Auden TB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
Yukon GPT 360 14	2.4GHz	5.2GHz	5.3GHz	5.6GHz	5.8GHz	5.9GHz	6.2GHz	6.5GHz	6.7GHz	7.0 GHz
	2400-2483.5 MHz	5150-5250MHz	5250-5350MHz	5470-5725MHz	5725-5850MHz	5850-5895MHz	5925-6425MHz	6425-6525MHz	6525-6875MHz	6875-7125MHz
Main (A23830-30(DC33003500L))	1.75	2.22	1.81	2.32	4.14	3.91	3.71	3.52	3.04	1.9
Aux (A23847-30(DC33003502L))	1.16	2.92	2.85	2.19	2.5	2.61	3.53	3.94	4.03	1.37
HongBo NB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
Yukon GPT 360 14	2.4GHz	5.2GHz	5.3GHz	5.6GHz	5.8GHz	5.9GHz	6.2GHz	6.5GHz	6.7GHz	7.0 GHz
	2400-2483.5 MHz	5150-5250MHz	5250-5350MHz	5470-5725MHz	5725-5850MHz	5850-5895MHz	5925-6425MHz	6425-6525MHz	6525-6875MHz	6875-7125MHz
Main(330-24064(DC330034O0L))	0.52	2.77	2.43	3.97	3.67	3.86	3.82	3.57	3.85	3.81
Aux(330-24069(DC330034O2L))	1.46	2.81	2.76	3.6	3.46	2.96	2.87	0.48	2.24	2.81
HongBo TB Mode										
Antenna Peak gain w/ cable loss (dBi)*										
Yukon GPT 360 14	2.4GHz	5.2GHz	5.3GHz	5.6GHz	5.8GHz	5.9GHz	6.2GHz	6.5GHz	6.7GHz	7.0 GHz
	2400-2483.5 MHz	5150-5250MHz	5250-5350MHz	5470-5725MHz	5725-5850MHz	5850-5895MHz	5925-6425MHz	6425-6525MHz	6525-6875MHz	6875-7125MHz
Main(330-24064(DC330034O0L))	1.26	2.03	1.14	1.81	3.86	3.74	3.3	3.42	2.97	1.23
Aux(330-24069(DC330034O2L))	1.11	2.76	2.4	2.08	2.23	2.17	2.9	3.89	3.93	0.83

3.2 General LTE SAR Test and Reporting Considerations

Summarized necessary items addressed in KDB 941225 D05 v02r05																																																																										
FCC ID		E2KRMMG1																																																																								
Equipment Name		5G Module																																																																								
Operating Frequency Range of each LTE transmission band		LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12: 699 MHz ~ 716 MHz LTE Band 13: 777 MHz ~ 787 MHz LTE Band 14: 788 MHz ~ 798 MHz LTE Band 17: 704 MHz ~ 716 MHz LTE Band 25: 1850 MHz ~ 1915 MHz LTE Band 26: 814 MHz ~ 849 MHz LTE Band 30: 2305 MHz ~ 2315 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 48: 3550 MHz ~ 3700 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz																																																																								
Channel Bandwidth		LTE Band 2:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 4:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 5:1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 7: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 12:1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 13: 5MHz, 10MHz LTE Band 14: 5MHz, 10MHz LTE Band 17: 5MHz, 10MHz LTE Band 25:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 26:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz LTE Band 30: 5MHz, 10MHz LTE Band 38: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 41: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 48: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 66: 1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 71: 5MHz, 10MHz, 15MHz, 20MHz																																																																								
uplink modulations used		QPSK / 16QAM / 64QAM / 256QAM																																																																								
LTE Voice / Data requirements		Data only																																																																								
LTE MPR permanently built-in by design		<table><tr><th colspan="8">Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3</th></tr><tr><th rowspan="2">Modulation</th><th colspan="6">Channel bandwidth / Transmission bandwidth (N_{RB})</th><th rowspan="2">MPR (dB)</th></tr><tr><th>1.4 MHz</th><th>3.0 MHz</th><th>5 MHz</th><th>10 MHz</th><th>15 MHz</th><th>20 MHz</th></tr><tr><td>QPSK</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 1</td></tr><tr><td>16 QAM</td><td>≤ 5</td><td>≤ 4</td><td>≤ 8</td><td>≤ 12</td><td>≤ 16</td><td>≤ 18</td><td>≤ 1</td></tr><tr><td>16 QAM</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 2</td></tr><tr><td>64 QAM</td><td>≤ 5</td><td>≤ 4</td><td>≤ 8</td><td>≤ 12</td><td>≤ 16</td><td>≤ 18</td><td>≤ 2</td></tr><tr><td>64 QAM</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 3</td></tr><tr><td>256 QAM</td><td colspan="6">≥ 1</td><td>≤ 5</td></tr></table>			Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3								Modulation	Channel bandwidth / Transmission bandwidth (N _{RB})						MPR (dB)	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1	16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1	16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2	64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2	64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3	256 QAM	≥ 1						≤ 5
Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3																																																																										
Modulation	Channel bandwidth / Transmission bandwidth (N _{RB})						MPR (dB)																																																																			
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz																																																																				
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1																																																																			
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1																																																																			
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2																																																																			
64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2																																																																			
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3																																																																			
256 QAM	≥ 1						≤ 5																																																																			
LTE A-MPR		In the base station simulator configuration, Network Setting value is set to NS_01 to disable A-MPR during SAR testing and the LTE SAR tests was transmitting on all TTI frames (Maximum TTI)																																																																								
Spectrum plots for RB configuration		A properly configured base station simulator was used for the SAR and power measurement; therefore, spectrum plots for each RB allocation and offset configuration are not included in the SAR report.																																																																								
Power reduction applied to satisfy SAR compliance		Yes, Proximity Sensor.																																																																								
LTE Carrier Aggregation Combinations		Intra-Band possible combinations and the detail power measurement please referred to section 13.																																																																								
LTE Carrier Aggregation Additional Information		Additional following LTE Release features are not supported: Relay, HetNet, Enhanced MIMO, eICI, WiFi Offloading, MDH, eMBMA, Cross-Carrier Scheduling, Enhanced SC-FDMA.																																																																								



Transmission (H, M, L) channel numbers and frequencies in each LTE band												
LTE Band 2												
	Bandwidth 1.4MHz		Bandwidth 3MHz		Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	18607	1850.7	18615	1851.5	18625	1852.5	18650	1855	18675	1857.5	18700	1860
M	18900	1880	18900	1880	18900	1880	18900	1880	18900	1880	18900	1880
H	19193	1909.3	19185	1908.5	19175	1907.5	19150	1905	19125	1902.5	19100	1900
LTE Band 4												
	Bandwidth 1.4MHz		Bandwidth 3MHz		Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	19957	1710.7	19965	1711.5	19975	1712.5	20000	1715	20025	1717.5	20050	1720
M	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5
H	20393	1754.3	20385	1753.5	20375	1752.5	20350	1750	20325	1747.5	20300	1745
LTE Band 5												
	Bandwidth 1.4MHz		Bandwidth 3MHz		Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	20407	824.7	20415	825.5	20425	826.5	20450	829	20475	831.5	20500	834
M	20525	836.5	20525	836.5	20525	836.5	20525	836.5	20525	836.5	20525	836.5
H	20643	848.3	20635	847.5	20625	846.5	20600	844	20575	842	20550	840
LTE Band 7												
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	20775	2502.5	20800	2505	20825	2507.5	20850	2510	20875	2512.5	20900	2515
M	21100	2535	21100	2535	21100	2535	21100	2535	21100	2535	21100	2535
H	21425	2567.5	21400	2565	21375	2562.5	21350	2560	21325	2557.5	21300	2555
LTE Band 12												
	Bandwidth 1.4MHz		Bandwidth 3MHz		Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	23017	699.7	23025	700.5	23035	701.5	23060	704	23085	707	23110	710
M	23095	707.5	23095	707.5	23095	707.5	23095	707.5	23095	707.5	23095	707.5
H	23173	715.3	23165	714.5	23115	713.5	23130	711	23145	712	23160	713
LTE Band 13												
	Bandwidth 5MHz				Bandwidth 10MHz				Bandwidth 15MHz			
	Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)	
L	23205		779.5		23230		782		23255		784.5	
M	23230		782		23255		784.5		23280		787	
H	23255		784.5		23280		787		23305		789.5	
LTE Band 14												
	Bandwidth 5MHz				Bandwidth 10MHz				Bandwidth 15MHz			
	Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)	
L	23305		790.5		23330		793		23355		795.5	
M	23330		793		23355		795.5		23380		798	
H	23355		795.5		23380		798		23405		800.5	
LTE Band 17												
	Bandwidth 5MHz				Bandwidth 10MHz				Bandwidth 15MHz			
	Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)	
L	23755		706.5		23780		709		23805		711.5	
M	23790		710		23815		713		23840		716	
H	23825		713.5		23850		716.5		23875		719.5	
LTE Band 25												
	Bandwidth 1.4MHz		Bandwidth 3MHz		Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	26047	1850.7	26055	1851.5	26065	1852.5	26090	1855	26115	1857.5	26140	1860
M	26340	1880	26340	1880	26340	1880	26340	1880	26340	1880	26340	1880
H	26683	1914.3	26675	1913.5	26665	1912.5	26640	1910	26615	1907.5	26590	1905
LTE Band 26												
	Bandwidth 1.4MHz		Bandwidth 3MHz		Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	26697	814.7	26705	815.5	26715	816.5	26740	819	26765	821.5	26790	824
M	26865	831.5	26865	831.5	26865	831.5	26865	831.5	26865	831.5	26865	831.5
H	27033	848.3	27025	847.5	27015	846.5	26990	844	26965	841.5	26940	838.5
LTE Band 30												
	Bandwidth 5MHz				Bandwidth 10MHz				Bandwidth 15MHz			
	Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)	
L	27685		2307.5		27710		2310		27735		2312.5	
M	27710		2310		27735		2312.5		27760		2315	
H	27735		2312.5		27760		2315		27785		2317.5	
LTE Band 66												
	Bandwidth 1.4MHz		Bandwidth 3MHz		Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	28007	1850.7	28015	1851.5	28025	1852.5	28050	1855	28075	1857.5	28100	1860
M	28340	1880	28340	1880	28340	1880	28340	1880	28340	1880	28340	1880
H	28683	1914.3	28675	1913.5	28665	1912.5	28640	1910	28615	1907.5	28590	1905



FCC SAR TEST REPORT

Report No. : FA5D2601-04

	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	131979	1710.7	131987	1711.5	131997	1712.5	132022	1715	132047	1717.5	132072	1720
M	132322	1745	132322	1745	132322	1745	132322	1745	132322	1745	132322	1745
H	132665	1779.3	132657	1778.5	132647	1777.5	132622	1775	132597	1772.5	132572	1770
LTE Band 71												
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	133147	665.5	133172	668	133197	670.5	133222	673	133297	680.5	133322	683
M	133297	680.5	133297	680.5	133297	680.5	133297	680.5	133297	680.5	133297	680.5
H	133447	695.5	133422	693	133397	690.5	133372	688	133347	685.5	133322	683
LTE Band 38												
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	37775	2572.5	37800	2575	37825	2577.5	37850	2580	37875	2582.5	37900	2585
M	38000	2595	38000	2595	38000	2595	38000	2595	38000	2595	38000	2595
H	38225	2617.5	38200	2615	38175	2612.5	38150	2610	38125	2607.5	38100	2605
LTE Band 41												
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	39675	2498.5	39700	2501	39725	2503.5	39750	2506	39775	2508.5	39800	2511
LMM	40148	2545.8	40160	2547	40173	2548.3	40185	2549.5	40197	2550.7	40209	2551.9
M	40620	2593	40620	2593	40620	2593	40620	2593	40620	2593	40620	2593
HMM	41093	2640.3	41080	2639	41068	2637.8	41055	2636.5	41042	2635.2	41029	2634
H	41565	2687.5	41540	2685	41515	2682.5	41490	2680	41465	2677.5	41440	2675
LTE Band 48												
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	55265	3552.5	55290	3555	55315	3557.5	55340	3560	55365	3562.5	55390	3565
LM	55810	3607	55815	3607.5	55820	3608	55830	3609	55840	3610	55850	3611
HM	56170	3643	56165	3642.5	56160	3642	56150	3641	56140	3640	56130	3639
H	56715	3697.5	56690	3695	56665	3692.5	56640	3690	56615	3687.5	56590	3685

3.3 General 5G NR SAR Test and Reporting Considerations

5G NR Information	
FCC ID	E2KRMMG1
Equipment Name	5G Module
Operating Frequency Range of each 5G NR transmission band	5G NR n2: 1850 MHz ~ 1910 MHz 5G NR n5: 824 MHz ~ 849 MHz 5G NR n7: 2500 MHz ~ 2570 MHz 5G NR n25: 1850 MHz ~ 1915 MHz 5G NR n30: 2305 MHz ~ 2315 MHz 5G NR n38: 2570 MHz ~ 2620 MHz 5G NR n41: 2496 MHz ~ 2690 MHz 5G NR n48: 3550 MHz ~ 3700 MHz 5G NR n66: 1710 MHz ~ 1780 MHz 5G NR n71: 663 MHz ~ 698 MHz 5G NR n77: 3700 MHz ~ 3980 MHz, 3450MHz ~ 3550MHz 5G NR n78: 3700 MHz ~ 3800 MHz, 3450MHz ~ 3550MHz
Channel Bandwidth	5G NR n2: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n5: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n7: 5MHz, 10MHz, 15MHz, 20MHz, 25 MHz, 30MHz, 40MHz, 50MHz 5G NR n25: 5MHz, 10MHz, 15MHz, 20MHz, 25 MHz 30MHz, 40MHz 5G NR n30: 5MHz, 10MHz 5G NR n38: 5MHz, 10MHz, 15MHz, 20MHz, 25 MHz, 30MHz, 40MHz 5G NR n41: 10MHz, 15MHz, 20MHz, 30MHz, 40MHz, 50MHz, 60MHz, 70MHz, 80MHz, 90MHz, 100MHz 5G NR n48: 5MHz, 10MHz, 15MHz, 20MHz, 30MHz, 40MHz, 50MHz, 60MHz, 70MHz, 80MHz, 90MHz, 100MHz 5G NR n66: 5MHz, 10MHz, 15MHz, 20MHz, 25 MHz, 30MHz, 40MHz 5G NR n71: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n77/n78: 10MHz, 15MHz, 20MHz, 25 MHz, 30MHz, 40MHz, 50MHz, 60MHz, 70MHz, 80MHz, 90MHz, 100MHz
SCS	FDD: SCS15KHz, TDD: SCS30KHz
uplink modulations used	DFT-s-OFDM: PI/2 BPSK / QPSK / 16QAM / 64QAM / 256QAM CP-OFDM QPSK / 16QAM / 64QAM / 256QAM
A-MPR (Additional MPR) disabled for SAR Testing?	Yes
LTE Anchor Bands for n2	LTE B5/12/13/14/30/66
LTE Anchor Bands for n5	LTE B2/7/13/30/48/66
LTE Anchor Bands for n25	LTE B66
LTE Anchor Bands for n41	LTE B2/41/66
LTE Anchor Bands for n48	LTE B2/66/48
LTE Anchor Bands for n66	LTE B5/12/13/30/48/66
LTE Anchor Bands for n71	LTE B2/66/71
LTE Anchor Bands for n77	LTE B2/5/12/13/14/30/41/66
LTE Anchor Bands for n78	LTE B2/5/7/38/41



Transmission (H, M, L) channel numbers and frequencies in each FR1 band																						
FR1 n2																						
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz											
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)										
L	370500	1852.5	371000	1855	371500	1857.5	372000	1860	372500	1862.5	373000	1865										
M	376000	1880	376000	1880	376000	1880	376000	1880	376000	1880	376000	1880										
H	381500	1907.5	381000	1905	380500	1902.5	380000	1900	379500	1897.5	379000	1895										
FR1 n5																						
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz											
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)										
L	165300	826.5	165800	829	166300	831.5	166800	834	167300	836.5	167800	839										
M	167300	836.5	167300	836.5	167300	836.5	167300	836.5														
H	169300	846.5	168800	844	168300	841.5	167800	839														
FR1 n7																						
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz							
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)						
L	500500	2502.5	501000	2505	501500	2507.5	502000	2510	502500	2512.5	503000	2515	504000	2520	505000	2525						
M	507000	2535	507000	2535	507000	2535	507000	2535	507000	2535	507000	2535	507000	2535	507000	2535						
H	513500	2567.5	513000	2565	512500	2562.5	512000	2560	511500	2557.5	511000	2555	510000	2550	509000	2545						
FR1 n25																						
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz		Bandwidth 35MHz		Bandwidth 40MHz		Bandwidth 45MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)				
L	370500	1852.5	371000	1855	371500	1857.5	372000	1860	372500	1862.5	373000	1865	373500	1867.5	374000	1870	374500	1872.5				
M	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5				
H	382500	1912.5	382000	1910	381500	1907.5	381000	1905	380500	1902.5	380000	1900	379500	1897.5	379000	1895	378500	1892.5				
FR1 n30																						
	Bandwidth 5MHz						Bandwidth 10MHz															
	Ch. #						Freq. (MHz)															
L	461500						2307.5						462000			2310						
M	462000						2310															
H	462500						2312.5															
FR1 n66																						
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz		Bandwidth 35MHz		Bandwidth 40MHz		Bandwidth 45MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)				
L	342500	1712.5	343000	1715	343500	1717.5	344000	1720	344500	1722.5	345000	1725	345500	1727.5	346000	1730	346500	1732.5				
M	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745				
H	355500	1777.5	355000	1775	354500	1772.5	354000	1770	353500	1767.5	353000	1765	352500	1762.5	352000	1760	351500	1757.5				
FR1 n71																						
	Bandwidth 5MHz			Bandwidth 10MHz			Bandwidth 15MHz			Bandwidth 20MHz												
	Ch. #	Freq. (MHz)		Ch. #	Freq. (MHz)		Ch. #	Freq. (MHz)		Ch. #	Freq. (MHz)											
L	133100	665.5		133600		668		134100		670.5		134600		673								
M	136100	680.5		136100		680.5		136100		680.5		136100		680.5								
H	139100	695.5		138600		693		138100		690.5		137600		688								
FR1 n38																						
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz		Bandwidth 40MHz											
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)										
L	515000	2575	515500	2577.5	516000	2580	516500	2582.5	517000	2585	518000	2590										
M	519000	2595	519000	2595	519000	2595	519000	2595	519000	2595	519000	2595										
H	523000	2615	522500	2612.5	522000	2610	521500	2607.5	521000	2605	520000	2600										
FR1 n41																						
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	500202	2501.01	500700	2503.5	501204	2506.02	502200	2511	503202	2516.01	504204	2521.02	505200	2526	506202	2531.01	507204	2536.02	508200	2541	509202	2546.01
M	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99
H	537000	2685	536496	2682.48	535998	2679.99	534996	2674.98	534000	2670	532998	2664.99	531996	2659.98	531000	2655	529998	2649.99	528996	2644.98	528000	2640
FR1 n48																						
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz			
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)		
L	637000	3555	637168	3557.52	637334	3560.01	637668	3565.02	638000	3570	638334	3575.01	638668	3580.02	639334	3590.01	639668	3595.02	640000	3600		
M	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99		
H	646332	3694.98	646166	3692.49	646000	3690	645666	3684.99	645332	3679.98	645000	3675	644666	3669.99	644000	3660	643666	3654.99	643332	3649.98		
FR1 n77 (270)																						
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	630334	3455.01	630500	3457.5	630668	3460.02	631000	3465	631334	3470.01	631668	3475.02	632000	3480	632334	3485.01	632668	3490.02	633000	3495	633332	3499.98
M	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98		
H	636332	3544.98	636166	3542.49	636000	3540	635666	3534.99	635332	3529.98	635000	3525	634666	3519.99	634332	3514.98	634000	3510	633666	3504.99		
FR1 n77 (270)																						
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz	



FCC SAR TEST REPORT

Report No. : FA5D2601-04

	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	647000	3705	647168	3707.52	647334	3710.01	647668	3715.02	648000	3720	648334	3725.01	648668	3730.02	649000	3735	649334	3740.01	649668	3745.02	650000	3750
M	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840
H	665000	3975	664832	3972.48	664666	3969.99	664332	3964.98	664000	3960	663666	3954.99	663332	3949.98	663000	3945	662666	3939.99	662332	3934.98	662000	3930
FR1 n78 (Z7Q)																						
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	630334	3455.01	630500	3457.5	630668	3460.02	631000	3465	631334	3470.01	631668	3475.02	632000	3480	632334	3485.01	632668	3490.02	633000	3495	633332	3499.98
M	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98		
H	636332	3544.98	636166	3542.49	636000	3540	635666	3534.99	635332	3529.98	635000	3525	634666	3519.99	634332	3514.98	634000	3510	633666	3504.99		
FR1 n78 (Z7O)																						
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	647000	3705	647168	3707.52	647334	3710.01	647668	3715.02	648000	3720	648334	3725.01	648668	3730.02	649000	3735	649334	3740.01	649668	3745.02	650000	3750
M	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750		
H	653000	3795	652832	3792.48	652666	3789.99	652332	3784.98	652000	3780	651666	3774.99	651332	3769.98	651000	3765	650666	3759.99	650332	3754.98		


4. Proximity Sensor Triggering Test

<Proximity Sensor Triggering Distance (KDB 616217 D04 section 6.2)>:

For the device is fully integrated, touch sensing capacitive sensor. It uses a charge transfer capacitive acquisition method that is capable of near range proximity detection. In this device offers a state of the art capacitive sensing engine with an embedded sampling capacitor and voltage regulator allowing the overall solution cost to be reduced and improving system immunity in noisy environments.

Proximity sensor triggering distance testing was performed according to the procedures outlined in KDB 616217 D04 section 6.2, and EUT moving further away from the flat phantom and EUT moving toward the flat phantom were both assessed. The details are illustrated as following, and the shortest triggering distances were reported and used for SAR assessment.

In the preliminary triggering distance testing, the tissue-equivalent medium for different frequency bands were used for verification; no other frequency bands tissue-equivalent medium was found to result in shortest triggering distance than that for 1900MHz, and the tissue-equivalent medium for 1900MHz was used for formal proximity sensor triggering testing.



Main				
Proximity Sensor Trigger Distance (mm)				
Position	Back		Top	
	moving toward	moving away	moving toward	moving away
Minimum	8	8	41	41


MIMO2				
Proximity Sensor Trigger Distance (mm)				
Position	Back		Top	
	moving toward	moving away	moving toward	moving away
Minimum	4	4	29	29

<Proximity Sensor Triggering Coverage (KDB 616217 D04 section 6.3)>:

Since the antenna and sensor are collocated and all of the peak SAR location is overlapping with the sensor pad for this device, therefore, According to KDB 616217 section 6.3, these procedures do not apply and are not required for this device. due to the antenna and sensor are collocated and the peak SAR location is overlapping with the sensor on this device.

<Tablet Tilt angle influences to proximity sensor triggering (KDB 616217 D04 section 6.4)>:

The influence of table tilt angles to proximity sensor triggering was determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom, at above separation distance. Rotating the tablet around the edge next to the phantom in $\leq 10^\circ$ increments until the tablet is $\pm 45^\circ$ from the vertical position at 0° , and the maximum output power remains in the reduced mode.



The Sensor Trigger Distance (mm)				
Position	Top(Main)		Top(MIMO2)	
	+45	-45	+45	-45
Minimum	42	42	30	30

Proximity sensor power reduction

Main	
Exposure Position / wireless mode	Back / Top
WCDMA II	6 dB
WCDMA IV	5.5 dB
WCDMA V	7 dB
LTE Band 7	8 dB
LTE Band 12/17	4 dB
LTE Band 13	6.5 dB
LTE Band 14	6.5 dB
LTE Band 2/25	6 dB
LTE Band 5/26	6.5 dB
LTE Band 30	2.48 dB
LTE Band 4/66	5 dB
LTE Band 71	6 dB
LTE Band 38/41	6 dB
LTE Band 38/41_HPUE	6.5 dB
LTE Band 48	5 dB
FR1 n5	6 dB
FR1 n7	8 dB
FR1 n2/n25	6 dB
FR1 n30	2.48 dB
FR1 n66	4.5 dB
FR1 n71	6 dB
FR1 n38/n41	8.5 dB
FR1 n38/n41_HPUE	8 dB
FR1 n48	7 dB
FR1 n77/n78	11.5 dB
FR1 n77/n78_HPUE	10.5 dB

MIMO2	
Exposure Position / wireless mode	Back / Top
LTE Band 7	6.5 dB
LTE Band 2/25	5 dB
LTE Band 30	3.48 dB
LTE Band 4/66	5.5 dB
LTE Band 38/41	5 dB
LTE Band 38/41_HPUE	5.5 dB
LTE Band 48	6.5 dB
FR1 n7	5.5 dB
FR1 n2/n25	5 dB
FR1 n30	3.48 dB
FR1 n66	5.5 dB
FR1 n38/n41	6.5 dB
FR1 n38/n41_HPUE	6 dB
FR1 n48	7.5 dB
FR1 n77/n78	10.5 dB
FR1 n77/n78_HPUE	9.5 dB

Remark:



- (1): Reduced maximum limit applied by activation of proximity sensor.
- Tests were performed in accordance with KDB 616217 D04 section 6.1, 6.2, 6.3, 6.4 and 6.5 and compliant results are shown as below.
- For verification of compliance of power reduction scheme, additional SAR testing with EUT transmitting at full RF power at a conservative trigger distance was performed:



Main

- Back: [8 mm](#)
- Top: [41 mm](#)

MIMO2


- Back: [4 mm](#)
- Top: [29 mm](#)

Power Measurement during Sensor Trigger distance testing
Main







MIMO2

Back
(moving toward phantom)



Back
(moving away phantom)





5. RF Exposure Limits

5.1 Uncontrolled Environment

Uncontrolled Environments are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure. The general population/uncontrolled exposure limits are applicable to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Members of the general public would come under this category when exposure is not employment-related; for example, in the case of a wireless transmitter that exposes persons in its vicinity.

5.2 Controlled Environment

Controlled Environments are defined as locations where there is exposure that may be incurred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation). In general, occupational/controlled exposure limits are applicable to situations in which persons are exposed as a consequence of their employment, who have been made fully aware of the potential for exposure and can exercise control over their exposure. The exposure category is also applicable when the exposure is of a transient nature due to incidental passage through a location where the exposure levels may be higher than the general population/uncontrolled limits, but the exposed person is fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Limits for Occupational/Controlled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.4	8.0	20.0

Limits for General Population/Uncontrolled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.08	1.6	4.0

1. Whole-Body SAR is averaged over the entire body, partial-body SAR is averaged over any 1gram of tissue defined as a tissue volume in the shape of a cube. SAR for hands, wrists, feet and ankles is averaged over any 10 grams of tissue defined as a tissue volume in the shape of a cube.

5.3 RF Exposure limit for above 6GHz

According to ANSI/IEEE C95.1-1992, the criteria listed in Table 1 shall be used to evaluate the environmental impact of human exposure to radio frequency (RF) radiation as specified in §1.1310.

Peak Spatially Averaged Power Density was evaluated over a circular area of 4cm² per interim FCC Guidance for near-field power density evaluations per October 2018 TCB Workshop notes

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(A) Limits for Occupational/Controlled Exposures				
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/f	4.89/f	*(900/f ²)	6
30-300	61.4	0.163	1.0	6
300-1500			f/300	6
1500-100,000			5	6
(B) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500			f/1500	30
1500-100,000			1.0	30

6. Specific Absorption Rate (SAR)

6.1 Introduction

SAR is related to the rate at which energy is absorbed per unit mass in an object exposed to a radio field. The SAR distribution in a biological body is complicated and is usually carried out by experimental techniques or numerical modeling. The standard recommends limits for two tiers of groups, occupational/controlled and general population/uncontrolled, based on a person's awareness and ability to exercise control over his or her exposure. In general, occupational/controlled exposure limits are higher than the limits for general population/uncontrolled.

6.2 SAR Definition

The SAR definition is the time derivative (rate) of the incremental energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dv) of a given density (ρ). The equation description is as below:

$$SAR = \frac{d}{dt} \left(\frac{dW}{dm} \right) = \frac{d}{dt} \left(\frac{dW}{\rho dv} \right)$$


SAR is expressed in units of Watts per kilogram (W/kg)

$$SAR = \frac{\sigma |E|^2}{\rho}$$

Where: σ is the conductivity of the tissue, ρ is the mass density of the tissue and E is the RMS electrical field strength.

7. System Description and Setup

The DASY system used for performing compliance tests consists of the following items:



- The DASY system in SAR Configuration is shown above
- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic Field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running windows software and the DASY software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

7.1 Test Site Location

The SAR measurement facilities used to collect data are within both Sporton Lab list below test site location are accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code: 1190 and 3786) and the FCC designation No. TW1190 and TW3786 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC test.

Laboratory	EMC & Wireless Communications Laboratory		Wensan Laboratory				
Test Site Location	TW1190 No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan		TW3786 No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan				
Test Site No.	SAR01-HY	SAR03-HY	SAR08-HY	SAR09-HY	SAR15-HY	SAR18-HY	SAR21-HY
	SAR04-HY	SAR05-HY	SAR11-HY	SAR12-HY	SAR16-HY	SAR19-HY	SAR22-HY
	SAR06-HY	SAR10-HY	SAR13-HY	SAR14-HY	SAR17-HY	SAR20-HY	

7.2 E-Field Probe

The SAR measurement is conducted with the dosimetric probe (manufactured by SPEAG). The probe is specially designed and calibrated for use in liquid with high permittivity. The dosimetric probe has special calibration in liquid at different frequency. This probe has a built in optical surface detection system to prevent from collision with phantom.

<ES3DV3 Probe>

Construction	Symmetric design with triangular core Interleaved sensors Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Frequency	4 MHz – 4 GHz; Linearity: ± 0.2 dB (30 MHz – 4 GHz)	
Directivity	± 0.2 dB in TSL (rotation around probe axis) ± 0.3 dB in TSL (rotation normal to probe axis)	
Dynamic Range	5 μ W/g – >100 mW/g; Linearity: ± 0.2 dB	
Dimensions	Overall length: 337 mm (tip: 20 mm) Tip diameter: 3.9 mm (body: 12 mm) Distance from probe tip to dipole centers: 3.0 mm	

<EX3DV4 Probe>

Construction	Symmetric design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Frequency	4 MHz – >6 GHz Linearity: ± 0.2 dB (30 MHz – 6 GHz)	
Directivity	± 0.3 dB in TSL (rotation around probe axis) ± 0.5 dB in TSL (rotation normal to probe axis)	
Dynamic Range	10 μ W/g – >100 mW/g Linearity: ± 0.2 dB (noise: typically <1 μ W/g)	
Dimensions	Overall length: 337 mm (tip: 20 mm) Tip diameter: 2.5 mm (body: 12 mm) Typical distance from probe tip to dipole centers: 1 mm	

7.3 Data Acquisition Electronics (DAE)

The data acquisition electronics (DAE) consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the measurement server is accomplished through an optical downlink for data and status information as well as an optical uplink for commands and the clock.

The input impedance of the DAE is 200 MOhm; the inputs are symmetrical and floating. Common mode rejection is above 80 dB.




Fig 5.1 Photo of DAE

7.4 Phantom

<SAM Twin Phantom>

Shell Thickness	2 ± 0.2 mm; Center ear point: 6 ± 0.2 mm	
Filling Volume	Approx. 25 liters	
Dimensions	Length: 1000 mm; Width: 500 mm; Height: adjustable feet	
Measurement Areas	Left Hand, Right Hand, Flat Phantom	

The bottom plate contains three pair of bolts for locking the device holder. The device holder positions are adjusted to the standard measurement positions in the three sections. A white cover is provided to tap the phantom during off-periods to prevent water evaporation and changes in the liquid parameters. On the phantom top, three reference markers are provided to identify the phantom position with respect to the robot.

<ELI Phantom>

Shell Thickness	2 ± 0.2 mm (sagging: <1%)	
Filling Volume	Approx. 30 liters	
Dimensions	Major ellipse axis: 600 mm Minor axis: 400 mm	

The ELI phantom is intended for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI4 is fully compatible with standard and all known tissue simulating liquids.

7.5 Device Holder

<Mounting Device for Hand-Held Transmitter>

In combination with the Twin SAM V5.0/V5.0c or ELI phantoms, the Mounting Device for Hand-Held Transmitters enables rotation of the mounted transmitter device to specified spherical coordinates. At the heads, the rotation axis is at the ear opening. Transmitter devices can be easily and accurately positioned according to IEC 62209-1, IEEE 1528, FCC, or other specifications. The device holder can be locked for positioning at different phantom sections (left head, right head, flat). And upgrade kit to Mounting Device to enable easy mounting of wider devices like big smart-phones, e-books, small tablets, etc. It holds devices with width up to 140 mm.



Mounting Device for Hand-Held Transmitters



Mounting Device Adaptor for Wide-Phones

<Mounting Device for Laptops and other Body-Worn Transmitters>

The extension is lightweight and made of POM, acrylic glass and foam. It fits easily on the upper part of the mounting device in place of the phone positioned. The extension is fully compatible with the SAM Twin and ELI phantoms.



Mounting Device for Laptops

8. Measurement Procedures

The measurement procedures are as follows:

- (a) Use base station simulator to configure EUT WWAN transmission in radiated connection, and engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power, in the highest power channel.
- (b) Place the EUT in the positions as Appendix D demonstrates.
- (c) Set scan area, grid size and other setting on the DASY software.
- (d) Measure SAR results for the highest power channel on each testing position.
- (e) Find out the largest SAR result on these testing positions of each band
- (f) Measure SAR results for other channels in worst SAR testing position if the reported SAR of highest power channel is larger than 0.8 W/kg

According to the test standard, the recommended procedure for assessing the peak spatial-average SAR value consists of the following steps:

- (a) Power reference measurement
- (b) Area scan
- (c) Zoom scan
- (d) Power drift measurement

8.1 Spatial Peak SAR Evaluation

The procedure for spatial peak SAR evaluation has been implemented according to the test standard. It can be conducted for 1g and 10g, as well as for user-specific masses. The DASY software includes all numerical procedures necessary to evaluate the spatial peak SAR value.

The base for the evaluation is a "cube" measurement. The measured volume must include the 1g and 10g cubes with the highest averaged SAR values. For that purpose, the center of the measured volume is aligned to the interpolated peak SAR value of a previously performed area scan.

The entire evaluation of the spatial peak values is performed within the post-processing engine (SEMCAD). The system always gives the maximum values for the 1g and 10g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- (a) Extraction of the measured data (grid and values) from the Zoom Scan
- (b) Calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
- (c) Generation of a high-resolution mesh within the measured volume
- (d) Interpolation of all measured values from the measurement grid to the high-resolution grid
- (e) Extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- (f) Calculation of the averaged SAR within masses of 1g and 10g

8.2 Power Reference Measurement

The Power Reference Measurement and Power Drift Measurements are for monitoring the power drift of the device under test in the batch process. The minimum distance of probe sensors to surface determines the closest measurement point to phantom surface. This distance cannot be smaller than the distance of sensor calibration points to probe tip as defined in the probe properties.

8.3 Area Scan

The area scan is used as a fast scan in two dimensions to find the area of high field values, before doing a fine measurement around the hot spot. The sophisticated interpolation routines implemented in DASY software can find the maximum found in the scanned area, within a range of the global maximum. The range (in dB0) is specified in the standards for compliance testing. For example, a 2 dB range is required in IEEE standard 1528 and IEC 62209 standards, whereby 3 dB is a requirement when compliance is assessed in accordance with the ARIB standard (Japan), if only one zoom scan follows the area scan, then only the absolute maximum will be taken as reference. For cases where multiple maximums are detected, the number of zoom scans has to be increased accordingly.

Area scan parameters extracted from FCC KDB 865664 D01v01r04 SAR measurement 100 MHz to 6 GHz.

	≤ 3 GHz	> 3 GHz
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface	5 ± 1 mm	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5$ mm
Maximum probe angle from probe axis to phantom surface normal at the measurement location	$30^\circ \pm 1^\circ$	$20^\circ \pm 1^\circ$
Maximum area scan spatial resolution: Δx_{Area} , Δy_{Area}	≤ 2 GHz: ≤ 15 mm $2 - 3$ GHz: ≤ 12 mm	$3 - 4$ GHz: ≤ 12 mm $4 - 6$ GHz: ≤ 10 mm
	When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be $\leq$ the corresponding x or y dimension of the test device with at least one measurement point on the test device.	

8.4 Zoom Scan

Zoom scans are used to assess the peak spatial SAR values within a cubic averaging volume containing 1 gram and 10 gram of simulated tissue. The zoom scan measures points (refer to table below) within a cube whose base faces are centered on the maxima found in a preceding area scan job within the same procedure. When the measurement is done, the zoom scan evaluates the averaged SAR for 1 gram and 10 gram and displays these values next to the job's label.

Zoom scan parameters extracted from FCC KDB 865664 D01v01r04 SAR measurement 100 MHz to 6 GHz.

			≤ 3 GHz	> 3 GHz
Maximum zoom scan spatial resolution: $\Delta x_{\text{Zoom}}, \Delta y_{\text{Zoom}}$			≤ 2 GHz: ≤ 8 mm 2 – 3 GHz: ≤ 5 mm*	3 – 4 GHz: ≤ 5 mm* 4 – 6 GHz: ≤ 4 mm*
Maximum zoom scan spatial resolution, normal to phantom surface	uniform grid: $\Delta z_{\text{Zoom}}(n)$		≤ 5 mm	3 – 4 GHz: ≤ 4 mm 4 – 5 GHz: ≤ 3 mm 5 – 6 GHz: ≤ 2 mm
	graded grid	$\Delta z_{\text{Zoom}}(1)$: between 1 st two points closest to phantom surface	≤ 4 mm	3 – 4 GHz: ≤ 3 mm 4 – 5 GHz: ≤ 2.5 mm 5 – 6 GHz: ≤ 2 mm
		$\Delta z_{\text{Zoom}}(n>1)$: between subsequent points	$\leq 1.5 \cdot \Delta z_{\text{Zoom}}(n-1)$	
Minimum zoom scan volume	x, y, z		≥ 30 mm	3 – 4 GHz: ≥ 28 mm 4 – 5 GHz: ≥ 25 mm 5 – 6 GHz: ≥ 22 mm
Note: δ is the penetration depth of a plane-wave at normal incidence to the tissue medium; see draft standard IEEE P1528-2011 for details.				
* When zoom scan is required and the <i>reported</i> SAR from the <i>area scan based 1-g SAR estimation</i> procedures of KDB 447498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ 5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.				

8.5 Volume Scan Procedures

The volume scan is used to assess overlapping SAR distributions for antennas transmitting in different frequency bands. It is equivalent to an oversized zoom scan used in standalone measurements. The measurement volume will be used to enclose all the simultaneous transmitting antennas. For antennas transmitting simultaneously in different frequency bands, the volume scan is measured separately in each frequency band. In order to sum correctly to compute the 1g aggregate SAR, the EUT remain in the same test position for all measurements and all volume scan use the same spatial resolution and grid spacing. When all volume scan were completed, the software, SEMCAD postprocessor can combine and subsequently superpose these measurement data to calculating the multiband SAR.

8.6 Power Drift Monitoring

All SAR testing is under the EUT install full charged battery and transmit maximum output power. In DASy measurement software, the power reference measurement and power drift measurement procedures are used for monitoring the power drift of EUT during SAR test. Both these procedures measure the field at a specified reference position before and after the SAR testing. The software will calculate the field difference in dB. If the power drifts more than 5%, the SAR will be retested.



9. Test Equipment List

Manufacturer	Name of Equipment	Type/Model	Serial Number	Last Cal.	Due Date
SPEAG	750MHz System Validation Kit	D750V3	1107	Jun. 11, 2025	Jun. 10, 2026
SPEAG	835MHz System Validation Kit ⁽²⁾	D835V2	4d060	Feb. 17, 2025	Feb. 15, 2027
SPEAG	835MHz System Validation Kit	D835V2	4d167	Dec. 02, 2025	Dec. 01, 2026
SPEAG	1750MHz System Validation Kit ⁽²⁾	D1750V2	1112	Feb. 20, 2025	Feb. 18, 2027
SPEAG	1900MHz System Validation Kit	D1900V2	5d185	Jun. 11, 2025	Jun. 10, 2026
SPEAG	2300MHz System Validation Kit ⁽²⁾	D2300V2	1006	Jan. 14, 2025	Jan. 12, 2027
SPEAG	2600MHz System Validation Kit ⁽²⁾	D2600V2	1008	Aug. 15, 2024	Aug. 13, 2026
SPEAG	3500MHz System Validation Kit ⁽²⁾	D3500V2	1014	Jan. 15, 2025	Jan. 13, 2027
SPEAG	3700MHz System Validation Kit ⁽²⁾	D3700V2	1022	Jul. 10, 2024	Jul. 08, 2026
SPEAG	3700MHz System Validation Kit	D3700V2	1006	Jun. 12, 2025	Jun. 11, 2026
SPEAG	3900MHz System Validation Kit ⁽²⁾	D3900V2	1092	May. 15, 2023	May. 12, 2026
SPEAG	Data Acquisition Electronics	DAE4	1805	May. 21, 2025	May. 20, 2026
SPEAG	Data Acquisition Electronics	DAE4ip	1823	Jul. 11, 2025	Jul. 10, 2026
SPEAG	Data Acquisition Electronics	DAE4	1647	Oct. 20, 2025	Oct. 19, 2026
SPEAG	Dosimetric E-Field Probe	EX3DV4	7813	May. 21, 2025	May. 20, 2026
SPEAG	Dosimetric E-Field Probe	EX3DV4	7694	Oct. 23, 2025	Oct. 22, 2026
SPEAG	Dosimetric E-Field Probe	EX3DV4	7700	Jan. 26, 2026	Jan. 25, 2027
SPEAG	Dielectric Probe Kit	DAK-3.5	1270	May. 19, 2025	May. 18, 2026
Testo	Hygro meter	608-H1	45196600	Nov. 04, 2025	Nov. 03, 2026
Testo	Hygro meter	608-H1	45207528	Nov. 04, 2025	Nov. 03, 2026
Anritsu	Radio Communication Analyzer	MT8821C	6201074414	Aug. 19, 2025	Aug. 18, 2026
Keysight	5G Wireless Test Platform	E7515B	MY59321595	Jun. 20, 2025	Jun. 19, 2026
SPEAG	Device Holder	N/A	N/A	N/A	N/A
Anritsu	Signal Generator	MG3710A	6201502524	Sep. 24, 2025	Sep. 23, 2026
Keysight	ENA Network Analyzer	E5071C	MY46104758	Oct. 14, 2025	Oct. 13, 2026
LINE SEIKI	Digital Thermometer	DTM3000-spezial	3690	Aug. 14, 2025	Aug. 13, 2026
Anritsu	Power Meter	ML2496A	2119003	Jul. 14, 2025	Jul. 13, 2026
Anritsu	Power Sensor	MA2411B	1911334	Jul. 14, 2025	Jul. 13, 2026
Anritsu	Spectrum Analyzer	MS2830A	6201396378	Jul. 09, 2025	Jul. 08, 2026
Mini-Circuits	Power Amplifier	ZHL-42W+	715701915	May. 19, 2025	May. 18, 2026
ATM	Dual Directional Coupler	C122H-10	P610410z-02	Note 1	
Warison	Directional Coupler	WCOU-10-50S-10	WR889BMC4B1	Note 1	
Woken	Attenuator 1	WK0602-XX	N/A	Note 1	
PE	Attenuator 2	PE7005-10	N/A	Note 1	
PE	Attenuator 3	PE7005- 3	N/A	Note 1	

General Note:

1. Prior to system verification and validation, the path loss from the signal generator to the system check source and the power meter, which includes the amplifier, cable, attenuator and directional coupler, was measured by the network analyzer. The reading of the power meter was offset by the path loss difference between the path to the power meter and the path to the system check source to monitor the actual power level fed to the system check source.
2. The dipole calibration interval can be extended to 3 years with justification according to KDB 865664 D01. The dipoles are also not physically damaged, or repaired during the interval. The justification data in appendix C can be found which the return loss is < -20dB, within 20% of prior calibration, the impedance is within 5 ohm of prior calibration for each dipole.

10. System Verification

10.1 Tissue Verification

The tissue dielectric parameters of tissue-equivalent media used for SAR measurements must be characterized within a temperature range of 18°C to 25°C, measured with calibrated instruments and apparatuses, such as network analyzers and temperature probes. The temperature of the tissue-equivalent medium during SAR measurement must also be within 18°C to 25°C and within $\pm 2^\circ\text{C}$ of the temperature when the tissue parameters are characterized. The tissue dielectric measurement system must be calibrated before use. The dielectric parameters must be measured before the tissue-equivalent medium is used in a series of SAR measurements.

The liquid tissue depth was at least 15cm in the phantom for all SAR testing

The SPEAG Dasy Measurement system implement a SAR error compensation algorithm as documented in IEEE Std 1528-2013 to automatically compensate the measured SAR results for deviations between the measured and required tissue dielectric parameters, according to KDB 865664 D01 and IEC/IEEE 62209-1528, the tolerance for "Delta (σ)" and "Delta (ϵ_r)" can be relaxed to $\pm 10\%$

<Tissue Dielectric Parameter Check Results>

Frequency (MHz)	Liquid Temp (°C)	Conductivity (σ)	Permittivity (ϵ_r)	Conductivity Target (σ)	Permittivity Target (ϵ_r)	Delta (σ) (%)	Delta (ϵ_r) (%)	Limit (%)	Date
750	22.4	0.874	43.7	0.89	41.9	-1.80	4.30	± 10.0	2026-04-14
750	22.5	0.922	42.9	0.89	41.9	3.60	2.39	± 10.0	2026-04-21
835	22.4	0.9	43.5	0.9	41.5	0.00	4.82	± 10.0	2026-04-14
835	22.5	0.951	42.6	0.9	41.5	5.67	2.65	± 10.0	2026-04-21
1750	22.5	1.35	41.7	1.37	40.1	-1.46	3.99	± 10.0	2026-04-15
1750	22.3	1.38	40.9	1.37	40.1	0.73	2.00	± 10.0	2026-04-18
1900	22.5	1.44	41.5	1.4	40.0	2.86	3.75	± 10.0	2026-04-15
1900	22.3	1.47	40.7	1.4	40.0	5.00	1.75	± 10.0	2026-04-19
2300	22.6	1.72	40.9	1.67	39.5	2.99	3.54	± 10.0	2026-04-16
2300	22.1	1.71	41.9	1.67	39.5	2.40	6.08	± 10.0	2026-04-20
2600	22.6	1.96	40.5	1.96	39.0	0.00	3.85	± 10.0	2026-04-16
2600	22.1	1.95	41.4	1.96	39.0	-0.51	6.15	± 10.0	2026-04-20
2600	22.8	1.95	41.8	1.96	39.0	-0.51	7.18	± 10.0	2026-04-22
2600	22.5	1.96	39.7	1.96	39.0	0.00	1.79	± 10.0	2026-04-23
2600	22.6	1.95	38.3	1.96	39.0	-0.51	-1.79	± 10.0	2026-04-24
2600	22.3	1.91	38.8	1.96	39.0	-2.55	-0.51	± 10.0	2026-04-25
3500	22.7	2.76	38.8	2.91	37.9	-5.15	2.37	± 10.0	2026-04-17
3500	22.2	2.73	39.7	2.91	37.9	-6.19	4.75	± 10.0	2026-04-26
3500	22.5	2.76	40.2	2.91	37.9	-5.15	6.07	± 10.0	2026-04-27
3700	22.7	2.94	38.5	3.12	37.7	-5.77	2.12	± 10.0	2026-04-17
3700	22.2	2.91	39.4	3.12	37.7	-6.73	4.51	± 10.0	2026-04-28
3700	22.5	2.94	39.8	3.12	37.7	-5.77	5.57	± 10.0	2026-04-29
3900	22.7	3.16	38.2	3.33	37.51	-5.11	1.84	± 10.0	2026-04-17
3900	22.2	3.11	39.2	3.33	37.51	-6.61	4.51	± 10.0	2026-04-30
3900	22.5	3.15	39.6	3.33	37.51	-5.41	5.57	± 10.0	2026-05-01

10.2 System Performance Check Results

Comparing to the original SAR value provided by SPEAG, the verification data should be within its specification of 10 %. Below table shows the target SAR and measured SAR after normalized to 1W input power. The table below indicates the system performance check can meet the variation criterion and the plots can be referred to Appendix A of this report.

Test Site	Date	Frequency (MHz)	Input Power (mW)	Dipole S/N	Probe S/N	DAE S/N	Measured 1g SAR (W/kg)	Targeted 1g SAR (W/kg)	Normalized 1g SAR (W/kg)	Deviation (%)	Measured 10g SAR (W/kg)	Targeted 10g SAR (W/kg)	Normalized 10g SAR (W/kg)	Deviation (%)
SAR17	2026-04-14	750	251.19	D750V3 - 1107	EX3DV4 - SN7813	DAE4ip Sn1823	2.180	8.840	8.679	-1.82	1.450	5.810	5.773	-0.65
SAR16	2026-04-21	750	100.00	D750V3 - 1107	EX3DV4 - SN7700	DAE4 Sn1805	0.933	8.840	9.330	5.54	0.621	5.810	6.210	6.88
SAR17	2026-04-14	835	251.19	D835V2 - 4d167	EX3DV4 - SN7813	DAE4ip Sn1823	2.510	9.360	9.992	6.76	1.650	6.050	6.569	8.57
SAR16	2026-04-21	835	100.00	D835V2 - 4d060	EX3DV4 - SN7700	DAE4 Sn1805	0.968	9.280	9.680	4.31	0.636	6.010	6.360	5.82
SAR17	2026-04-15	1750	50.12	D1750V2 - 1112	EX3DV4 - SN7813	DAE4ip Sn1823	1.900	36.300	37.909	4.43	1.010	19.300	20.152	4.41
SAR17	2026-04-18	1750	50.12	D1750V2 - 1112	EX3DV4 - SN7813	DAE4ip Sn1823	1.910	36.300	38.109	4.98	1.020	19.300	20.351	5.45
SAR17	2026-04-15	1900	50.12	D1900V2 - 5d185	EX3DV4 - SN7813	DAE4ip Sn1823	1.950	39.600	38.907	-1.75	1.020	20.800	20.351	-2.16
SAR17	2026-04-19	1900	50.12	D1900V2 - 5d185	EX3DV4 - SN7813	DAE4ip Sn1823	1.980	39.600	39.505	-0.24	1.040	20.800	20.750	-0.24
SAR17	2026-04-16	2300	50.12	D2300V2 - 1006	EX3DV4 - SN7813	DAE4ip Sn1823	2.360	48.200	47.087	-2.31	1.130	23.200	22.546	-2.82
SAR17	2026-04-20	2300	50.12	D2300V2 - 1006	EX3DV4 - SN7813	DAE4ip Sn1823	2.350	48.200	46.887	-2.72	1.130	23.200	22.546	-2.82
SAR17	2026-04-16	2600	50.12	D2600V2 - 1008	EX3DV4 - SN7813	DAE4ip Sn1823	2.670	55.700	53.272	-4.36	1.200	25.300	23.943	-5.37
SAR17	2026-04-20	2600	50.12	D2600V2 - 1008	EX3DV4 - SN7813	DAE4ip Sn1823	2.680	55.700	53.472	-4.00	1.200	25.300	23.943	-5.37
SAR16	2026-04-22	2600	100.00	D2600V2 - 1008	EX3DV4 - SN7700	DAE4 Sn1805	5.460	55.700	54.600	-1.97	2.430	25.300	24.300	-3.95
SAR16	2026-04-23	2600	50.12	D2600V2 - 1008	EX3DV4 - SN7700	DAE4 Sn1805	2.620	55.700	52.275	-6.15	1.170	25.300	23.344	-7.73
SAR18	2026-04-24	2600	251.19	D2600V2 - 1008	EX3DV4 - SN7694	DAE4 Sn1647	13.800	55.700	54.938	-1.37	6.300	25.300	25.081	-0.87
SAR18	2026-04-25	2600	50.12	D2600V2 - 1008	EX3DV4 - SN7694	DAE4 Sn1647	2.640	55.700	52.674	-5.43	1.190	25.300	23.743	-6.15
SAR17	2026-04-17	3500	50.12	D3500V2 - 1014	EX3DV4 - SN7813	DAE4ip Sn1823	3.340	65.700	66.640	1.43	1.280	24.900	25.539	2.57
SAR17	2026-04-26	3500	50.12	D3500V2 - 1014	EX3DV4 - SN7813	DAE4ip Sn1823	3.330	65.700	66.441	1.13	1.280	24.900	25.539	2.57
SAR16	2026-04-27	3500	100.00	D3500V2 - 1014	EX3DV4 - SN7700	DAE4 Sn1805	6.460	65.700	64.600	-1.67	2.460	24.900	24.600	-1.20
SAR17	2026-04-17	3700	50.12	D3700V2 - 1022	EX3DV4 - SN7813	DAE4ip Sn1823	3.320	68.100	66.241	-2.73	1.240	25.200	24.741	-1.82
SAR17	2026-04-28	3700	50.12	D3700V2 - 1006	EX3DV4 - SN7813	DAE4ip Sn1823	3.370	69.900	67.239	-3.81	1.250	25.600	24.940	-2.58
SAR16	2026-04-29	3700	100.00	D3700V2 - 1006	EX3DV4 - SN7700	DAE4 Sn1805	7.030	69.900	70.300	0.57	2.590	25.600	25.900	1.17
SAR17	2026-04-17	3900	50.12	D3900V2 - 1092	EX3DV4 - SN7813	DAE4ip Sn1823	3.070	67.000	61.253	-8.58	1.100	23.200	21.947	-5.40
SAR17	2026-04-30	3900	50.12	D3900V2 - 1092	EX3DV4 - SN7813	DAE4ip Sn1823	3.030	67.000	60.455	-9.77	1.090	23.200	21.748	-6.26
SAR16	2026-05-01	3900	100.00	D3900V2 - 1092	EX3DV4 - SN7700	DAE4 Sn1805	6.790	67.000	67.900	1.34	2.400	23.200	24.000	3.45




Fig 8.3.1 System Performance Check Setup



Fig 8.3.2 Setup Photo



11. RF Exposure Positions

11.1 SAR Testing for Tablet

This device can be used also in full sized tablet exposure conditions, due to its size. Per FCC KDB 616217, the back surface and edges of the tablet should be tested for SAR compliance with the tablet touching the phantom. The SAR exclusion threshold in KDB 447498 D01v06 can be applied to determine SAR test exclusion for adjacent edge configurations. The closest distance from the antenna to an adjacent tablet edge is used to determine if SAR testing is required for the adjacent edges, with the adjacent edge positioned against the phantom and the edge containing the antenna positioned perpendicular to the phantom.

12. UMTS /LTE Output Power (Unit: dBm)

<WCDMA Conducted Power>

1. The following tests were conducted according to the test requirements outlines in 3GPP TS 34.121 specification.
2. The procedures in KDB 941225 D01v03r01 are applied for 3GPP Rel. 6 HSPA to configure the device in the required sub-test mode(s) to determine SAR test exclusion.
3. For HSPA+ devices supporting 16 QAM in the uplink, power measurements procedure is according to the configurations in Table C.11.1.4 of 3GPP TS 34.121-1.
4. For DC-HSDPA, the device was configured according to the H-Set 12, Fixed Reference Channel (FRC) configuration in Table C.8.1.12 of 3GPP TS 34.121-1, with the primary and the secondary serving HS-DSCH Cell enabled during the power measurement.

A summary of these settings are illustrated below:

HSDPA Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting:
 - i. Set Gain Factors (β_c and β_d) and parameters were set according to each
 - ii. Specific sub-test in the following table, C10.1.4, quoted from the TS 34.121
 - iii. Set RMC 12.2Kbps + HSDPA mode.
 - iv. Set Cell Power = -86 dBm
 - v. Set HS-DSCH Configuration Type to FRC (H-set 1, QPSK)
 - vi. Select HSDPA Uplink Parameters
 - vii. Set Delta ACK, Delta NACK and Delta CQI = 8
 - viii. Set Ack-Nack Repetition Factor to 3
 - ix. Set CQI Feedback Cycle (k) to 4 ms
 - x. Set CQI Repetition Factor to 2
 - xi. Power Ctrl Mode = All Up bits
- d. The transmitted maximum output power was recorded.

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{hs} (Note 1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$.

Note 2: For the HS-DPCCH power mask requirement test in clause 5.2C, 5.7A, and the Error Vector Magnitude (EVM) with HS-DPCCH test in clause 5.13.1A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, Δ_{ACK} and $\Delta_{NACK} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$, and $\Delta_{CQI} = 24/15$ with $\beta_{hs} = 24/15 * \beta_c$.

Note 3: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.

Note 4: For subtest 2 the β_c/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 11/15$ and $\beta_d = 15/15$.

Setup Configuration

HSUPA Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting * :
 - i. Call Configs = 5.2B, 5.9B, 5.10B, and 5.13.2B with QPSK
 - ii. Set the Gain Factors (β_c and β_d) and parameters (AG Index) were set according to each specific sub-test in the following table, C11.1.3, quoted from the TS 34.121
 - iii. Set Cell Power = -86 dBm
 - iv. Set Channel Type = 12.2k + HSPA
 - v. Set UE Target Power
 - vi. Power Ctrl Mode= Alternating bits
 - vii. Set and observe the E-TFCI
 - viii. Confirm that E-TFCI is equal to the target E-TFCI of 75 for sub-test 1, and other subtest's E-TFCI
- d. The transmitted maximum output power was recorded.

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (Note 4) (Note 5)	β_{ed} (SF)	β_{ed} (Codes)	CM (dB) (Note 2)	MPR (dB) (Note 2) (Note 6)	AG Index (Note 5)	E-TFCI
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/25	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	β_{ed1} : 47/15 β_{ed2} : 47/15	4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15	0	-	-	5/15	5/15	47/15	4	1	1.0	0.0	12	67

Note 1: For sub-test 1 to 4, Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$. For sub-test 5, Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 5/15$ with $\beta_{hs} = 5/15 * \beta_c$.

Note 2: CM = 1 for $\beta_d/\beta_c = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.

Note 3: For subtest 1 the β_c/β_d ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 10/15$ and $\beta_d = 15/15$.

Note 4: In case of testing by UE using E-DPDCH Physical Layer category 1, Sub-test 3 is omitted according to TS25.306 Table 5.1g.

Note 5: β_{ed} can not be set directly; it is set by Absolute Grant Value.

Note 6: For subtests 2, 3 and 4, UE may perform E-DPDCH power scaling at max power which could results in slightly smaller MPR values.

Setup Configuration


DC-HSDPA 3GPP release 8 Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration below
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting:
 - i. Set RMC 12.2Kbps + HSDPA mode.
 - ii. Set Cell Power = -25 dBm
 - iii. Set HS-DSCH Configuration Type to FRC (H-set 12, QPSK)
 - iv. Select HSDPA Uplink Parameters
 - v. Set Gain Factors (β_c and β_d) and parameters were set according to each Specific sub-test in the following table, C10.1.4, quoted from the TS 34.121
 - a). Subtest 1: $\beta_c/\beta_d=2/15$
 - b). Subtest 2: $\beta_c/\beta_d=12/15$
 - c). Subtest 3: $\beta_c/\beta_d=15/8$
 - d). Subtest 4: $\beta_c/\beta_d=15/4$
 - vi. Set Delta ACK, Delta NACK and Delta CQI = 8
 - vii. Set Ack-Nack Repetition Factor to 3
 - viii. Set CQI Feedback Cycle (k) to 4 ms
 - ix. Set CQI Repetition Factor to 2
 - x. Power Ctrl Mode = All Up bits
- d. The transmitted maximum output power was recorded.

The following tests were conducted according to the test requirements outlines in 3GPP TS 34.121 specification.
A summary of these settings are illustrated below:

C.8.1.12 Fixed Reference Channel Definition H-Set 12
Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.		
Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.		


Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)
Setup Configuration

HSPA+ 3GPP release 7 (uplink category 7) 16QAM, Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting * :
 - i. Call Configs = 5.2E:HSPA+:UL with 16QAM
 - ii. Set the Gain Factors (β_c and β_d) and parameters (AG Index) were set according to each specific sub-test in the following table, C11.1.4, quoted from the TS 34.121-1 s5.2E
 - iii. Set Channel Parms
 - iv. Set Cell Power = -86 dBm
 - v. Set Channel Type = HSPA
 - vi. Set UE Target Power =21 dBm
 - vii. Power Ctrl Mode= All Up Bits
 - viii. Set Manual Uplink DPCH Bc/Bd = Manual
 - ix. Set Manual Uplink DPCH Bc and Bd=15,15(for 34.121-1 v8.10.0 table C11.1.4 sub-test 1)
 - x. Set HSPA Conn DL Channel Levels
 - xi. Set HS-SCCH Configs
 - xii. Set RB Test Mode Setup
 - xiii. Set Common HSUPA Parameters
 - xiv. Set Serving Grant
 - xv. Confirm that E-TFCI is equal to the target E-TFCI of 105 for sub-test 1, and other subtest's E-TFCI
- d. The transmitted maximum output power was recorded.

Table C.11.1.4: β values for transmitter characteristics tests with HS-DPCCH and E-DCH with 16QAM

Sub-test	β_c (Note 3)	β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105
Note 1: Δ_{ACK}, Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{HS} = 30/15 * \beta_c$. Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0). Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default. Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value. Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signaled to use the extrapolation algorithm.											

Setup Configuration

**<WCDMA Conducted Power>****General Note:**

1. Per KDB 941225 D01v03r01, for SAR testing is measured using a 12.2 kbps RMC with TPC bits configured to all "1's".
2. Per KDB 941225 D01v03r01, RMC 12.2kbps setting is used to evaluate SAR. The maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA is $\leq \frac{1}{4}$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA to RMC12.2Kbps and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA, and according to the following RF output power, the output power results of the secondary modes (HSUPA, HSDPA, DC-HSDPA) are less than $\frac{1}{4}$ dB higher than the primary modes; therefore, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA.

【WCDMA II_Sensor Off】

TX Channel		9262	9400	9538	Tune-up Limit (dBm)
Frequency (MHz)		1852.4	1880	1907.6	
3GPP Rel 99	RMC 12.2Kbps	23.28	23.36	23.33	25.00
3GPP Rel 6	HSDPA Subtest-1	22.24	22.56	22.35	24.00
3GPP Rel 6	HSDPA Subtest-2	22.27	22.51	22.36	24.00
3GPP Rel 6	HSDPA Subtest-3	21.96	22.04	22.09	23.50
3GPP Rel 6	HSDPA Subtest-4	21.94	21.99	22.05	23.50
3GPP Rel 8	DC-HSDPA Subtest-1	22.19	22.53	22.28	24.00
3GPP Rel 8	DC-HSDPA Subtest-2	22.20	22.44	22.32	24.00
3GPP Rel 8	DC-HSDPA Subtest-3	21.91	21.99	22.02	23.50
3GPP Rel 8	DC-HSDPA Subtest-4	21.88	21.92	21.98	23.50
3GPP Rel 6	HSUPA Subtest-1	22.00	22.10	22.10	24.00
3GPP Rel 6	HSUPA Subtest-2	20.45	20.56	20.53	22.00
3GPP Rel 6	HSUPA Subtest-3	21.49	21.57	21.64	23.00
3GPP Rel 6	HSUPA Subtest-4	20.17	20.24	20.28	22.00
3GPP Rel 6	HSUPA Subtest-5	22.00	22.06	22.07	24.00
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	19.58	19.64	19.60	21.50

【WCDMA II_Sensor On】

TX Channel		9262	9400	9538	Tune-up Limit (dBm)
Frequency (MHz)		1852.4	1880	1907.6	
3GPP Rel 99	RMC 12.2Kbps	17.84	17.96	17.94	19.00
3GPP Rel 6	HSDPA Subtest-1	17.78	17.91	17.86	19.00
3GPP Rel 6	HSDPA Subtest-2	17.76	17.88	17.89	19.00
3GPP Rel 6	HSDPA Subtest-3	17.79	17.93	17.88	19.00
3GPP Rel 6	HSDPA Subtest-4	17.77	17.88	17.86	19.00
3GPP Rel 8	DC-HSDPA Subtest-1	17.79	17.88	17.86	19.00
3GPP Rel 8	DC-HSDPA Subtest-2	17.78	17.86	17.88	19.00
3GPP Rel 8	DC-HSDPA Subtest-3	17.74	17.89	17.85	19.00
3GPP Rel 8	DC-HSDPA Subtest-4	17.80	17.89	17.86	19.00
3GPP Rel 6	HSUPA Subtest-1	17.75	17.86	17.87	19.00
3GPP Rel 6	HSUPA Subtest-2	17.75	17.91	17.85	19.00
3GPP Rel 6	HSUPA Subtest-3	17.76	17.90	17.89	19.00
3GPP Rel 6	HSUPA Subtest-4	17.77	17.89	17.91	19.00
3GPP Rel 6	HSUPA Subtest-5	17.80	17.92	17.87	19.00
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	17.75	17.87	17.85	19.00

【WCDMA IV_Sensor Off】

TX Channel		1312	1413	1513	Tune-up Limit (dBm)
Frequency (MHz)		1712.4	1732.6	1752.6	
3GPP Rel 99	RMC 12.2Kbps	23.63	23.46	23.43	25.00
3GPP Rel 6	HSDPA Subtest-1	22.62	22.45	22.40	24.00
3GPP Rel 6	HSDPA Subtest-2	22.58	22.43	22.37	24.00
3GPP Rel 6	HSDPA Subtest-3	22.31	22.15	22.12	23.50
3GPP Rel 6	HSDPA Subtest-4	22.29	22.11	22.06	23.50
3GPP Rel 8	DC-HSDPA Subtest-1	22.59	22.39	22.36	24.00
3GPP Rel 8	DC-HSDPA Subtest-2	22.55	22.38	22.34	24.00
3GPP Rel 8	DC-HSDPA Subtest-3	22.25	22.12	22.07	23.50
3GPP Rel 8	DC-HSDPA Subtest-4	22.23	22.04	22.01	23.50
3GPP Rel 6	HSUPA Subtest-1	22.30	22.10	22.10	24.00
3GPP Rel 6	HSUPA Subtest-2	20.81	20.63	20.59	22.00
3GPP Rel 6	HSUPA Subtest-3	21.83	21.66	21.62	23.00
3GPP Rel 6	HSUPA Subtest-4	20.43	20.30	20.28	22.00
3GPP Rel 6	HSUPA Subtest-5	22.27	22.06	22.04	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

3GPP Rel 7	HSPA+ (16QAM) Subtest-1	20.18	19.98	19.99	21.50
------------	-------------------------	-------	-------	-------	-------

【WCDMA IV_Sensor On】

TX Channel		1312	1413	1513	Tune-up Limit (dBm)
Frequency (MHz)		1712.4	1732.6	1752.6	
3GPP Rel 99	RMC 12.2Kbps	19.29	19.11	19.27	19.50
3GPP Rel 6	HSDPA Subtest-1	19.14	19.01	19.16	19.50
3GPP Rel 6	HSDPA Subtest-2	19.22	19.03	19.21	19.50
3GPP Rel 6	HSDPA Subtest-3	19.18	18.96	19.21	19.50
3GPP Rel 6	HSDPA Subtest-4	19.16	19.04	19.21	19.50
3GPP Rel 8	DC-HSDPA Subtest-1	19.18	19.01	19.20	19.50
3GPP Rel 8	DC-HSDPA Subtest-2	19.23	18.98	19.21	19.50
3GPP Rel 8	DC-HSDPA Subtest-3	19.20	18.98	19.15	19.50
3GPP Rel 8	DC-HSDPA Subtest-4	19.23	19.04	19.14	19.50
3GPP Rel 6	HSUPA Subtest-1	19.22	18.98	19.21	19.50
3GPP Rel 6	HSUPA Subtest-2	19.20	19.06	19.16	19.50
3GPP Rel 6	HSUPA Subtest-3	19.17	18.99	19.12	19.50
3GPP Rel 6	HSUPA Subtest-4	19.16	19.02	19.14	19.50
3GPP Rel 6	HSUPA Subtest-5	19.22	19.01	19.18	19.50
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	19.15	18.97	19.16	19.50

【WCDMA V_Sensor Off】

TX Channel		4132	4182	4233	Tune-up Limit (dBm)
Frequency (MHz)		826.4	836.4	846.6	
3GPP Rel 99	RMC 12.2Kbps	23.51	23.57	23.46	25.00
3GPP Rel 6	HSDPA Subtest-1	22.52	22.58	22.50	24.00
3GPP Rel 6	HSDPA Subtest-2	22.48	22.54	22.43	24.00
3GPP Rel 6	HSDPA Subtest-3	22.01	22.09	21.99	23.50
3GPP Rel 6	HSDPA Subtest-4	21.95	22.03	21.91	23.50
3GPP Rel 8	DC-HSDPA Subtest-1	22.47	22.53	22.44	24.00
3GPP Rel 8	DC-HSDPA Subtest-2	22.45	22.49	22.36	24.00
3GPP Rel 8	DC-HSDPA Subtest-3	21.96	22.06	21.92	23.50
3GPP Rel 8	DC-HSDPA Subtest-4	21.92	21.96	21.88	23.50
3GPP Rel 6	HSUPA Subtest-1	22.10	22.12	22.00	24.00
3GPP Rel 6	HSUPA Subtest-2	20.49	20.56	20.42	22.00
3GPP Rel 6	HSUPA Subtest-3	21.51	21.58	21.43	23.00
3GPP Rel 6	HSUPA Subtest-4	20.23	20.27	20.18	22.00
3GPP Rel 6	HSUPA Subtest-5	22.05	22.06	22.00	24.00
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	19.89	19.97	19.83	21.50

【WCDMA V_Sensor On】

TX Channel		4132	4182	4233	Tune-up Limit (dBm)
Frequency (MHz)		826.4	836.4	846.6	
3GPP Rel 99	RMC 12.2Kbps	17.59	17.65	17.50	18.00
3GPP Rel 6	HSDPA Subtest-1	17.44	17.54	17.36	18.00
3GPP Rel 6	HSDPA Subtest-2	17.45	17.49	17.40	18.00
3GPP Rel 6	HSDPA Subtest-3	17.49	17.55	17.35	18.00
3GPP Rel 6	HSDPA Subtest-4	17.46	17.55	17.35	18.00
3GPP Rel 8	DC-HSDPA Subtest-1	17.48	17.48	17.36	18.00
3GPP Rel 8	DC-HSDPA Subtest-2	17.42	17.54	17.35	18.00
3GPP Rel 8	DC-HSDPA Subtest-3	17.43	17.49	17.39	18.00
3GPP Rel 8	DC-HSDPA Subtest-4	17.42	17.49	17.36	18.00
3GPP Rel 6	HSUPA Subtest-1	17.43	17.54	17.34	18.00
3GPP Rel 6	HSUPA Subtest-2	17.44	17.52	17.38	18.00
3GPP Rel 6	HSUPA Subtest-3	17.47	17.50	17.35	18.00
3GPP Rel 6	HSUPA Subtest-4	17.45	17.54	17.39	18.00
3GPP Rel 6	HSUPA Subtest-5	17.47	17.54	17.34	18.00
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	17.47	17.53	17.36	18.00

<LTE Conducted Power>**General Note:**

1. A Base station simulator was used to setup the connection with EUT; the frequency band, channel bandwidth, RB allocation configuration, modulation type are set in the base station simulator to configure EUT transmitting at maximum power and at different configurations which are requested to be reported to FCC, for conducted power measurement and SAR testing.
2. Per KDB 941225 D05v02r05, when a properly configured base station simulator is used for the SAR and power measurements, spectrum plots for each RB allocation and offset configuration is not required.
3. Per KDB 941225 D05v02r05, start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
4. Per KDB 941225 D05v02r05, 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure.
5. Per KDB 941225 D05v02r05, For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
6. Per KDB 941225 D05v02r05, 16QAM output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in QPSK and the reported SAR for the QPSK configuration is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, 16QAM SAR testing is not required.
7. Per KDB 941225 D05v02r05, Smaller bandwidth output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, smaller bandwidth SAR testing is not required.
8. For LTE B4/B5/B12/B17/B26/B38/B71 the maximum bandwidth does not support three non-overlapping channels, per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.
9. LTE band 2/4/5/17/38 SAR test was covered by Band 25/66/26/12/41; according to April 2015 TCB workshop, SAR test for overlapping LTE bands can be reduced if
 - a. the maximum output power, including tolerance, for the smaller band is $\leq$ the larger band to qualify for the SAR test exclusion
 - b. the channel bandwidth and other operating parameters for the smaller band are fully supported by the larger band

<TDD LTE SAR Measurement>

TDD LTE configuration setup for SAR measurement

SAR was tested with a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by 3GPP.

- 3GPP TS 36.211 section 4.2 for Type 2 Frame Structure and Table 4.2-2 for uplink-downlink configurations
- “special subframe S” contains both uplink and downlink transmissions, it has been taken into consideration to determine the transmission duty factor according to the worst case uplink and downlink cyclic prefix requirements for UpPTS
- Establishing connections with base station simulators ensure a consistent means for testing SAR and recommended for evaluating SAR. The Base station simulator was used for LTE output power measurements and SAR testing.




Figure 4.2-1: Frame structure type 2 (for 5 ms switch-point periodicity).

Table 4.2-2: Uplink-downlink configurations.

Uplink-downlink configuration	Downlink-to-Uplink Switch-point periodicity	Subframe number									
		0	1	2	3	4	5	6	7	8	9
0	5 ms	D	S	U	U	U	D	S	U	U	U
1	5 ms	D	S	U	U	D	D	S	U	U	D
2	5 ms	D	S	U	D	D	D	S	U	D	D
3	10 ms	D	S	U	U	U	D	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	U	D

Table 4.2-1: Configuration of special subframe (lengths of DwPTS/GP/UpPTS).

Special subframe configuration	Normal cyclic prefix in downlink			Extended cyclic prefix in downlink		
	DwPTS	UpPTS		DwPTS	UpPTS	
		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
0	$6592 \cdot T_s$	$2192 \cdot T_s$	$2560 \cdot T_s$	$7680 \cdot T_s$	$2192 \cdot T_s$	$2560 \cdot T_s$
1	$19760 \cdot T_s$			$20480 \cdot T_s$		
2	$21952 \cdot T_s$			$23040 \cdot T_s$		
3	$24144 \cdot T_s$			$25600 \cdot T_s$		
4	$26336 \cdot T_s$	$4384 \cdot T_s$	$5120 \cdot T_s$	$7680 \cdot T_s$	$4384 \cdot T_s$	$5120 \cdot T_s$
5	$6592 \cdot T_s$			$20480 \cdot T_s$		
6	$19760 \cdot T_s$			$23040 \cdot T_s$		
7	$21952 \cdot T_s$			$12800 \cdot T_s$	-	-
8	$24144 \cdot T_s$			-		
9	$13168 \cdot T_s$			-	-	-

Special subframe (30720·T _s): Normal cyclic prefix in downlink (UpPTS)			
	Special subframe configuration	Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
Uplink duty factor in one special subframe	0~4	7.13%	8.33%
	5~9	14.3%	16.7%

Special subframe(30720·T _s): Extended cyclic prefix in downlink (UpPTS)			
	Special subframe configuration	Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
Uplink duty factor in one special subframe	0~3	7.13%	8.33%
	4~7	14.3%	16.7%

The highest duty factor is resulted from:

- i. Uplink-downlink configuration: 0. In a half-frame consisted of 5 subframes, uplink operation is in 3 uplink subframes and 1 special subframe.
- ii. special subframe configuration: 5-9 for normal cyclic prefix in downlink, 4-7 for extended cyclic prefix in downlink
- iii. for special subframe with extended cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(3+0.167)/5 = 63.3\%$
- iv. for special subframe with normal cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(3+0.143)/5 = 62.9\%$
- v. For TDD LTE SAR measurement, the duty cycle 1:1.59 (62.9 %) was used perform testing and considering the theoretical duty cycle of 63.3% for extended cyclic prefix in the uplink, and the theoretical duty cycle of 62.9% for normal cyclic prefix in uplink, a scaling factor of extended cyclic prefix $63.3\%/62.9\% = 1.006$ is applied to scale-up the measured SAR result. The scaled TDD LTE SAR = measured SAR (W/kg)* Tune-up Scaling Factor* scaling factor for extended cyclic prefix.
- vi. The device supports Power Class 3 uplink-downlink configurations 0 and 6, and Power Class 2 uplink-downlink configurations 1 to 5 operations for LTE Band 41.
- vii. The highest available duty cycle for Power Class 2 operation is 43.3% using UL-DL configuration 1, for Power Class 3 operation is 63.3% using UL-DL configuration 0. Per FCC Guidance, all SAR tests were performed using Power Class 3. SAR with Power Class 2 at the available duty factor was additionally performed for the Power Class 3 configuration with the highest SAR among all exposure condition.

【LTE Band 2_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	Tune-up limit (dBm)
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	23.23	23.31	23.19	25.00
20	QPSK	1	49	23.09	23.22	23.01	25.00
20	QPSK	1	99	23.11	23.20	23.01	25.00
20	QPSK	50	0	22.25	22.43	22.16	24.00
20	QPSK	50	24	22.23	22.40	22.23	24.00
20	QPSK	50	50	22.26	22.39	22.24	24.00
20	QPSK	100	0	22.23	22.42	22.20	24.00
20	16QAM	1	0	22.32	22.42	22.27	24.00
20	16QAM	1	49	22.38	22.55	22.34	24.00
20	16QAM	1	99	22.30	22.40	22.23	24.00
20	16QAM	50	0	21.21	21.40	21.23	23.00
20	16QAM	50	24	21.21	21.38	21.14	23.00
20	16QAM	50	50	21.12	21.34	21.12	23.00
20	16QAM	100	0	21.18	21.39	21.15	23.00
20	64QAM	1	0	21.33	21.51	21.35	23.00
20	64QAM	1	49	21.23	21.36	21.15	23.00
20	64QAM	1	99	21.13	21.35	21.16	23.00
20	64QAM	50	0	20.24	20.37	20.18	22.00
20	64QAM	50	24	20.20	20.36	20.19	22.00
20	64QAM	50	50	20.20	20.33	20.12	22.00
20	64QAM	100	0	20.19	20.30	20.12	22.00
20	256QAM	1	0	18.14	18.27	18.13	20.00
20	256QAM	1	49	18.00	18.15	18.01	20.00
20	256QAM	1	99	18.00	18.13	18.00	20.00
20	256QAM	50	0	18.17	18.30	18.15	20.00
20	256QAM	50	24	18.12	18.29	18.05	20.00
20	256QAM	50	50	18.15	18.27	18.12	20.00
20	256QAM	100	0	18.13	18.28	18.05	20.00
Channel				18675	18900	19125	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1902.5	
15	QPSK	1	0	23.17	23.17	23.15	25.00
15	QPSK	1	37	23.04	23.19	23.00	25.00
15	QPSK	1	74	23.07	23.09	23.00	25.00
15	QPSK	36	0	22.13	22.37	22.08	24.00
15	QPSK	36	20	22.14	22.34	22.21	24.00
15	QPSK	36	39	22.15	22.31	22.19	24.00
15	QPSK	75	0	22.13	22.38	22.13	24.00
15	16QAM	1	0	22.31	22.29	22.16	24.00
15	16QAM	1	37	22.31	22.50	22.27	24.00
15	16QAM	1	74	22.24	22.31	22.21	24.00
15	16QAM	36	0	21.17	21.32	21.16	23.00
15	16QAM	36	20	21.19	21.34	21.12	23.00
15	16QAM	36	39	21.10	21.29	21.07	23.00
15	16QAM	75	0	21.11	21.32	21.03	23.00
15	64QAM	1	0	21.25	21.39	21.32	23.00
15	64QAM	1	37	21.12	21.26	21.05	23.00
15	64QAM	1	74	21.07	21.34	21.03	23.00
15	64QAM	36	0	20.18	20.36	20.11	22.00
15	64QAM	36	20	20.10	20.22	20.12	22.00
15	64QAM	36	39	20.08	20.22	20.09	22.00
15	64QAM	75	0	20.15	20.19	20.07	22.00
15	256QAM	1	0	18.01	18.25	18.07	20.00
15	256QAM	1	37	18.00	18.00	18.00	20.00
15	256QAM	1	74	18.00	18.05	18.00	20.00
15	256QAM	36	0	18.09	18.21	18.06	20.00
15	256QAM	36	20	18.05	18.15	18.02	20.00
15	256QAM	36	39	18.08	18.12	18.07	20.00
15	256QAM	75	0	18.03	18.14	18.00	20.00
Channel				18650	18900	19150	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1905	
10	QPSK	1	0	23.10	23.18	23.18	25.00
10	QPSK	1	25	23.01	23.14	23.00	25.00
10	QPSK	1	49	23.06	23.07	23.00	25.00
10	QPSK	25	0	22.23	22.41	22.13	24.00
10	QPSK	25	12	22.16	22.29	22.21	24.00
10	QPSK	25	25	22.19	22.34	22.18	24.00
10	QPSK	50	0	22.13	22.36	22.17	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	16QAM	1	0	22.20	22.39	22.12	24.00
10	16QAM	1	25	22.30	22.52	22.23	24.00
10	16QAM	1	49	22.15	22.32	22.11	24.00
10	16QAM	25	0	21.09	21.30	21.10	23.00
10	16QAM	25	12	21.07	21.30	21.06	23.00
10	16QAM	25	25	21.01	21.22	21.05	23.00
10	16QAM	50	0	21.16	21.38	21.14	23.00
10	64QAM	1	0	21.19	21.41	21.24	23.00
10	64QAM	1	25	21.09	21.34	21.11	23.00
10	64QAM	1	49	21.03	21.21	21.07	23.00
10	64QAM	25	0	20.18	20.28	20.04	22.00
10	64QAM	25	12	20.05	20.25	20.06	22.00
10	64QAM	25	25	20.15	20.18	20.05	22.00
10	64QAM	50	0	20.15	20.24	20.00	22.00
10	256QAM	1	0	18.03	18.20	18.09	20.00
10	256QAM	1	25	18.00	18.03	18.00	20.00
10	256QAM	1	49	18.00	18.03	18.02	20.00
10	256QAM	25	0	18.11	18.26	18.03	20.00
10	256QAM	25	12	18.05	18.19	18.00	20.00
10	256QAM	25	25	18.13	18.24	18.09	20.00
10	256QAM	50	0	18.02	18.16	18.02	20.00
Channel				18625	18900	19175	Tune-up limit
Frequency (MHz)				1852.5	1880	1907.5	(dBm)
5	QPSK	1	0	23.10	23.23	23.07	25.00
5	QPSK	1	12	23.02	23.15	23.00	25.00
5	QPSK	1	24	23.04	23.08	23.01	25.00
5	QPSK	12	0	22.13	22.39	22.08	24.00
5	QPSK	12	7	22.14	22.38	22.19	24.00
5	QPSK	12	13	22.18	22.26	22.18	24.00
5	QPSK	25	0	22.15	22.37	22.16	24.00
5	16QAM	1	0	22.31	22.29	22.20	24.00
5	16QAM	1	12	22.34	22.48	22.32	24.00
5	16QAM	1	24	22.23	22.28	22.15	24.00
5	16QAM	12	0	21.14	21.32	21.19	23.00
5	16QAM	12	7	21.08	21.29	21.13	23.00
5	16QAM	12	13	21.06	21.22	21.08	23.00
5	16QAM	25	0	21.09	21.32	21.00	23.00
5	64QAM	1	0	21.25	21.47	21.24	23.00
5	64QAM	1	12	21.15	21.25	21.09	23.00
5	64QAM	1	24	21.03	21.31	21.04	23.00
5	64QAM	12	0	20.10	20.35	20.05	22.00
5	64QAM	12	7	20.08	20.31	20.05	22.00
5	64QAM	12	13	20.15	20.26	20.08	22.00
5	64QAM	25	0	20.07	20.21	20.08	22.00
5	256QAM	1	0	18.03	18.24	18.10	20.00
5	256QAM	1	12	18.00	18.10	18.00	20.00
5	256QAM	1	24	18.01	18.03	18.01	20.00
5	256QAM	12	0	18.04	18.22	18.11	20.00
5	256QAM	12	7	18.10	18.22	18.00	20.00
5	256QAM	12	13	18.06	18.13	18.10	20.00
5	256QAM	25	0	18.11	18.19	18.03	20.00
Channel				18615	18900	19185	Tune-up limit
Frequency (MHz)				1851.5	1880	1908.5	(dBm)
3	QPSK	1	0	23.14	23.24	23.06	25.00
3	QPSK	1	8	23.00	23.08	23.00	25.00
3	QPSK	1	14	23.08	23.18	23.02	25.00
3	QPSK	8	0	22.13	22.40	22.03	24.00
3	QPSK	8	4	22.17	22.34	22.17	24.00
3	QPSK	8	7	22.22	22.31	22.22	24.00
3	QPSK	15	0	22.16	22.40	22.08	24.00
3	16QAM	1	0	22.28	22.28	22.14	24.00
3	16QAM	1	8	22.34	22.44	22.31	24.00
3	16QAM	1	14	22.22	22.31	22.19	24.00
3	16QAM	8	0	21.07	21.26	21.15	23.00
3	16QAM	8	4	21.18	21.29	21.03	23.00
3	16QAM	8	7	21.02	21.32	21.09	23.00
3	16QAM	15	0	21.10	21.30	21.01	23.00
3	64QAM	1	0	21.27	21.38	21.29	23.00
3	64QAM	1	8	21.09	21.30	21.01	23.00
3	64QAM	1	14	21.05	21.27	21.11	23.00
3	64QAM	8	0	20.16	20.27	20.15	22.00
3	64QAM	8	4	20.14	20.25	20.09	22.00
3	64QAM	8	7	20.07	20.22	20.02	22.00
3	64QAM	15	0	20.06	20.16	20.01	22.00
3	256QAM	1	0	18.12	18.13	18.09	20.00
3	256QAM	1	8	18.02	18.13	18.01	20.00
3	256QAM	1	14	18.01	18.11	18.01	20.00
3	256QAM	8	0	18.06	18.16	18.10	20.00

3	256QAM	8	4	18.00	18.18	18.04	20.00
3	256QAM	8	7	18.08	18.25	18.05	20.00
3	256QAM	15	0	18.00	18.16	18.01	20.00
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	
1.4	QPSK	1	0	23.16	23.24	23.05	25.00
1.4	QPSK	1	3	23.06	23.15	23.00	25.00
1.4	QPSK	1	5	23.01	23.12	23.00	25.00
1.4	QPSK	3	0	23.20	23.28	23.10	25.00
1.4	QPSK	3	1	23.08	23.29	23.19	25.00
1.4	QPSK	3	3	23.18	23.25	23.14	25.00
1.4	QPSK	6	0	22.12	22.38	22.11	24.00
1.4	16QAM	1	0	22.18	22.38	22.25	24.00
1.4	16QAM	1	3	22.34	22.43	22.31	24.00
1.4	16QAM	1	5	22.26	22.26	22.20	24.00
1.4	16QAM	3	0	22.16	22.34	22.18	24.00
1.4	16QAM	3	1	22.11	22.36	22.13	24.00
1.4	16QAM	3	3	22.03	22.25	22.06	24.00
1.4	16QAM	6	0	21.15	21.26	21.10	23.00
1.4	64QAM	1	0	21.30	21.38	21.26	23.00
1.4	64QAM	1	3	21.12	21.31	21.12	23.00
1.4	64QAM	1	5	21.11	21.30	21.11	23.00
1.4	64QAM	3	0	21.19	21.22	21.13	23.00
1.4	64QAM	3	1	21.10	21.33	21.06	23.00
1.4	64QAM	3	3	21.13	21.25	21.00	23.00
1.4	64QAM	6	0	20.08	20.18	20.00	22.00
1.4	256QAM	1	0	18.01	18.15	18.07	20.00
1.4	256QAM	1	3	18.01	18.11	18.00	20.00
1.4	256QAM	1	5	18.01	18.02	18.01	20.00
1.4	256QAM	3	0	18.07	18.29	18.06	20.00
1.4	256QAM	3	1	18.02	18.24	18.03	20.00
1.4	256QAM	3	3	18.03	18.16	18.06	20.00
1.4	256QAM	6	0	18.04	18.20	18.00	20.00

【LTE Band 2_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	Tune-up limit (dBm)
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	23.15	23.19	23.01	25.00
20	QPSK	1	49	23.07	23.18	23.00	25.00
20	QPSK	1	99	23.00	23.00	23.01	25.00
20	QPSK	50	0	22.00	22.12	22.00	24.00
20	QPSK	50	24	22.01	22.10	22.00	24.00
20	QPSK	50	50	22.00	22.06	22.01	24.00
20	QPSK	100	0	22.00	22.10	22.01	24.00
20	16QAM	1	0	22.07	22.24	22.02	24.00
20	16QAM	1	49	22.11	22.17	22.00	24.00
20	16QAM	1	99	22.00	22.03	22.01	24.00
20	16QAM	50	0	21.24	21.29	21.00	23.00
20	16QAM	50	24	21.14	21.27	21.00	23.00
20	16QAM	50	50	21.13	21.25	21.01	23.00
20	16QAM	100	0	21.20	21.28	21.04	23.00
20	64QAM	1	0	21.24	21.40	21.16	23.00
20	64QAM	1	49	21.23	21.30	21.12	23.00
20	64QAM	1	99	21.00	21.13	21.00	23.00
20	64QAM	50	0	20.14	20.26	20.05	22.00
20	64QAM	50	24	20.16	20.24	20.07	22.00
20	64QAM	50	50	20.08	20.23	20.02	22.00
20	64QAM	100	0	20.13	20.25	20.05	22.00
20	256QAM	1	0	18.00	18.16	18.00	20.00
20	256QAM	1	49	18.01	18.07	18.00	20.00
20	256QAM	1	99	18.01	18.00	18.01	20.00
20	256QAM	50	0	18.07	18.18	18.00	20.00
20	256QAM	50	24	18.01	18.18	18.01	20.00
20	256QAM	50	50	18.02	18.18	18.00	20.00
20	256QAM	100	0	18.05	18.15	18.01	20.00
Channel				18675	18900	19125	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1902.5	
15	QPSK	1	0	23.12	23.07	23.01	25.00
15	QPSK	1	37	23.01	23.04	23.00	25.00
15	QPSK	1	74	23.00	23.01	23.00	25.00
15	QPSK	36	0	22.00	22.07	22.01	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	QPSK	36	20	22.00	22.06	22.00	24.00
15	QPSK	36	39	22.02	22.03	22.01	24.00
15	QPSK	75	0	22.01	22.02	22.00	24.00
15	16QAM	1	0	22.03	22.14	22.01	24.00
15	16QAM	1	37	22.01	22.10	22.00	24.00
15	16QAM	1	74	22.00	22.01	22.00	24.00
15	16QAM	36	0	21.12	21.27	21.00	23.00
15	16QAM	36	20	21.11	21.24	21.00	23.00
15	16QAM	36	39	21.02	21.10	21.01	23.00
15	16QAM	75	0	21.12	21.21	21.00	23.00
15	64QAM	1	0	21.14	21.30	21.12	23.00
15	64QAM	1	37	21.08	21.27	21.05	23.00
15	64QAM	1	74	21.00	21.11	21.00	23.00
15	64QAM	36	0	20.10	20.23	20.01	22.00
15	64QAM	36	20	20.09	20.13	20.00	22.00
15	64QAM	36	39	20.00	20.21	20.00	22.00
15	64QAM	75	0	20.02	20.12	20.01	22.00
15	256QAM	1	0	18.01	18.03	18.01	20.00
15	256QAM	1	37	18.02	18.00	18.00	20.00
15	256QAM	1	74	18.01	18.00	18.01	20.00
15	256QAM	36	0	18.01	18.12	18.01	20.00
15	256QAM	36	20	18.00	18.11	18.02	20.00
15	256QAM	36	39	18.01	18.06	18.01	20.00
15	256QAM	75	0	18.01	18.08	18.01	20.00
Channel				18650	18900	19150	Tune-up limit
Frequency (MHz)				1855	1880	1905	(dBm)
10	QPSK	1	0	23.06	23.18	23.00	25.00
10	QPSK	1	25	23.01	23.12	23.00	25.00
10	QPSK	1	49	23.00	23.02	23.00	25.00
10	QPSK	25	0	22.01	22.11	22.01	24.00
10	QPSK	25	12	22.00	22.01	22.00	24.00
10	QPSK	25	25	22.00	22.02	22.00	24.00
10	QPSK	50	0	22.01	22.04	22.00	24.00
10	16QAM	1	0	22.03	22.15	22.01	24.00
10	16QAM	1	25	22.04	22.14	22.01	24.00
10	16QAM	1	49	22.01	22.01	22.00	24.00
10	16QAM	25	0	21.12	21.21	21.00	23.00
10	16QAM	25	12	21.12	21.13	21.00	23.00
10	16QAM	25	25	21.08	21.17	21.00	23.00
10	16QAM	50	0	21.06	21.17	21.00	23.00
10	64QAM	1	0	21.14	21.28	21.08	23.00
10	64QAM	1	25	21.15	21.16	21.04	23.00
10	64QAM	1	49	21.01	21.06	21.02	23.00
10	64QAM	25	0	20.02	20.20	20.02	22.00
10	64QAM	25	12	20.13	20.15	20.00	22.00
10	64QAM	25	25	20.04	20.18	20.01	22.00
10	64QAM	50	0	20.12	20.18	20.04	22.00
10	256QAM	1	0	18.01	18.13	18.02	20.00
10	256QAM	1	25	18.01	18.00	18.00	20.00
10	256QAM	1	49	18.01	18.02	18.00	20.00
10	256QAM	25	0	18.01	18.09	18.00	20.00
10	256QAM	25	12	18.00	18.12	18.02	20.00
10	256QAM	25	25	18.02	18.13	18.01	20.00
10	256QAM	50	0	18.01	18.02	18.00	20.00
Channel				18625	18900	19175	Tune-up limit
Frequency (MHz)				1852.5	1880	1907.5	(dBm)
5	QPSK	1	0	23.13	23.17	23.02	25.00
5	QPSK	1	12	23.01	23.07	23.00	25.00
5	QPSK	1	24	23.00	23.00	23.01	25.00
5	QPSK	12	0	22.00	22.02	22.00	24.00
5	QPSK	12	7	22.00	22.00	22.02	24.00
5	QPSK	12	13	22.01	22.02	22.02	24.00
5	QPSK	25	0	22.00	22.00	22.00	24.00
5	16QAM	1	0	22.02	22.15	22.00	24.00
5	16QAM	1	12	22.00	22.16	22.02	24.00
5	16QAM	1	24	22.01	22.00	22.01	24.00
5	16QAM	12	0	21.12	21.27	21.00	23.00
5	16QAM	12	7	21.08	21.15	21.01	23.00
5	16QAM	12	13	21.01	21.18	21.01	23.00
5	16QAM	25	0	21.15	21.21	21.01	23.00
5	64QAM	1	0	21.22	21.29	21.13	23.00
5	64QAM	1	12	21.14	21.16	21.03	23.00
5	64QAM	1	24	21.01	21.00	21.00	23.00
5	64QAM	12	0	20.00	20.21	20.00	22.00
5	64QAM	12	7	20.12	20.20	20.00	22.00
5	64QAM	12	13	20.00	20.18	20.00	22.00
5	64QAM	25	0	20.03	20.17	20.02	22.00
5	256QAM	1	0	18.00	18.09	18.01	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	256QAM	1	12	18.02	18.05	18.00	20.00
5	256QAM	1	24	18.01	18.01	18.01	20.00
5	256QAM	12	0	18.02	18.09	18.00	20.00
5	256QAM	12	7	18.00	18.10	18.00	20.00
5	256QAM	12	13	18.01	18.16	18.00	20.00
5	256QAM	25	0	18.01	18.04	18.00	20.00
Channel				18615	18900	19185	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1908.5	
3	QPSK	1	0	23.03	23.08	23.01	25.00
3	QPSK	1	8	23.01	23.17	23.01	25.00
3	QPSK	1	14	23.01	23.00	23.00	25.00
3	QPSK	8	0	22.01	22.10	22.01	24.00
3	QPSK	8	4	22.00	22.00	22.01	24.00
3	QPSK	8	7	22.00	22.01	22.00	24.00
3	QPSK	15	0	22.00	22.06	22.00	24.00
3	16QAM	1	0	22.06	22.18	22.00	24.00
3	16QAM	1	8	22.08	22.15	22.00	24.00
3	16QAM	1	14	22.00	22.02	22.00	24.00
3	16QAM	8	0	21.18	21.26	21.00	23.00
3	16QAM	8	4	21.05	21.23	21.00	23.00
3	16QAM	8	7	21.00	21.21	21.02	23.00
3	16QAM	15	0	21.16	21.26	21.00	23.00
3	64QAM	1	0	21.23	21.35	21.02	23.00
3	64QAM	1	8	21.19	21.24	21.07	23.00
3	64QAM	1	14	21.01	21.04	21.00	23.00
3	64QAM	8	0	20.10	20.12	20.00	22.00
3	64QAM	8	4	20.08	20.17	20.00	22.00
3	64QAM	8	7	20.03	20.22	20.01	22.00
3	64QAM	15	0	20.02	20.12	20.01	22.00
3	256QAM	1	0	18.00	18.15	18.01	20.00
3	256QAM	1	8	18.00	18.02	18.01	20.00
3	256QAM	1	14	18.02	18.01	18.01	20.00
3	256QAM	8	0	18.00	18.05	18.01	20.00
3	256QAM	8	4	18.00	18.15	18.00	20.00
3	256QAM	8	7	18.00	18.07	18.02	20.00
3	256QAM	15	0	18.00	18.13	18.01	20.00
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	
1.4	QPSK	1	0	23.08	23.14	23.00	25.00
1.4	QPSK	1	3	23.06	23.05	23.02	25.00
1.4	QPSK	1	5	23.00	23.00	23.01	25.00
1.4	QPSK	3	0	23.00	23.03	23.00	25.00
1.4	QPSK	3	1	23.00	23.04	23.01	25.00
1.4	QPSK	3	3	23.00	23.01	23.00	25.00
1.4	QPSK	6	0	22.00	22.04	22.00	24.00
1.4	16QAM	1	0	22.01	22.15	22.01	24.00
1.4	16QAM	1	3	22.00	22.11	22.01	24.00
1.4	16QAM	1	5	22.00	22.01	22.00	24.00
1.4	16QAM	3	0	22.13	22.19	22.00	24.00
1.4	16QAM	3	1	22.08	22.19	22.00	24.00
1.4	16QAM	3	3	22.06	22.11	22.00	24.00
1.4	16QAM	6	0	21.14	21.19	21.00	23.00
1.4	64QAM	1	0	21.21	21.36	21.03	23.00
1.4	64QAM	1	3	21.12	21.23	21.01	23.00
1.4	64QAM	1	5	21.01	21.01	21.01	23.00
1.4	64QAM	3	0	21.05	21.23	21.02	23.00
1.4	64QAM	3	1	21.15	21.22	21.01	23.00
1.4	64QAM	3	3	21.01	21.10	21.00	23.00
1.4	64QAM	6	0	20.11	20.23	20.01	22.00
1.4	256QAM	1	0	18.00	18.07	18.00	20.00
1.4	256QAM	1	3	18.01	18.01	18.01	20.00
1.4	256QAM	1	5	18.02	18.01	18.01	20.00
1.4	256QAM	3	0	18.06	18.10	18.01	20.00
1.4	256QAM	3	1	18.00	18.17	18.01	20.00
1.4	256QAM	3	3	18.00	18.07	18.00	20.00
1.4	256QAM	6	0	18.00	18.10	18.01	20.00

【LTE Band 2_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	18.20	18.34	18.19	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	QPSK	1	49	18.01	18.23	17.95	19.00
20	QPSK	1	99	17.95	18.22	17.99	19.00
20	QPSK	50	0	18.04	18.32	18.13	19.00
20	QPSK	50	24	18.07	18.30	18.02	19.00
20	QPSK	50	50	18.01	18.28	18.11	19.00
20	QPSK	100	0	18.10	18.25	17.99	19.00
20	16QAM	1	0	18.03	18.27	18.05	19.00
20	16QAM	1	49	17.95	18.20	18.00	19.00
20	16QAM	1	99	17.97	18.15	17.92	19.00
20	16QAM	50	0	18.06	18.29	18.10	19.00
20	16QAM	50	24	18.04	18.22	18.02	19.00
20	16QAM	50	50	18.06	18.22	18.06	19.00
20	16QAM	100	0	17.93	18.20	18.03	19.00
20	64QAM	1	0	18.04	18.23	18.06	19.00
20	64QAM	1	49	17.84	18.09	17.86	19.00
20	64QAM	1	99	17.90	18.09	17.90	19.00
20	64QAM	50	0	17.89	18.17	17.93	19.00
20	64QAM	50	24	18.03	18.19	17.99	19.00
20	64QAM	50	50	17.98	18.14	17.96	19.00
20	64QAM	100	0	17.90	18.13	17.96	19.00
20	256QAM	1	0	17.98	18.16	18.00	19.00
20	256QAM	1	49	17.94	18.10	17.82	19.00
20	256QAM	1	99	17.77	18.06	17.88	19.00
20	256QAM	50	0	17.96	18.19	18.03	19.00
20	256QAM	50	24	17.88	18.15	17.96	19.00
20	256QAM	50	50	17.93	18.11	17.82	19.00
20	256QAM	100	0	17.91	18.11	17.84	19.00
Channel				18675	18900	19125	Tune-up limit
Frequency (MHz)				1857.5	1880	1902.5	(dBm)
15	QPSK	1	0	18.12	18.33	18.06	19.00
15	QPSK	1	37	17.96	18.10	17.83	19.00
15	QPSK	1	74	17.85	18.09	17.97	19.00
15	QPSK	36	0	17.92	18.27	17.99	19.00
15	QPSK	36	20	17.95	18.27	17.91	19.00
15	QPSK	36	39	17.91	18.21	18.10	19.00
15	QPSK	75	0	18.06	18.11	17.91	19.00
15	16QAM	1	0	17.97	18.13	17.98	19.00
15	16QAM	1	37	17.92	18.16	17.97	19.00
15	16QAM	1	74	17.83	18.00	17.85	19.00
15	16QAM	36	0	18.05	18.26	18.03	19.00
15	16QAM	36	20	17.99	18.08	17.92	19.00
15	16QAM	36	39	17.94	18.12	18.00	19.00
15	16QAM	75	0	17.84	18.08	17.98	19.00
15	64QAM	1	0	17.98	18.10	18.01	19.00
15	64QAM	1	37	17.75	17.98	17.77	19.00
15	64QAM	1	74	17.76	17.95	17.88	19.00
15	64QAM	36	0	17.75	18.15	17.85	19.00
15	64QAM	36	20	18.00	18.14	17.87	19.00
15	64QAM	36	39	17.87	18.13	17.91	19.00
15	64QAM	75	0	17.78	18.03	17.83	19.00
15	256QAM	1	0	17.93	18.05	17.96	19.00
15	256QAM	1	37	17.81	18.00	17.68	19.00
15	256QAM	1	74	17.73	17.92	17.74	19.00
15	256QAM	36	0	17.83	18.16	17.97	19.00
15	256QAM	36	20	17.83	18.04	17.91	19.00
15	256QAM	36	39	17.89	18.05	17.77	19.00
15	256QAM	75	0	17.82	17.97	17.73	19.00
Channel				18650	18900	19150	Tune-up limit
Frequency (MHz)				1855	1880	1905	(dBm)
10	QPSK	1	0	18.09	18.19	18.14	19.00
10	QPSK	1	25	17.91	18.10	17.85	19.00
10	QPSK	1	49	17.92	18.21	17.96	19.00
10	QPSK	25	0	17.96	18.22	18.03	19.00
10	QPSK	25	12	18.06	18.17	17.99	19.00
10	QPSK	25	25	17.86	18.19	17.99	19.00
10	QPSK	50	0	18.04	18.16	17.91	19.00
10	16QAM	1	0	17.94	18.23	18.04	19.00
10	16QAM	1	25	17.90	18.18	17.92	19.00
10	16QAM	1	49	17.88	18.11	17.89	19.00
10	16QAM	25	0	17.97	18.20	18.05	19.00
10	16QAM	25	12	17.90	18.17	17.90	19.00
10	16QAM	25	25	18.02	18.16	17.91	19.00
10	16QAM	50	0	17.81	18.17	18.00	19.00
10	64QAM	1	0	18.01	18.09	17.92	19.00
10	64QAM	1	25	17.69	18.07	17.75	19.00
10	64QAM	1	49	17.84	18.02	17.89	19.00
10	64QAM	25	0	17.84	18.15	17.86	19.00
10	64QAM	25	12	17.95	18.05	17.97	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	64QAM	25	25	17.85	18.02	17.95	19.00
10	64QAM	50	0	17.86	18.01	17.87	19.00
10	256QAM	1	0	17.87	18.14	17.90	19.00
10	256QAM	1	25	17.85	17.99	17.79	19.00
10	256QAM	1	49	17.63	17.96	17.78	19.00
10	256QAM	25	0	17.94	18.16	18.02	19.00
10	256QAM	25	12	17.74	18.14	17.86	19.00
10	256QAM	25	25	17.79	18.03	17.70	19.00
10	256QAM	50	0	17.80	18.05	17.80	19.00
Channel				18625	18900	19175	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1907.5	
5	QPSK	1	0	18.11	18.21	18.09	19.00
5	QPSK	1	12	17.94	18.13	17.85	19.00
5	QPSK	1	24	17.86	18.08	17.96	19.00
5	QPSK	12	0	17.97	18.20	18.10	19.00
5	QPSK	12	7	17.97	18.25	17.88	19.00
5	QPSK	12	13	17.97	18.26	18.05	19.00
5	QPSK	25	0	18.09	18.19	17.93	19.00
5	16QAM	1	0	17.96	18.18	17.99	19.00
5	16QAM	1	12	17.88	18.16	17.94	19.00
5	16QAM	1	24	17.92	18.00	17.80	19.00
5	16QAM	12	0	17.97	18.17	18.04	19.00
5	16QAM	12	7	18.02	18.16	17.94	19.00
5	16QAM	12	13	17.99	18.11	17.99	19.00
5	16QAM	25	0	17.90	18.06	18.02	19.00
5	64QAM	1	0	17.92	18.15	18.00	19.00
5	64QAM	1	12	17.75	18.02	17.73	19.00
5	64QAM	1	24	17.89	17.96	17.75	19.00
5	64QAM	12	0	17.77	18.16	17.92	19.00
5	64QAM	12	7	18.01	18.15	17.86	19.00
5	64QAM	12	13	17.95	18.05	17.89	19.00
5	64QAM	25	0	17.88	18.05	17.95	19.00
5	256QAM	1	0	17.84	18.13	17.96	19.00
5	256QAM	1	12	17.83	18.05	17.78	19.00
5	256QAM	1	24	17.70	17.92	17.78	19.00
5	256QAM	12	0	17.91	18.04	17.93	19.00
5	256QAM	12	7	17.74	18.02	17.83	19.00
5	256QAM	12	13	17.84	18.01	17.75	19.00
5	256QAM	25	0	17.87	17.99	17.83	19.00
Channel				18615	18900	19185	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1908.5	
3	QPSK	1	0	18.09	18.23	18.05	19.00
3	QPSK	1	8	17.87	18.16	17.90	19.00
3	QPSK	1	14	17.84	18.14	17.94	19.00
3	QPSK	8	0	17.96	18.19	18.04	19.00
3	QPSK	8	4	17.92	18.19	17.91	19.00
3	QPSK	8	7	17.95	18.16	17.96	19.00
3	QPSK	15	0	17.96	18.22	17.85	19.00
3	16QAM	1	0	17.91	18.13	18.04	19.00
3	16QAM	1	8	17.91	18.05	17.87	19.00
3	16QAM	1	14	17.83	18.03	17.80	19.00
3	16QAM	8	0	18.03	18.21	17.97	19.00
3	16QAM	8	4	18.01	18.17	17.94	19.00
3	16QAM	8	7	17.91	18.17	17.93	19.00
3	16QAM	15	0	17.91	18.07	17.92	19.00
3	64QAM	1	0	17.97	18.19	18.03	19.00
3	64QAM	1	8	17.80	17.98	17.82	19.00
3	64QAM	1	14	17.83	18.04	17.84	19.00
3	64QAM	8	0	17.88	18.06	17.82	19.00
3	64QAM	8	4	17.96	18.09	17.87	19.00
3	64QAM	8	7	17.95	18.08	17.89	19.00
3	64QAM	15	0	17.89	18.04	17.94	19.00
3	256QAM	1	0	17.89	18.02	17.90	19.00
3	256QAM	1	8	17.93	18.01	17.75	19.00
3	256QAM	1	14	17.66	17.91	17.77	19.00
3	256QAM	8	0	17.91	18.14	18.01	19.00
3	256QAM	8	4	17.74	18.11	17.83	19.00
3	256QAM	8	7	17.89	18.06	17.79	19.00
3	256QAM	15	0	17.84	18.10	17.70	19.00
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	
1.4	QPSK	1	0	18.11	18.21	18.14	19.00
1.4	QPSK	1	3	17.97	18.19	17.87	19.00
1.4	QPSK	1	5	17.88	18.18	17.89	19.00
1.4	QPSK	3	0	17.91	18.20	18.11	19.00
1.4	QPSK	3	1	17.93	18.27	17.90	19.00
1.4	QPSK	3	3	17.99	18.27	18.09	19.00
1.4	QPSK	6	0	17.95	18.12	17.92	19.00

1.4	16QAM	1	0	17.92	18.18	18.02	19.00
1.4	16QAM	1	3	17.81	18.15	17.98	19.00
1.4	16QAM	1	5	17.85	18.14	17.87	19.00
1.4	16QAM	3	0	17.97	18.21	18.06	19.00
1.4	16QAM	3	1	17.90	18.07	17.92	19.00
1.4	16QAM	3	3	18.01	18.20	17.92	19.00
1.4	16QAM	6	0	17.86	18.19	17.97	19.00
1.4	64QAM	1	0	17.92	18.08	17.97	19.00
1.4	64QAM	1	3	17.71	18.04	17.79	19.00
1.4	64QAM	1	5	17.86	17.95	17.83	19.00
1.4	64QAM	3	0	17.78	18.04	17.88	19.00
1.4	64QAM	3	1	18.00	18.13	17.94	19.00
1.4	64QAM	3	3	17.89	18.03	17.83	19.00
1.4	64QAM	6	0	17.76	17.99	17.92	19.00
1.4	256QAM	1	0	17.91	18.08	17.94	19.00
1.4	256QAM	1	3	17.81	18.02	17.68	19.00
1.4	256QAM	1	5	17.71	17.99	17.81	19.00
1.4	256QAM	3	0	17.84	18.09	17.97	19.00
1.4	256QAM	3	1	17.83	18.03	17.85	19.00
1.4	256QAM	3	3	17.91	18.02	17.81	19.00
1.4	256QAM	6	0	17.82	18.03	17.83	19.00

【LTE Band 2_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	Tune-up limit (dBm)
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	19.91	20.00	19.86	20.00
20	QPSK	1	49	19.79	19.96	19.73	20.00
20	QPSK	1	99	19.68	19.80	19.62	20.00
20	QPSK	50	0	19.72	19.94	19.70	20.00
20	QPSK	50	24	19.80	19.93	19.67	20.00
20	QPSK	50	50	19.66	19.88	19.60	20.00
20	QPSK	100	0	19.69	19.91	19.73	20.00
20	16QAM	1	0	19.82	19.96	19.74	20.00
20	16QAM	1	49	19.71	19.86	19.64	20.00
20	16QAM	1	99	19.53	19.73	19.55	20.00
20	16QAM	50	0	19.74	19.86	19.70	20.00
20	16QAM	50	24	19.65	19.89	19.65	20.00
20	16QAM	50	50	19.72	19.83	19.63	20.00
20	16QAM	100	0	19.59	19.82	19.65	20.00
20	64QAM	1	0	19.71	19.91	19.72	20.00
20	64QAM	1	49	19.66	19.88	19.64	20.00
20	64QAM	1	99	19.53	19.76	19.60	20.00
20	64QAM	50	0	19.75	19.87	19.64	20.00
20	64QAM	50	24	19.74	19.87	19.66	20.00
20	64QAM	50	50	19.70	19.81	19.63	20.00
20	64QAM	100	0	19.65	19.85	19.60	20.00
20	256QAM	1	0	19.74	19.90	19.62	20.00
20	256QAM	1	49	19.69	19.86	19.60	20.00
20	256QAM	1	99	19.51	19.71	19.56	20.00
20	256QAM	50	0	19.65	19.79	19.62	20.00
20	256QAM	50	24	19.64	19.83	19.55	20.00
20	256QAM	50	50	19.51	19.74	19.55	20.00
20	256QAM	100	0	19.65	19.81	19.60	20.00
Channel				18675	18900	19125	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1902.5	
15	QPSK	1	0	19.84	19.87	19.82	20.00
15	QPSK	1	37	19.64	19.86	19.66	20.00
15	QPSK	1	74	19.58	19.68	19.53	20.00
15	QPSK	36	0	19.59	19.79	19.58	20.00
15	QPSK	36	20	19.69	19.80	19.58	20.00
15	QPSK	36	39	19.52	19.87	19.52	20.00
15	QPSK	75	0	19.61	19.89	19.65	20.00
15	16QAM	1	0	19.73	19.94	19.67	20.00
15	16QAM	1	37	19.64	19.82	19.57	20.00
15	16QAM	1	74	19.60	19.66	19.54	20.00
15	16QAM	36	0	19.61	19.77	19.65	20.00
15	16QAM	36	20	19.53	19.85	19.58	20.00
15	16QAM	36	39	19.66	19.78	19.50	20.00
15	16QAM	75	0	19.56	19.72	19.63	20.00
15	64QAM	1	0	19.61	19.86	19.57	20.00
15	64QAM	1	37	19.52	19.77	19.55	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	64QAM	1	74	19.54	19.61	19.59	20.00
15	64QAM	36	0	19.73	19.73	19.58	20.00
15	64QAM	36	20	19.66	19.72	19.58	20.00
15	64QAM	36	39	19.60	19.78	19.59	20.00
15	64QAM	75	0	19.57	19.71	19.50	20.00
15	256QAM	1	0	19.71	19.82	19.55	20.00
15	256QAM	1	37	19.58	19.73	19.55	20.00
15	256QAM	1	74	19.59	19.65	19.52	20.00
15	256QAM	36	0	19.54	19.66	19.58	20.00
15	256QAM	36	20	19.61	19.79	19.52	20.00
15	256QAM	36	39	19.53	19.70	19.56	20.00
15	256QAM	75	0	19.51	19.69	19.57	20.00
Channel				18650	18900	19150	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1905	
10	QPSK	1	0	19.84	19.93	19.76	20.00
10	QPSK	1	25	19.78	19.85	19.66	20.00
10	QPSK	1	49	19.56	19.67	19.58	20.00
10	QPSK	25	0	19.67	19.91	19.63	20.00
10	QPSK	25	12	19.70	19.78	19.60	20.00
10	QPSK	25	25	19.52	19.80	19.53	20.00
10	QPSK	50	0	19.68	19.79	19.70	20.00
10	16QAM	1	0	19.78	19.90	19.70	20.00
10	16QAM	1	25	19.70	19.77	19.59	20.00
10	16QAM	1	49	19.50	19.70	19.54	20.00
10	16QAM	25	0	19.70	19.77	19.63	20.00
10	16QAM	25	12	19.58	19.85	19.64	20.00
10	16QAM	25	25	19.65	19.74	19.61	20.00
10	16QAM	50	0	19.57	19.80	19.64	20.00
10	64QAM	1	0	19.60	19.87	19.59	20.00
10	64QAM	1	25	19.56	19.81	19.57	20.00
10	64QAM	1	49	19.50	19.74	19.59	20.00
10	64QAM	25	0	19.66	19.77	19.58	20.00
10	64QAM	25	12	19.69	19.84	19.64	20.00
10	64QAM	25	25	19.68	19.68	19.59	20.00
10	64QAM	50	0	19.64	19.76	19.51	20.00
10	256QAM	1	0	19.70	19.81	19.58	20.00
10	256QAM	1	25	19.65	19.73	19.50	20.00
10	256QAM	1	49	19.60	19.67	19.53	20.00
10	256QAM	25	0	19.50	19.75	19.59	20.00
10	256QAM	25	12	19.63	19.74	19.58	20.00
10	256QAM	25	25	19.57	19.72	19.61	20.00
10	256QAM	50	0	19.61	19.67	19.55	20.00
Channel				18625	18900	19175	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1907.5	
5	QPSK	1	0	19.77	19.98	19.77	20.00
5	QPSK	1	12	19.68	19.90	19.58	20.00
5	QPSK	1	24	19.61	19.69	19.53	20.00
5	QPSK	12	0	19.61	19.87	19.60	20.00
5	QPSK	12	7	19.71	19.79	19.64	20.00
5	QPSK	12	13	19.55	19.81	19.50	20.00
5	QPSK	25	0	19.62	19.90	19.64	20.00
5	16QAM	1	0	19.78	19.89	19.62	20.00
5	16QAM	1	12	19.58	19.83	19.56	20.00
5	16QAM	1	24	19.52	19.63	19.57	20.00
5	16QAM	12	0	19.67	19.80	19.58	20.00
5	16QAM	12	7	19.58	19.75	19.63	20.00
5	16QAM	12	13	19.59	19.82	19.54	20.00
5	16QAM	25	0	19.56	19.70	19.63	20.00
5	64QAM	1	0	19.64	19.84	19.71	20.00
5	64QAM	1	12	19.53	19.84	19.59	20.00
5	64QAM	1	24	19.59	19.70	19.51	20.00
5	64QAM	12	0	19.73	19.81	19.62	20.00
5	64QAM	12	7	19.71	19.81	19.53	20.00
5	64QAM	12	13	19.62	19.79	19.58	20.00
5	64QAM	25	0	19.58	19.82	19.53	20.00
5	256QAM	1	0	19.67	19.86	19.55	20.00
5	256QAM	1	12	19.55	19.81	19.56	20.00
5	256QAM	1	24	19.54	19.66	19.54	20.00
5	256QAM	12	0	19.54	19.71	19.55	20.00
5	256QAM	12	7	19.52	19.81	19.51	20.00
5	256QAM	12	13	19.53	19.65	19.53	20.00
5	256QAM	25	0	19.51	19.68	19.52	20.00
Channel				18615	18900	19185	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1908.5	
3	QPSK	1	0	19.88	19.91	19.80	20.00
3	QPSK	1	8	19.77	19.85	19.60	20.00
3	QPSK	1	14	19.54	19.67	19.56	20.00
3	QPSK	8	0	19.61	19.86	19.56	20.00

3	QPSK	8	4	19.72	19.81	19.60	20.00
3	QPSK	8	7	19.52	19.83	19.58	20.00
3	QPSK	15	0	19.62	19.81	19.64	20.00
3	16QAM	1	0	19.74	19.92	19.61	20.00
3	16QAM	1	8	19.66	19.77	19.60	20.00
3	16QAM	1	14	19.59	19.62	19.53	20.00
3	16QAM	8	0	19.67	19.78	19.63	20.00
3	16QAM	8	4	19.56	19.79	19.55	20.00
3	16QAM	8	7	19.62	19.70	19.58	20.00
3	16QAM	15	0	19.57	19.72	19.53	20.00
3	64QAM	1	0	19.70	19.84	19.62	20.00
3	64QAM	1	8	19.56	19.77	19.50	20.00
3	64QAM	1	14	19.51	19.64	19.50	20.00
3	64QAM	8	0	19.64	19.75	19.59	20.00
3	64QAM	8	4	19.71	19.76	19.59	20.00
3	64QAM	8	7	19.61	19.69	19.59	20.00
3	64QAM	15	0	19.54	19.72	19.58	20.00
3	256QAM	1	0	19.63	19.86	19.57	20.00
3	256QAM	1	8	19.57	19.84	19.58	20.00
3	256QAM	1	14	19.57	19.65	19.59	20.00
3	256QAM	8	0	19.53	19.72	19.59	20.00
3	256QAM	8	4	19.62	19.76	19.53	20.00
3	256QAM	8	7	19.59	19.66	19.57	20.00
3	256QAM	15	0	19.61	19.72	19.53	20.00
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	
1.4	QPSK	1	0	19.84	19.86	19.78	20.00
1.4	QPSK	1	3	19.72	19.85	19.66	20.00
1.4	QPSK	1	5	19.58	19.74	19.61	20.00
1.4	QPSK	3	0	19.70	19.90	19.61	20.00
1.4	QPSK	3	1	19.71	19.83	19.59	20.00
1.4	QPSK	3	3	19.59	19.77	19.51	20.00
1.4	QPSK	6	0	19.62	19.80	19.71	20.00
1.4	16QAM	1	0	19.79	19.92	19.61	20.00
1.4	16QAM	1	3	19.63	19.76	19.63	20.00
1.4	16QAM	1	5	19.52	19.63	19.52	20.00
1.4	16QAM	3	0	19.69	19.77	19.62	20.00
1.4	16QAM	3	1	19.59	19.75	19.59	20.00
1.4	16QAM	3	3	19.68	19.82	19.61	20.00
1.4	16QAM	6	0	19.56	19.73	19.51	20.00
1.4	64QAM	1	0	19.65	19.82	19.70	20.00
1.4	64QAM	1	3	19.57	19.75	19.52	20.00
1.4	64QAM	1	5	19.52	19.69	19.52	20.00
1.4	64QAM	3	0	19.68	19.74	19.50	20.00
1.4	64QAM	3	1	19.63	19.73	19.65	20.00
1.4	64QAM	3	3	19.66	19.79	19.51	20.00
1.4	64QAM	6	0	19.62	19.75	19.59	20.00
1.4	256QAM	1	0	19.64	19.80	19.51	20.00
1.4	256QAM	1	3	19.58	19.73	19.51	20.00
1.4	256QAM	1	5	19.53	19.56	19.54	20.00
1.4	256QAM	3	0	19.63	19.75	19.50	20.00
1.4	256QAM	3	1	19.61	19.71	19.58	20.00
1.4	256QAM	3	3	19.57	19.67	19.58	20.00
1.4	256QAM	6	0	19.64	19.75	19.57	20.00

【LTE Band 4_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	23.13	23.25	23.08	25.00
20	QPSK	1	49	23.00	23.20	23.00	25.00
20	QPSK	1	99	23.01	23.14	23.01	25.00
20	QPSK	50	0	22.20	22.35	22.12	24.00
20	QPSK	50	24	22.13	22.34	22.10	24.00
20	QPSK	50	50	22.12	22.28	22.09	24.00
20	QPSK	100	0	22.12	22.29	22.11	24.00
20	16QAM	1	0	22.18	22.42	22.16	24.00
20	16QAM	1	49	22.19	22.35	22.07	24.00
20	16QAM	1	99	22.15	22.33	22.08	24.00
20	16QAM	50	0	21.15	21.36	21.17	23.00
20	16QAM	50	24	21.18	21.31	21.10	23.00
20	16QAM	50	50	21.09	21.29	21.08	23.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	16QAM	100	0	21.02	21.27	21.08	23.00
20	64QAM	1	0	21.18	21.31	21.05	23.00
20	64QAM	1	49	21.01	21.24	21.01	23.00
20	64QAM	1	99	21.00	21.24	21.05	23.00
20	64QAM	50	0	20.11	20.32	20.13	22.00
20	64QAM	50	24	20.16	20.30	20.14	22.00
20	64QAM	50	50	20.09	20.25	20.00	22.00
20	64QAM	100	0	20.00	20.24	20.00	22.00
20	256QAM	1	0	18.02	18.18	18.01	20.00
20	256QAM	1	49	18.00	18.10	18.01	20.00
20	256QAM	1	99	18.01	18.10	18.01	20.00
20	256QAM	50	0	18.04	18.23	18.03	20.00
20	256QAM	50	24	18.10	18.20	18.01	20.00
20	256QAM	50	50	18.00	18.17	18.01	20.00
20	256QAM	100	0	18.01	18.16	18.01	20.00
Channel				20025	20175	20325	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	23.11	23.15	23.02	25.00
15	QPSK	1	37	23.02	23.14	23.02	25.00
15	QPSK	1	74	23.00	23.07	23.02	25.00
15	QPSK	36	0	22.18	22.31	22.01	24.00
15	QPSK	36	20	22.07	22.25	22.05	24.00
15	QPSK	36	39	22.00	22.20	22.01	24.00
15	QPSK	75	0	22.05	22.16	22.02	24.00
15	16QAM	1	0	22.10	22.27	22.14	24.00
15	16QAM	1	37	22.08	22.29	22.01	24.00
15	16QAM	1	74	22.08	22.25	22.07	24.00
15	16QAM	36	0	21.06	21.27	21.02	23.00
15	16QAM	36	20	21.09	21.24	21.06	23.00
15	16QAM	36	39	21.00	21.24	21.05	23.00
15	16QAM	75	0	21.01	21.22	21.02	23.00
15	64QAM	1	0	21.13	21.17	21.00	23.00
15	64QAM	1	37	21.00	21.14	21.00	23.00
15	64QAM	1	74	21.00	21.13	21.02	23.00
15	64QAM	36	0	20.00	20.18	20.06	22.00
15	64QAM	36	20	20.04	20.17	20.09	22.00
15	64QAM	36	39	20.06	20.22	20.00	22.00
15	64QAM	75	0	20.00	20.11	20.00	22.00
15	256QAM	1	0	18.00	18.13	18.01	20.00
15	256QAM	1	37	18.00	18.04	18.00	20.00
15	256QAM	1	74	18.01	18.05	18.01	20.00
15	256QAM	36	0	18.01	18.19	18.00	20.00
15	256QAM	36	20	18.02	18.08	18.01	20.00
15	256QAM	36	39	18.01	18.07	18.00	20.00
15	256QAM	75	0	18.00	18.04	18.01	20.00
Channel				20000	20175	20350	Tune-up limit (dBm)
Frequency (MHz)				1715	1732.5	1750	
10	QPSK	1	0	23.02	23.20	23.04	25.00
10	QPSK	1	25	23.00	23.11	23.02	25.00
10	QPSK	1	49	23.00	23.06	23.00	25.00
10	QPSK	25	0	22.13	22.29	22.10	24.00
10	QPSK	25	12	22.11	22.22	22.01	24.00
10	QPSK	25	25	22.03	22.25	22.07	24.00
10	QPSK	50	0	22.10	22.14	22.09	24.00
10	16QAM	1	0	22.15	22.30	22.03	24.00
10	16QAM	1	25	22.06	22.21	22.00	24.00
10	16QAM	1	49	22.14	22.27	22.01	24.00
10	16QAM	25	0	21.08	21.29	21.14	23.00
10	16QAM	25	12	21.10	21.28	21.02	23.00
10	16QAM	25	25	21.01	21.20	21.01	23.00
10	16QAM	50	0	21.00	21.22	21.02	23.00
10	64QAM	1	0	21.11	21.26	21.00	23.00
10	64QAM	1	25	21.00	21.17	21.01	23.00
10	64QAM	1	49	21.01	21.14	21.01	23.00
10	64QAM	25	0	20.00	20.19	20.10	22.00
10	64QAM	25	12	20.14	20.28	20.11	22.00
10	64QAM	25	25	20.01	20.13	20.00	22.00
10	64QAM	50	0	20.00	20.11	20.00	22.00
10	256QAM	1	0	18.00	18.15	18.01	20.00
10	256QAM	1	25	18.00	18.01	18.01	20.00
10	256QAM	1	49	18.00	18.01	18.00	20.00
10	256QAM	25	0	18.03	18.09	18.00	20.00
10	256QAM	25	12	18.00	18.09	18.00	20.00
10	256QAM	25	25	18.01	18.04	18.00	20.00
10	256QAM	50	0	18.00	18.10	18.00	20.00
Channel				19975	20175	20375	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1732.5	1752.5	
5	QPSK	1	0	23.01	23.19	23.06	25.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	QPSK	1	12	23.01	23.14	23.00	25.00
5	QPSK	1	24	23.02	23.09	23.00	25.00
5	QPSK	12	0	22.07	22.30	22.00	24.00
5	QPSK	12	7	22.00	22.27	22.07	24.00
5	QPSK	12	13	22.00	22.14	22.02	24.00
5	QPSK	25	0	22.00	22.19	22.06	24.00
5	16QAM	1	0	22.08	22.38	22.02	24.00
5	16QAM	1	12	22.09	22.27	22.06	24.00
5	16QAM	1	24	22.07	22.19	22.03	24.00
5	16QAM	12	0	21.08	21.29	21.16	23.00
5	16QAM	12	7	21.14	21.18	21.03	23.00
5	16QAM	12	13	21.03	21.18	21.06	23.00
5	16QAM	25	0	21.02	21.18	21.00	23.00
5	64QAM	1	0	21.15	21.20	21.00	23.00
5	64QAM	1	12	21.00	21.21	21.00	23.00
5	64QAM	1	24	21.00	21.21	21.02	23.00
5	64QAM	12	0	20.00	20.19	20.07	22.00
5	64QAM	12	7	20.03	20.17	20.06	22.00
5	64QAM	12	13	20.01	20.16	20.02	22.00
5	64QAM	25	0	20.01	20.09	20.00	22.00
5	256QAM	1	0	18.01	18.12	18.01	20.00
5	256QAM	1	12	18.01	18.00	18.00	20.00
5	256QAM	1	24	18.01	18.00	18.00	20.00
5	256QAM	12	0	18.01	18.18	18.02	20.00
5	256QAM	12	7	18.01	18.11	18.00	20.00
5	256QAM	12	13	18.02	18.13	18.00	20.00
5	256QAM	25	0	18.00	18.06	18.01	20.00
Channel				19965	20175	20385	Tune-up limit
Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	23.09	23.11	23.03	25.00
3	QPSK	1	8	23.00	23.17	23.01	25.00
3	QPSK	1	14	23.01	23.02	23.00	25.00
3	QPSK	8	0	22.12	22.31	22.03	24.00
3	QPSK	8	4	22.03	22.22	22.05	24.00
3	QPSK	8	7	22.11	22.15	22.00	24.00
3	QPSK	15	0	22.01	22.25	22.01	24.00
3	16QAM	1	0	22.07	22.31	22.11	24.00
3	16QAM	1	8	22.13	22.23	22.01	24.00
3	16QAM	1	14	22.08	22.25	22.00	24.00
3	16QAM	8	0	21.08	21.26	21.04	23.00
3	16QAM	8	4	21.04	21.18	21.05	23.00
3	16QAM	8	7	21.04	21.15	21.01	23.00
3	16QAM	15	0	21.01	21.17	21.00	23.00
3	64QAM	1	0	21.16	21.18	21.01	23.00
3	64QAM	1	8	21.00	21.22	21.01	23.00
3	64QAM	1	14	21.00	21.11	21.01	23.00
3	64QAM	8	0	20.01	20.18	20.12	22.00
3	64QAM	8	4	20.13	20.27	20.07	22.00
3	64QAM	8	7	20.08	20.16	20.01	22.00
3	64QAM	15	0	20.00	20.12	20.00	22.00
3	256QAM	1	0	18.00	18.05	18.00	20.00
3	256QAM	1	8	18.02	18.02	18.01	20.00
3	256QAM	1	14	18.00	18.03	18.00	20.00
3	256QAM	8	0	18.01	18.14	18.01	20.00
3	256QAM	8	4	18.04	18.14	18.01	20.00
3	256QAM	8	7	18.00	18.04	18.00	20.00
3	256QAM	15	0	18.01	18.11	18.01	20.00
Channel				19957	20175	20393	Tune-up limit
Frequency (MHz)				1710.7	1732.5	1754.3	(dBm)
1.4	QPSK	1	0	23.01	23.11	23.06	25.00
1.4	QPSK	1	3	23.00	23.15	23.00	25.00
1.4	QPSK	1	5	23.00	23.04	23.00	25.00
1.4	QPSK	3	0	23.12	23.25	23.00	25.00
1.4	QPSK	3	1	23.02	23.25	23.01	25.00
1.4	QPSK	3	3	23.03	23.14	23.07	25.00
1.4	QPSK	6	0	22.04	22.27	22.09	24.00
1.4	16QAM	1	0	22.15	22.36	22.14	24.00
1.4	16QAM	1	3	22.14	22.31	22.02	24.00
1.4	16QAM	1	5	22.12	22.20	22.04	24.00
1.4	16QAM	3	0	22.10	22.31	22.03	24.00
1.4	16QAM	3	1	22.08	22.22	22.03	24.00
1.4	16QAM	3	3	22.01	22.17	22.01	24.00
1.4	16QAM	6	0	21.01	21.12	21.02	23.00
1.4	64QAM	1	0	21.08	21.30	21.01	23.00
1.4	64QAM	1	3	21.00	21.13	21.00	23.00
1.4	64QAM	1	5	21.02	21.17	21.01	23.00
1.4	64QAM	3	0	21.10	21.18	21.01	23.00
1.4	64QAM	3	1	21.04	21.15	21.04	23.00

1.4	64QAM	3	3	21.00	21.23	21.00	23.00
1.4	64QAM	6	0	20.01	20.11	20.00	22.00
1.4	256QAM	1	0	18.02	18.13	18.02	20.00
1.4	256QAM	1	3	18.01	18.02	18.01	20.00
1.4	256QAM	1	5	18.00	18.00	18.00	20.00
1.4	256QAM	3	0	18.00	18.10	18.00	20.00
1.4	256QAM	3	1	18.01	18.06	18.00	20.00
1.4	256QAM	3	3	18.02	18.03	18.01	20.00
1.4	256QAM	6	0	18.00	18.11	18.00	20.00

【LTE Band 4_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	Tune-up limit (dBm)
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	23.03	23.08	23.00	25.00
20	QPSK	1	49	23.01	23.03	23.01	25.00
20	QPSK	1	99	23.02	23.00	23.01	25.00
20	QPSK	50	0	22.02	22.18	22.00	24.00
20	QPSK	50	24	22.03	22.16	22.01	24.00
20	QPSK	50	50	22.00	22.13	22.00	24.00
20	QPSK	100	0	22.00	22.15	22.03	24.00
20	16QAM	1	0	22.15	22.25	22.13	24.00
20	16QAM	1	49	22.00	22.13	22.04	24.00
20	16QAM	1	99	22.01	22.03	22.01	24.00
20	16QAM	50	0	21.04	21.15	21.00	23.00
20	16QAM	50	24	21.01	21.14	21.01	23.00
20	16QAM	50	50	21.00	21.10	21.01	23.00
20	16QAM	100	0	21.00	21.16	21.00	23.00
20	64QAM	1	0	21.01	21.07	21.02	23.00
20	64QAM	1	49	21.00	21.05	21.00	23.00
20	64QAM	1	99	21.00	21.00	21.02	23.00
20	64QAM	50	0	20.02	20.14	20.02	22.00
20	64QAM	50	24	20.00	20.12	20.01	22.00
20	64QAM	50	50	20.00	20.08	20.00	22.00
20	64QAM	100	0	20.01	20.10	20.01	22.00
20	256QAM	1	0	18.03	18.10	18.00	20.00
20	256QAM	1	49	18.00	18.03	18.00	20.00
20	256QAM	1	99	18.01	18.00	18.00	20.00
20	256QAM	50	0	18.01	18.07	18.02	20.00
20	256QAM	50	24	18.00	18.06	18.01	20.00
20	256QAM	50	50	18.00	18.03	18.00	20.00
20	256QAM	100	0	18.01	18.05	18.00	20.00
Channel				20025	20175	20325	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	23.00	23.01	23.01	25.00
15	QPSK	1	37	23.00	23.01	23.01	25.00
15	QPSK	1	74	23.01	23.00	23.00	25.00
15	QPSK	36	0	22.02	22.09	22.00	24.00
15	QPSK	36	20	22.01	22.13	22.00	24.00
15	QPSK	36	39	22.01	22.02	22.01	24.00
15	QPSK	75	0	22.01	22.05	22.01	24.00
15	16QAM	1	0	22.10	22.24	22.02	24.00
15	16QAM	1	37	22.01	22.08	22.00	24.00
15	16QAM	1	74	22.00	22.00	22.00	24.00
15	16QAM	36	0	21.00	21.13	21.00	23.00
15	16QAM	36	20	21.01	21.03	21.01	23.00
15	16QAM	36	39	21.00	21.04	21.00	23.00
15	16QAM	75	0	21.01	21.06	21.01	23.00
15	64QAM	1	0	21.00	21.00	21.01	23.00
15	64QAM	1	37	21.00	21.01	21.01	23.00
15	64QAM	1	74	21.00	21.01	21.02	23.00
15	64QAM	36	0	20.02	20.08	20.00	22.00
15	64QAM	36	20	20.02	20.05	20.01	22.00
15	64QAM	36	39	20.00	20.02	20.00	22.00
15	64QAM	75	0	20.00	20.06	20.00	22.00
15	256QAM	1	0	18.00	18.08	18.00	20.00
15	256QAM	1	37	18.01	18.00	18.01	20.00
15	256QAM	1	74	18.02	18.01	18.00	20.00
15	256QAM	36	0	18.00	18.01	18.01	20.00
15	256QAM	36	20	18.02	18.01	18.00	20.00
15	256QAM	36	39	18.00	18.02	18.00	20.00
15	256QAM	75	0	18.01	18.01	18.00	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

Channel				20000	20175	20350	Tune-up limit
Frequency (MHz)				1715	1732.5	1750	(dBm)
10	QPSK	1	0	23.01	23.05	23.00	25.00
10	QPSK	1	25	23.02	23.00	23.00	25.00
10	QPSK	1	49	23.01	23.00	23.01	25.00
10	QPSK	25	0	22.00	22.08	22.00	24.00
10	QPSK	25	12	22.00	22.10	22.01	24.00
10	QPSK	25	25	22.02	22.01	22.00	24.00
10	QPSK	50	0	22.00	22.13	22.00	24.00
10	16QAM	1	0	22.01	22.16	22.07	24.00
10	16QAM	1	25	22.00	22.01	22.00	24.00
10	16QAM	1	49	22.00	22.01	22.00	24.00
10	16QAM	25	0	21.00	21.01	21.01	23.00
10	16QAM	25	12	21.01	21.08	21.00	23.00
10	16QAM	25	25	21.02	21.00	21.00	23.00
10	16QAM	50	0	21.02	21.14	21.00	23.00
10	64QAM	1	0	21.00	21.00	21.00	23.00
10	64QAM	1	25	21.01	21.00	21.00	23.00
10	64QAM	1	49	21.00	21.01	21.01	23.00
10	64QAM	25	0	20.00	20.09	20.00	22.00
10	64QAM	25	12	20.00	20.04	20.00	22.00
10	64QAM	25	25	20.00	20.04	20.01	22.00
10	64QAM	50	0	20.00	20.02	20.00	22.00
10	256QAM	1	0	18.01	18.01	18.01	20.00
10	256QAM	1	25	18.00	18.00	18.00	20.00
10	256QAM	1	49	18.00	18.00	18.00	20.00
10	256QAM	25	0	18.00	18.00	18.01	20.00
10	256QAM	25	12	18.00	18.03	18.00	20.00
10	256QAM	25	25	18.00	18.00	18.00	20.00
10	256QAM	50	0	18.00	18.01	18.00	20.00
Channel				19975	20175	20375	Tune-up limit
Frequency (MHz)				1712.5	1732.5	1752.5	(dBm)
5	QPSK	1	0	23.00	23.02	23.00	25.00
5	QPSK	1	12	23.00	23.02	23.00	25.00
5	QPSK	1	24	23.00	23.01	23.02	25.00
5	QPSK	12	0	22.00	22.07	22.00	24.00
5	QPSK	12	7	22.01	22.05	22.00	24.00
5	QPSK	12	13	22.00	22.01	22.00	24.00
5	QPSK	25	0	22.01	22.07	22.01	24.00
5	16QAM	1	0	22.12	22.22	22.10	24.00
5	16QAM	1	12	22.01	22.00	22.02	24.00
5	16QAM	1	24	22.02	22.00	22.00	24.00
5	16QAM	12	0	21.02	21.01	21.02	23.00
5	16QAM	12	7	21.00	21.10	21.00	23.00
5	16QAM	12	13	21.01	21.04	21.01	23.00
5	16QAM	25	0	21.00	21.03	21.00	23.00
5	64QAM	1	0	21.00	21.02	21.00	23.00
5	64QAM	1	12	21.01	21.00	21.00	23.00
5	64QAM	1	24	21.01	21.01	21.01	23.00
5	64QAM	12	0	20.00	20.01	20.02	22.00
5	64QAM	12	7	20.00	20.09	20.00	22.00
5	64QAM	12	13	20.00	20.01	20.00	22.00
5	64QAM	25	0	20.02	20.05	20.02	22.00
5	256QAM	1	0	18.00	18.06	18.01	20.00
5	256QAM	1	12	18.02	18.01	18.00	20.00
5	256QAM	1	24	18.01	18.00	18.02	20.00
5	256QAM	12	0	18.01	18.02	18.00	20.00
5	256QAM	12	7	18.00	18.00	18.00	20.00
5	256QAM	12	13	18.00	18.00	18.01	20.00
5	256QAM	25	0	18.00	18.01	18.00	20.00
Channel				19965	20175	20385	Tune-up limit
Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	23.00	23.01	23.00	25.00
3	QPSK	1	8	23.01	23.02	23.01	25.00
3	QPSK	1	14	23.00	23.01	23.00	25.00
3	QPSK	8	0	22.00	22.13	22.01	24.00
3	QPSK	8	4	22.00	22.08	22.00	24.00
3	QPSK	8	7	22.01	22.09	22.00	24.00
3	QPSK	15	0	22.00	22.12	22.00	24.00
3	16QAM	1	0	22.09	22.17	22.08	24.00
3	16QAM	1	8	22.01	22.01	22.00	24.00
3	16QAM	1	14	22.00	22.00	22.01	24.00
3	16QAM	8	0	21.02	21.11	21.00	23.00
3	16QAM	8	4	21.00	21.01	21.00	23.00
3	16QAM	8	7	21.00	21.02	21.01	23.00
3	16QAM	15	0	21.02	21.07	21.00	23.00
3	64QAM	1	0	21.00	21.00	21.00	23.00
3	64QAM	1	8	21.00	21.02	21.00	23.00

3	64QAM	1	14	21.00	21.00	21.01	23.00
3	64QAM	8	0	20.02	20.11	20.01	22.00
3	64QAM	8	4	20.00	20.10	20.00	22.00
3	64QAM	8	7	20.01	20.00	20.02	22.00
3	64QAM	15	0	20.00	20.01	20.00	22.00
3	256QAM	1	0	18.02	18.08	18.00	20.00
3	256QAM	1	8	18.00	18.01	18.01	20.00
3	256QAM	1	14	18.00	18.01	18.00	20.00
3	256QAM	8	0	18.02	18.00	18.01	20.00
3	256QAM	8	4	18.01	18.05	18.00	20.00
3	256QAM	8	7	18.02	18.00	18.00	20.00
3	256QAM	15	0	18.01	18.00	18.02	20.00
Channel				19957	20175	20393	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1732.5	1754.3	
1.4	QPSK	1	0	23.00	23.01	23.00	25.00
1.4	QPSK	1	3	23.00	23.00	23.01	25.00
1.4	QPSK	1	5	23.02	23.02	23.01	25.00
1.4	QPSK	3	0	23.00	23.07	23.02	25.00
1.4	QPSK	3	1	23.01	23.08	23.00	25.00
1.4	QPSK	3	3	23.02	23.01	23.00	25.00
1.4	QPSK	6	0	22.00	22.03	22.00	24.00
1.4	16QAM	1	0	22.04	22.22	22.08	24.00
1.4	16QAM	1	3	22.00	22.00	22.00	24.00
1.4	16QAM	1	5	22.00	22.00	22.00	24.00
1.4	16QAM	3	0	22.01	22.09	22.00	24.00
1.4	16QAM	3	1	22.01	22.02	22.01	24.00
1.4	16QAM	3	3	22.00	22.00	22.00	24.00
1.4	16QAM	6	0	21.00	21.02	21.00	23.00
1.4	64QAM	1	0	21.00	21.01	21.01	23.00
1.4	64QAM	1	3	21.01	21.00	21.00	23.00
1.4	64QAM	1	5	21.01	21.01	21.01	23.00
1.4	64QAM	3	0	21.01	21.08	21.00	23.00
1.4	64QAM	3	1	21.00	21.02	21.02	23.00
1.4	64QAM	3	3	21.00	21.00	21.01	23.00
1.4	64QAM	6	0	20.00	20.02	20.00	22.00
1.4	256QAM	1	0	18.01	18.00	18.01	20.00
1.4	256QAM	1	3	18.02	18.00	18.00	20.00
1.4	256QAM	1	5	18.00	18.00	18.00	20.00
1.4	256QAM	3	0	18.00	18.00	18.00	20.00
1.4	256QAM	3	1	18.00	18.00	18.00	20.00
1.4	256QAM	3	3	18.00	18.01	18.01	20.00
1.4	256QAM	6	0	18.01	18.01	18.01	20.00

【LTE Band 4_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	19.70	19.83	19.65	20.00
20	QPSK	1	49	19.58	19.81	19.59	20.00
20	QPSK	1	99	19.53	19.74	19.52	20.00
20	QPSK	50	0	19.53	19.76	19.56	20.00
20	QPSK	50	24	19.60	19.75	19.49	20.00
20	QPSK	50	50	19.44	19.70	19.42	20.00
20	QPSK	100	0	19.46	19.72	19.42	20.00
20	16QAM	1	0	19.50	19.74	19.51	20.00
20	16QAM	1	49	19.38	19.65	19.33	20.00
20	16QAM	1	99	19.38	19.64	19.40	20.00
20	16QAM	50	0	19.45	19.67	19.35	20.00
20	16QAM	50	24	19.45	19.68	19.46	20.00
20	16QAM	50	50	19.31	19.59	19.29	20.00
20	16QAM	100	0	19.38	19.66	19.39	20.00
20	64QAM	1	0	19.49	19.69	19.48	20.00
20	64QAM	1	49	19.44	19.63	19.32	20.00
20	64QAM	1	99	19.36	19.63	19.43	20.00
20	64QAM	50	0	19.48	19.64	19.44	20.00
20	64QAM	50	24	19.41	19.57	19.28	20.00
20	64QAM	50	50	19.36	19.52	19.32	20.00
20	64QAM	100	0	19.29	19.53	19.26	20.00
20	256QAM	1	0	19.46	19.62	19.41	20.00
20	256QAM	1	49	19.33	19.58	19.29	20.00
20	256QAM	1	99	19.37	19.54	19.22	20.00
20	256QAM	50	0	19.37	19.52	19.22	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	256QAM	50	24	19.37	19.60	19.40	20.00
20	256QAM	50	50	19.26	19.48	19.20	20.00
20	256QAM	100	0	19.31	19.48	19.29	20.00
Channel				20025	20175	20325	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	19.61	19.71	19.63	20.00
15	QPSK	1	37	19.57	19.66	19.45	20.00
15	QPSK	1	74	19.47	19.67	19.50	20.00
15	QPSK	36	0	19.49	19.68	19.49	20.00
15	QPSK	36	20	19.54	19.65	19.41	20.00
15	QPSK	36	39	19.29	19.57	19.37	20.00
15	QPSK	75	0	19.32	19.71	19.34	20.00
15	16QAM	1	0	19.39	19.71	19.40	20.00
15	16QAM	1	37	19.25	19.58	19.29	20.00
15	16QAM	1	74	19.31	19.51	19.29	20.00
15	16QAM	36	0	19.42	19.60	19.27	20.00
15	16QAM	36	20	19.42	19.66	19.33	20.00
15	16QAM	36	39	19.24	19.45	19.18	20.00
15	16QAM	75	0	19.29	19.52	19.32	20.00
15	64QAM	1	0	19.35	19.62	19.43	20.00
15	64QAM	1	37	19.42	19.61	19.24	20.00
15	64QAM	1	74	19.33	19.57	19.39	20.00
15	64QAM	36	0	19.38	19.56	19.31	20.00
15	64QAM	36	20	19.39	19.43	19.24	20.00
15	64QAM	36	39	19.29	19.39	19.23	20.00
15	64QAM	75	0	19.21	19.51	19.11	20.00
15	256QAM	1	0	19.45	19.57	19.36	20.00
15	256QAM	1	37	19.31	19.45	19.14	20.00
15	256QAM	1	74	19.29	19.43	19.19	20.00
15	256QAM	36	0	19.30	19.39	19.21	20.00
15	256QAM	36	20	19.27	19.55	19.27	20.00
15	256QAM	36	39	19.22	19.46	19.12	20.00
15	256QAM	75	0	19.24	19.45	19.27	20.00
Channel				20000	20175	20350	Tune-up limit (dBm)
Frequency (MHz)				1715	1732.5	1750	
10	QPSK	1	0	19.66	19.81	19.58	20.00
10	QPSK	1	25	19.51	19.69	19.46	20.00
10	QPSK	1	49	19.41	19.71	19.45	20.00
10	QPSK	25	0	19.45	19.73	19.42	20.00
10	QPSK	25	12	19.53	19.70	19.42	20.00
10	QPSK	25	25	19.36	19.65	19.28	20.00
10	QPSK	50	0	19.43	19.59	19.30	20.00
10	16QAM	1	0	19.44	19.72	19.39	20.00
10	16QAM	1	25	19.32	19.57	19.26	20.00
10	16QAM	1	49	19.33	19.54	19.37	20.00
10	16QAM	25	0	19.41	19.55	19.32	20.00
10	16QAM	25	12	19.30	19.65	19.32	20.00
10	16QAM	25	25	19.27	19.52	19.21	20.00
10	16QAM	50	0	19.24	19.62	19.24	20.00
10	64QAM	1	0	19.36	19.62	19.44	20.00
10	64QAM	1	25	19.33	19.53	19.19	20.00
10	64QAM	1	49	19.26	19.60	19.37	20.00
10	64QAM	25	0	19.41	19.60	19.36	20.00
10	64QAM	25	12	19.30	19.47	19.21	20.00
10	64QAM	25	25	19.29	19.45	19.18	20.00
10	64QAM	50	0	19.17	19.51	19.21	20.00
10	256QAM	1	0	19.31	19.50	19.29	20.00
10	256QAM	1	25	19.18	19.43	19.18	20.00
10	256QAM	1	49	19.32	19.46	19.17	20.00
10	256QAM	25	0	19.23	19.40	19.18	20.00
10	256QAM	25	12	19.23	19.49	19.34	20.00
10	256QAM	25	25	19.15	19.34	19.18	20.00
10	256QAM	50	0	19.24	19.39	19.17	20.00
Channel				19975	20175	20375	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1732.5	1752.5	
5	QPSK	1	0	19.56	19.68	19.58	20.00
5	QPSK	1	12	19.48	19.68	19.50	20.00
5	QPSK	1	24	19.41	19.72	19.50	20.00
5	QPSK	12	0	19.40	19.70	19.49	20.00
5	QPSK	12	7	19.47	19.64	19.41	20.00
5	QPSK	12	13	19.29	19.67	19.38	20.00
5	QPSK	25	0	19.33	19.59	19.34	20.00
5	16QAM	1	0	19.47	19.63	19.50	20.00
5	16QAM	1	12	19.30	19.55	19.19	20.00
5	16QAM	1	24	19.29	19.53	19.32	20.00
5	16QAM	12	0	19.41	19.65	19.20	20.00
5	16QAM	12	7	19.37	19.56	19.41	20.00
5	16QAM	12	13	19.23	19.56	19.20	20.00

5	16QAM	25	0	19.27	19.64	19.24	20.00
5	64QAM	1	0	19.42	19.58	19.37	20.00
5	64QAM	1	12	19.30	19.60	19.17	20.00
5	64QAM	1	24	19.28	19.58	19.29	20.00
5	64QAM	12	0	19.41	19.50	19.43	20.00
5	64QAM	12	7	19.33	19.42	19.21	20.00
5	64QAM	12	13	19.25	19.46	19.21	20.00
5	64QAM	25	0	19.22	19.41	19.19	20.00
5	256QAM	1	0	19.36	19.59	19.38	20.00
5	256QAM	1	12	19.21	19.47	19.21	20.00
5	256QAM	1	24	19.23	19.46	19.08	20.00
5	256QAM	12	0	19.33	19.38	19.10	20.00
5	256QAM	12	7	19.25	19.49	19.30	20.00
5	256QAM	12	13	19.16	19.36	19.09	20.00
5	256QAM	25	0	19.26	19.47	19.17	20.00
Channel				19965	20175	20385	Tune-up limit
Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	19.67	19.75	19.58	20.00
3	QPSK	1	8	19.50	19.73	19.53	20.00
3	QPSK	1	14	19.51	19.61	19.46	20.00
3	QPSK	8	0	19.45	19.74	19.53	20.00
3	QPSK	8	4	19.50	19.63	19.45	20.00
3	QPSK	8	7	19.38	19.55	19.30	20.00
3	QPSK	15	0	19.42	19.67	19.32	20.00
3	16QAM	1	0	19.40	19.70	19.39	20.00
3	16QAM	1	8	19.28	19.58	19.28	20.00
3	16QAM	1	14	19.28	19.51	19.34	20.00
3	16QAM	8	0	19.31	19.55	19.24	20.00
3	16QAM	8	4	19.41	19.59	19.37	20.00
3	16QAM	8	7	19.30	19.44	19.18	20.00
3	16QAM	15	0	19.32	19.52	19.33	20.00
3	64QAM	1	0	19.35	19.67	19.44	20.00
3	64QAM	1	8	19.32	19.55	19.30	20.00
3	64QAM	1	14	19.29	19.57	19.31	20.00
3	64QAM	8	0	19.41	19.55	19.32	20.00
3	64QAM	8	4	19.33	19.53	19.22	20.00
3	64QAM	8	7	19.27	19.39	19.25	20.00
3	64QAM	15	0	19.24	19.43	19.12	20.00
3	256QAM	1	0	19.44	19.61	19.38	20.00
3	256QAM	1	8	19.31	19.55	19.16	20.00
3	256QAM	1	14	19.27	19.49	19.14	20.00
3	256QAM	8	0	19.34	19.51	19.08	20.00
3	256QAM	8	4	19.23	19.54	19.31	20.00
3	256QAM	8	7	19.16	19.46	19.11	20.00
3	256QAM	15	0	19.27	19.36	19.27	20.00
Channel				19957	20175	20393	Tune-up limit
Frequency (MHz)				1710.7	1732.5	1754.3	(dBm)
1.4	QPSK	1	0	19.66	19.72	19.51	20.00
1.4	QPSK	1	3	19.45	19.77	19.45	20.00
1.4	QPSK	1	5	19.46	19.70	19.46	20.00
1.4	QPSK	3	0	19.46	19.73	19.43	20.00
1.4	QPSK	3	1	19.58	19.60	19.42	20.00
1.4	QPSK	3	3	19.39	19.61	19.37	20.00
1.4	QPSK	6	0	19.40	19.71	19.40	20.00
1.4	16QAM	1	0	19.40	19.66	19.37	20.00
1.4	16QAM	1	3	19.35	19.53	19.26	20.00
1.4	16QAM	1	5	19.35	19.62	19.38	20.00
1.4	16QAM	3	0	19.42	19.64	19.24	20.00
1.4	16QAM	3	1	19.42	19.65	19.42	20.00
1.4	16QAM	3	3	19.21	19.45	19.15	20.00
1.4	16QAM	6	0	19.33	19.60	19.32	20.00
1.4	64QAM	1	0	19.39	19.60	19.38	20.00
1.4	64QAM	1	3	19.39	19.52	19.23	20.00
1.4	64QAM	1	5	19.28	19.59	19.39	20.00
1.4	64QAM	3	0	19.37	19.54	19.32	20.00
1.4	64QAM	3	1	19.32	19.48	19.14	20.00
1.4	64QAM	3	3	19.25	19.45	19.25	20.00
1.4	64QAM	6	0	19.23	19.41	19.14	20.00
1.4	256QAM	1	0	19.39	19.58	19.35	20.00
1.4	256QAM	1	3	19.27	19.54	19.15	20.00
1.4	256QAM	1	5	19.31	19.44	19.11	20.00
1.4	256QAM	3	0	19.24	19.40	19.18	20.00
1.4	256QAM	3	1	19.30	19.47	19.36	20.00
1.4	256QAM	3	3	19.11	19.37	19.16	20.00
1.4	256QAM	6	0	19.23	19.42	19.19	20.00



【LTE Band 4_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	Tune-up limit (dBm)
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	18.86	19.12	19.03	19.50
20	QPSK	1	49	18.75	19.03	18.92	19.50
20	QPSK	1	99	18.60	18.92	18.74	19.50
20	QPSK	50	0	18.70	19.07	18.94	19.50
20	QPSK	50	24	18.66	19.06	18.95	19.50
20	QPSK	50	50	18.69	19.03	18.79	19.50
20	QPSK	100	0	18.68	19.05	18.92	19.50
20	16QAM	1	0	18.70	19.02	18.78	19.50
20	16QAM	1	49	18.57	18.86	18.63	19.50
20	16QAM	1	99	18.40	18.77	18.57	19.50
20	16QAM	50	0	18.62	18.92	18.69	19.50
20	16QAM	50	24	18.54	18.92	18.72	19.50
20	16QAM	50	50	18.51	18.90	18.74	19.50
20	16QAM	100	0	18.67	18.95	18.83	19.50
20	64QAM	1	0	18.60	19.01	18.89	19.50
20	64QAM	1	49	18.48	18.88	18.65	19.50
20	64QAM	1	99	18.51	18.81	18.65	19.50
20	64QAM	50	0	18.60	18.93	18.80	19.50
20	64QAM	50	24	18.59	18.88	18.66	19.50
20	64QAM	50	50	18.52	18.84	18.74	19.50
20	64QAM	100	0	18.45	18.85	18.62	19.50
20	256QAM	1	0	18.67	18.98	18.75	19.50
20	256QAM	1	49	18.48	18.87	18.71	19.50
20	256QAM	1	99	18.45	18.82	18.68	19.50
20	256QAM	50	0	18.64	18.92	18.77	19.50
20	256QAM	50	24	18.63	18.95	18.75	19.50
20	256QAM	50	50	18.58	18.93	18.71	19.50
20	256QAM	100	0	18.53	18.86	18.71	19.50
Channel				20025	20175	20325	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	18.83	19.06	18.89	19.50
15	QPSK	1	37	18.72	18.94	18.78	19.50
15	QPSK	1	74	18.55	18.90	18.65	19.50
15	QPSK	36	0	18.63	18.95	18.89	19.50
15	QPSK	36	20	18.55	18.92	18.94	19.50
15	QPSK	36	39	18.57	18.92	18.68	19.50
15	QPSK	75	0	18.63	18.93	18.84	19.50
15	16QAM	1	0	18.65	18.97	18.67	19.50
15	16QAM	1	37	18.50	18.72	18.61	19.50
15	16QAM	1	74	18.27	18.73	18.55	19.50
15	16QAM	36	0	18.58	18.85	18.63	19.50
15	16QAM	36	20	18.44	18.82	18.66	19.50
15	16QAM	36	39	18.40	18.84	18.61	19.50
15	16QAM	75	0	18.60	18.81	18.78	19.50
15	64QAM	1	0	18.59	18.95	18.75	19.50
15	64QAM	1	37	18.35	18.74	18.54	19.50
15	64QAM	1	74	18.36	18.73	18.52	19.50
15	64QAM	36	0	18.45	18.89	18.73	19.50
15	64QAM	36	20	18.47	18.86	18.52	19.50
15	64QAM	36	39	18.42	18.82	18.69	19.50
15	64QAM	75	0	18.37	18.79	18.54	19.50
15	256QAM	1	0	18.52	18.95	18.73	19.50
15	256QAM	1	37	18.46	18.72	18.63	19.50
15	256QAM	1	74	18.36	18.74	18.59	19.50
15	256QAM	36	0	18.51	18.84	18.64	19.50
15	256QAM	36	20	18.53	18.81	18.72	19.50
15	256QAM	36	39	18.56	18.78	18.62	19.50
15	256QAM	75	0	18.52	18.74	18.57	19.50
Channel				20000	20175	20350	Tune-up limit (dBm)
Frequency (MHz)				1715	1732.5	1750	
10	QPSK	1	0	18.74	19.03	18.97	19.50
10	QPSK	1	25	18.62	18.90	18.78	19.50
10	QPSK	1	49	18.46	18.85	18.62	19.50
10	QPSK	25	0	18.65	19.04	18.91	19.50
10	QPSK	25	12	18.51	18.99	18.83	19.50
10	QPSK	25	25	18.67	18.90	18.71	19.50
10	QPSK	50	0	18.54	18.95	18.78	19.50
10	16QAM	1	0	18.63	18.91	18.64	19.50
10	16QAM	1	25	18.54	18.82	18.60	19.50
10	16QAM	1	49	18.28	18.70	18.46	19.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	16QAM	25	0	18.50	18.86	18.63	19.50
10	16QAM	25	12	18.47	18.79	18.67	19.50
10	16QAM	25	25	18.48	18.77	18.60	19.50
10	16QAM	50	0	18.58	18.87	18.70	19.50
10	64QAM	1	0	18.53	18.91	18.82	19.50
10	64QAM	1	25	18.43	18.84	18.61	19.50
10	64QAM	1	49	18.41	18.78	18.56	19.50
10	64QAM	25	0	18.49	18.87	18.66	19.50
10	64QAM	25	12	18.52	18.75	18.64	19.50
10	64QAM	25	25	18.41	18.83	18.61	19.50
10	64QAM	50	0	18.41	18.73	18.58	19.50
10	256QAM	1	0	18.66	18.94	18.62	19.50
10	256QAM	1	25	18.40	18.79	18.68	19.50
10	256QAM	1	49	18.33	18.80	18.66	19.50
10	256QAM	25	0	18.60	18.88	18.75	19.50
10	256QAM	25	12	18.50	18.92	18.64	19.50
10	256QAM	25	25	18.48	18.80	18.62	19.50
10	256QAM	50	0	18.45	18.81	18.68	19.50
Channel				19975	20175	20375	Tune-up limit
Frequency (MHz)				1712.5	1732.5	1752.5	(dBm)
5	QPSK	1	0	18.80	19.10	18.92	19.50
5	QPSK	1	12	18.62	18.92	18.84	19.50
5	QPSK	1	24	18.48	18.86	18.64	19.50
5	QPSK	12	0	18.67	18.95	18.86	19.50
5	QPSK	12	7	18.62	19.04	18.82	19.50
5	QPSK	12	13	18.66	19.00	18.65	19.50
5	QPSK	25	0	18.59	18.93	18.83	19.50
5	16QAM	1	0	18.67	18.95	18.76	19.50
5	16QAM	1	12	18.47	18.80	18.49	19.50
5	16QAM	1	24	18.27	18.70	18.46	19.50
5	16QAM	12	0	18.57	18.81	18.65	19.50
5	16QAM	12	7	18.51	18.89	18.58	19.50
5	16QAM	12	13	18.49	18.76	18.67	19.50
5	16QAM	25	0	18.58	18.89	18.68	19.50
5	64QAM	1	0	18.53	18.93	18.88	19.50
5	64QAM	1	12	18.38	18.78	18.54	19.50
5	64QAM	1	24	18.45	18.71	18.51	19.50
5	64QAM	12	0	18.51	18.87	18.69	19.50
5	64QAM	12	7	18.51	18.82	18.55	19.50
5	64QAM	12	13	18.48	18.73	18.73	19.50
5	64QAM	25	0	18.31	18.75	18.53	19.50
5	256QAM	1	0	18.61	18.91	18.65	19.50
5	256QAM	1	12	18.42	18.83	18.64	19.50
5	256QAM	1	24	18.31	18.68	18.57	19.50
5	256QAM	12	0	18.61	18.81	18.63	19.50
5	256QAM	12	7	18.50	18.92	18.64	19.50
5	256QAM	12	13	18.45	18.80	18.65	19.50
5	256QAM	25	0	18.38	18.71	18.61	19.50
Channel				19965	20175	20385	Tune-up limit
Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	18.84	19.09	19.01	19.50
3	QPSK	1	8	18.70	18.96	18.78	19.50
3	QPSK	1	14	18.55	18.86	18.71	19.50
3	QPSK	8	0	18.67	19.02	18.85	19.50
3	QPSK	8	4	18.56	18.92	18.92	19.50
3	QPSK	8	7	18.63	19.00	18.66	19.50
3	QPSK	15	0	18.57	18.98	18.81	19.50
3	16QAM	1	0	18.64	18.93	18.63	19.50
3	16QAM	1	8	18.47	18.82	18.58	19.50
3	16QAM	1	14	18.35	18.62	18.47	19.50
3	16QAM	8	0	18.52	18.85	18.66	19.50
3	16QAM	8	4	18.53	18.83	18.69	19.50
3	16QAM	8	7	18.46	18.76	18.66	19.50
3	16QAM	15	0	18.66	18.86	18.79	19.50
3	64QAM	1	0	18.49	18.87	18.81	19.50
3	64QAM	1	8	18.39	18.78	18.59	19.50
3	64QAM	1	14	18.46	18.68	18.55	19.50
3	64QAM	8	0	18.58	18.83	18.73	19.50
3	64QAM	8	4	18.50	18.83	18.60	19.50
3	64QAM	8	7	18.41	18.73	18.70	19.50
3	64QAM	15	0	18.44	18.81	18.53	19.50
3	256QAM	1	0	18.52	18.88	18.73	19.50
3	256QAM	1	8	18.34	18.83	18.67	19.50
3	256QAM	1	14	18.43	18.77	18.57	19.50
3	256QAM	8	0	18.55	18.86	18.70	19.50
3	256QAM	8	4	18.50	18.88	18.65	19.50
3	256QAM	8	7	18.50	18.79	18.61	19.50
3	256QAM	15	0	18.44	18.78	18.64	19.50

Channel				19957	20175	20393	Tune-up limit
Frequency (MHz)				1710.7	1732.5	1754.3	(dBm)
1.4	QPSK	1	0	18.75	19.02	18.98	19.50
1.4	QPSK	1	3	18.70	18.90	18.85	19.50
1.4	QPSK	1	5	18.58	18.86	18.61	19.50
1.4	QPSK	3	0	18.66	19.00	18.88	19.50
1.4	QPSK	3	1	18.60	19.00	18.80	19.50
1.4	QPSK	3	3	18.63	18.89	18.65	19.50
1.4	QPSK	6	0	18.63	18.94	18.83	19.50
1.4	16QAM	1	0	18.65	18.90	18.73	19.50
1.4	16QAM	1	3	18.48	18.75	18.50	19.50
1.4	16QAM	1	5	18.38	18.65	18.55	19.50
1.4	16QAM	3	0	18.52	18.88	18.63	19.50
1.4	16QAM	3	1	18.40	18.90	18.67	19.50
1.4	16QAM	3	3	18.44	18.81	18.70	19.50
1.4	16QAM	6	0	18.61	18.84	18.70	19.50
1.4	64QAM	1	0	18.53	18.99	18.78	19.50
1.4	64QAM	1	3	18.34	18.78	18.50	19.50
1.4	64QAM	1	5	18.45	18.74	18.57	19.50
1.4	64QAM	3	0	18.55	18.89	18.68	19.50
1.4	64QAM	3	1	18.57	18.76	18.53	19.50
1.4	64QAM	3	3	18.43	18.79	18.64	19.50
1.4	64QAM	6	0	18.33	18.74	18.52	19.50
1.4	256QAM	1	0	18.53	18.93	18.69	19.50
1.4	256QAM	1	3	18.42	18.76	18.61	19.50
1.4	256QAM	1	5	18.40	18.76	18.62	19.50
1.4	256QAM	3	0	18.57	18.85	18.71	19.50
1.4	256QAM	3	1	18.55	18.86	18.66	19.50
1.4	256QAM	3	3	18.44	18.85	18.60	19.50
1.4	256QAM	6	0	18.50	18.72	18.70	19.50

【LTE Band 5_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20450	20525	20600	Tune-up limit (dBm)
Frequency (MHz)				829	836.5	844	
10	QPSK	1	0	23.58	23.70	23.68	25.00
10	QPSK	1	25	23.33	23.51	23.39	25.00
10	QPSK	1	49	23.16	23.42	23.34	25.00
10	QPSK	25	0	22.23	22.43	22.32	24.00
10	QPSK	25	12	22.29	22.42	22.34	24.00
10	QPSK	25	25	22.17	22.43	22.39	24.00
10	QPSK	50	0	22.24	22.42	22.28	24.00
10	16QAM	1	0	22.44	22.60	22.54	24.00
10	16QAM	1	25	22.28	22.49	22.32	24.00
10	16QAM	1	49	22.40	22.53	22.50	24.00
10	16QAM	25	0	21.27	21.49	21.45	23.00
10	16QAM	25	12	21.19	21.44	21.40	23.00
10	16QAM	25	25	21.12	21.34	21.24	23.00
10	16QAM	50	0	21.21	21.37	21.24	23.00
10	64QAM	1	0	21.40	21.56	21.53	23.00
10	64QAM	1	25	21.26	21.41	21.28	23.00
10	64QAM	1	49	21.20	21.37	21.34	23.00
10	64QAM	25	0	20.27	20.43	20.34	22.00
10	64QAM	25	12	20.19	20.36	20.31	22.00
10	64QAM	25	25	20.22	20.38	20.29	22.00
10	64QAM	50	0	20.25	20.43	20.38	22.00
10	256QAM	1	0	18.23	18.46	18.40	20.00
10	256QAM	1	25	18.20	18.37	18.22	20.00
10	256QAM	1	49	18.24	18.40	18.35	20.00
10	256QAM	25	0	18.31	18.52	18.41	20.00
10	256QAM	25	12	18.48	18.59	18.49	20.00
10	256QAM	25	25	18.26	18.46	18.39	20.00
10	256QAM	50	0	18.33	18.50	18.36	20.00
Channel				20425	20525	20625	Tune-up limit (dBm)
Frequency (MHz)				826.5	836.5	846.5	
5	QPSK	1	0	23.53	23.60	23.60	25.00
5	QPSK	1	12	23.31	23.47	23.30	25.00
5	QPSK	1	24	23.05	23.35	23.31	25.00
5	QPSK	12	0	22.14	22.37	22.17	24.00
5	QPSK	12	7	22.21	22.28	22.24	24.00
5	QPSK	12	13	22.11	22.28	22.30	24.00
5	QPSK	25	0	22.13	22.29	22.25	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	16QAM	1	0	22.32	22.47	22.42	24.00
5	16QAM	1	12	22.24	22.42	22.30	24.00
5	16QAM	1	24	22.29	22.46	22.42	24.00
5	16QAM	12	0	21.21	21.38	21.34	23.00
5	16QAM	12	7	21.09	21.37	21.31	23.00
5	16QAM	12	13	21.04	21.27	21.20	23.00
5	16QAM	25	0	21.09	21.27	21.12	23.00
5	64QAM	1	0	21.26	21.54	21.40	23.00
5	64QAM	1	12	21.22	21.35	21.21	23.00
5	64QAM	1	24	21.13	21.33	21.31	23.00
5	64QAM	12	0	20.18	20.40	20.26	22.00
5	64QAM	12	7	20.09	20.28	20.30	22.00
5	64QAM	12	13	20.11	20.35	20.24	22.00
5	64QAM	25	0	20.24	20.34	20.26	22.00
5	256QAM	1	0	18.14	18.33	18.33	20.00
5	256QAM	1	12	18.14	18.35	18.20	20.00
5	256QAM	1	24	18.15	18.26	18.29	20.00
5	256QAM	12	0	18.21	18.48	18.39	20.00
5	256QAM	12	7	18.42	18.49	18.44	20.00
5	256QAM	12	13	18.22	18.37	18.26	20.00
5	256QAM	25	0	18.29	18.38	18.26	20.00
Channel				20415	20525	20635	Tune-up limit
Frequency (MHz)				825.5	836.5	847.5	(dBm)
3	QPSK	1	0	23.55	23.69	23.53	25.00
3	QPSK	1	8	23.29	23.48	23.34	25.00
3	QPSK	1	14	23.02	23.28	23.24	25.00
3	QPSK	8	0	22.12	22.36	22.28	24.00
3	QPSK	8	4	22.23	22.39	22.29	24.00
3	QPSK	8	7	22.12	22.36	22.35	24.00
3	QPSK	15	0	22.14	22.28	22.16	24.00
3	16QAM	1	0	22.34	22.58	22.51	24.00
3	16QAM	1	8	22.25	22.37	22.24	24.00
3	16QAM	1	14	22.34	22.39	22.36	24.00
3	16QAM	8	0	21.14	21.48	21.31	23.00
3	16QAM	8	4	21.16	21.41	21.29	23.00
3	16QAM	8	7	21.00	21.25	21.13	23.00
3	16QAM	15	0	21.16	21.33	21.10	23.00
3	64QAM	1	0	21.39	21.47	21.46	23.00
3	64QAM	1	8	21.21	21.35	21.26	23.00
3	64QAM	1	14	21.10	21.27	21.29	23.00
3	64QAM	8	0	20.20	20.28	20.20	22.00
3	64QAM	8	4	20.15	20.28	20.20	22.00
3	64QAM	8	7	20.09	20.25	20.15	22.00
3	64QAM	15	0	20.21	20.37	20.35	22.00
3	256QAM	1	0	18.12	18.35	18.30	20.00
3	256QAM	1	8	18.17	18.25	18.11	20.00
3	256QAM	1	14	18.16	18.29	18.21	20.00
3	256QAM	8	0	18.18	18.41	18.36	20.00
3	256QAM	8	4	18.41	18.56	18.39	20.00
3	256QAM	8	7	18.16	18.44	18.28	20.00
3	256QAM	15	0	18.22	18.48	18.28	20.00
Channel				20407	20525	20643	Tune-up limit
Frequency (MHz)				824.7	836.5	848.3	(dBm)
1.4	QPSK	1	0	23.48	23.68	23.54	25.00
1.4	QPSK	1	3	23.28	23.44	23.36	25.00
1.4	QPSK	1	5	23.14	23.39	23.31	25.00
1.4	QPSK	3	0	23.16	23.29	23.29	25.00
1.4	QPSK	3	1	23.15	23.32	23.21	25.00
1.4	QPSK	3	3	23.13	23.31	23.36	25.00
1.4	QPSK	6	0	22.21	22.34	22.21	24.00
1.4	16QAM	1	0	22.32	22.50	22.39	24.00
1.4	16QAM	1	3	22.15	22.37	22.20	24.00
1.4	16QAM	1	5	22.25	22.51	22.38	24.00
1.4	16QAM	3	0	22.25	22.39	22.33	24.00
1.4	16QAM	3	1	22.10	22.40	22.31	24.00
1.4	16QAM	3	3	22.07	22.19	22.12	24.00
1.4	16QAM	6	0	21.11	21.34	21.18	23.00
1.4	64QAM	1	0	21.34	21.52	21.51	23.00
1.4	64QAM	1	3	21.22	21.29	21.14	23.00
1.4	64QAM	1	5	21.12	21.34	21.24	23.00
1.4	64QAM	3	0	21.22	21.30	21.19	23.00
1.4	64QAM	3	1	21.13	21.28	21.18	23.00
1.4	64QAM	3	3	21.12	21.35	21.16	23.00
1.4	64QAM	6	0	20.15	20.31	20.28	22.00
1.4	256QAM	1	0	18.12	18.38	18.28	20.00
1.4	256QAM	1	3	18.09	18.23	18.18	20.00
1.4	256QAM	1	5	18.15	18.37	18.23	20.00
1.4	256QAM	3	0	18.26	18.41	18.28	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

1.4	256QAM	3	1	18.46	18.52	18.44	20.00
1.4	256QAM	3	3	18.23	18.42	18.31	20.00
1.4	256QAM	6	0	18.26	18.41	18.25	20.00

【LTE Band 5_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20450	20525	20600	
Frequency (MHz)				829	836.5	844	
10	QPSK	1	0	17.62	17.75	17.73	18.50
10	QPSK	1	25	17.28	17.51	17.46	18.50
10	QPSK	1	49	17.23	17.48	17.33	18.50
10	QPSK	25	0	17.15	17.41	17.27	18.50
10	QPSK	25	12	17.32	17.52	17.40	18.50
10	QPSK	25	25	17.18	17.36	17.28	18.50
10	QPSK	50	0	17.30	17.57	17.50	18.50
10	16QAM	1	0	17.27	17.46	17.42	18.50
10	16QAM	1	25	17.29	17.43	17.37	18.50
10	16QAM	1	49	17.25	17.52	17.40	18.50
10	16QAM	25	0	17.33	17.49	17.37	18.50
10	16QAM	25	12	17.22	17.42	17.37	18.50
10	16QAM	25	25	17.15	17.30	17.23	18.50
10	16QAM	50	0	17.23	17.38	17.28	18.50
10	64QAM	1	0	17.26	17.51	17.41	18.50
10	64QAM	1	25	17.41	17.56	17.44	18.50
10	64QAM	1	49	17.22	17.41	17.37	18.50
10	64QAM	25	0	17.14	17.40	17.33	18.50
10	64QAM	25	12	17.19	17.35	17.20	18.50
10	64QAM	25	25	17.14	17.37	17.28	18.50
10	64QAM	50	0	17.33	17.53	17.39	18.50
10	256QAM	1	0	17.18	17.38	17.22	18.50
10	256QAM	1	25	17.19	17.43	17.32	18.50
10	256QAM	1	49	17.19	17.36	17.32	18.50
10	256QAM	25	0	17.02	17.24	17.14	18.50
10	256QAM	25	12	17.14	17.32	17.25	18.50
10	256QAM	25	25	17.06	17.22	17.16	18.50
10	256QAM	50	0	17.10	17.37	17.31	18.50
Channel				20425	20525	20625	
Frequency (MHz)				826.5	836.5	846.5	
5	QPSK	1	0	17.57	17.61	17.59	18.50
5	QPSK	1	12	17.18	17.49	17.35	18.50
5	QPSK	1	24	17.09	17.39	17.20	18.50
5	QPSK	12	0	17.12	17.38	17.26	18.50
5	QPSK	12	7	17.27	17.41	17.27	18.50
5	QPSK	12	13	17.06	17.26	17.21	18.50
5	QPSK	25	0	17.26	17.43	17.40	18.50
5	16QAM	1	0	17.21	17.40	17.40	18.50
5	16QAM	1	12	17.25	17.32	17.26	18.50
5	16QAM	1	24	17.15	17.42	17.30	18.50
5	16QAM	12	0	17.32	17.41	17.23	18.50
5	16QAM	12	7	17.20	17.31	17.23	18.50
5	16QAM	12	13	17.04	17.22	17.12	18.50
5	16QAM	25	0	17.14	17.34	17.18	18.50
5	64QAM	1	0	17.24	17.50	17.35	18.50
5	64QAM	1	12	17.39	17.50	17.42	18.50
5	64QAM	1	24	17.19	17.29	17.34	18.50
5	64QAM	12	0	17.07	17.31	17.25	18.50
5	64QAM	12	7	17.10	17.29	17.09	18.50
5	64QAM	12	13	17.10	17.27	17.18	18.50
5	64QAM	25	0	17.26	17.40	17.31	18.50
5	256QAM	1	0	17.06	17.34	17.12	18.50
5	256QAM	1	12	17.08	17.32	17.30	18.50
5	256QAM	1	24	17.08	17.26	17.24	18.50
5	256QAM	12	0	17.04	17.23	17.00	18.50
5	256QAM	12	7	17.11	17.23	17.12	18.50
5	256QAM	12	13	17.02	17.13	17.04	18.50
5	256QAM	25	0	17.07	17.24	17.24	18.50
Channel				20415	20525	20635	
Frequency (MHz)				825.5	836.5	847.5	
3	QPSK	1	0	17.56	17.62	17.60	18.50
3	QPSK	1	8	17.15	17.40	17.39	18.50
3	QPSK	1	14	17.20	17.37	17.30	18.50
3	QPSK	8	0	17.11	17.28	17.20	18.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

3	QPSK	8	4	17.29	17.51	17.30	18.50
3	QPSK	8	7	17.07	17.28	17.23	18.50
3	QPSK	15	0	17.22	17.49	17.46	18.50
3	16QAM	1	0	17.20	17.37	17.36	18.50
3	16QAM	1	8	17.20	17.38	17.26	18.50
3	16QAM	1	14	17.17	17.42	17.28	18.50
3	16QAM	8	0	17.25	17.38	17.33	18.50
3	16QAM	8	4	17.12	17.34	17.32	18.50
3	16QAM	8	7	17.14	17.19	17.18	18.50
3	16QAM	15	0	17.17	17.25	17.16	18.50
3	64QAM	1	0	17.18	17.43	17.32	18.50
3	64QAM	1	8	17.32	17.44	17.42	18.50
3	64QAM	1	14	17.21	17.34	17.30	18.50
3	64QAM	8	0	17.01	17.39	17.28	18.50
3	64QAM	8	4	17.13	17.27	17.06	18.50
3	64QAM	8	7	17.11	17.27	17.26	18.50
3	64QAM	15	0	17.20	17.49	17.35	18.50
3	256QAM	1	0	17.06	17.36	17.10	18.50
3	256QAM	1	8	17.16	17.41	17.25	18.50
3	256QAM	1	14	17.08	17.26	17.22	18.50
3	256QAM	8	0	17.09	17.12	17.03	18.50
3	256QAM	8	4	17.10	17.22	17.18	18.50
3	256QAM	8	7	17.08	17.19	17.08	18.50
3	256QAM	15	0	17.08	17.22	17.21	18.50
Channel				20407	20525	20643	Tune-up limit
Frequency (MHz)				824.7	836.5	848.3	(dBm)
1.4	QPSK	1	0	17.47	17.62	17.72	18.50
1.4	QPSK	1	3	17.18	17.47	17.41	18.50
1.4	QPSK	1	5	17.10	17.34	17.31	18.50
1.4	QPSK	3	0	17.10	17.28	17.17	18.50
1.4	QPSK	3	1	17.18	17.41	17.29	18.50
1.4	QPSK	3	3	17.12	17.30	17.18	18.50
1.4	QPSK	6	0	17.26	17.50	17.48	18.50
1.4	16QAM	1	0	17.21	17.40	17.38	18.50
1.4	16QAM	1	3	17.20	17.31	17.25	18.50
1.4	16QAM	1	5	17.14	17.43	17.28	18.50
1.4	16QAM	3	0	17.29	17.40	17.29	18.50
1.4	16QAM	3	1	17.20	17.37	17.30	18.50
1.4	16QAM	3	3	17.01	17.27	17.13	18.50
1.4	16QAM	6	0	17.11	17.25	17.13	18.50
1.4	64QAM	1	0	17.15	17.37	17.39	18.50
1.4	64QAM	1	3	17.31	17.45	17.40	18.50
1.4	64QAM	1	5	17.15	17.28	17.26	18.50
1.4	64QAM	3	0	17.12	17.28	17.24	18.50
1.4	64QAM	3	1	17.14	17.26	17.18	18.50
1.4	64QAM	3	3	17.07	17.32	17.21	18.50
1.4	64QAM	6	0	17.31	17.40	17.37	18.50
1.4	256QAM	1	0	17.06	17.24	17.08	18.50
1.4	256QAM	1	3	17.17	17.40	17.30	18.50
1.4	256QAM	1	5	17.07	17.27	17.20	18.50
1.4	256QAM	3	0	17.09	17.17	17.06	18.50
1.4	256QAM	3	1	17.06	17.21	17.13	18.50
1.4	256QAM	3	3	17.09	17.08	17.15	18.50
1.4	256QAM	6	0	17.09	17.29	17.26	18.50

【LTE Band 7_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	23.38	23.48	23.28	25.00
20	QPSK	1	49	23.32	23.43	23.16	25.00
20	QPSK	1	99	23.09	23.34	23.05	25.00
20	QPSK	50	0	22.23	22.47	22.13	24.00
20	QPSK	50	24	22.33	22.44	22.10	24.00
20	QPSK	50	50	22.27	22.40	22.11	24.00
20	QPSK	100	0	22.22	22.43	22.22	24.00
20	16QAM	1	0	22.42	22.57	22.26	24.00
20	16QAM	1	49	22.18	22.41	22.13	24.00
20	16QAM	1	99	22.17	22.38	22.10	24.00
20	16QAM	50	0	21.31	21.42	21.16	23.00
20	16QAM	50	24	21.15	21.38	21.17	23.00
20	16QAM	50	50	21.22	21.33	21.03	23.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	16QAM	100	0	21.25	21.41	21.19	23.00
20	64QAM	1	0	21.36	21.51	21.25	23.00
20	64QAM	1	49	21.25	21.35	21.05	23.00
20	64QAM	1	99	21.23	21.33	21.06	23.00
20	64QAM	50	0	20.19	20.40	20.10	22.00
20	64QAM	50	24	20.24	20.35	20.07	22.00
20	64QAM	50	50	20.13	20.31	20.11	22.00
20	64QAM	100	0	20.12	20.35	20.10	22.00
20	256QAM	1	0	18.31	18.45	18.24	20.00
20	256QAM	1	49	18.19	18.32	18.07	20.00
20	256QAM	1	99	18.19	18.28	18.00	20.00
20	256QAM	50	0	18.36	18.52	18.27	20.00
20	256QAM	50	24	18.35	18.50	18.25	20.00
20	256QAM	50	50	18.35	18.47	18.19	20.00
20	256QAM	100	0	18.22	18.45	18.20	20.00
Channel				20825	21100	21375	Tune-up limit
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	23.30	23.42	23.21	25.00
15	QPSK	1	37	23.19	23.36	23.11	25.00
15	QPSK	1	74	23.01	23.30	23.04	25.00
15	QPSK	36	0	22.19	22.43	22.06	24.00
15	QPSK	36	20	22.27	22.41	22.05	24.00
15	QPSK	36	39	22.14	22.33	22.00	24.00
15	QPSK	75	0	22.18	22.40	22.20	24.00
15	16QAM	1	0	22.35	22.49	22.22	24.00
15	16QAM	1	37	22.05	22.35	22.10	24.00
15	16QAM	1	74	22.04	22.30	22.01	24.00
15	16QAM	36	0	21.21	21.31	21.02	23.00
15	16QAM	36	20	21.12	21.33	21.02	23.00
15	16QAM	36	39	21.13	21.21	21.01	23.00
15	16QAM	75	0	21.23	21.31	21.16	23.00
15	64QAM	1	0	21.30	21.48	21.22	23.00
15	64QAM	1	37	21.18	21.24	21.00	23.00
15	64QAM	1	74	21.10	21.31	21.00	23.00
15	64QAM	36	0	20.16	20.36	20.00	22.00
15	64QAM	36	20	20.15	20.29	20.01	22.00
15	64QAM	36	39	20.04	20.28	20.01	22.00
15	64QAM	75	0	20.03	20.27	20.02	22.00
15	256QAM	1	0	18.30	18.41	18.10	20.00
15	256QAM	1	37	18.12	18.18	18.02	20.00
15	256QAM	1	74	18.09	18.16	18.01	20.00
15	256QAM	36	0	18.24	18.46	18.20	20.00
15	256QAM	36	20	18.30	18.40	18.16	20.00
15	256QAM	36	39	18.24	18.39	18.17	20.00
15	256QAM	75	0	18.17	18.36	18.17	20.00
Channel				20800	21100	21400	Tune-up limit
Frequency (MHz)				2505	2535	2565	
10	QPSK	1	0	23.36	23.38	23.19	25.00
10	QPSK	1	25	23.29	23.41	23.12	25.00
10	QPSK	1	49	23.04	23.20	23.02	25.00
10	QPSK	25	0	22.20	22.34	22.09	24.00
10	QPSK	25	12	22.21	22.30	22.01	24.00
10	QPSK	25	25	22.24	22.38	22.01	24.00
10	QPSK	50	0	22.09	22.40	22.09	24.00
10	16QAM	1	0	22.36	22.48	22.12	24.00
10	16QAM	1	25	22.05	22.40	22.03	24.00
10	16QAM	1	49	22.11	22.29	22.05	24.00
10	16QAM	25	0	21.21	21.39	21.04	23.00
10	16QAM	25	12	21.03	21.25	21.07	23.00
10	16QAM	25	25	21.21	21.19	21.00	23.00
10	16QAM	50	0	21.11	21.32	21.04	23.00
10	64QAM	1	0	21.26	21.40	21.16	23.00
10	64QAM	1	25	21.13	21.26	21.03	23.00
10	64QAM	1	49	21.16	21.29	21.01	23.00
10	64QAM	25	0	20.12	20.35	20.07	22.00
10	64QAM	25	12	20.19	20.29	20.00	22.00
10	64QAM	25	25	20.02	20.29	20.00	22.00
10	64QAM	50	0	20.01	20.23	20.01	22.00
10	256QAM	1	0	18.22	18.31	18.21	20.00
10	256QAM	1	25	18.10	18.21	18.02	20.00
10	256QAM	1	49	18.18	18.27	18.00	20.00
10	256QAM	25	0	18.22	18.50	18.17	20.00
10	256QAM	25	12	18.32	18.37	18.15	20.00
10	256QAM	25	25	18.24	18.43	18.11	20.00
10	256QAM	50	0	18.08	18.41	18.12	20.00
Channel				20775	21100	21425	Tune-up limit
Frequency (MHz)				2502.5	2535	2567.5	
5	QPSK	1	0	23.36	23.43	23.22	25.00

5	QPSK	1	12	23.27	23.38	23.05	25.00
5	QPSK	1	24	23.00	23.20	23.00	25.00
5	QPSK	12	0	22.16	22.40	22.03	24.00
5	QPSK	12	7	22.27	22.33	22.01	24.00
5	QPSK	12	13	22.20	22.31	22.08	24.00
5	QPSK	25	0	22.16	22.29	22.21	24.00
5	16QAM	1	0	22.32	22.49	22.24	24.00
5	16QAM	1	12	22.09	22.29	22.00	24.00
5	16QAM	1	24	22.07	22.32	22.08	24.00
5	16QAM	12	0	21.17	21.28	21.12	23.00
5	16QAM	12	7	21.11	21.30	21.13	23.00
5	16QAM	12	13	21.19	21.31	21.00	23.00
5	16QAM	25	0	21.20	21.37	21.06	23.00
5	64QAM	1	0	21.33	21.37	21.12	23.00
5	64QAM	1	12	21.22	21.27	21.01	23.00
5	64QAM	1	24	21.20	21.22	21.04	23.00
5	64QAM	12	0	20.05	20.35	20.01	22.00
5	64QAM	12	7	20.09	20.24	20.01	22.00
5	64QAM	12	13	20.05	20.22	20.04	22.00
5	64QAM	25	0	20.03	20.32	20.00	22.00
5	256QAM	1	0	18.16	18.36	18.21	20.00
5	256QAM	1	12	18.14	18.24	18.02	20.00
5	256QAM	1	24	18.09	18.13	18.00	20.00
5	256QAM	12	0	18.28	18.39	18.23	20.00
5	256QAM	12	7	18.34	18.40	18.20	20.00
5	256QAM	12	13	18.25	18.46	18.16	20.00
5	256QAM	25	0	18.21	18.34	18.12	20.00

【LTE Band 7_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	23.12	23.24	23.04	25.00
20	QPSK	1	49	23.02	23.21	23.00	25.00
20	QPSK	1	99	23.01	23.04	23.01	25.00
20	QPSK	50	0	22.02	22.22	22.00	24.00
20	QPSK	50	24	22.00	22.17	22.00	24.00
20	QPSK	50	50	22.03	22.20	22.00	24.00
20	QPSK	100	0	22.01	22.20	22.01	24.00
20	16QAM	1	0	22.18	22.32	22.08	24.00
20	16QAM	1	49	22.01	22.16	22.00	24.00
20	16QAM	1	99	22.00	22.12	22.00	24.00
20	16QAM	50	0	21.03	21.20	21.01	23.00
20	16QAM	50	24	21.00	21.14	21.02	23.00
20	16QAM	50	50	21.01	21.15	21.00	23.00
20	16QAM	100	0	21.00	21.17	21.00	23.00
20	64QAM	1	0	21.03	21.26	21.00	23.00
20	64QAM	1	49	21.00	21.08	21.02	23.00
20	64QAM	1	99	21.02	21.06	21.01	23.00
20	64QAM	50	0	20.02	20.18	20.01	22.00
20	64QAM	50	24	20.00	20.12	20.00	22.00
20	64QAM	50	50	20.02	20.11	20.01	22.00
20	64QAM	100	0	20.02	20.10	20.01	22.00
20	256QAM	1	0	18.00	18.05	18.00	20.00
20	256QAM	1	49	18.01	18.04	18.01	20.00
20	256QAM	1	99	18.00	18.01	18.00	20.00
20	256QAM	50	0	18.00	18.07	18.00	20.00
20	256QAM	50	24	18.01	18.06	18.01	20.00
20	256QAM	50	50	18.01	18.04	18.00	20.00
20	256QAM	100	0	18.00	18.04	18.02	20.00
Channel				20825	21100	21375	Tune-up limit
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	23.10	23.18	23.01	25.00
15	QPSK	1	37	23.00	23.11	23.00	25.00
15	QPSK	1	74	23.00	23.01	23.00	25.00
15	QPSK	36	0	22.00	22.10	22.00	24.00
15	QPSK	36	20	22.00	22.13	22.00	24.00
15	QPSK	36	39	22.00	22.09	22.01	24.00
15	QPSK	75	0	22.00	22.13	22.00	24.00
15	16QAM	1	0	22.17	22.30	22.01	24.00
15	16QAM	1	37	22.01	22.04	22.01	24.00
15	16QAM	1	74	22.00	22.10	22.00	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	16QAM	36	0	21.00	21.12	21.00	23.00
15	16QAM	36	20	21.00	21.12	21.01	23.00
15	16QAM	36	39	21.00	21.07	21.01	23.00
15	16QAM	75	0	21.00	21.05	21.00	23.00
15	64QAM	1	0	21.01	21.18	21.00	23.00
15	64QAM	1	37	21.02	21.07	21.02	23.00
15	64QAM	1	74	21.00	21.02	21.00	23.00
15	64QAM	36	0	20.00	20.16	20.00	22.00
15	64QAM	36	20	20.00	20.03	20.00	22.00
15	64QAM	36	39	20.00	20.07	20.00	22.00
15	64QAM	75	0	20.01	20.05	20.00	22.00
15	256QAM	1	0	18.00	18.00	18.02	20.00
15	256QAM	1	37	18.00	18.00	18.01	20.00
15	256QAM	1	74	18.01	18.00	18.02	20.00
15	256QAM	36	0	18.01	18.00	18.00	20.00
15	256QAM	36	20	18.01	18.01	18.01	20.00
15	256QAM	36	39	18.01	18.00	18.01	20.00
15	256QAM	75	0	18.00	18.01	18.01	20.00
Channel				20800	21100	21400	Tune-up limit
Frequency (MHz)				2505	2535	2565	(dBm)
10	QPSK	1	0	23.00	23.18	23.01	25.00
10	QPSK	1	25	23.02	23.12	23.01	25.00
10	QPSK	1	49	23.00	23.00	23.00	25.00
10	QPSK	25	0	22.00	22.20	22.00	24.00
10	QPSK	25	12	22.02	22.12	22.00	24.00
10	QPSK	25	25	22.00	22.19	22.00	24.00
10	QPSK	50	0	22.02	22.07	22.01	24.00
10	16QAM	1	0	22.15	22.18	22.02	24.00
10	16QAM	1	25	22.00	22.02	22.00	24.00
10	16QAM	1	49	22.01	22.07	22.00	24.00
10	16QAM	25	0	21.00	21.14	21.02	23.00
10	16QAM	25	12	21.00	21.08	21.00	23.00
10	16QAM	25	25	21.00	21.00	21.00	23.00
10	16QAM	50	0	21.00	21.07	21.02	23.00
10	64QAM	1	0	21.01	21.15	21.02	23.00
10	64QAM	1	25	21.01	21.00	21.00	23.00
10	64QAM	1	49	21.00	21.00	21.00	23.00
10	64QAM	25	0	20.00	20.06	20.00	22.00
10	64QAM	25	12	20.00	20.03	20.01	22.00
10	64QAM	25	25	20.01	20.07	20.01	22.00
10	64QAM	50	0	20.00	20.06	20.01	22.00
10	256QAM	1	0	18.01	18.00	18.00	20.00
10	256QAM	1	25	18.00	18.00	18.00	20.00
10	256QAM	1	49	18.00	18.01	18.01	20.00
10	256QAM	25	0	18.00	18.00	18.00	20.00
10	256QAM	25	12	18.01	18.00	18.00	20.00
10	256QAM	25	25	18.00	18.00	18.00	20.00
10	256QAM	50	0	18.01	18.00	18.01	20.00
Channel				20775	21100	21425	Tune-up limit
Frequency (MHz)				2502.5	2535	2567.5	(dBm)
5	QPSK	1	0	23.00	23.10	23.01	25.00
5	QPSK	1	12	23.01	23.18	23.02	25.00
5	QPSK	1	24	23.00	23.01	23.00	25.00
5	QPSK	12	0	22.00	22.09	22.01	24.00
5	QPSK	12	7	22.00	22.15	22.01	24.00
5	QPSK	12	13	22.01	22.10	22.00	24.00
5	QPSK	25	0	22.02	22.19	22.00	24.00
5	16QAM	1	0	22.12	22.29	22.06	24.00
5	16QAM	1	12	22.01	22.02	22.01	24.00
5	16QAM	1	24	22.01	22.08	22.00	24.00
5	16QAM	12	0	21.00	21.06	21.02	23.00
5	16QAM	12	7	21.00	21.08	21.00	23.00
5	16QAM	12	13	21.01	21.08	21.00	23.00
5	16QAM	25	0	21.00	21.14	21.00	23.00
5	64QAM	1	0	21.00	21.15	21.00	23.00
5	64QAM	1	12	21.00	21.00	21.00	23.00
5	64QAM	1	24	21.00	21.00	21.00	23.00
5	64QAM	12	0	20.00	20.12	20.00	22.00
5	64QAM	12	7	20.02	20.00	20.00	22.00
5	64QAM	12	13	20.02	20.01	20.02	22.00
5	64QAM	25	0	20.00	20.09	20.02	22.00
5	256QAM	1	0	18.00	18.01	18.01	20.00
5	256QAM	1	12	18.01	18.00	18.01	20.00
5	256QAM	1	24	18.02	18.00	18.01	20.00
5	256QAM	12	0	18.01	18.01	18.01	20.00
5	256QAM	12	7	18.01	18.01	18.00	20.00
5	256QAM	12	13	18.01	18.00	18.00	20.00
5	256QAM	25	0	18.01	18.00	18.02	20.00

【LTE Band 7_Main_Sensor On】

Level Band 1 - Main Channel				Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
BW [MHz]		Modulation	RB Size	RB Offset			
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	16.35	16.49	16.27	17.00
20	QPSK	1	49	16.11	16.31	16.05	17.00
20	QPSK	1	99	16.06	16.30	15.94	17.00
20	QPSK	50	0	16.23	16.43	16.15	17.00
20	QPSK	50	24	16.22	16.40	16.14	17.00
20	QPSK	50	50	16.22	16.40	16.13	17.00
20	QPSK	100	0	16.23	16.41	16.18	17.00
20	16QAM	1	0	16.20	16.37	16.08	17.00
20	16QAM	1	49	15.99	16.19	15.85	17.00
20	16QAM	1	99	15.86	16.13	15.85	17.00
20	16QAM	50	0	16.02	16.31	15.97	17.00
20	16QAM	50	24	16.14	16.29	16.06	17.00
20	16QAM	50	50	16.05	16.25	15.91	17.00
20	16QAM	100	0	16.07	16.23	15.92	17.00
20	64QAM	1	0	15.98	16.23	15.92	17.00
20	64QAM	1	49	15.90	16.06	15.78	17.00
20	64QAM	1	99	15.93	16.08	15.74	17.00
20	64QAM	50	0	15.96	16.22	15.99	17.00
20	64QAM	50	24	15.96	16.12	15.87	17.00
20	64QAM	50	50	15.89	16.13	15.79	17.00
20	64QAM	100	0	15.95	16.21	15.86	17.00
20	256QAM	1	0	15.94	16.21	15.90	17.00
20	256QAM	1	49	15.81	16.04	15.77	17.00
20	256QAM	1	99	15.85	16.06	15.77	17.00
20	256QAM	50	0	16.03	16.20	15.96	17.00
20	256QAM	50	24	15.85	16.10	15.78	17.00
20	256QAM	50	50	15.84	16.11	15.83	17.00
20	256QAM	100	0	15.96	16.19	15.89	17.00
Channel				20825	21100	21375	Tune-up limit (dBm)
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	16.31	16.44	16.18	17.00
15	QPSK	1	37	16.00	16.29	16.03	17.00
15	QPSK	1	74	16.04	16.17	15.91	17.00
15	QPSK	36	0	16.12	16.34	16.04	17.00
15	QPSK	36	20	16.12	16.26	16.02	17.00
15	QPSK	36	39	16.12	16.33	16.12	17.00
15	QPSK	75	0	16.14	16.32	16.08	17.00
15	16QAM	1	0	16.13	16.33	16.06	17.00
15	16QAM	1	37	15.97	16.16	15.75	17.00
15	16QAM	1	74	15.83	16.11	15.71	17.00
15	16QAM	36	0	15.98	16.30	15.91	17.00
15	16QAM	36	20	16.08	16.22	16.04	17.00
15	16QAM	36	39	15.96	16.23	15.86	17.00
15	16QAM	75	0	15.93	16.21	15.79	17.00
15	64QAM	1	0	15.94	16.21	15.81	17.00
15	64QAM	1	37	15.83	15.97	15.66	17.00
15	64QAM	1	74	15.90	15.98	15.71	17.00
15	64QAM	36	0	15.91	16.11	15.86	17.00
15	64QAM	36	20	15.93	16.07	15.83	17.00
15	64QAM	36	39	15.78	16.11	15.67	17.00
15	64QAM	75	0	15.93	16.07	15.74	17.00
15	256QAM	1	0	15.83	16.15	15.87	17.00
15	256QAM	1	37	15.66	15.90	15.65	17.00
15	256QAM	1	74	15.83	16.01	15.74	17.00
15	256QAM	36	0	15.90	16.08	15.82	17.00
15	256QAM	36	20	15.74	15.99	15.69	17.00
15	256QAM	36	39	15.78	15.98	15.71	17.00
15	256QAM	75	0	15.83	16.17	15.81	17.00
Channel				20800	21100	21400	Tune-up limit (dBm)
Frequency (MHz)				2505	2535	2565	
10	QPSK	1	0	16.33	16.41	16.19	17.00
10	QPSK	1	25	15.98	16.21	15.91	17.00
10	QPSK	1	49	15.98	16.28	15.92	17.00
10	QPSK	25	0	16.21	16.36	16.03	17.00
10	QPSK	25	12	16.13	16.27	16.08	17.00
10	QPSK	25	25	16.12	16.38	16.11	17.00
10	QPSK	50	0	16.20	16.39	16.12	17.00

10	16QAM	1	0	16.18	16.29	15.98	17.00
10	16QAM	1	25	15.90	16.15	15.72	17.00
10	16QAM	1	49	15.76	16.11	15.82	17.00
10	16QAM	25	0	15.91	16.17	15.83	17.00
10	16QAM	25	12	16.08	16.24	16.00	17.00
10	16QAM	25	25	15.98	16.21	15.89	17.00
10	16QAM	50	0	16.01	16.09	15.90	17.00
10	64QAM	1	0	15.88	16.21	15.82	17.00
10	64QAM	1	25	15.76	15.98	15.77	17.00
10	64QAM	1	49	15.80	15.96	15.70	17.00
10	64QAM	25	0	15.94	16.14	15.98	17.00
10	64QAM	25	12	15.86	15.99	15.79	17.00
10	64QAM	25	25	15.87	16.09	15.75	17.00
10	64QAM	50	0	15.85	16.19	15.78	17.00
10	256QAM	1	0	15.83	16.14	15.79	17.00
10	256QAM	1	25	15.77	15.99	15.68	17.00
10	256QAM	1	49	15.73	15.99	15.66	17.00
10	256QAM	25	0	15.93	16.15	15.93	17.00
10	256QAM	25	12	15.77	16.05	15.68	17.00
10	256QAM	25	25	15.80	16.04	15.75	17.00
10	256QAM	50	0	15.92	16.11	15.78	17.00
Channel				20775	21100	21425	Tune-up limit (dBm)
Frequency (MHz)				2502.5	2535	2567.5	
5	QPSK	1	0	16.24	16.43	16.23	17.00
5	QPSK	1	12	16.04	16.18	15.96	17.00
5	QPSK	1	24	16.01	16.24	15.80	17.00
5	QPSK	12	0	16.10	16.33	16.02	17.00
5	QPSK	12	7	16.22	16.32	16.05	17.00
5	QPSK	12	13	16.11	16.30	16.01	17.00
5	QPSK	25	0	16.18	16.26	16.13	17.00
5	16QAM	1	0	16.13	16.22	15.95	17.00
5	16QAM	1	12	15.91	16.17	15.76	17.00
5	16QAM	1	24	15.78	16.01	15.78	17.00
5	16QAM	12	0	16.00	16.27	15.88	17.00
5	16QAM	12	7	16.10	16.15	15.98	17.00
5	16QAM	12	13	16.00	16.22	15.85	17.00
5	16QAM	25	0	15.96	16.18	15.86	17.00
5	64QAM	1	0	15.93	16.12	15.87	17.00
5	64QAM	1	12	15.83	16.04	15.68	17.00
5	64QAM	1	24	15.88	16.03	15.66	17.00
5	64QAM	12	0	15.89	16.07	15.90	17.00
5	64QAM	12	7	15.81	16.02	15.76	17.00
5	64QAM	12	13	15.74	16.02	15.68	17.00
5	64QAM	25	0	15.86	16.14	15.77	17.00
5	256QAM	1	0	15.87	16.07	15.75	17.00
5	256QAM	1	12	15.69	15.97	15.63	17.00
5	256QAM	1	24	15.74	15.94	15.70	17.00
5	256QAM	12	0	15.99	16.08	15.93	17.00
5	256QAM	12	7	15.83	16.02	15.65	17.00
5	256QAM	12	13	15.75	16.10	15.80	17.00
5	256QAM	25	0	15.81	16.14	15.81	17.00

【LTE Band 7_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	17.74	17.80	17.62	18.50
20	QPSK	1	49	17.62	17.77	17.57	18.50
20	QPSK	1	99	17.55	17.62	17.36	18.50
20	QPSK	50	0	17.66	17.78	17.50	18.50
20	QPSK	50	24	17.62	17.77	17.48	18.50
20	QPSK	50	50	17.65	17.74	17.43	18.50
20	QPSK	100	0	17.62	17.76	17.55	18.50
20	16QAM	1	0	17.56	17.68	17.36	18.50
20	16QAM	1	49	17.39	17.57	17.35	18.50
20	16QAM	1	99	17.30	17.51	17.26	18.50
20	16QAM	50	0	17.50	17.65	17.39	18.50
20	16QAM	50	24	17.46	17.65	17.45	18.50
20	16QAM	50	50	17.50	17.60	17.31	18.50
20	16QAM	100	0	17.40	17.60	17.39	18.50
20	64QAM	1	0	17.49	17.63	17.43	18.50
20	64QAM	1	49	17.54	17.63	17.43	18.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	64QAM	1	99	17.31	17.51	17.24	18.50
20	64QAM	50	0	17.47	17.60	17.34	18.50
20	64QAM	50	24	17.39	17.57	17.29	18.50
20	64QAM	50	50	17.48	17.55	17.26	18.50
20	64QAM	100	0	17.45	17.56	17.33	18.50
20	256QAM	1	0	17.47	17.56	17.35	18.50
20	256QAM	1	49	17.32	17.52	17.20	18.50
20	256QAM	1	99	17.24	17.39	17.11	18.50
20	256QAM	50	0	17.45	17.56	17.31	18.50
20	256QAM	50	24	17.49	17.61	17.34	18.50
20	256QAM	50	50	17.48	17.58	17.32	18.50
20	256QAM	100	0	17.43	17.56	17.31	18.50
Channel				20825	21100	21375	Tune-up limit
Frequency (MHz)				2507.5	2535	2562.5	(dBm)
15	QPSK	1	0	17.64	17.76	17.58	18.50
15	QPSK	1	37	17.55	17.74	17.52	18.50
15	QPSK	1	74	17.40	17.48	17.32	18.50
15	QPSK	36	0	17.61	17.69	17.39	18.50
15	QPSK	36	20	17.51	17.67	17.44	18.50
15	QPSK	36	39	17.58	17.70	17.41	18.50
15	QPSK	75	0	17.57	17.68	17.49	18.50
15	16QAM	1	0	17.45	17.54	17.32	18.50
15	16QAM	1	37	17.24	17.47	17.30	18.50
15	16QAM	1	74	17.26	17.38	17.20	18.50
15	16QAM	36	0	17.40	17.62	17.38	18.50
15	16QAM	36	20	17.38	17.52	17.34	18.50
15	16QAM	36	39	17.41	17.57	17.20	18.50
15	16QAM	75	0	17.27	17.46	17.28	18.50
15	64QAM	1	0	17.41	17.54	17.29	18.50
15	64QAM	1	37	17.42	17.55	17.29	18.50
15	64QAM	1	74	17.17	17.49	17.20	18.50
15	64QAM	36	0	17.43	17.58	17.24	18.50
15	64QAM	36	20	17.26	17.47	17.27	18.50
15	64QAM	36	39	17.44	17.42	17.25	18.50
15	64QAM	75	0	17.36	17.48	17.23	18.50
15	256QAM	1	0	17.34	17.54	17.21	18.50
15	256QAM	1	37	17.23	17.41	17.06	18.50
15	256QAM	1	74	17.14	17.34	17.01	18.50
15	256QAM	36	0	17.31	17.49	17.21	18.50
15	256QAM	36	20	17.40	17.51	17.30	18.50
15	256QAM	36	39	17.34	17.51	17.29	18.50
15	256QAM	75	0	17.33	17.52	17.24	18.50
Channel				20800	21100	21400	Tune-up limit
Frequency (MHz)				2505	2535	2565	(dBm)
10	QPSK	1	0	17.73	17.68	17.57	18.50
10	QPSK	1	25	17.59	17.75	17.43	18.50
10	QPSK	1	49	17.43	17.51	17.35	18.50
10	QPSK	25	0	17.53	17.70	17.41	18.50
10	QPSK	25	12	17.53	17.65	17.46	18.50
10	QPSK	25	25	17.55	17.69	17.32	18.50
10	QPSK	50	0	17.50	17.69	17.53	18.50
10	16QAM	1	0	17.53	17.62	17.25	18.50
10	16QAM	1	25	17.30	17.43	17.32	18.50
10	16QAM	1	49	17.28	17.47	17.12	18.50
10	16QAM	25	0	17.38	17.54	17.31	18.50
10	16QAM	25	12	17.35	17.54	17.38	18.50
10	16QAM	25	25	17.38	17.45	17.20	18.50
10	16QAM	50	0	17.30	17.53	17.28	18.50
10	64QAM	1	0	17.35	17.58	17.32	18.50
10	64QAM	1	25	17.52	17.58	17.36	18.50
10	64QAM	1	49	17.25	17.44	17.22	18.50
10	64QAM	25	0	17.38	17.56	17.33	18.50
10	64QAM	25	12	17.30	17.47	17.22	18.50
10	64QAM	25	25	17.46	17.47	17.25	18.50
10	64QAM	50	0	17.31	17.43	17.23	18.50
10	256QAM	1	0	17.34	17.45	17.29	18.50
10	256QAM	1	25	17.25	17.38	17.13	18.50
10	256QAM	1	49	17.10	17.25	17.06	18.50
10	256QAM	25	0	17.32	17.43	17.20	18.50
10	256QAM	25	12	17.38	17.59	17.32	18.50
10	256QAM	25	25	17.33	17.45	17.20	18.50
10	256QAM	50	0	17.32	17.47	17.26	18.50
Channel				20775	21100	21425	Tune-up limit
Frequency (MHz)				2502.5	2535	2567.5	(dBm)
5	QPSK	1	0	17.70	17.72	17.61	18.50
5	QPSK	1	12	17.59	17.66	17.51	18.50
5	QPSK	1	24	17.45	17.53	17.32	18.50
5	QPSK	12	0	17.60	17.75	17.43	18.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	QPSK	12	7	17.51	17.66	17.46	18.50
5	QPSK	12	13	17.52	17.71	17.29	18.50
5	QPSK	25	0	17.50	17.73	17.50	18.50
5	16QAM	1	0	17.46	17.56	17.33	18.50
5	16QAM	1	12	17.37	17.55	17.28	18.50
5	16QAM	1	24	17.20	17.44	17.24	18.50
5	16QAM	12	0	17.45	17.62	17.34	18.50
5	16QAM	12	7	17.32	17.51	17.42	18.50
5	16QAM	12	13	17.46	17.48	17.23	18.50
5	16QAM	25	0	17.36	17.48	17.30	18.50
5	64QAM	1	0	17.37	17.53	17.32	18.50
5	64QAM	1	12	17.45	17.61	17.35	18.50
5	64QAM	1	24	17.24	17.41	17.12	18.50
5	64QAM	12	0	17.44	17.52	17.21	18.50
5	64QAM	12	7	17.38	17.47	17.19	18.50
5	64QAM	12	13	17.38	17.41	17.11	18.50
5	64QAM	25	0	17.30	17.48	17.18	18.50
5	256QAM	1	0	17.41	17.53	17.32	18.50
5	256QAM	1	12	17.29	17.45	17.10	18.50
5	256QAM	1	24	17.21	17.35	17.08	18.50
5	256QAM	12	0	17.32	17.54	17.29	18.50
5	256QAM	12	7	17.35	17.48	17.27	18.50
5	256QAM	12	13	17.46	17.51	17.21	18.50
5	256QAM	25	0	17.29	17.54	17.27	18.50

【LTE Band 12_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23060	23095	23130	711
Frequency (MHz)				704	707.5	711	
10	QPSK	1	0	23.55	23.68	23.49	25.00
10	QPSK	1	25	23.43	23.58	23.28	25.00
10	QPSK	1	49	23.42	23.63	23.33	25.00
10	QPSK	25	0	22.49	22.65	22.43	24.00
10	QPSK	25	12	22.35	22.55	22.26	24.00
10	QPSK	25	25	22.40	22.62	22.43	24.00
10	QPSK	50	0	22.52	22.66	22.37	24.00
10	16QAM	1	0	22.54	22.75	22.52	24.00
10	16QAM	1	25	22.47	22.73	22.42	24.00
10	16QAM	1	49	22.54	22.71	22.51	24.00
10	16QAM	25	0	21.48	21.61	21.41	23.00
10	16QAM	25	12	21.29	21.55	21.28	23.00
10	16QAM	25	25	21.37	21.61	21.31	23.00
10	16QAM	50	0	21.41	21.59	21.40	23.00
10	64QAM	1	0	21.48	21.63	21.40	23.00
10	64QAM	1	25	21.32	21.49	21.26	23.00
10	64QAM	1	49	21.43	21.63	21.31	23.00
10	64QAM	25	0	20.50	20.76	20.53	22.00
10	64QAM	25	12	20.48	20.70	20.44	22.00
10	64QAM	25	25	20.58	20.76	20.51	22.00
10	64QAM	50	0	20.51	20.74	20.43	22.00
10	256QAM	1	0	18.49	18.64	18.47	20.00
10	256QAM	1	25	18.36	18.50	18.28	20.00
10	256QAM	1	49	18.43	18.57	18.31	20.00
10	256QAM	25	0	18.57	18.71	18.52	20.00
10	256QAM	25	12	18.53	18.66	18.36	20.00
10	256QAM	25	25	18.56	18.71	18.44	20.00
10	256QAM	50	0	18.57	18.72	18.46	20.00
Channel				23035	23095	23115	713.5
Frequency (MHz)				701.5	707.5	713.5	
5	QPSK	1	0	23.46	23.60	23.42	25.00
5	QPSK	1	12	23.31	23.56	23.20	25.00
5	QPSK	1	24	23.28	23.58	23.29	25.00
5	QPSK	12	0	22.44	22.62	22.38	24.00
5	QPSK	12	7	22.32	22.52	22.21	24.00
5	QPSK	12	13	22.38	22.50	22.41	24.00
5	QPSK	25	0	22.41	22.53	22.24	24.00
5	16QAM	1	0	22.47	22.72	22.51	24.00
5	16QAM	1	12	22.34	22.61	22.28	24.00
5	16QAM	1	24	22.51	22.58	22.50	24.00
5	16QAM	12	0	21.45	21.47	21.35	23.00
5	16QAM	12	7	21.26	21.50	21.22	23.00
5	16QAM	12	13	21.30	21.47	21.29	23.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	16QAM	25	0	21.36	21.48	21.33	23.00
5	64QAM	1	0	21.38	21.56	21.26	23.00
5	64QAM	1	12	21.30	21.39	21.16	23.00
5	64QAM	1	24	21.35	21.48	21.16	23.00
5	64QAM	12	0	20.40	20.61	20.51	22.00
5	64QAM	12	7	20.36	20.60	20.32	22.00
5	64QAM	12	13	20.54	20.62	20.37	22.00
5	64QAM	25	0	20.38	20.62	20.35	22.00
5	256QAM	1	0	18.38	18.56	18.36	20.00
5	256QAM	1	12	18.23	18.38	18.21	20.00
5	256QAM	1	24	18.35	18.43	18.26	20.00
5	256QAM	12	0	18.47	18.65	18.39	20.00
5	256QAM	12	7	18.40	18.52	18.22	20.00
5	256QAM	12	13	18.42	18.69	18.33	20.00
5	256QAM	25	0	18.46	18.58	18.35	20.00
Channel				23025	23095	23165	Tune-up limit
Frequency (MHz)				700.5	707.5	714.5	(dBm)
3	QPSK	1	0	23.40	23.64	23.38	25.00
3	QPSK	1	8	23.42	23.50	23.20	25.00
3	QPSK	1	14	23.34	23.60	23.22	25.00
3	QPSK	8	0	22.36	22.61	22.38	24.00
3	QPSK	8	4	22.28	22.50	22.18	24.00
3	QPSK	8	7	22.34	22.53	22.37	24.00
3	QPSK	15	0	22.40	22.61	22.29	24.00
3	16QAM	1	0	22.43	22.71	22.41	24.00
3	16QAM	1	8	22.35	22.64	22.35	24.00
3	16QAM	1	14	22.49	22.68	22.50	24.00
3	16QAM	8	0	21.42	21.52	21.34	23.00
3	16QAM	8	4	21.19	21.53	21.25	23.00
3	16QAM	8	7	21.27	21.57	21.20	23.00
3	16QAM	15	0	21.39	21.48	21.28	23.00
3	64QAM	1	0	21.40	21.49	21.34	23.00
3	64QAM	1	8	21.17	21.35	21.12	23.00
3	64QAM	1	14	21.32	21.49	21.25	23.00
3	64QAM	8	0	20.47	20.62	20.48	22.00
3	64QAM	8	4	20.41	20.64	20.41	22.00
3	64QAM	8	7	20.53	20.73	20.45	22.00
3	64QAM	15	0	20.38	20.59	20.28	22.00
3	256QAM	1	0	18.46	18.59	18.42	20.00
3	256QAM	1	8	18.31	18.41	18.24	20.00
3	256QAM	1	14	18.33	18.49	18.28	20.00
3	256QAM	8	0	18.56	18.56	18.45	20.00
3	256QAM	8	4	18.51	18.53	18.28	20.00
3	256QAM	8	7	18.42	18.69	18.33	20.00
3	256QAM	15	0	18.53	18.65	18.44	20.00
Channel				23017	23095	23173	Tune-up limit
Frequency (MHz)				699.7	707.5	715.3	(dBm)
1.4	QPSK	1	0	23.41	23.59	23.38	25.00
1.4	QPSK	1	3	23.41	23.44	23.24	25.00
1.4	QPSK	1	5	23.38	23.59	23.19	25.00
1.4	QPSK	3	0	23.45	23.53	23.36	25.00
1.4	QPSK	3	1	23.24	23.42	23.24	25.00
1.4	QPSK	3	3	23.29	23.60	23.37	25.00
1.4	QPSK	6	0	22.44	22.62	22.32	24.00
1.4	16QAM	1	0	22.46	22.66	22.38	24.00
1.4	16QAM	1	3	22.44	22.68	22.36	24.00
1.4	16QAM	1	5	22.50	22.66	22.49	24.00
1.4	16QAM	3	0	22.34	22.57	22.28	24.00
1.4	16QAM	3	1	22.18	22.47	22.27	24.00
1.4	16QAM	3	3	22.25	22.49	22.27	24.00
1.4	16QAM	6	0	21.36	21.46	21.31	23.00
1.4	64QAM	1	0	21.40	21.50	21.26	23.00
1.4	64QAM	1	3	21.23	21.46	21.22	23.00
1.4	64QAM	1	5	21.30	21.52	21.26	23.00
1.4	64QAM	3	0	21.36	21.72	21.48	23.00
1.4	64QAM	3	1	21.43	21.67	21.39	23.00
1.4	64QAM	3	3	21.44	21.68	21.45	23.00
1.4	64QAM	6	0	20.40	20.69	20.37	22.00
1.4	256QAM	1	0	18.46	18.52	18.44	20.00
1.4	256QAM	1	3	18.35	18.36	18.27	20.00
1.4	256QAM	1	5	18.32	18.42	18.26	20.00
1.4	256QAM	3	0	18.44	18.70	18.38	20.00
1.4	256QAM	3	1	18.40	18.57	18.24	20.00
1.4	256QAM	3	3	18.51	18.69	18.37	20.00
1.4	256QAM	6	0	18.46	18.59	18.35	20.00



【LTE Band 12_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23060	23095	23130	Tune-up limit (dBm)
Frequency (MHz)				704	707.5	711	
10	QPSK	1	0	20.19	20.25	20.18	21.00
10	QPSK	1	25	20.12	20.20	20.05	21.00
10	QPSK	1	49	20.05	20.12	19.96	21.00
10	QPSK	25	0	20.04	20.20	20.01	21.00
10	QPSK	25	12	20.01	20.16	20.02	21.00
10	QPSK	25	25	20.05	20.13	19.98	21.00
10	QPSK	50	0	20.13	20.24	20.13	21.00
10	16QAM	1	0	20.07	20.19	19.97	21.00
10	16QAM	1	25	20.04	20.12	19.97	21.00
10	16QAM	1	49	19.90	20.05	19.87	21.00
10	16QAM	25	0	19.96	20.15	19.99	21.00
10	16QAM	25	12	19.96	20.08	19.88	21.00
10	16QAM	25	25	19.85	20.06	19.96	21.00
10	16QAM	50	0	20.02	20.16	20.02	21.00
10	64QAM	1	0	19.95	20.14	19.98	21.00
10	64QAM	1	25	20.01	20.09	19.88	21.00
10	64QAM	1	49	19.88	20.03	19.83	21.00
10	64QAM	25	0	19.95	20.11	19.97	21.00
10	64QAM	25	12	19.94	20.08	19.89	21.00
10	64QAM	25	25	19.81	20.02	19.83	21.00
10	64QAM	50	0	19.98	20.15	20.03	21.00
10	256QAM	1	0	18.43	18.50	18.31	20.00
10	256QAM	1	25	18.47	18.56	18.47	20.00
10	256QAM	1	49	18.51	18.63	18.47	20.00
10	256QAM	25	0	18.64	18.71	18.61	20.00
10	256QAM	25	12	18.59	18.66	18.54	20.00
10	256QAM	25	25	18.65	18.72	18.62	20.00
10	256QAM	50	0	18.59	18.72	18.62	20.00
Channel				23035	23095	23115	Tune-up limit (dBm)
Frequency (MHz)				701.5	707.5	713.5	
5	QPSK	1	0	20.05	20.19	20.10	21.00
5	QPSK	1	12	20.10	20.12	19.96	21.00
5	QPSK	1	24	19.99	20.06	19.92	21.00
5	QPSK	12	0	19.96	20.17	19.87	21.00
5	QPSK	12	7	19.98	20.07	19.98	21.00
5	QPSK	12	13	20.04	20.06	19.96	21.00
5	QPSK	25	0	20.07	20.21	20.09	21.00
5	16QAM	1	0	19.93	20.07	19.82	21.00
5	16QAM	1	12	19.94	20.02	19.88	21.00
5	16QAM	1	24	19.88	20.00	19.84	21.00
5	16QAM	12	0	19.92	20.11	19.85	21.00
5	16QAM	12	7	19.89	20.07	19.84	21.00
5	16QAM	12	13	19.73	20.03	19.85	21.00
5	16QAM	25	0	19.94	20.13	19.95	21.00
5	64QAM	1	0	19.89	20.01	19.90	21.00
5	64QAM	1	12	19.95	20.06	19.80	21.00
5	64QAM	1	24	19.81	19.89	19.79	21.00
5	64QAM	12	0	19.93	20.00	19.94	21.00
5	64QAM	12	7	19.82	19.97	19.87	21.00
5	64QAM	12	13	19.69	19.98	19.76	21.00
5	64QAM	25	0	19.88	20.11	19.95	21.00
5	256QAM	1	0	18.30	18.36	18.21	20.00
5	256QAM	1	12	18.35	18.54	18.35	20.00
5	256QAM	1	24	18.45	18.60	18.39	20.00
5	256QAM	12	0	18.52	18.67	18.46	20.00
5	256QAM	12	7	18.49	18.59	18.40	20.00
5	256QAM	12	13	18.62	18.58	18.52	20.00
5	256QAM	25	0	18.56	18.69	18.52	20.00
Channel				23025	23095	23165	Tune-up limit (dBm)
Frequency (MHz)				700.5	707.5	714.5	
3	QPSK	1	0	20.05	20.17	20.11	21.00
3	QPSK	1	8	20.06	20.08	19.91	21.00
3	QPSK	1	14	19.98	20.01	19.93	21.00
3	QPSK	8	0	20.00	20.13	19.95	21.00
3	QPSK	8	4	19.88	20.12	20.01	21.00
3	QPSK	8	7	19.96	20.07	19.86	21.00
3	QPSK	15	0	20.01	20.17	20.04	21.00
3	16QAM	1	0	19.94	20.12	19.95	21.00
3	16QAM	1	8	20.00	20.03	19.82	21.00
3	16QAM	1	14	19.76	19.98	19.81	21.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

3	16QAM	8	0	19.90	20.13	19.96	21.00
3	16QAM	8	4	19.92	19.98	19.82	21.00
3	16QAM	8	7	19.80	19.99	19.89	21.00
3	16QAM	15	0	19.95	20.04	19.95	21.00
3	64QAM	1	0	19.85	20.05	19.96	21.00
3	64QAM	1	8	19.95	19.98	19.87	21.00
3	64QAM	1	14	19.80	19.90	19.80	21.00
3	64QAM	8	0	19.88	19.98	19.82	21.00
3	64QAM	8	4	19.82	19.97	19.78	21.00
3	64QAM	8	7	19.67	20.00	19.81	21.00
3	64QAM	15	0	19.84	20.04	19.96	21.00
3	256QAM	1	0	18.37	18.37	18.18	20.00
3	256QAM	1	8	18.44	18.45	18.36	20.00
3	256QAM	1	14	18.49	18.53	18.35	20.00
3	256QAM	8	0	18.54	18.58	18.46	20.00
3	256QAM	8	4	18.44	18.53	18.40	20.00
3	256QAM	8	7	18.55	18.61	18.49	20.00
3	256QAM	15	0	18.56	18.58	18.60	20.00
Channel				23017	23095	23173	Tune-up limit
Frequency (MHz)				699.7	707.5	715.3	(dBm)
1.4	QPSK	1	0	20.17	20.15	20.04	21.00
1.4	QPSK	1	3	20.04	20.06	19.90	21.00
1.4	QPSK	1	5	19.96	20.01	19.93	21.00
1.4	QPSK	3	0	19.93	20.12	19.88	21.00
1.4	QPSK	3	1	19.99	20.07	19.97	21.00
1.4	QPSK	3	3	19.96	19.99	19.92	21.00
1.4	QPSK	6	0	20.02	20.21	20.01	21.00
1.4	16QAM	1	0	20.03	20.06	19.91	21.00
1.4	16QAM	1	3	19.92	20.11	19.86	21.00
1.4	16QAM	1	5	19.79	20.02	19.83	21.00
1.4	16QAM	3	0	19.86	20.07	19.97	21.00
1.4	16QAM	3	1	19.82	19.94	19.79	21.00
1.4	16QAM	3	3	19.79	20.05	19.84	21.00
1.4	16QAM	6	0	19.94	20.03	19.93	21.00
1.4	64QAM	1	0	19.90	20.07	19.83	21.00
1.4	64QAM	1	3	20.00	19.97	19.86	21.00
1.4	64QAM	1	5	19.81	19.96	19.68	21.00
1.4	64QAM	3	0	19.90	20.02	19.83	21.00
1.4	64QAM	3	1	19.89	19.99	19.84	21.00
1.4	64QAM	3	3	19.67	20.00	19.72	21.00
1.4	64QAM	6	0	19.94	20.12	19.98	21.00
1.4	256QAM	1	0	18.30	18.46	18.21	20.00
1.4	256QAM	1	3	18.37	18.52	18.39	20.00
1.4	256QAM	1	5	18.49	18.57	18.43	20.00
1.4	256QAM	3	0	18.52	18.56	18.55	20.00
1.4	256QAM	3	1	18.44	18.62	18.43	20.00
1.4	256QAM	3	3	18.61	18.62	18.49	20.00
1.4	256QAM	6	0	18.46	18.60	18.56	20.00

【LTE Band 13_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					23230		
Frequency (MHz)					782		
10	QPSK	1	0		23.65		25.00
10	QPSK	1	25		23.60		25.00
10	QPSK	1	49		23.58		25.00
10	QPSK	25	0		22.59		24.00
10	QPSK	25	12		22.57		24.00
10	QPSK	25	25		22.50		24.00
10	QPSK	50	0		22.53		24.00
10	16QAM	1	0		22.73		24.00
10	16QAM	1	25		22.67		24.00
10	16QAM	1	49		22.66		24.00
10	16QAM	25	0		21.58		23.00
10	16QAM	25	12		21.55		23.00
10	16QAM	25	25		21.47		23.00
10	16QAM	50	0		21.50		23.00
10	64QAM	1	0		21.63		23.00
10	64QAM	1	25		21.58		23.00
10	64QAM	1	49		21.56		23.00
10	64QAM	25	0		20.59		22.00
10	64QAM	25	12		20.55		22.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	64QAM	25	25		20.48		22.00
10	64QAM	50	0		20.48		22.00
10	256QAM	1	0		18.61		20.00
10	256QAM	1	25		18.60		20.00
10	256QAM	1	49		18.58		20.00
10	256QAM	25	0		18.68		20.00
10	256QAM	25	12		18.67		20.00
10	256QAM	25	25		18.60		20.00
10	256QAM	50	0		18.60		20.00
Channel				23205	23230	23255	Tune-up limit (dBm)
Frequency (MHz)				779.5	782	784.5	
5	QPSK	1	0	23.61	23.64	23.60	25.00
5	QPSK	1	12	23.47	23.54	23.42	25.00
5	QPSK	1	24	23.47	23.52	23.42	25.00
5	QPSK	12	0	22.43	22.53	22.43	24.00
5	QPSK	12	7	22.33	22.51	22.42	24.00
5	QPSK	12	13	22.31	22.43	22.36	24.00
5	QPSK	25	0	22.36	22.48	22.41	24.00
5	16QAM	1	0	22.54	22.67	22.56	24.00
5	16QAM	1	12	22.46	22.60	22.49	24.00
5	16QAM	1	24	22.53	22.63	22.54	24.00
5	16QAM	12	0	21.42	21.54	21.39	23.00
5	16QAM	12	7	21.38	21.49	21.35	23.00
5	16QAM	12	13	21.29	21.42	21.34	23.00
5	16QAM	25	0	21.32	21.46	21.37	23.00
5	64QAM	1	0	21.45	21.60	21.47	23.00
5	64QAM	1	12	21.46	21.56	21.48	23.00
5	64QAM	1	24	21.38	21.51	21.34	23.00
5	64QAM	12	0	20.44	20.52	20.47	22.00
5	64QAM	12	7	20.39	20.51	20.44	22.00
5	64QAM	12	13	20.32	20.43	20.27	22.00
5	64QAM	25	0	20.30	20.46	20.36	22.00
5	256QAM	1	0	18.49	18.59	18.54	20.00
5	256QAM	1	12	18.38	18.54	18.46	20.00
5	256QAM	1	24	18.40	18.52	18.40	20.00
5	256QAM	12	0	18.53	18.66	18.55	20.00
5	256QAM	12	7	18.60	18.63	18.55	20.00
5	256QAM	12	13	18.41	18.55	18.39	20.00
5	256QAM	25	0	18.42	18.56	18.39	20.00

【LTE Band 13_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					23230		
Frequency (MHz)					782		
10	QPSK	1	0		17.69		18.50
10	QPSK	1	25		17.65		18.50
10	QPSK	1	49		17.65		18.50
10	QPSK	25	0		17.63		18.50
10	QPSK	25	12		17.60		18.50
10	QPSK	25	25		17.58		18.50
10	QPSK	50	0		17.56		18.50
10	16QAM	1	0		17.67		18.50
10	16QAM	1	25		17.62		18.50
10	16QAM	1	49		17.59		18.50
10	16QAM	25	0		17.59		18.50
10	16QAM	25	12		17.55		18.50
10	16QAM	25	25		17.56		18.50
10	16QAM	50	0		17.53		18.50
10	64QAM	1	0		17.60		18.50
10	64QAM	1	25		17.60		18.50
10	64QAM	1	49		17.55		18.50
10	64QAM	25	0		17.55		18.50
10	64QAM	25	12		17.50		18.50
10	64QAM	25	25		17.52		18.50
10	64QAM	50	0		17.46		18.50
10	256QAM	1	0		17.57		18.50
10	256QAM	1	25		17.57		18.50
10	256QAM	1	49		17.52		18.50
10	256QAM	25	0		17.52		18.50
10	256QAM	25	12		17.49		18.50
10	256QAM	25	25		17.47		18.50
10	256QAM	50	0		17.43		18.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

Channel				23205	23230	23255	Tune-up limit
Frequency (MHz)				779.5	782	784.5	(dBm)
5	QPSK	1	0	17.64	17.66	17.60	18.50
5	QPSK	1	12	17.54	17.61	17.45	18.50
5	QPSK	1	24	17.56	17.62	17.50	18.50
5	QPSK	12	0	17.49	17.61	17.42	18.50
5	QPSK	12	7	17.48	17.53	17.34	18.50
5	QPSK	12	13	17.40	17.51	17.36	18.50
5	QPSK	25	0	17.38	17.49	17.40	18.50
5	16QAM	1	0	17.55	17.64	17.51	18.50
5	16QAM	1	12	17.45	17.60	17.40	18.50
5	16QAM	1	24	17.51	17.57	17.48	18.50
5	16QAM	12	0	17.49	17.53	17.37	18.50
5	16QAM	12	7	17.43	17.49	17.38	18.50
5	16QAM	12	13	17.45	17.52	17.41	18.50
5	16QAM	25	0	17.36	17.51	17.35	18.50
5	64QAM	1	0	17.44	17.58	17.50	18.50
5	64QAM	1	12	17.40	17.54	17.45	18.50
5	64QAM	1	24	17.41	17.50	17.43	18.50
5	64QAM	12	0	17.36	17.50	17.40	18.50
5	64QAM	12	7	17.32	17.48	17.27	18.50
5	64QAM	12	13	17.30	17.46	17.36	18.50
5	64QAM	25	0	17.40	17.44	17.26	18.50
5	256QAM	1	0	17.40	17.51	17.36	18.50
5	256QAM	1	12	17.50	17.55	17.42	18.50
5	256QAM	1	24	17.41	17.50	17.31	18.50
5	256QAM	12	0	17.33	17.50	17.31	18.50
5	256QAM	12	7	17.32	17.43	17.34	18.50
5	256QAM	12	13	17.30	17.41	17.24	18.50
5	256QAM	25	0	17.32	17.41	17.28	18.50

【LTE Band 14_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					23330		
Frequency (MHz)					793		
10	QPSK	1	0		23.65		25.00
10	QPSK	1	25		23.64		25.00
10	QPSK	1	49		23.59		25.00
10	QPSK	25	0		22.59		24.00
10	QPSK	25	12		22.57		24.00
10	QPSK	25	25		22.53		24.00
10	QPSK	50	0		22.51		24.00
10	16QAM	1	0		22.71		24.00
10	16QAM	1	25		22.70		24.00
10	16QAM	1	49		22.67		24.00
10	16QAM	25	0		21.58		23.00
10	16QAM	25	12		21.57		23.00
10	16QAM	25	25		21.57		23.00
10	16QAM	50	0		21.56		23.00
10	64QAM	1	0		21.61		23.00
10	64QAM	1	25		21.60		23.00
10	64QAM	1	49		21.55		23.00
10	64QAM	25	0		20.59		22.00
10	64QAM	25	12		20.56		22.00
10	64QAM	25	25		20.52		22.00
10	64QAM	50	0		20.50		22.00
10	256QAM	1	0		18.65		20.00
10	256QAM	1	25		18.61		20.00
10	256QAM	1	49		18.57		20.00
10	256QAM	25	0		18.69		20.00
10	256QAM	25	12		18.68		20.00
10	256QAM	25	25		18.64		20.00
10	256QAM	50	0		18.61		20.00
Channel				23305	23330	23355	Tune-up limit
Frequency (MHz)				790.5	793	795.5	(dBm)
5	QPSK	1	0	23.60	23.63	23.57	25.00
5	QPSK	1	12	23.44	23.59	23.47	25.00
5	QPSK	1	24	23.52	23.57	23.42	25.00
5	QPSK	12	0	22.37	22.52	22.38	24.00
5	QPSK	12	7	22.40	22.50	22.33	24.00
5	QPSK	12	13	22.37	22.51	22.44	24.00
5	QPSK	25	0	22.35	22.48	22.33	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	16QAM	1	0	22.62	22.68	22.60	24.00
5	16QAM	1	12	22.50	22.63	22.48	24.00
5	16QAM	1	24	22.43	22.60	22.49	24.00
5	16QAM	12	0	21.47	21.54	21.43	23.00
5	16QAM	12	7	21.44	21.54	21.43	23.00
5	16QAM	12	13	21.42	21.51	21.38	23.00
5	16QAM	25	0	21.42	21.51	21.36	23.00
5	64QAM	1	0	21.48	21.58	21.39	23.00
5	64QAM	1	12	21.45	21.57	21.40	23.00
5	64QAM	1	24	21.36	21.51	21.44	23.00
5	64QAM	12	0	20.44	20.56	20.38	22.00
5	64QAM	12	7	20.49	20.53	20.40	22.00
5	64QAM	12	13	20.40	20.47	20.34	22.00
5	64QAM	25	0	20.42	20.47	20.31	22.00
5	256QAM	1	0	18.52	18.60	18.53	20.00
5	256QAM	1	12	18.52	18.58	18.40	20.00
5	256QAM	1	24	18.36	18.50	18.32	20.00
5	256QAM	12	0	18.53	18.62	18.50	20.00
5	256QAM	12	7	18.55	18.63	18.45	20.00
5	256QAM	12	13	18.43	18.59	18.50	20.00
5	256QAM	25	0	18.55	18.59	18.44	20.00

【LTE Band 14 Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					23330		
Frequency (MHz)					793		
10	QPSK	1	0		17.70		18.50
10	QPSK	1	25		17.68		18.50
10	QPSK	1	49		17.64		18.50
10	QPSK	25	0		17.62		18.50
10	QPSK	25	12		17.60		18.50
10	QPSK	25	25		17.57		18.50
10	QPSK	50	0		17.61		18.50
10	16QAM	1	0		17.67		18.50
10	16QAM	1	25		17.61		18.50
10	16QAM	1	49		17.60		18.50
10	16QAM	25	0		17.59		18.50
10	16QAM	25	12		17.54		18.50
10	16QAM	25	25		17.50		18.50
10	16QAM	50	0		17.59		18.50
10	64QAM	1	0		17.52		18.50
10	64QAM	1	25		17.52		18.50
10	64QAM	1	49		17.48		18.50
10	64QAM	25	0		17.46		18.50
10	64QAM	25	12		17.46		18.50
10	64QAM	25	25		17.39		18.50
10	64QAM	50	0		17.45		18.50
10	256QAM	1	0		17.63		18.50
10	256QAM	1	25		17.60		18.50
10	256QAM	1	49		17.53		18.50
10	256QAM	25	0		17.54		18.50
10	256QAM	25	12		17.53		18.50
10	256QAM	25	25		17.47		18.50
10	256QAM	50	0		17.52		18.50
Channel				23305	23330	23355	
Frequency (MHz)				790.5	793	795.5	Tune-up limit (dBm)
5	QPSK	1	0	17.66	17.70	17.69	18.50
5	QPSK	1	12	17.48	17.65	17.57	18.50
5	QPSK	1	24	17.47	17.61	17.49	18.50
5	QPSK	12	0	17.45	17.59	17.57	18.50
5	QPSK	12	7	17.49	17.57	17.53	18.50
5	QPSK	12	13	17.39	17.54	17.41	18.50
5	QPSK	25	0	17.51	17.58	17.53	18.50
5	16QAM	1	0	17.50	17.64	17.52	18.50
5	16QAM	1	12	17.52	17.58	17.46	18.50
5	16QAM	1	24	17.46	17.57	17.51	18.50
5	16QAM	12	0	17.41	17.56	17.45	18.50
5	16QAM	12	7	17.37	17.51	17.38	18.50
5	16QAM	12	13	17.40	17.47	17.37	18.50
5	16QAM	25	0	17.42	17.56	17.43	18.50
5	64QAM	1	0	17.36	17.49	17.37	18.50
5	64QAM	1	12	17.39	17.49	17.36	18.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	64QAM	1	24	17.30	17.45	17.43	18.50
5	64QAM	12	0	17.36	17.43	17.39	18.50
5	64QAM	12	7	17.32	17.43	17.28	18.50
5	64QAM	12	13	17.18	17.36	17.26	18.50
5	64QAM	25	0	17.25	17.42	17.28	18.50
5	256QAM	1	0	17.45	17.60	17.55	18.50
5	256QAM	1	12	17.51	17.57	17.43	18.50
5	256QAM	1	24	17.39	17.50	17.46	18.50
5	256QAM	12	0	17.34	17.51	17.47	18.50
5	256QAM	12	7	17.41	17.50	17.48	18.50
5	256QAM	12	13	17.27	17.44	17.37	18.50
5	256QAM	25	0	17.39	17.49	17.35	18.50

【LTE Band 17_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23780	23790	23800	Tune-up limit (dBm)
Frequency (MHz)				709	710	711	
10	QPSK	1	0	23.01	23.23	23.08	25.00
10	QPSK	1	25	23.00	23.69	23.06	25.00
10	QPSK	1	49	23.00	23.59	23.08	25.00
10	QPSK	25	0	22.01	22.22	22.00	24.00
10	QPSK	25	12	22.17	22.50	22.33	24.00
10	QPSK	25	25	22.29	22.62	22.33	24.00
10	QPSK	50	0	22.14	22.44	22.27	24.00
10	16QAM	1	0	22.02	22.05	22.00	24.00
10	16QAM	1	25	22.44	22.74	22.51	24.00
10	16QAM	1	49	22.29	22.65	22.37	24.00
10	16QAM	25	0	21.11	21.36	21.11	23.00
10	16QAM	25	12	21.22	21.49	21.34	23.00
10	16QAM	25	25	21.37	21.60	21.36	23.00
10	16QAM	50	0	21.16	21.42	21.19	23.00
10	64QAM	1	0	21.00	21.03	21.00	23.00
10	64QAM	1	25	21.35	21.64	21.40	23.00
10	64QAM	1	49	21.27	21.50	21.26	23.00
10	64QAM	25	0	20.05	20.37	20.12	22.00
10	64QAM	25	12	20.42	20.64	20.37	22.00
10	64QAM	25	25	20.56	20.77	20.59	22.00
10	64QAM	50	0	20.20	20.54	20.34	22.00
10	256QAM	1	0	18.01	18.12	18.00	20.00
10	256QAM	1	25	18.32	18.64	18.44	20.00
10	256QAM	1	49	18.31	18.57	18.44	20.00
10	256QAM	25	0	18.03	18.32	18.17	20.00
10	256QAM	25	12	18.30	18.61	18.45	20.00
10	256QAM	25	25	18.45	18.72	18.56	20.00
10	256QAM	50	0	18.22	18.51	18.31	20.00
Channel				23755	23790	23825	Tune-up limit (dBm)
Frequency (MHz)				706.5	710	713.5	
5	QPSK	1	0	23.00	23.18	23.01	25.00
5	QPSK	1	12	23.01	23.23	23.04	25.00
5	QPSK	1	24	23.01	23.23	23.02	25.00
5	QPSK	12	0	22.01	22.18	22.01	24.00
5	QPSK	12	7	22.03	22.40	22.24	24.00
5	QPSK	12	13	22.28	22.49	22.23	24.00
5	QPSK	25	0	22.00	22.31	22.15	24.00
5	16QAM	1	0	22.00	22.00	22.01	24.00
5	16QAM	1	12	22.31	22.63	22.46	24.00
5	16QAM	1	24	22.18	22.51	22.34	24.00
5	16QAM	12	0	21.01	21.26	21.03	23.00
5	16QAM	12	7	21.10	21.36	21.31	23.00
5	16QAM	12	13	21.34	21.59	21.22	23.00
5	16QAM	25	0	21.08	21.29	21.15	23.00
5	64QAM	1	0	21.00	21.02	21.02	23.00
5	64QAM	1	12	21.23	21.62	21.32	23.00
5	64QAM	1	24	21.18	21.44	21.11	23.00
5	64QAM	12	0	20.01	20.26	20.03	22.00
5	64QAM	12	7	20.34	20.52	20.35	22.00
5	64QAM	12	13	20.45	20.69	20.51	22.00
5	64QAM	25	0	20.14	20.45	20.26	22.00
5	256QAM	1	0	18.00	18.00	18.01	20.00
5	256QAM	1	12	18.30	18.51	18.40	20.00
5	256QAM	1	24	18.27	18.47	18.34	20.00
5	256QAM	12	0	18.00	18.26	18.05	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	256QAM	12	7	18.21	18.59	18.44	20.00
5	256QAM	12	13	18.36	18.69	18.55	20.00
5	256QAM	25	0	18.15	18.46	18.27	20.00

【LTE Band 17_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23780	23790	23800	Tune-up limit (dBm)
Frequency (MHz)				709	710	711	
10	QPSK	1	0	19.82	20.14	20.04	21.00
10	QPSK	1	25	19.81	20.75	20.04	21.00
10	QPSK	1	49	19.82	20.68	20.04	21.00
10	QPSK	25	0	19.82	20.33	20.03	21.00
10	QPSK	25	12	19.81	20.61	20.04	21.00
10	QPSK	25	25	19.82	20.71	20.03	21.00
10	QPSK	50	0	19.82	20.54	20.04	21.00
10	16QAM	1	0	19.60	19.93	19.69	21.00
10	16QAM	1	25	19.82	20.73	20.04	21.00
10	16QAM	1	49	19.82	20.65	20.03	21.00
10	16QAM	25	0	19.81	20.30	20.03	21.00
10	16QAM	25	12	19.82	20.57	20.04	21.00
10	16QAM	25	25	19.82	20.65	20.04	21.00
10	16QAM	50	0	19.82	20.51	20.04	21.00
10	64QAM	1	0	19.60	19.95	19.74	21.00
10	64QAM	1	25	19.82	20.70	20.04	21.00
10	64QAM	1	49	19.80	20.62	20.04	21.00
10	64QAM	25	0	19.82	20.27	20.03	21.00
10	64QAM	25	12	19.82	20.55	20.04	21.00
10	64QAM	25	25	19.81	20.64	20.02	21.00
10	64QAM	50	0	19.80	20.50	20.02	21.00
10	256QAM	1	0	18.00	18.25	18.14	20.00
10	256QAM	1	25	18.21	18.61	18.44	20.00
10	256QAM	1	49	18.23	18.56	18.33	20.00
10	256QAM	25	0	18.00	18.32	18.20	20.00
10	256QAM	25	12	18.21	18.59	18.46	20.00
10	256QAM	25	25	18.31	18.72	18.60	20.00
10	256QAM	50	0	18.15	18.50	18.33	20.00
Channel				23755	23790	23825	Tune-up limit (dBm)
Frequency (MHz)				706.5	710	713.5	
5	QPSK	1	0	19.78	20.00	19.94	21.00
5	QPSK	1	12	19.72	20.13	19.99	21.00
5	QPSK	1	24	19.71	20.13	19.97	21.00
5	QPSK	12	0	19.75	20.13	19.93	21.00
5	QPSK	12	7	19.67	20.13	19.91	21.00
5	QPSK	12	13	19.79	20.14	19.97	21.00
5	QPSK	25	0	19.75	20.13	20.02	21.00
5	16QAM	1	0	19.53	19.82	19.64	21.00
5	16QAM	1	12	19.67	20.14	19.97	21.00
5	16QAM	1	24	19.71	20.14	20.01	21.00
5	16QAM	12	0	19.74	20.13	20.01	21.00
5	16QAM	12	7	19.79	20.13	19.95	21.00
5	16QAM	12	13	19.80	20.13	19.96	21.00
5	16QAM	25	0	19.78	20.13	19.94	21.00
5	64QAM	1	0	19.47	19.87	19.69	21.00
5	64QAM	1	12	19.77	20.13	19.89	21.00
5	64QAM	1	24	19.71	20.13	19.90	21.00
5	64QAM	12	0	19.69	20.12	19.95	21.00
5	64QAM	12	7	19.70	20.14	19.93	21.00
5	64QAM	12	13	19.79	20.13	19.89	21.00
5	64QAM	25	0	19.78	20.14	19.89	21.00
5	256QAM	1	0	18.02	18.23	18.05	20.00
5	256QAM	1	12	18.15	18.56	18.40	20.00
5	256QAM	1	24	18.09	18.43	18.26	20.00
5	256QAM	12	0	18.00	18.18	18.06	20.00
5	256QAM	12	7	18.13	18.52	18.32	20.00
5	256QAM	12	13	18.29	18.64	18.56	20.00
5	256QAM	25	0	18.12	18.36	18.22	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

【LTE Band 25_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	Tune-up limit (dBm)
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	23.40	23.50	23.38	25.00
20	QPSK	1	49	23.28	23.47	23.20	25.00
20	QPSK	1	99	23.17	23.38	23.23	25.00
20	QPSK	50	0	22.41	22.60	22.42	24.00
20	QPSK	50	24	22.38	22.58	22.32	24.00
20	QPSK	50	50	22.23	22.41	22.22	24.00
20	QPSK	100	0	22.45	22.60	22.47	24.00
20	16QAM	1	0	22.54	22.70	22.55	24.00
20	16QAM	1	49	22.40	22.63	22.42	24.00
20	16QAM	1	99	22.29	22.42	22.25	24.00
20	16QAM	50	0	21.51	21.63	21.45	23.00
20	16QAM	50	24	21.44	21.57	21.38	23.00
20	16QAM	50	50	21.44	21.59	21.40	23.00
20	16QAM	100	0	21.43	21.61	21.42	23.00
20	64QAM	1	0	21.46	21.58	21.37	23.00
20	64QAM	1	49	21.31	21.50	21.36	23.00
20	64QAM	1	99	21.34	21.50	21.37	23.00
20	64QAM	50	0	20.37	20.58	20.42	22.00
20	64QAM	50	24	20.39	20.52	20.39	22.00
20	64QAM	50	50	20.32	20.56	20.37	22.00
20	64QAM	100	0	20.40	20.56	20.33	22.00
20	256QAM	1	0	18.19	18.36	18.25	20.00
20	256QAM	1	49	18.36	18.45	18.21	20.00
20	256QAM	1	99	18.20	18.37	18.13	20.00
20	256QAM	50	0	18.42	18.51	18.27	20.00
20	256QAM	50	24	18.33	18.50	18.30	20.00
20	256QAM	50	50	18.39	18.51	18.37	20.00
20	256QAM	100	0	18.32	18.52	18.39	20.00
Channel				26115	26340	26615	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1907.5	
15	QPSK	1	0	23.33	23.41	23.27	25.00
15	QPSK	1	37	23.18	23.40	23.07	25.00
15	QPSK	1	74	23.09	23.25	23.09	25.00
15	QPSK	36	0	22.32	22.57	22.37	24.00
15	QPSK	36	20	22.36	22.50	22.24	24.00
15	QPSK	36	39	22.08	22.40	22.15	24.00
15	QPSK	75	0	22.38	22.53	22.37	24.00
15	16QAM	1	0	22.53	22.55	22.46	24.00
15	16QAM	1	37	22.30	22.61	22.38	24.00
15	16QAM	1	74	22.16	22.39	22.21	24.00
15	16QAM	36	0	21.37	21.51	21.34	23.00
15	16QAM	36	20	21.39	21.50	21.33	23.00
15	16QAM	36	39	21.40	21.57	21.27	23.00
15	16QAM	75	0	21.36	21.51	21.37	23.00
15	64QAM	1	0	21.38	21.47	21.23	23.00
15	64QAM	1	37	21.21	21.43	21.23	23.00
15	64QAM	1	74	21.28	21.40	21.28	23.00
15	64QAM	36	0	20.35	20.45	20.37	22.00
15	64QAM	36	20	20.30	20.45	20.31	22.00
15	64QAM	36	39	20.17	20.46	20.30	22.00
15	64QAM	75	0	20.32	20.45	20.21	22.00
15	256QAM	1	0	18.17	18.30	18.21	20.00
15	256QAM	1	37	18.33	18.43	18.19	20.00
15	256QAM	1	74	18.07	18.24	18.08	20.00
15	256QAM	36	0	18.29	18.45	18.12	20.00
15	256QAM	36	20	18.22	18.37	18.18	20.00
15	256QAM	36	39	18.27	18.45	18.23	20.00
15	256QAM	75	0	18.31	18.46	18.34	20.00
Channel				26090	26340	26640	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1910	
10	QPSK	1	0	23.36	23.49	23.32	25.00
10	QPSK	1	25	23.24	23.46	23.08	25.00
10	QPSK	1	49	23.09	23.31	23.15	25.00
10	QPSK	25	0	22.38	22.45	22.35	24.00
10	QPSK	25	12	22.28	22.56	22.24	24.00
10	QPSK	25	25	22.19	22.36	22.20	24.00
10	QPSK	50	0	22.33	22.56	22.37	24.00
10	16QAM	1	0	22.50	22.55	22.52	24.00
10	16QAM	1	25	22.34	22.49	22.33	24.00
10	16QAM	1	49	22.23	22.35	22.24	24.00
10	16QAM	25	0	21.43	21.54	21.34	23.00
10	16QAM	25	12	21.30	21.50	21.33	23.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	16QAM	25	25	21.37	21.50	21.36	23.00
10	16QAM	50	0	21.42	21.52	21.39	23.00
10	64QAM	1	0	21.38	21.57	21.29	23.00
10	64QAM	1	25	21.17	21.37	21.29	23.00
10	64QAM	1	49	21.32	21.37	21.25	23.00
10	64QAM	25	0	20.35	20.51	20.34	22.00
10	64QAM	25	12	20.36	20.43	20.26	22.00
10	64QAM	25	25	20.26	20.45	20.35	22.00
10	64QAM	50	0	20.29	20.42	20.30	22.00
10	256QAM	1	0	18.06	18.29	18.20	20.00
10	256QAM	1	25	18.34	18.36	18.07	20.00
10	256QAM	1	49	18.15	18.33	18.03	20.00
10	256QAM	25	0	18.36	18.46	18.21	20.00
10	256QAM	25	12	18.24	18.43	18.25	20.00
10	256QAM	25	25	18.36	18.41	18.31	20.00
10	256QAM	50	0	18.17	18.50	18.34	20.00
Channel				26065	26340	26665	Tune-up limit
Frequency (MHz)				1852.5	1880	1912.5	(dBm)
5	QPSK	1	0	23.34	23.37	23.27	25.00
5	QPSK	1	12	23.20	23.36	23.10	25.00
5	QPSK	1	24	23.05	23.25	23.20	25.00
5	QPSK	12	0	22.39	22.56	22.39	24.00
5	QPSK	12	7	22.26	22.47	22.29	24.00
5	QPSK	12	13	22.10	22.33	22.18	24.00
5	QPSK	25	0	22.43	22.52	22.37	24.00
5	16QAM	1	0	22.42	22.65	22.49	24.00
5	16QAM	1	12	22.39	22.52	22.27	24.00
5	16QAM	1	24	22.23	22.33	22.16	24.00
5	16QAM	12	0	21.38	21.59	21.33	23.00
5	16QAM	12	7	21.30	21.44	21.29	23.00
5	16QAM	12	13	21.34	21.44	21.34	23.00
5	16QAM	25	0	21.36	21.50	21.28	23.00
5	64QAM	1	0	21.39	21.44	21.31	23.00
5	64QAM	1	12	21.27	21.41	21.23	23.00
5	64QAM	1	24	21.29	21.36	21.22	23.00
5	64QAM	12	0	20.24	20.54	20.30	22.00
5	64QAM	12	7	20.37	20.43	20.33	22.00
5	64QAM	12	13	20.18	20.53	20.27	22.00
5	64QAM	25	0	20.31	20.54	20.20	22.00
5	256QAM	1	0	18.07	18.33	18.19	20.00
5	256QAM	1	12	18.22	18.35	18.10	20.00
5	256QAM	1	24	18.12	18.33	18.07	20.00
5	256QAM	12	0	18.27	18.39	18.18	20.00
5	256QAM	12	7	18.19	18.42	18.16	20.00
5	256QAM	12	13	18.36	18.45	18.25	20.00
5	256QAM	25	0	18.26	18.50	18.24	20.00
Channel				26055	26340	26675	Tune-up limit
Frequency (MHz)				1851.5	1880	1913.5	(dBm)
3	QPSK	1	0	23.37	23.47	23.27	25.00
3	QPSK	1	8	23.18	23.37	23.14	25.00
3	QPSK	1	14	23.02	23.23	23.09	25.00
3	QPSK	8	0	22.29	22.50	22.36	24.00
3	QPSK	8	4	22.27	22.46	22.28	24.00
3	QPSK	8	7	22.11	22.35	22.20	24.00
3	QPSK	15	0	22.44	22.51	22.41	24.00
3	16QAM	1	0	22.42	22.65	22.42	24.00
3	16QAM	1	8	22.29	22.60	22.38	24.00
3	16QAM	1	14	22.25	22.34	22.10	24.00
3	16QAM	8	0	21.38	21.54	21.36	23.00
3	16QAM	8	4	21.40	21.55	21.35	23.00
3	16QAM	8	7	21.36	21.54	21.28	23.00
3	16QAM	15	0	21.40	21.58	21.36	23.00
3	64QAM	1	0	21.45	21.55	21.24	23.00
3	64QAM	1	8	21.23	21.37	21.23	23.00
3	64QAM	1	14	21.20	21.40	21.35	23.00
3	64QAM	8	0	20.28	20.54	20.41	22.00
3	64QAM	8	4	20.34	20.49	20.30	22.00
3	64QAM	8	7	20.28	20.44	20.30	22.00
3	64QAM	15	0	20.37	20.43	20.26	22.00
3	256QAM	1	0	18.12	18.23	18.16	20.00
3	256QAM	1	8	18.34	18.41	18.15	20.00
3	256QAM	1	14	18.14	18.30	18.01	20.00
3	256QAM	8	0	18.40	18.38	18.15	20.00
3	256QAM	8	4	18.22	18.36	18.19	20.00
3	256QAM	8	7	18.27	18.47	18.27	20.00
3	256QAM	15	0	18.24	18.41	18.34	20.00
Channel				26047	26340	26683	Tune-up limit
Frequency (MHz)				1850.7	1880	1914.3	(dBm)



FCC SAR TEST REPORT

Report No. : FA5D2601-04

1.4	QPSK	1	0	23.35	23.42	23.26	25.00
1.4	QPSK	1	3	23.22	23.33	23.05	25.00
1.4	QPSK	1	5	23.10	23.29	23.20	25.00
1.4	QPSK	3	0	23.33	23.49	23.38	25.00
1.4	QPSK	3	1	23.33	23.49	23.26	25.00
1.4	QPSK	3	3	23.15	23.29	23.14	25.00
1.4	QPSK	6	0	22.31	22.46	22.46	24.00
1.4	16QAM	1	0	22.42	22.66	22.45	24.00
1.4	16QAM	1	3	22.37	22.57	22.33	24.00
1.4	16QAM	1	5	22.15	22.32	22.17	24.00
1.4	16QAM	3	0	22.48	22.61	22.41	24.00
1.4	16QAM	3	1	22.34	22.45	22.24	24.00
1.4	16QAM	3	3	22.31	22.53	22.26	24.00
1.4	16QAM	6	0	21.42	21.52	21.37	23.00
1.4	64QAM	1	0	21.43	21.55	21.30	23.00
1.4	64QAM	1	3	21.29	21.48	21.27	23.00
1.4	64QAM	1	5	21.26	21.49	21.30	23.00
1.4	64QAM	3	0	21.31	21.47	21.38	23.00
1.4	64QAM	3	1	21.26	21.42	21.26	23.00
1.4	64QAM	3	3	21.18	21.54	21.23	23.00
1.4	64QAM	6	0	20.33	20.41	20.24	22.00
1.4	256QAM	1	0	18.13	18.29	18.14	20.00
1.4	256QAM	1	3	18.22	18.39	18.06	20.00
1.4	256QAM	1	5	18.07	18.31	18.00	20.00
1.4	256QAM	3	0	18.40	18.39	18.18	20.00
1.4	256QAM	3	1	18.20	18.46	18.27	20.00
1.4	256QAM	3	3	18.37	18.49	18.32	20.00
1.4	256QAM	6	0	18.29	18.47	18.26	20.00

【LTE Band 25_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	Tune-up limit (dBm)
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	23.61	23.63	23.50	25.00
20	QPSK	1	49	23.45	23.59	23.45	25.00
20	QPSK	1	99	23.47	23.50	23.45	25.00
20	QPSK	50	0	22.45	22.53	22.47	24.00
20	QPSK	50	24	22.45	22.51	22.46	24.00
20	QPSK	50	50	22.45	22.47	22.45	24.00
20	QPSK	100	0	22.46	22.54	22.45	24.00
20	16QAM	1	0	22.59	22.66	22.45	24.00
20	16QAM	1	49	22.55	22.64	22.46	24.00
20	16QAM	1	99	22.45	22.54	22.46	24.00
20	16QAM	50	0	21.60	21.72	21.48	23.00
20	16QAM	50	24	21.60	21.70	21.46	23.00
20	16QAM	50	50	21.55	21.67	21.48	23.00
20	16QAM	100	0	21.58	21.73	21.52	23.00
20	64QAM	1	0	21.70	21.75	21.53	23.00
20	64QAM	1	49	21.67	21.73	21.46	23.00
20	64QAM	1	99	21.46	21.58	21.45	23.00
20	64QAM	50	0	20.60	20.69	20.54	22.00
20	64QAM	50	24	20.60	20.68	20.53	22.00
20	64QAM	50	50	20.55	20.65	20.48	22.00
20	64QAM	100	0	20.52	20.68	20.46	22.00
20	256QAM	1	0	18.52	18.57	18.45	20.00
20	256QAM	1	49	18.46	18.55	18.45	20.00
20	256QAM	1	99	18.45	18.47	18.47	20.00
20	256QAM	50	0	18.52	18.63	18.45	20.00
20	256QAM	50	24	18.58	18.62	18.47	20.00
20	256QAM	50	50	18.49	18.55	18.45	20.00
20	256QAM	100	0	18.49	18.54	18.45	20.00
Channel				26115	26340	26615	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1907.5	
15	QPSK	1	0	23.50	23.57	23.46	25.00
15	QPSK	1	37	23.42	23.45	23.37	25.00
15	QPSK	1	74	23.32	23.38	23.38	25.00
15	QPSK	36	0	22.35	22.45	22.39	24.00
15	QPSK	36	20	22.31	22.45	22.34	24.00
15	QPSK	36	39	22.37	22.37	22.35	24.00
15	QPSK	75	0	22.37	22.45	22.35	24.00
15	16QAM	1	0	22.53	22.63	22.31	24.00
15	16QAM	1	37	22.52	22.61	22.45	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	16QAM	1	74	22.35	22.43	22.36	24.00
15	16QAM	36	0	21.58	21.60	21.46	23.00
15	16QAM	36	20	21.51	21.59	21.43	23.00
15	16QAM	36	39	21.45	21.61	21.34	23.00
15	16QAM	75	0	21.49	21.65	21.46	23.00
15	64QAM	1	0	21.58	21.62	21.38	23.00
15	64QAM	1	37	21.57	21.66	21.39	23.00
15	64QAM	1	74	21.37	21.55	21.30	23.00
15	64QAM	36	0	20.58	20.56	20.42	22.00
15	64QAM	36	20	20.50	20.66	20.44	22.00
15	64QAM	36	39	20.52	20.61	20.42	22.00
15	64QAM	75	0	20.40	20.60	20.39	22.00
15	256QAM	1	0	18.48	18.55	18.34	20.00
15	256QAM	1	37	18.41	18.41	18.33	20.00
15	256QAM	1	74	18.42	18.34	18.33	20.00
15	256QAM	36	0	18.49	18.58	18.38	20.00
15	256QAM	36	20	18.44	18.51	18.36	20.00
15	256QAM	36	39	18.39	18.52	18.35	20.00
15	256QAM	75	0	18.46	18.43	18.39	20.00
Channel				26090	26340	26640	Tune-up limit
Frequency (MHz)				1855	1880	1910	(dBm)
10	QPSK	1	0	23.59	23.56	23.38	25.00
10	QPSK	1	25	23.34	23.55	23.37	25.00
10	QPSK	1	49	23.40	23.36	23.36	25.00
10	QPSK	25	0	22.40	22.44	22.45	24.00
10	QPSK	25	12	22.30	22.39	22.35	24.00
10	QPSK	25	25	22.40	22.33	22.42	24.00
10	QPSK	50	0	22.38	22.44	22.43	24.00
10	16QAM	1	0	22.53	22.52	22.34	24.00
10	16QAM	1	25	22.49	22.59	22.42	24.00
10	16QAM	1	49	22.41	22.53	22.40	24.00
10	16QAM	25	0	21.46	21.62	21.37	23.00
10	16QAM	25	12	21.50	21.55	21.35	23.00
10	16QAM	25	25	21.52	21.61	21.46	23.00
10	16QAM	50	0	21.49	21.63	21.42	23.00
10	64QAM	1	0	21.56	21.64	21.46	23.00
10	64QAM	1	25	21.61	21.66	21.42	23.00
10	64QAM	1	49	21.32	21.56	21.36	23.00
10	64QAM	25	0	20.55	20.58	20.44	22.00
10	64QAM	25	12	20.53	20.62	20.43	22.00
10	64QAM	25	25	20.53	20.52	20.46	22.00
10	64QAM	50	0	20.41	20.65	20.44	22.00
10	256QAM	1	0	18.45	18.44	18.43	20.00
10	256QAM	1	25	18.35	18.44	18.32	20.00
10	256QAM	1	49	18.36	18.33	18.38	20.00
10	256QAM	25	0	18.46	18.55	18.40	20.00
10	256QAM	25	12	18.53	18.58	18.44	20.00
10	256QAM	25	25	18.47	18.50	18.34	20.00
10	256QAM	50	0	18.41	18.52	18.36	20.00
Channel				26065	26340	26665	Tune-up limit
Frequency (MHz)				1852.5	1880	1912.5	(dBm)
5	QPSK	1	0	23.47	23.49	23.37	25.00
5	QPSK	1	12	23.44	23.51	23.38	25.00
5	QPSK	1	24	23.40	23.45	23.33	25.00
5	QPSK	12	0	22.31	22.51	22.39	24.00
5	QPSK	12	7	22.40	22.48	22.41	24.00
5	QPSK	12	13	22.32	22.37	22.38	24.00
5	QPSK	25	0	22.35	22.45	22.31	24.00
5	16QAM	1	0	22.54	22.64	22.38	24.00
5	16QAM	1	12	22.45	22.57	22.41	24.00
5	16QAM	1	24	22.40	22.45	22.34	24.00
5	16QAM	12	0	21.54	21.68	21.46	23.00
5	16QAM	12	7	21.57	21.59	21.43	23.00
5	16QAM	12	13	21.48	21.55	21.47	23.00
5	16QAM	25	0	21.47	21.58	21.47	23.00
5	64QAM	1	0	21.56	21.63	21.39	23.00
5	64QAM	1	12	21.60	21.64	21.43	23.00
5	64QAM	1	24	21.37	21.54	21.34	23.00
5	64QAM	12	0	20.59	20.64	20.42	22.00
5	64QAM	12	7	20.45	20.57	20.49	22.00
5	64QAM	12	13	20.40	20.59	20.46	22.00
5	64QAM	25	0	20.50	20.59	20.32	22.00
5	256QAM	1	0	18.49	18.55	18.30	20.00
5	256QAM	1	12	18.38	18.43	18.34	20.00
5	256QAM	1	24	18.32	18.39	18.35	20.00
5	256QAM	12	0	18.48	18.56	18.31	20.00
5	256QAM	12	7	18.51	18.57	18.43	20.00
5	256QAM	12	13	18.37	18.51	18.41	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	256QAM	25	0	18.44	18.39	18.35	20.00
Channel				26055	26340	26675	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1913.5	
3	QPSK	1	0	23.57	23.49	23.44	25.00
3	QPSK	1	8	23.35	23.50	23.31	25.00
3	QPSK	1	14	23.37	23.36	23.35	25.00
3	QPSK	8	0	22.39	22.51	22.43	24.00
3	QPSK	8	4	22.37	22.39	22.43	24.00
3	QPSK	8	7	22.39	22.43	22.36	24.00
3	QPSK	15	0	22.32	22.51	22.32	24.00
3	16QAM	1	0	22.48	22.59	22.34	24.00
3	16QAM	1	8	22.51	22.57	22.33	24.00
3	16QAM	1	14	22.35	22.44	22.40	24.00
3	16QAM	8	0	21.50	21.65	21.39	23.00
3	16QAM	8	4	21.51	21.61	21.40	23.00
3	16QAM	8	7	21.52	21.52	21.41	23.00
3	16QAM	15	0	21.51	21.65	21.37	23.00
3	64QAM	1	0	21.57	21.62	21.38	23.00
3	64QAM	1	8	21.55	21.64	21.36	23.00
3	64QAM	1	14	21.43	21.43	21.34	23.00
3	64QAM	8	0	20.48	20.63	20.50	22.00
3	64QAM	8	4	20.46	20.61	20.42	22.00
3	64QAM	8	7	20.50	20.63	20.36	22.00
3	64QAM	15	0	20.48	20.55	20.44	22.00
3	256QAM	1	0	18.41	18.46	18.44	20.00
3	256QAM	1	8	18.42	18.52	18.37	20.00
3	256QAM	1	14	18.39	18.33	18.36	20.00
3	256QAM	8	0	18.48	18.54	18.35	20.00
3	256QAM	8	4	18.49	18.47	18.44	20.00
3	256QAM	8	7	18.48	18.49	18.38	20.00
3	256QAM	15	0	18.44	18.49	18.38	20.00
Channel				26047	26340	26683	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1914.3	
1.4	QPSK	1	0	23.57	23.59	23.38	25.00
1.4	QPSK	1	3	23.40	23.46	23.37	25.00
1.4	QPSK	1	5	23.39	23.46	23.37	25.00
1.4	QPSK	3	0	23.41	23.39	23.35	25.00
1.4	QPSK	3	1	23.33	23.37	23.33	25.00
1.4	QPSK	3	3	23.32	23.37	23.43	25.00
1.4	QPSK	6	0	22.40	22.41	22.43	24.00
1.4	16QAM	1	0	22.58	22.52	22.41	24.00
1.4	16QAM	1	3	22.52	22.51	22.41	24.00
1.4	16QAM	1	5	22.36	22.42	22.39	24.00
1.4	16QAM	3	0	22.50	22.60	22.42	24.00
1.4	16QAM	3	1	22.52	22.60	22.36	24.00
1.4	16QAM	3	3	22.45	22.54	22.38	24.00
1.4	16QAM	6	0	21.46	21.63	21.39	23.00
1.4	64QAM	1	0	21.66	21.63	21.41	23.00
1.4	64QAM	1	3	21.57	21.59	21.34	23.00
1.4	64QAM	1	5	21.36	21.55	21.43	23.00
1.4	64QAM	3	0	21.49	21.55	21.42	23.00
1.4	64QAM	3	1	21.53	21.57	21.51	23.00
1.4	64QAM	3	3	21.48	21.61	21.46	23.00
1.4	64QAM	6	0	20.48	20.58	20.34	22.00
1.4	256QAM	1	0	18.48	18.50	18.41	20.00
1.4	256QAM	1	3	18.37	18.42	18.41	20.00
1.4	256QAM	1	5	18.31	18.36	18.35	20.00
1.4	256QAM	3	0	18.48	18.51	18.32	20.00
1.4	256QAM	3	1	18.53	18.56	18.36	20.00
1.4	256QAM	3	3	18.38	18.47	18.36	20.00
1.4	256QAM	6	0	18.37	18.49	18.41	20.00

【LTE Band 25_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	18.40	18.53	18.49	19.00
20	QPSK	1	49	18.29	18.51	18.33	19.00
20	QPSK	1	99	18.16	18.43	18.29	19.00
20	QPSK	50	0	18.28	18.52	18.34	19.00
20	QPSK	50	24	18.28	18.51	18.36	19.00
20	QPSK	50	50	18.24	18.48	18.31	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	QPSK	100	0	18.34	18.50	18.41	19.00
20	16QAM	1	0	18.26	18.50	18.33	19.00
20	16QAM	1	49	18.29	18.44	18.26	19.00
20	16QAM	1	99	18.20	18.40	18.31	19.00
20	16QAM	50	0	18.32	18.48	18.39	19.00
20	16QAM	50	24	18.24	18.46	18.29	19.00
20	16QAM	50	50	18.16	18.44	18.28	19.00
20	16QAM	100	0	18.18	18.45	18.36	19.00
20	64QAM	1	0	18.16	18.37	18.21	19.00
20	64QAM	1	49	18.21	18.36	18.21	19.00
20	64QAM	1	99	17.99	18.26	18.11	19.00
20	64QAM	50	0	18.13	18.39	18.33	19.00
20	64QAM	50	24	18.18	18.37	18.28	19.00
20	64QAM	50	50	18.12	18.32	18.24	19.00
20	64QAM	100	0	18.10	18.34	18.19	19.00
20	256QAM	1	0	18.16	18.34	18.25	19.00
20	256QAM	1	49	18.11	18.35	18.28	19.00
20	256QAM	1	99	18.09	18.26	18.16	19.00
20	256QAM	50	0	18.17	18.35	18.28	19.00
20	256QAM	50	24	18.14	18.36	18.19	19.00
20	256QAM	50	50	18.13	18.31	18.17	19.00
20	256QAM	100	0	18.10	18.32	18.16	19.00
Channel				26115	26340	26615	Tune-up limit
Frequency (MHz)				1857.5	1880	1907.5	(dBm)
15	QPSK	1	0	18.33	18.38	18.40	19.00
15	QPSK	1	37	18.18	18.40	18.19	19.00
15	QPSK	1	74	18.04	18.33	18.23	19.00
15	QPSK	36	0	18.25	18.37	18.28	19.00
15	QPSK	36	20	18.24	18.42	18.33	19.00
15	QPSK	36	39	18.12	18.39	18.19	19.00
15	QPSK	75	0	18.32	18.36	18.28	19.00
15	16QAM	1	0	18.12	18.47	18.21	19.00
15	16QAM	1	37	18.25	18.42	18.17	19.00
15	16QAM	1	74	18.07	18.26	18.27	19.00
15	16QAM	36	0	18.27	18.37	18.30	19.00
15	16QAM	36	20	18.14	18.39	18.20	19.00
15	16QAM	36	39	18.12	18.35	18.26	19.00
15	16QAM	75	0	18.07	18.35	18.25	19.00
15	64QAM	1	0	18.15	18.26	18.13	19.00
15	64QAM	1	37	18.18	18.31	18.11	19.00
15	64QAM	1	74	17.88	18.21	18.08	19.00
15	64QAM	36	0	18.03	18.28	18.19	19.00
15	64QAM	36	20	18.10	18.29	18.21	19.00
15	64QAM	36	39	18.10	18.26	18.19	19.00
15	64QAM	75	0	18.08	18.26	18.05	19.00
15	256QAM	1	0	18.01	18.25	18.11	19.00
15	256QAM	1	37	18.10	18.32	18.24	19.00
15	256QAM	1	74	18.05	18.23	18.11	19.00
15	256QAM	36	0	18.10	18.21	18.15	19.00
15	256QAM	36	20	18.06	18.31	18.11	19.00
15	256QAM	36	39	17.99	18.29	18.13	19.00
15	256QAM	75	0	17.96	18.20	18.12	19.00
Channel				26090	26340	26640	Tune-up limit
Frequency (MHz)				1855	1880	1910	(dBm)
10	QPSK	1	0	18.30	18.50	18.35	19.00
10	QPSK	1	25	18.17	18.48	18.24	19.00
10	QPSK	1	49	18.06	18.41	18.21	19.00
10	QPSK	25	0	18.22	18.42	18.25	19.00
10	QPSK	25	12	18.13	18.48	18.28	19.00
10	QPSK	25	25	18.09	18.43	18.22	19.00
10	QPSK	50	0	18.31	18.35	18.31	19.00
10	16QAM	1	0	18.18	18.48	18.27	19.00
10	16QAM	1	25	18.26	18.40	18.21	19.00
10	16QAM	1	49	18.12	18.27	18.24	19.00
10	16QAM	25	0	18.31	18.39	18.25	19.00
10	16QAM	25	12	18.12	18.37	18.14	19.00
10	16QAM	25	25	18.12	18.40	18.19	19.00
10	16QAM	50	0	18.10	18.33	18.23	19.00
10	64QAM	1	0	18.06	18.35	18.16	19.00
10	64QAM	1	25	18.14	18.28	18.14	19.00
10	64QAM	1	49	17.97	18.19	18.07	19.00
10	64QAM	25	0	18.04	18.26	18.27	19.00
10	64QAM	25	12	18.17	18.24	18.20	19.00
10	64QAM	25	25	18.09	18.26	18.17	19.00
10	64QAM	50	0	17.98	18.29	18.17	19.00
10	256QAM	1	0	18.11	18.24	18.18	19.00
10	256QAM	1	25	18.01	18.26	18.18	19.00
10	256QAM	1	49	18.06	18.24	18.15	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	256QAM	25	0	18.14	18.23	18.17	19.00
10	256QAM	25	12	18.08	18.33	18.15	19.00
10	256QAM	25	25	17.99	18.28	18.15	19.00
10	256QAM	50	0	17.95	18.23	18.07	19.00
Channel				26065	26340	26665	Tune-up limit
Frequency (MHz)				1852.5	1880	1912.5	(dBm)
5	QPSK	1	0	18.28	18.49	18.41	19.00
5	QPSK	1	12	18.25	18.41	18.22	19.00
5	QPSK	1	24	18.05	18.39	18.16	19.00
5	QPSK	12	0	18.19	18.41	18.25	19.00
5	QPSK	12	7	18.17	18.47	18.24	19.00
5	QPSK	12	13	18.21	18.35	18.25	19.00
5	QPSK	25	0	18.21	18.36	18.31	19.00
5	16QAM	1	0	18.14	18.48	18.20	19.00
5	16QAM	1	12	18.22	18.29	18.20	19.00
5	16QAM	1	24	18.07	18.26	18.22	19.00
5	16QAM	12	0	18.19	18.41	18.36	19.00
5	16QAM	12	7	18.14	18.43	18.23	19.00
5	16QAM	12	13	18.03	18.35	18.23	19.00
5	16QAM	25	0	18.08	18.38	18.28	19.00
5	64QAM	1	0	18.14	18.34	18.08	19.00
5	64QAM	1	12	18.06	18.32	18.14	19.00
5	64QAM	1	24	17.86	18.14	18.09	19.00
5	64QAM	12	0	18.04	18.26	18.29	19.00
5	64QAM	12	7	18.16	18.32	18.14	19.00
5	64QAM	12	13	18.10	18.27	18.10	19.00
5	64QAM	25	0	18.07	18.31	18.13	19.00
5	256QAM	1	0	18.13	18.22	18.15	19.00
5	256QAM	1	12	18.07	18.26	18.24	19.00
5	256QAM	1	24	18.01	18.12	18.11	19.00
5	256QAM	12	0	18.12	18.30	18.21	19.00
5	256QAM	12	7	18.04	18.33	18.05	19.00
5	256QAM	12	13	18.07	18.29	18.06	19.00
5	256QAM	25	0	18.04	18.18	18.05	19.00
Channel				26055	26340	26675	Tune-up limit
Frequency (MHz)				1851.5	1880	1913.5	(dBm)
3	QPSK	1	0	18.26	18.44	18.39	19.00
3	QPSK	1	8	18.20	18.42	18.22	19.00
3	QPSK	1	14	18.07	18.38	18.27	19.00
3	QPSK	8	0	18.19	18.51	18.29	19.00
3	QPSK	8	4	18.13	18.43	18.35	19.00
3	QPSK	8	7	18.14	18.44	18.19	19.00
3	QPSK	15	0	18.22	18.36	18.39	19.00
3	16QAM	1	0	18.20	18.41	18.20	19.00
3	16QAM	1	8	18.20	18.43	18.25	19.00
3	16QAM	1	14	18.12	18.25	18.21	19.00
3	16QAM	8	0	18.18	18.46	18.35	19.00
3	16QAM	8	4	18.23	18.44	18.17	19.00
3	16QAM	8	7	18.08	18.36	18.17	19.00
3	16QAM	15	0	18.14	18.32	18.33	19.00
3	64QAM	1	0	18.06	18.33	18.17	19.00
3	64QAM	1	8	18.10	18.31	18.12	19.00
3	64QAM	1	14	17.92	18.14	18.08	19.00
3	64QAM	8	0	18.11	18.32	18.25	19.00
3	64QAM	8	4	18.12	18.26	18.27	19.00
3	64QAM	8	7	18.10	18.19	18.12	19.00
3	64QAM	15	0	18.00	18.23	18.12	19.00
3	256QAM	1	0	18.10	18.27	18.22	19.00
3	256QAM	1	8	18.02	18.30	18.25	19.00
3	256QAM	1	14	18.06	18.12	18.11	19.00
3	256QAM	8	0	18.13	18.25	18.22	19.00
3	256QAM	8	4	18.10	18.25	18.16	19.00
3	256QAM	8	7	18.01	18.30	18.02	19.00
3	256QAM	15	0	18.07	18.20	18.10	19.00
Channel				26047	26340	26683	Tune-up limit
Frequency (MHz)				1850.7	1880	1914.3	(dBm)
1.4	QPSK	1	0	18.26	18.43	18.39	19.00
1.4	QPSK	1	3	18.22	18.47	18.23	19.00
1.4	QPSK	1	5	18.12	18.37	18.18	19.00
1.4	QPSK	3	0	18.22	18.37	18.28	19.00
1.4	QPSK	3	1	18.23	18.43	18.34	19.00
1.4	QPSK	3	3	18.18	18.46	18.19	19.00
1.4	QPSK	6	0	18.19	18.35	18.34	19.00
1.4	16QAM	1	0	18.19	18.40	18.25	19.00
1.4	16QAM	1	3	18.25	18.38	18.21	19.00
1.4	16QAM	1	5	18.07	18.27	18.22	19.00
1.4	16QAM	3	0	18.20	18.41	18.26	19.00
1.4	16QAM	3	1	18.15	18.38	18.25	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

1.4	16QAM	3	3	18.12	18.33	18.27	19.00
1.4	16QAM	6	0	18.04	18.38	18.23	19.00
1.4	64QAM	1	0	18.13	18.26	18.08	19.00
1.4	64QAM	1	3	18.19	18.33	18.14	19.00
1.4	64QAM	1	5	17.92	18.22	18.06	19.00
1.4	64QAM	3	0	17.99	18.24	18.18	19.00
1.4	64QAM	3	1	18.13	18.30	18.23	19.00
1.4	64QAM	3	3	18.07	18.23	18.15	19.00
1.4	64QAM	6	0	18.00	18.30	18.05	19.00
1.4	256QAM	1	0	18.04	18.25	18.20	19.00
1.4	256QAM	1	3	18.06	18.21	18.15	19.00
1.4	256QAM	1	5	17.98	18.24	18.01	19.00
1.4	256QAM	3	0	18.04	18.26	18.19	19.00
1.4	256QAM	3	1	18.00	18.29	18.16	19.00
1.4	256QAM	3	3	18.07	18.24	18.09	19.00
1.4	256QAM	6	0	17.95	18.24	18.09	19.00

【LTE Band 25_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	Tune-up limit (dBm)
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	19.71	19.84	19.60	20.00
20	QPSK	1	49	19.55	19.72	19.51	20.00
20	QPSK	1	99	19.54	19.63	19.35	20.00
20	QPSK	50	0	19.63	19.72	19.54	20.00
20	QPSK	50	24	19.59	19.70	19.47	20.00
20	QPSK	50	50	19.61	19.70	19.54	20.00
20	QPSK	100	0	19.56	19.68	19.43	20.00
20	16QAM	1	0	19.57	19.64	19.42	20.00
20	16QAM	1	49	19.53	19.66	19.45	20.00
20	16QAM	1	99	19.39	19.49	19.27	20.00
20	16QAM	50	0	19.62	19.67	19.42	20.00
20	16QAM	50	24	19.58	19.64	19.47	20.00
20	16QAM	50	50	19.50	19.63	19.45	20.00
20	16QAM	100	0	19.48	19.61	19.41	20.00
20	64QAM	1	0	19.47	19.58	19.32	20.00
20	64QAM	1	49	19.50	19.57	19.41	20.00
20	64QAM	1	99	19.32	19.46	19.31	20.00
20	64QAM	50	0	19.54	19.64	19.37	20.00
20	64QAM	50	24	19.48	19.60	19.33	20.00
20	64QAM	50	50	19.48	19.58	19.35	20.00
20	64QAM	100	0	19.48	19.55	19.30	20.00
20	256QAM	1	0	19.49	19.56	19.27	20.00
20	256QAM	1	49	19.42	19.57	19.30	20.00
20	256QAM	1	99	19.39	19.52	19.33	20.00
20	256QAM	50	0	19.36	19.53	19.36	20.00
20	256QAM	50	24	19.47	19.57	19.37	20.00
20	256QAM	50	50	19.45	19.57	19.36	20.00
20	256QAM	100	0	19.32	19.48	19.22	20.00
Channel				26115	26340	26615	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1907.5	
15	QPSK	1	0	19.59	19.72	19.46	20.00
15	QPSK	1	37	19.46	19.66	19.38	20.00
15	QPSK	1	74	19.49	19.49	19.32	20.00
15	QPSK	36	0	19.56	19.60	19.49	20.00
15	QPSK	36	20	19.45	19.61	19.38	20.00
15	QPSK	36	39	19.55	19.66	19.50	20.00
15	QPSK	75	0	19.55	19.61	19.37	20.00
15	16QAM	1	0	19.47	19.56	19.34	20.00
15	16QAM	1	37	19.51	19.64	19.37	20.00
15	16QAM	1	74	19.30	19.44	19.13	20.00
15	16QAM	36	0	19.61	19.65	19.36	20.00
15	16QAM	36	20	19.47	19.62	19.40	20.00
15	16QAM	36	39	19.45	19.61	19.33	20.00
15	16QAM	75	0	19.40	19.57	19.27	20.00
15	64QAM	1	0	19.38	19.54	19.30	20.00
15	64QAM	1	37	19.48	19.53	19.34	20.00
15	64QAM	1	74	19.28	19.39	19.24	20.00
15	64QAM	36	0	19.44	19.62	19.23	20.00
15	64QAM	36	20	19.46	19.58	19.22	20.00
15	64QAM	36	39	19.43	19.50	19.25	20.00
15	64QAM	75	0	19.40	19.50	19.20	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	256QAM	1	0	19.44	19.46	19.19	20.00
15	256QAM	1	37	19.36	19.51	19.21	20.00
15	256QAM	1	74	19.25	19.43	19.26	20.00
15	256QAM	36	0	19.32	19.49	19.28	20.00
15	256QAM	36	20	19.38	19.44	19.34	20.00
15	256QAM	36	39	19.33	19.42	19.25	20.00
15	256QAM	75	0	19.23	19.40	19.19	20.00
Channel				26090	26340	26640	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1910	
10	QPSK	1	0	19.62	19.71	19.56	20.00
10	QPSK	1	25	19.52	19.66	19.44	20.00
10	QPSK	1	49	19.50	19.53	19.30	20.00
10	QPSK	25	0	19.61	19.61	19.49	20.00
10	QPSK	25	12	19.48	19.57	19.32	20.00
10	QPSK	25	25	19.46	19.69	19.52	20.00
10	QPSK	50	0	19.52	19.63	19.38	20.00
10	16QAM	1	0	19.42	19.62	19.34	20.00
10	16QAM	1	25	19.46	19.61	19.31	20.00
10	16QAM	1	49	19.25	19.37	19.12	20.00
10	16QAM	25	0	19.55	19.54	19.30	20.00
10	16QAM	25	12	19.44	19.49	19.38	20.00
10	16QAM	25	25	19.47	19.57	19.43	20.00
10	16QAM	50	0	19.37	19.54	19.32	20.00
10	64QAM	1	0	19.35	19.45	19.21	20.00
10	64QAM	1	25	19.39	19.50	19.39	20.00
10	64QAM	1	49	19.28	19.39	19.18	20.00
10	64QAM	25	0	19.44	19.58	19.29	20.00
10	64QAM	25	12	19.46	19.47	19.26	20.00
10	64QAM	25	25	19.45	19.56	19.26	20.00
10	64QAM	50	0	19.34	19.42	19.22	20.00
10	256QAM	1	0	19.38	19.43	19.15	20.00
10	256QAM	1	25	19.38	19.51	19.25	20.00
10	256QAM	1	49	19.36	19.37	19.27	20.00
10	256QAM	25	0	19.22	19.41	19.35	20.00
10	256QAM	25	12	19.41	19.44	19.30	20.00
10	256QAM	25	25	19.42	19.46	19.24	20.00
10	256QAM	50	0	19.30	19.44	19.13	20.00
Channel				26065	26340	26665	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1912.5	
5	QPSK	1	0	19.58	19.62	19.53	20.00
5	QPSK	1	12	19.46	19.63	19.38	20.00
5	QPSK	1	24	19.44	19.57	19.27	20.00
5	QPSK	12	0	19.53	19.69	19.50	20.00
5	QPSK	12	7	19.52	19.60	19.34	20.00
5	QPSK	12	13	19.46	19.63	19.41	20.00
5	QPSK	25	0	19.50	19.63	19.38	20.00
5	16QAM	1	0	19.46	19.55	19.34	20.00
5	16QAM	1	12	19.41	19.63	19.39	20.00
5	16QAM	1	24	19.29	19.39	19.26	20.00
5	16QAM	12	0	19.55	19.62	19.32	20.00
5	16QAM	12	7	19.55	19.54	19.35	20.00
5	16QAM	12	13	19.47	19.49	19.32	20.00
5	16QAM	25	0	19.38	19.49	19.40	20.00
5	64QAM	1	0	19.34	19.49	19.23	20.00
5	64QAM	1	12	19.42	19.55	19.32	20.00
5	64QAM	1	24	19.25	19.31	19.28	20.00
5	64QAM	12	0	19.40	19.57	19.31	20.00
5	64QAM	12	7	19.38	19.50	19.31	20.00
5	64QAM	12	13	19.33	19.49	19.28	20.00
5	64QAM	25	0	19.46	19.48	19.18	20.00
5	256QAM	1	0	19.35	19.46	19.21	20.00
5	256QAM	1	12	19.37	19.48	19.22	20.00
5	256QAM	1	24	19.31	19.40	19.21	20.00
5	256QAM	12	0	19.34	19.49	19.25	20.00
5	256QAM	12	7	19.41	19.53	19.24	20.00
5	256QAM	12	13	19.31	19.45	19.27	20.00
5	256QAM	25	0	19.25	19.37	19.16	20.00
Channel				26055	26340	26675	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1913.5	
3	QPSK	1	0	19.63	19.65	19.47	20.00
3	QPSK	1	8	19.40	19.58	19.44	20.00
3	QPSK	1	14	19.49	19.56	19.26	20.00
3	QPSK	8	0	19.53	19.66	19.42	20.00
3	QPSK	8	4	19.50	19.60	19.40	20.00
3	QPSK	8	7	19.47	19.64	19.39	20.00
3	QPSK	15	0	19.48	19.66	19.31	20.00
3	16QAM	1	0	19.52	19.52	19.38	20.00
3	16QAM	1	8	19.52	19.62	19.38	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

3	16QAM	1	14	19.30	19.46	19.23	20.00
3	16QAM	8	0	19.58	19.58	19.39	20.00
3	16QAM	8	4	19.54	19.57	19.36	20.00
3	16QAM	8	7	19.37	19.52	19.40	20.00
3	16QAM	15	0	19.42	19.49	19.27	20.00
3	64QAM	1	0	19.39	19.45	19.27	20.00
3	64QAM	1	8	19.36	19.50	19.40	20.00
3	64QAM	1	14	19.17	19.36	19.17	20.00
3	64QAM	8	0	19.53	19.51	19.35	20.00
3	64QAM	8	4	19.36	19.50	19.31	20.00
3	64QAM	8	7	19.34	19.50	19.33	20.00
3	64QAM	15	0	19.43	19.46	19.23	20.00
3	256QAM	1	0	19.38	19.43	19.23	20.00
3	256QAM	1	8	19.34	19.53	19.24	20.00
3	256QAM	1	14	19.31	19.39	19.23	20.00
3	256QAM	8	0	19.25	19.46	19.29	20.00
3	256QAM	8	4	19.39	19.43	19.32	20.00
3	256QAM	8	7	19.42	19.46	19.22	20.00
3	256QAM	15	0	19.28	19.42	19.18	20.00
Channel				26047	26340	26683	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1914.3	
1.4	QPSK	1	0	19.62	19.67	19.47	20.00
1.4	QPSK	1	3	19.47	19.67	19.49	20.00
1.4	QPSK	1	5	19.39	19.53	19.28	20.00
1.4	QPSK	3	0	19.51	19.63	19.45	20.00
1.4	QPSK	3	1	19.45	19.62	19.36	20.00
1.4	QPSK	3	3	19.52	19.68	19.49	20.00
1.4	QPSK	6	0	19.49	19.66	19.35	20.00
1.4	16QAM	1	0	19.55	19.58	19.38	20.00
1.4	16QAM	1	3	19.41	19.58	19.37	20.00
1.4	16QAM	1	5	19.32	19.42	19.13	20.00
1.4	16QAM	3	0	19.55	19.57	19.36	20.00
1.4	16QAM	3	1	19.51	19.50	19.44	20.00
1.4	16QAM	3	3	19.48	19.53	19.41	20.00
1.4	16QAM	6	0	19.46	19.54	19.26	20.00
1.4	64QAM	1	0	19.46	19.47	19.30	20.00
1.4	64QAM	1	3	19.43	19.44	19.32	20.00
1.4	64QAM	1	5	19.25	19.34	19.19	20.00
1.4	64QAM	3	0	19.47	19.51	19.27	20.00
1.4	64QAM	3	1	19.44	19.58	19.28	20.00
1.4	64QAM	3	3	19.38	19.57	19.27	20.00
1.4	64QAM	6	0	19.46	19.42	19.21	20.00
1.4	256QAM	1	0	19.44	19.55	19.17	20.00
1.4	256QAM	1	3	19.28	19.45	19.26	20.00
1.4	256QAM	1	5	19.36	19.43	19.28	20.00
1.4	256QAM	3	0	19.22	19.44	19.28	20.00
1.4	256QAM	3	1	19.40	19.49	19.33	20.00
1.4	256QAM	3	3	19.43	19.46	19.25	20.00
1.4	256QAM	6	0	19.21	19.38	19.14	20.00

【LTE Band 26_FCC (814~849MHz)_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26765	26865	26965	
Frequency (MHz)				821.5	831.5	841.5	
15	QPSK	1	0	23.57	23.68	23.54	25.00
15	QPSK	1	37	23.42	23.62	23.36	25.00
15	QPSK	1	74	23.42	23.59	23.31	25.00
15	QPSK	36	0	22.43	22.60	22.35	24.00
15	QPSK	36	20	22.43	22.58	22.32	24.00
15	QPSK	36	39	22.31	22.52	22.26	24.00
15	QPSK	75	0	22.36	22.60	22.42	24.00
15	16QAM	1	0	22.52	22.75	22.54	24.00
15	16QAM	1	37	22.50	22.65	22.46	24.00
15	16QAM	1	74	22.49	22.63	22.35	24.00
15	16QAM	36	0	21.36	21.57	21.32	23.00
15	16QAM	36	20	21.34	21.56	21.29	23.00
15	16QAM	36	39	21.29	21.51	21.26	23.00
15	16QAM	75	0	21.29	21.50	21.36	23.00
15	64QAM	1	0	21.44	21.63	21.38	23.00
15	64QAM	1	37	21.38	21.55	21.31	23.00
15	64QAM	1	74	21.39	21.54	21.33	23.00
15	64QAM	36	0	20.40	20.55	20.37	22.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	64QAM	36	20	20.35	20.54	20.37	22.00
15	64QAM	36	39	20.39	20.50	20.34	22.00
15	64QAM	75	0	20.43	20.54	20.35	22.00
15	256QAM	1	0	18.47	18.61	18.43	20.00
15	256QAM	1	37	18.43	18.54	18.34	20.00
15	256QAM	1	74	18.30	18.53	18.36	20.00
15	256QAM	36	0	18.49	18.67	18.49	20.00
15	256QAM	36	20	18.51	18.65	18.47	20.00
15	256QAM	36	39	18.53	18.66	18.50	20.00
15	256QAM	75	0	18.55	18.67	18.50	20.00
Channel				26740	26865	26990	Tune-up limit (dBm)
Frequency (MHz)				819	831.5	844	
10	QPSK	1	0	23.54	23.56	23.40	25.00
10	QPSK	1	25	23.37	23.54	23.25	25.00
10	QPSK	1	49	23.36	23.45	23.29	25.00
10	QPSK	25	0	22.35	22.48	22.24	24.00
10	QPSK	25	12	22.38	22.45	22.26	24.00
10	QPSK	25	25	22.26	22.46	22.13	24.00
10	QPSK	50	0	22.28	22.46	22.33	24.00
10	16QAM	1	0	22.40	22.66	22.44	24.00
10	16QAM	1	25	22.46	22.56	22.39	24.00
10	16QAM	1	49	22.36	22.56	22.31	24.00
10	16QAM	25	0	21.31	21.56	21.18	23.00
10	16QAM	25	12	21.19	21.49	21.24	23.00
10	16QAM	25	25	21.22	21.41	21.13	23.00
10	16QAM	50	0	21.24	21.43	21.22	23.00
10	64QAM	1	0	21.37	21.60	21.33	23.00
10	64QAM	1	25	21.29	21.47	21.23	23.00
10	64QAM	1	49	21.29	21.42	21.22	23.00
10	64QAM	25	0	20.37	20.46	20.32	22.00
10	64QAM	25	12	20.30	20.40	20.24	22.00
10	64QAM	25	25	20.28	20.43	20.28	22.00
10	64QAM	50	0	20.37	20.47	20.29	22.00
10	256QAM	1	0	18.40	18.49	18.30	20.00
10	256QAM	1	25	18.29	18.40	18.26	20.00
10	256QAM	1	49	18.22	18.43	18.23	20.00
10	256QAM	25	0	18.42	18.55	18.35	20.00
10	256QAM	25	12	18.41	18.63	18.42	20.00
10	256QAM	25	25	18.48	18.52	18.37	20.00
10	256QAM	50	0	18.49	18.54	18.48	20.00
Channel				26715	26865	27015	Tune-up limit (dBm)
Frequency (MHz)				816.5	831.5	846.5	
5	QPSK	1	0	23.46	23.65	23.47	25.00
5	QPSK	1	12	23.27	23.57	23.28	25.00
5	QPSK	1	24	23.36	23.49	23.19	25.00
5	QPSK	12	0	22.37	22.46	22.28	24.00
5	QPSK	12	7	22.34	22.52	22.30	24.00
5	QPSK	12	13	22.24	22.40	22.21	24.00
5	QPSK	25	0	22.21	22.55	22.31	24.00
5	16QAM	1	0	22.38	22.62	22.42	24.00
5	16QAM	1	12	22.43	22.53	22.39	24.00
5	16QAM	1	24	22.41	22.52	22.26	24.00
5	16QAM	12	0	21.32	21.45	21.26	23.00
5	16QAM	12	7	21.33	21.47	21.20	23.00
5	16QAM	12	13	21.20	21.46	21.13	23.00
5	16QAM	25	0	21.23	21.44	21.24	23.00
5	64QAM	1	0	21.39	21.57	21.30	23.00
5	64QAM	1	12	21.32	21.44	21.17	23.00
5	64QAM	1	24	21.29	21.48	21.21	23.00
5	64QAM	12	0	20.26	20.41	20.22	22.00
5	64QAM	12	7	20.28	20.45	20.32	22.00
5	64QAM	12	13	20.28	20.40	20.31	22.00
5	64QAM	25	0	20.32	20.40	20.31	22.00
5	256QAM	1	0	18.33	18.56	18.29	20.00
5	256QAM	1	12	18.40	18.48	18.20	20.00
5	256QAM	1	24	18.17	18.44	18.32	20.00
5	256QAM	12	0	18.37	18.61	18.43	20.00
5	256QAM	12	7	18.48	18.54	18.36	20.00
5	256QAM	12	13	18.49	18.62	18.40	20.00
5	256QAM	25	0	18.46	18.63	18.41	20.00
Channel				26705	26865	27025	Tune-up limit (dBm)
Frequency (MHz)				815.5	831.5	847.5	
3	QPSK	1	0	23.45	23.63	23.43	25.00
3	QPSK	1	8	23.34	23.49	23.29	25.00
3	QPSK	1	14	23.41	23.48	23.20	25.00
3	QPSK	8	0	22.40	22.54	22.28	24.00
3	QPSK	8	4	22.34	22.47	22.23	24.00
3	QPSK	8	7	22.25	22.44	22.16	24.00

3	QPSK	15	0	22.29	22.51	22.36	24.00
3	16QAM	1	0	22.44	22.64	22.48	24.00
3	16QAM	1	8	22.46	22.50	22.39	24.00
3	16QAM	1	14	22.36	22.54	22.22	24.00
3	16QAM	8	0	21.25	21.55	21.25	23.00
3	16QAM	8	4	21.30	21.52	21.21	23.00
3	16QAM	8	7	21.22	21.44	21.15	23.00
3	16QAM	15	0	21.16	21.40	21.34	23.00
3	64QAM	1	0	21.41	21.50	21.31	23.00
3	64QAM	1	8	21.29	21.40	21.23	23.00
3	64QAM	1	14	21.29	21.48	21.26	23.00
3	64QAM	8	0	20.28	20.49	20.34	22.00
3	64QAM	8	4	20.27	20.45	20.24	22.00
3	64QAM	8	7	20.31	20.45	20.30	22.00
3	64QAM	15	0	20.39	20.49	20.30	22.00
3	256QAM	1	0	18.37	18.60	18.33	20.00
3	256QAM	1	8	18.29	18.41	18.32	20.00
3	256QAM	1	14	18.24	18.50	18.21	20.00
3	256QAM	8	0	18.37	18.59	18.40	20.00
3	256QAM	8	4	18.42	18.53	18.45	20.00
3	256QAM	8	7	18.51	18.59	18.40	20.00
3	256QAM	15	0	18.40	18.57	18.38	20.00
Channel				26697	26865	27033	Tune-up limit
Frequency (MHz)				814.7	831.5	848.3	
1.4	QPSK	1	0	23.46	23.54	23.45	25.00
1.4	QPSK	1	3	23.32	23.60	23.23	25.00
1.4	QPSK	1	5	23.27	23.56	23.20	25.00
1.4	QPSK	3	0	23.36	23.51	23.23	25.00
1.4	QPSK	3	1	23.40	23.56	23.20	25.00
1.4	QPSK	3	3	23.26	23.44	23.24	25.00
1.4	QPSK	6	0	22.27	22.58	22.32	24.00
1.4	16QAM	1	0	22.51	22.63	22.48	24.00
1.4	16QAM	1	3	22.46	22.63	22.44	24.00
1.4	16QAM	1	5	22.43	22.50	22.22	24.00
1.4	16QAM	3	0	22.24	22.50	22.31	24.00
1.4	16QAM	3	1	22.25	22.48	22.24	24.00
1.4	16QAM	3	3	22.28	22.38	22.21	24.00
1.4	16QAM	6	0	21.21	21.38	21.22	23.00
1.4	64QAM	1	0	21.30	21.49	21.33	23.00
1.4	64QAM	1	3	21.24	21.51	21.28	23.00
1.4	64QAM	1	5	21.36	21.43	21.26	23.00
1.4	64QAM	3	0	21.35	21.42	21.25	23.00
1.4	64QAM	3	1	21.24	21.52	21.31	23.00
1.4	64QAM	3	3	21.36	21.36	21.33	23.00
1.4	64QAM	6	0	20.39	20.43	20.30	22.00
1.4	256QAM	1	0	18.34	18.55	18.40	20.00
1.4	256QAM	1	3	18.31	18.45	18.30	20.00
1.4	256QAM	1	5	18.18	18.38	18.21	20.00
1.4	256QAM	3	0	18.46	18.61	18.45	20.00
1.4	256QAM	3	1	18.36	18.60	18.46	20.00
1.4	256QAM	3	3	18.47	18.58	18.42	20.00
1.4	256QAM	6	0	18.49	18.52	18.44	20.00

【LTE Band 26_FCC (814~849MHz)_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26765	26865	26965	
Frequency (MHz)				821.5	831.5	841.5	
15	QPSK	1	0	17.61	17.69	17.58	18.50
15	QPSK	1	37	17.46	17.66	17.50	18.50
15	QPSK	1	74	17.51	17.61	17.36	18.50
15	QPSK	36	0	17.43	17.62	17.45	18.50
15	QPSK	36	20	17.39	17.60	17.48	18.50
15	QPSK	36	39	17.44	17.54	17.36	18.50
15	QPSK	75	0	17.42	17.64	17.38	18.50
15	16QAM	1	0	17.51	17.64	17.46	18.50
15	16QAM	1	37	17.43	17.60	17.38	18.50
15	16QAM	1	74	17.49	17.59	17.44	18.50
15	16QAM	36	0	17.38	17.60	17.38	18.50
15	16QAM	36	20	17.46	17.57	17.33	18.50
15	16QAM	36	39	17.39	17.48	17.27	18.50
15	16QAM	75	0	17.47	17.58	17.35	18.50
15	64QAM	1	0	17.49	17.61	17.47	18.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	64QAM	1	37	17.43	17.60	17.34	18.50
15	64QAM	1	74	17.36	17.54	17.29	18.50
15	64QAM	36	0	17.42	17.57	17.41	18.50
15	64QAM	36	20	17.38	17.51	17.28	18.50
15	64QAM	36	39	17.33	17.49	17.28	18.50
15	64QAM	75	0	17.41	17.59	17.40	18.50
15	256QAM	1	0	17.32	17.48	17.31	18.50
15	256QAM	1	37	17.28	17.49	17.23	18.50
15	256QAM	1	74	17.21	17.42	17.23	18.50
15	256QAM	36	0	17.28	17.45	17.21	18.50
15	256QAM	36	20	17.27	17.39	17.20	18.50
15	256QAM	36	39	17.26	17.37	17.15	18.50
15	256QAM	75	0	17.28	17.47	17.31	18.50
Channel				26740	26865	26990	Tune-up limit
Frequency (MHz)				819	831.5	844	(dBm)
10	QPSK	1	0	17.47	17.56	17.44	18.50
10	QPSK	1	25	17.45	17.56	17.43	18.50
10	QPSK	1	49	17.42	17.51	17.25	18.50
10	QPSK	25	0	17.35	17.47	17.37	18.50
10	QPSK	25	12	17.33	17.58	17.47	18.50
10	QPSK	25	25	17.38	17.39	17.29	18.50
10	QPSK	50	0	17.37	17.63	17.32	18.50
10	16QAM	1	0	17.45	17.53	17.42	18.50
10	16QAM	1	25	17.33	17.49	17.34	18.50
10	16QAM	1	49	17.48	17.55	17.37	18.50
10	16QAM	25	0	17.32	17.52	17.34	18.50
10	16QAM	25	12	17.39	17.46	17.31	18.50
10	16QAM	25	25	17.29	17.34	17.19	18.50
10	16QAM	50	0	17.38	17.43	17.20	18.50
10	64QAM	1	0	17.35	17.54	17.43	18.50
10	64QAM	1	25	17.36	17.59	17.20	18.50
10	64QAM	1	49	17.32	17.44	17.15	18.50
10	64QAM	25	0	17.39	17.44	17.38	18.50
10	64QAM	25	12	17.37	17.39	17.16	18.50
10	64QAM	25	25	17.31	17.42	17.18	18.50
10	64QAM	50	0	17.36	17.57	17.32	18.50
10	256QAM	1	0	17.28	17.43	17.29	18.50
10	256QAM	1	25	17.20	17.48	17.14	18.50
10	256QAM	1	49	17.17	17.41	17.17	18.50
10	256QAM	25	0	17.24	17.31	17.16	18.50
10	256QAM	25	12	17.24	17.36	17.08	18.50
10	256QAM	25	25	17.20	17.26	17.13	18.50
10	256QAM	50	0	17.23	17.44	17.22	18.50
Channel				26715	26865	27015	Tune-up limit
Frequency (MHz)				816.5	831.5	846.5	(dBm)
5	QPSK	1	0	17.57	17.66	17.46	18.50
5	QPSK	1	12	17.32	17.54	17.42	18.50
5	QPSK	1	24	17.40	17.47	17.22	18.50
5	QPSK	12	0	17.41	17.49	17.32	18.50
5	QPSK	12	7	17.31	17.46	17.37	18.50
5	QPSK	12	13	17.43	17.49	17.31	18.50
5	QPSK	25	0	17.28	17.57	17.31	18.50
5	16QAM	1	0	17.44	17.56	17.36	18.50
5	16QAM	1	12	17.39	17.51	17.32	18.50
5	16QAM	1	24	17.37	17.57	17.38	18.50
5	16QAM	12	0	17.34	17.49	17.29	18.50
5	16QAM	12	7	17.32	17.49	17.31	18.50
5	16QAM	12	13	17.35	17.35	17.24	18.50
5	16QAM	25	0	17.45	17.55	17.32	18.50
5	64QAM	1	0	17.46	17.53	17.36	18.50
5	64QAM	1	12	17.41	17.56	17.33	18.50
5	64QAM	1	24	17.27	17.48	17.22	18.50
5	64QAM	12	0	17.41	17.45	17.35	18.50
5	64QAM	12	7	17.24	17.43	17.17	18.50
5	64QAM	12	13	17.21	17.42	17.17	18.50
5	64QAM	25	0	17.28	17.51	17.38	18.50
5	256QAM	1	0	17.26	17.33	17.22	18.50
5	256QAM	1	12	17.22	17.46	17.19	18.50
5	256QAM	1	24	17.08	17.36	17.10	18.50
5	256QAM	12	0	17.26	17.37	17.06	18.50
5	256QAM	12	7	17.15	17.24	17.09	18.50
5	256QAM	12	13	17.14	17.34	17.01	18.50
5	256QAM	25	0	17.22	17.33	17.23	18.50
Channel				26705	26865	27025	Tune-up limit
Frequency (MHz)				815.5	831.5	847.5	(dBm)
3	QPSK	1	0	17.52	17.54	17.52	18.50
3	QPSK	1	8	17.34	17.56	17.40	18.50
3	QPSK	1	14	17.45	17.47	17.34	18.50

3	QPSK	8	0	17.30	17.58	17.40	18.50
3	QPSK	8	4	17.25	17.46	17.45	18.50
3	QPSK	8	7	17.32	17.40	17.34	18.50
3	QPSK	15	0	17.31	17.57	17.28	18.50
3	16QAM	1	0	17.47	17.51	17.31	18.50
3	16QAM	1	8	17.30	17.48	17.33	18.50
3	16QAM	1	14	17.43	17.54	17.43	18.50
3	16QAM	8	0	17.35	17.54	17.25	18.50
3	16QAM	8	4	17.39	17.50	17.19	18.50
3	16QAM	8	7	17.26	17.44	17.15	18.50
3	16QAM	15	0	17.40	17.48	17.23	18.50
3	64QAM	1	0	17.45	17.46	17.38	18.50
3	64QAM	1	8	17.34	17.51	17.24	18.50
3	64QAM	1	14	17.23	17.53	17.22	18.50
3	64QAM	8	0	17.30	17.42	17.34	18.50
3	64QAM	8	4	17.32	17.47	17.16	18.50
3	64QAM	8	7	17.21	17.42	17.25	18.50
3	64QAM	15	0	17.33	17.44	17.31	18.50
3	256QAM	1	0	17.23	17.46	17.27	18.50
3	256QAM	1	8	17.17	17.44	17.09	18.50
3	256QAM	1	14	17.19	17.31	17.15	18.50
3	256QAM	8	0	17.16	17.35	17.13	18.50
3	256QAM	8	4	17.23	17.26	17.14	18.50
3	256QAM	8	7	17.22	17.36	17.09	18.50
3	256QAM	15	0	17.26	17.46	17.27	18.50
Channel				26697	26865	27033	Tune-up limit (dBm)
Frequency (MHz)				814.7	831.5	848.3	
1.4	QPSK	1	0	17.58	17.62	17.46	18.50
1.4	QPSK	1	3	17.39	17.61	17.45	18.50
1.4	QPSK	1	5	17.44	17.48	17.30	18.50
1.4	QPSK	3	0	17.39	17.48	17.36	18.50
1.4	QPSK	3	1	17.29	17.50	17.41	18.50
1.4	QPSK	3	3	17.39	17.41	17.21	18.50
1.4	QPSK	6	0	17.28	17.52	17.31	18.50
1.4	16QAM	1	0	17.41	17.63	17.34	18.50
1.4	16QAM	1	3	17.35	17.48	17.30	18.50
1.4	16QAM	1	5	17.34	17.50	17.41	18.50
1.4	16QAM	3	0	17.27	17.57	17.24	18.50
1.4	16QAM	3	1	17.44	17.55	17.26	18.50
1.4	16QAM	3	3	17.29	17.36	17.22	18.50
1.4	16QAM	6	0	17.41	17.51	17.20	18.50
1.4	64QAM	1	0	17.39	17.53	17.40	18.50
1.4	64QAM	1	3	17.39	17.46	17.33	18.50
1.4	64QAM	1	5	17.22	17.51	17.16	18.50
1.4	64QAM	3	0	17.30	17.42	17.28	18.50
1.4	64QAM	3	1	17.24	17.43	17.16	18.50
1.4	64QAM	3	3	17.31	17.34	17.16	18.50
1.4	64QAM	6	0	17.33	17.52	17.33	18.50
1.4	256QAM	1	0	17.17	17.39	17.30	18.50
1.4	256QAM	1	3	17.25	17.39	17.13	18.50
1.4	256QAM	1	5	17.12	17.37	17.10	18.50
1.4	256QAM	3	0	17.24	17.31	17.11	18.50
1.4	256QAM	3	1	17.14	17.36	17.16	18.50
1.4	256QAM	3	3	17.16	17.25	17.08	18.50
1.4	256QAM	6	0	17.16	17.44	17.29	18.50

【LTE Band 30_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					27710		
Frequency (MHz)					2310		
10	QPSK	1	0		21.79		22.98
10	QPSK	1	25		21.76		22.98
10	QPSK	1	49		21.66		22.98
10	QPSK	25	0		21.70		21.98
10	QPSK	25	12		21.68		21.98
10	QPSK	25	25		21.64		21.98
10	QPSK	50	0		21.74		21.98
10	16QAM	1	0		21.86		21.98
10	16QAM	1	25		21.82		21.98
10	16QAM	1	49		21.77		21.98
10	16QAM	25	0		20.90		20.98
10	16QAM	25	12		20.82		20.98

10	16QAM	25	25		20.80		20.98
10	16QAM	50	0		20.85		20.98
10	64QAM	1	0		20.95		20.98
10	64QAM	1	25		20.93		20.98
10	64QAM	1	49		20.88		20.98
10	64QAM	25	0		19.88		19.98
10	64QAM	25	12		19.84		19.98
10	64QAM	25	25		19.82		19.98
10	64QAM	50	0		19.87		19.98
10	256QAM	1	0		17.73		17.98
10	256QAM	1	25		17.71		17.98
10	256QAM	1	49		17.66		17.98
10	256QAM	25	0		17.83		17.98
10	256QAM	25	12		17.78		17.98
10	256QAM	25	25		17.78		17.98
10	256QAM	50	0		17.81		17.98
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	
5	QPSK	1	0	21.69	21.73	21.70	22.98
5	QPSK	1	12	21.56	21.67	21.58	22.98
5	QPSK	1	24	21.50	21.57	21.47	22.98
5	QPSK	12	0	21.49	21.64	21.56	21.98
5	QPSK	12	7	21.45	21.58	21.41	21.98
5	QPSK	12	13	21.42	21.54	21.49	21.98
5	QPSK	25	0	21.59	21.70	21.60	21.98
5	16QAM	1	0	21.63	21.74	21.70	21.98
5	16QAM	1	12	21.61	21.71	21.58	21.98
5	16QAM	1	24	21.64	21.71	21.65	21.98
5	16QAM	12	0	20.70	20.83	20.69	20.98
5	16QAM	12	7	20.68	20.77	20.63	20.98
5	16QAM	12	13	20.64	20.74	20.65	20.98
5	16QAM	25	0	20.74	20.81	20.74	20.98
5	64QAM	1	0	20.78	20.87	20.78	20.98
5	64QAM	1	12	20.72	20.85	20.70	20.98
5	64QAM	1	24	20.75	20.84	20.72	20.98
5	64QAM	12	0	19.68	19.78	19.73	19.98
5	64QAM	12	7	19.59	19.74	19.68	19.98
5	64QAM	12	13	19.68	19.77	19.73	19.98
5	64QAM	25	0	19.65	19.81	19.74	19.98
5	256QAM	1	0	17.54	17.66	17.55	17.98
5	256QAM	1	12	17.51	17.64	17.58	17.98
5	256QAM	1	24	17.41	17.55	17.42	17.98
5	256QAM	12	0	17.59	17.76	17.69	17.98
5	256QAM	12	7	17.56	17.71	17.56	17.98
5	256QAM	12	13	17.56	17.71	17.65	17.98
5	256QAM	25	0	17.68	17.76	17.65	17.98

【LTE Band 30_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					27710		
Frequency (MHz)					2310		
10	QPSK	1	0		21.85		22.98
10	QPSK	1	25		21.81		22.98
10	QPSK	1	49		21.80		22.98
10	QPSK	25	0		21.81		21.98
10	QPSK	25	12		21.80		21.98
10	QPSK	25	25		21.77		21.98
10	QPSK	50	0		21.72		21.98
10	16QAM	1	0		21.91		21.98
10	16QAM	1	25		21.90		21.98
10	16QAM	1	49		21.90		21.98
10	16QAM	25	0		20.80		20.98
10	16QAM	25	12		20.79		20.98
10	16QAM	25	25		20.80		20.98
10	16QAM	50	0		20.79		20.98
10	64QAM	1	0		20.93		20.98
10	64QAM	1	25		20.82		20.98
10	64QAM	1	49		20.80		20.98
10	64QAM	25	0		19.77		19.98
10	64QAM	25	12		19.74		19.98
10	64QAM	25	25		19.73		19.98
10	64QAM	50	0		19.70		19.98

10	256QAM	1	0		17.77		17.98
10	256QAM	1	25		17.75		17.98
10	256QAM	1	49		17.77		17.98
10	256QAM	25	0		17.73		17.98
10	256QAM	25	12		17.71		17.98
10	256QAM	25	25		17.70		17.98
10	256QAM	50	0		17.76		17.98
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	
5	QPSK	1	0	21.80	21.83	21.81	22.98
5	QPSK	1	12	21.56	21.65	21.53	22.98
5	QPSK	1	24	21.60	21.67	21.54	22.98
5	QPSK	12	0	21.49	21.66	21.51	21.98
5	QPSK	12	7	21.61	21.66	21.53	21.98
5	QPSK	12	13	21.49	21.63	21.50	21.98
5	QPSK	25	0	21.45	21.54	21.48	21.98
5	16QAM	1	0	21.65	21.78	21.74	21.98
5	16QAM	1	12	21.57	21.74	21.63	21.98
5	16QAM	1	24	21.74	21.79	21.70	21.98
5	16QAM	12	0	20.48	20.63	20.52	20.98
5	16QAM	12	7	20.48	20.60	20.47	20.98
5	16QAM	12	13	20.51	20.65	20.59	20.98
5	16QAM	25	0	20.57	20.69	20.64	20.98
5	64QAM	1	0	20.60	20.78	20.67	20.98
5	64QAM	1	12	20.57	20.68	20.54	20.98
5	64QAM	1	24	20.62	20.69	20.65	20.98
5	64QAM	12	0	19.50	19.62	19.59	19.98
5	64QAM	12	7	19.46	19.62	19.56	19.98
5	64QAM	12	13	19.49	19.63	19.53	19.98
5	64QAM	25	0	19.47	19.52	19.38	19.98
5	256QAM	1	0	17.49	17.59	17.53	17.98
5	256QAM	1	12	17.56	17.64	17.56	17.98
5	256QAM	1	24	17.55	17.61	17.50	17.98
5	256QAM	12	0	17.56	17.61	17.54	17.98
5	256QAM	12	7	17.50	17.55	17.50	17.98
5	256QAM	12	13	17.41	17.56	17.46	17.98
5	256QAM	25	0	17.44	17.58	17.51	17.98

【LTE Band 30_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					27710		
Frequency (MHz)					2310		
10	QPSK	1	0		20.42		20.50
10	QPSK	1	25		20.41		20.50
10	QPSK	1	49		20.30		20.50
10	QPSK	25	0		20.33		20.50
10	QPSK	25	12		20.30		20.50
10	QPSK	25	25		20.28		20.50
10	QPSK	50	0		20.37		20.50
10	16QAM	1	0		20.37		20.50
10	16QAM	1	25		20.34		20.50
10	16QAM	1	49		20.25		20.50
10	16QAM	25	0		20.28		20.50
10	16QAM	25	12		20.28		20.50
10	16QAM	25	25		20.21		20.50
10	16QAM	50	0		20.30		20.50
10	64QAM	1	0		20.31		20.50
10	64QAM	1	25		20.30		20.50
10	64QAM	1	49		20.20		20.50
10	64QAM	25	0		20.23		20.50
10	64QAM	25	12		20.22		20.50
10	64QAM	25	25		20.21		20.50
10	64QAM	50	0		20.28		20.50
10	256QAM	1	0		18.73		20.50
10	256QAM	1	25		18.70		20.50
10	256QAM	1	49		18.66		20.50
10	256QAM	25	0		18.82		20.50
10	256QAM	25	12		18.77		20.50
10	256QAM	25	25		18.77		20.50
10	256QAM	50	0		18.79		20.50
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	QPSK	1	0	20.35	20.41	20.38	20.50
5	QPSK	1	12	20.32	20.33	20.23	20.50
5	QPSK	1	24	20.09	20.25	20.06	20.50
5	QPSK	12	0	20.19	20.23	20.05	20.50
5	QPSK	12	7	20.16	20.25	20.16	20.50
5	QPSK	12	13	20.12	20.20	20.07	20.50
5	QPSK	25	0	20.25	20.34	20.17	20.50
5	16QAM	1	0	20.23	20.36	20.18	20.50
5	16QAM	1	12	20.21	20.30	20.20	20.50
5	16QAM	1	24	20.10	20.22	20.04	20.50
5	16QAM	12	0	20.14	20.22	20.04	20.50
5	16QAM	12	7	20.17	20.24	20.11	20.50
5	16QAM	12	13	20.12	20.11	20.01	20.50
5	16QAM	25	0	20.19	20.15	20.06	20.50
5	64QAM	1	0	20.11	20.18	20.04	20.50
5	64QAM	1	12	20.09	20.24	20.18	20.50
5	64QAM	1	24	20.05	20.08	20.00	20.50
5	64QAM	12	0	20.11	20.12	20.00	20.50
5	64QAM	12	7	20.10	20.14	20.00	20.50
5	64QAM	12	13	20.10	20.12	19.95	20.50
5	64QAM	25	0	20.17	20.23	20.17	20.50
5	256QAM	1	0	18.64	18.67	18.54	20.50
5	256QAM	1	12	18.58	18.68	18.51	20.50
5	256QAM	1	24	18.50	18.59	18.52	20.50
5	256QAM	12	0	18.63	18.78	18.59	20.50
5	256QAM	12	7	18.58	18.75	18.60	20.50
5	256QAM	12	13	18.61	18.74	18.66	20.50
5	256QAM	25	0	18.68	18.70	18.64	20.50

【LTE Band 30_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					27710		Tune-up limit (dBm)
Frequency (MHz)					2310		
10	QPSK	1	0		18.48		19.50
10	QPSK	1	25		18.44		19.50
10	QPSK	1	49		18.40		19.50
10	QPSK	25	0		18.42		19.50
10	QPSK	25	12		18.37		19.50
10	QPSK	25	25		18.35		19.50
10	QPSK	50	0		18.38		19.50
10	16QAM	1	0		18.40		19.50
10	16QAM	1	25		18.37		19.50
10	16QAM	1	49		18.31		19.50
10	16QAM	25	0		18.32		19.50
10	16QAM	25	12		18.25		19.50
10	16QAM	25	25		18.24		19.50
10	16QAM	50	0		18.25		19.50
10	64QAM	1	0		18.35		19.50
10	64QAM	1	25		18.29		19.50
10	64QAM	1	49		18.26		19.50
10	64QAM	25	0		18.30		19.50
10	64QAM	25	12		18.29		19.50
10	64QAM	25	25		18.22		19.50
10	64QAM	50	0		18.25		19.50
10	256QAM	1	0		17.77		18.00
10	256QAM	1	25		17.76		18.00
10	256QAM	1	49		17.72		18.00
10	256QAM	25	0		17.72		18.00
10	256QAM	25	12		17.67		18.00
10	256QAM	25	25		17.67		18.00
10	256QAM	50	0		17.64		18.00
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	
5	QPSK	1	0	18.38	18.43	18.40	19.50
5	QPSK	1	12	18.32	18.39	18.25	19.50
5	QPSK	1	24	18.22	18.36	18.28	19.50
5	QPSK	12	0	18.23	18.37	18.31	19.50
5	QPSK	12	7	18.14	18.31	18.18	19.50
5	QPSK	12	13	18.25	18.32	18.16	19.50
5	QPSK	25	0	18.17	18.33	18.23	19.50
5	16QAM	1	0	18.23	18.37	18.32	19.50
5	16QAM	1	12	18.23	18.32	18.15	19.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	16QAM	1	24	18.09	18.25	18.11	19.50
5	16QAM	12	0	18.19	18.25	18.20	19.50
5	16QAM	12	7	18.03	18.18	18.03	19.50
5	16QAM	12	13	18.02	18.20	18.07	19.50
5	16QAM	25	0	18.02	18.22	18.07	19.50
5	64QAM	1	0	18.24	18.30	18.24	19.50
5	64QAM	1	12	18.07	18.24	18.12	19.50
5	64QAM	1	24	18.04	18.23	18.19	19.50
5	64QAM	12	0	18.09	18.25	18.10	19.50
5	64QAM	12	7	18.13	18.26	18.19	19.50
5	64QAM	12	13	18.04	18.18	18.08	19.50
5	64QAM	25	0	18.05	18.20	18.12	19.50
5	256QAM	1	0	17.62	17.71	17.62	18.00
5	256QAM	1	12	17.62	17.73	17.55	18.00
5	256QAM	1	24	17.50	17.65	17.61	18.00
5	256QAM	12	0	17.58	17.69	17.62	18.00
5	256QAM	12	7	17.57	17.64	17.56	18.00
5	256QAM	12	13	17.49	17.62	17.55	18.00
5	256QAM	25	0	17.50	17.59	17.47	18.00

【LTE Band 38_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				37850	38000	38150	Tune-up limit (dBm)
Frequency (MHz)				2580	2595	2610	
20	QPSK	1	0	23.11	23.35	23.18	25.00
20	QPSK	1	49	23.01	23.29	23.02	25.00
20	QPSK	1	99	23.00	23.15	23.01	25.00
20	QPSK	50	0	22.08	22.32	22.12	24.00
20	QPSK	50	24	22.00	22.27	22.01	24.00
20	QPSK	50	50	22.02	22.25	22.01	24.00
20	QPSK	100	0	22.00	22.26	22.02	24.00
20	16QAM	1	0	22.01	22.23	22.00	24.00
20	16QAM	1	49	22.02	22.32	22.12	24.00
20	16QAM	1	99	22.01	22.28	22.00	24.00
20	16QAM	50	0	21.01	21.20	21.01	23.00
20	16QAM	50	24	21.05	21.28	21.05	23.00
20	16QAM	50	50	21.02	21.25	21.01	23.00
20	16QAM	100	0	21.00	21.26	21.06	23.00
20	64QAM	1	0	21.01	21.13	21.01	23.00
20	64QAM	1	49	21.06	21.30	21.00	23.00
20	64QAM	1	99	21.01	21.23	21.02	23.00
20	64QAM	50	0	20.01	20.20	20.01	22.00
20	64QAM	50	24	20.00	20.23	20.03	22.00
20	64QAM	50	50	20.01	20.22	20.00	22.00
20	64QAM	100	0	20.01	20.19	20.00	22.00
20	256QAM	1	0	18.02	18.08	18.00	20.00
20	256QAM	1	49	18.00	18.24	18.00	20.00
20	256QAM	1	99	18.02	18.22	18.02	20.00
20	256QAM	50	0	18.00	18.28	18.02	20.00
20	256QAM	50	24	18.17	18.37	18.23	20.00
20	256QAM	50	50	18.13	18.35	18.16	20.00
20	256QAM	100	0	18.04	18.34	18.16	20.00
Channel				37825	38000	38175	Tune-up limit (dBm)
Frequency (MHz)				2577.5	2595	2612.5	
15	QPSK	1	0	23.09	23.27	23.03	25.00
15	QPSK	1	37	23.00	23.21	23.00	25.00
15	QPSK	1	74	23.02	23.01	23.00	25.00
15	QPSK	36	0	22.07	22.23	22.05	24.00
15	QPSK	36	20	22.00	22.19	22.00	24.00
15	QPSK	36	39	22.01	22.22	22.00	24.00
15	QPSK	75	0	22.00	22.25	22.00	24.00
15	16QAM	1	0	22.00	22.17	22.00	24.00
15	16QAM	1	37	22.01	22.28	22.00	24.00
15	16QAM	1	74	22.01	22.13	22.00	24.00
15	16QAM	36	0	21.01	21.16	21.00	23.00
15	16QAM	36	20	21.03	21.23	21.00	23.00
15	16QAM	36	39	21.02	21.11	21.00	23.00
15	16QAM	75	0	21.02	21.13	21.00	23.00
15	64QAM	1	0	21.00	21.05	21.00	23.00
15	64QAM	1	37	21.01	21.20	21.00	23.00
15	64QAM	1	74	21.00	21.11	21.00	23.00
15	64QAM	36	0	20.00	20.08	20.00	22.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	64QAM	36	20	20.01	20.14	20.00	22.00
15	64QAM	36	39	20.01	20.19	20.00	22.00
15	64QAM	75	0	20.00	20.14	20.01	22.00
15	256QAM	1	0	18.00	18.00	18.01	20.00
15	256QAM	1	37	18.00	18.15	18.00	20.00
15	256QAM	1	74	18.00	18.18	18.02	20.00
15	256QAM	36	0	18.02	18.24	18.01	20.00
15	256QAM	36	20	18.12	18.26	18.12	20.00
15	256QAM	36	39	18.03	18.22	18.15	20.00
15	256QAM	75	0	18.02	18.20	18.04	20.00
Channel				37800	38000	38200	Tune-up limit (dBm)
Frequency (MHz)				2575	2595	2615	
10	QPSK	1	0	23.01	23.22	23.16	25.00
10	QPSK	1	25	23.00	23.16	23.01	25.00
10	QPSK	1	49	23.01	23.09	23.01	25.00
10	QPSK	25	0	22.06	22.26	22.00	24.00
10	QPSK	25	12	22.02	22.19	22.00	24.00
10	QPSK	25	25	22.00	22.17	22.00	24.00
10	QPSK	50	0	22.01	22.20	22.01	24.00
10	16QAM	1	0	22.01	22.12	22.00	24.00
10	16QAM	1	25	22.00	22.21	22.05	24.00
10	16QAM	1	49	22.01	22.23	22.00	24.00
10	16QAM	25	0	21.00	21.17	21.00	23.00
10	16QAM	25	12	21.01	21.24	21.01	23.00
10	16QAM	25	25	21.01	21.15	21.01	23.00
10	16QAM	50	0	21.00	21.12	21.01	23.00
10	64QAM	1	0	21.00	21.04	21.00	23.00
10	64QAM	1	25	21.01	21.18	21.00	23.00
10	64QAM	1	49	21.00	21.20	21.00	23.00
10	64QAM	25	0	20.00	20.16	20.00	22.00
10	64QAM	25	12	20.01	20.11	20.01	22.00
10	64QAM	25	25	20.01	20.20	20.00	22.00
10	64QAM	50	0	20.00	20.08	20.00	22.00
10	256QAM	1	0	18.02	18.00	18.01	20.00
10	256QAM	1	25	18.00	18.20	18.00	20.00
10	256QAM	1	49	18.00	18.12	18.00	20.00
10	256QAM	25	0	18.01	18.17	18.02	20.00
10	256QAM	25	12	18.11	18.30	18.12	20.00
10	256QAM	25	25	18.11	18.28	18.03	20.00
10	256QAM	50	0	18.00	18.26	18.11	20.00
Channel				37775	38000	38225	Tune-up limit (dBm)
Frequency (MHz)				2572.5	2595	2617.5	
5	QPSK	1	0	23.03	23.22	23.04	25.00
5	QPSK	1	12	23.00	23.27	23.01	25.00
5	QPSK	1	24	23.00	23.04	23.02	25.00
5	QPSK	12	0	22.07	22.22	22.01	24.00
5	QPSK	12	7	22.02	22.16	22.01	24.00
5	QPSK	12	13	22.00	22.11	22.00	24.00
5	QPSK	25	0	22.01	22.13	22.00	24.00
5	16QAM	1	0	22.00	22.10	22.02	24.00
5	16QAM	1	12	22.00	22.21	22.05	24.00
5	16QAM	1	24	22.00	22.14	22.00	24.00
5	16QAM	12	0	21.00	21.17	21.01	23.00
5	16QAM	12	7	21.00	21.22	21.01	23.00
5	16QAM	12	13	21.01	21.13	21.01	23.00
5	16QAM	25	0	21.01	21.18	21.00	23.00
5	64QAM	1	0	21.00	21.01	21.02	23.00
5	64QAM	1	12	21.00	21.20	21.01	23.00
5	64QAM	1	24	21.00	21.17	21.00	23.00
5	64QAM	12	0	20.00	20.19	20.01	22.00
5	64QAM	12	7	20.01	20.20	20.00	22.00
5	64QAM	12	13	20.02	20.17	20.01	22.00
5	64QAM	25	0	20.00	20.17	20.02	22.00
5	256QAM	1	0	18.01	18.06	18.01	20.00
5	256QAM	1	12	18.00	18.15	18.02	20.00
5	256QAM	1	24	18.01	18.19	18.01	20.00
5	256QAM	12	0	18.00	18.16	18.00	20.00
5	256QAM	12	7	18.04	18.27	18.17	20.00
5	256QAM	12	13	18.02	18.30	18.13	20.00
5	256QAM	25	0	18.01	18.28	18.15	20.00

【LTE Band 38_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low	Power Middle	Power High	Tune-up limit (dBm)
----------	------------	---------	-----------	-----------	--------------	------------	---------------------

TEL : 886-3-327-3456

FAX : 886-3-328-4978

Template version: 240125

Page 110 of 251

Issued Date : May 08, 2026



FCC SAR TEST REPORT

Report No. : FA5D2601-04

Channel				Ch. / Freq.	Ch. / Freq.	Ch. / Freq.	
Frequency (MHz)				37850	38000	38150	
				2580	2595	2610	
20	QPSK	1	0	23.08	23.38	23.24	25.00
20	QPSK	1	49	23.01	23.29	23.11	25.00
20	QPSK	1	99	23.02	23.20	23.04	25.00
20	QPSK	50	0	22.00	22.30	22.11	24.00
20	QPSK	50	24	22.01	22.28	22.09	24.00
20	QPSK	50	50	22.00	22.30	22.04	24.00
20	QPSK	100	0	22.00	22.27	22.12	24.00
20	16QAM	1	0	22.00	22.43	22.25	24.00
20	16QAM	1	49	22.02	22.32	22.06	24.00
20	16QAM	1	99	22.01	22.23	22.00	24.00
20	16QAM	50	0	21.02	21.27	21.03	23.00
20	16QAM	50	24	21.00	21.25	21.03	23.00
20	16QAM	50	50	21.00	21.23	21.06	23.00
20	16QAM	100	0	21.00	21.23	21.01	23.00
20	64QAM	1	0	21.17	21.46	21.23	23.00
20	64QAM	1	49	21.00	21.35	21.12	23.00
20	64QAM	1	99	21.00	21.25	21.02	23.00
20	64QAM	50	0	20.00	20.26	20.04	22.00
20	64QAM	50	24	20.01	20.24	20.07	22.00
20	64QAM	50	50	20.00	20.21	20.00	22.00
20	64QAM	100	0	20.01	20.21	20.08	22.00
20	256QAM	1	0	18.00	18.17	18.04	20.00
20	256QAM	1	49	18.00	18.07	18.00	20.00
20	256QAM	1	99	18.00	18.00	18.01	20.00
20	256QAM	50	0	18.00	18.18	18.03	20.00
20	256QAM	50	24	18.00	18.12	18.00	20.00
20	256QAM	50	50	18.02	18.18	18.01	20.00
20	256QAM	100	0	18.00	18.12	18.01	20.00
Channel				37825	38000	38175	Tune-up limit
Frequency (MHz)				2577.5	2595	2612.5	
15	QPSK	1	0	23.02	23.33	23.15	25.00
15	QPSK	1	37	23.00	23.26	23.01	25.00
15	QPSK	1	74	23.00	23.13	23.03	25.00
15	QPSK	36	0	22.00	22.25	22.00	24.00
15	QPSK	36	20	22.01	22.14	22.03	24.00
15	QPSK	36	39	22.01	22.22	22.00	24.00
15	QPSK	75	0	22.00	22.13	22.01	24.00
15	16QAM	1	0	22.01	22.33	22.18	24.00
15	16QAM	1	37	22.01	22.29	22.00	24.00
15	16QAM	1	74	22.00	22.20	22.01	24.00
15	16QAM	36	0	21.00	21.14	21.01	23.00
15	16QAM	36	20	21.00	21.20	21.00	23.00
15	16QAM	36	39	21.00	21.12	21.00	23.00
15	16QAM	75	0	21.00	21.20	21.00	23.00
15	64QAM	1	0	21.11	21.31	21.18	23.00
15	64QAM	1	37	21.00	21.33	21.01	23.00
15	64QAM	1	74	21.00	21.13	21.00	23.00
15	64QAM	36	0	20.00	20.21	20.00	22.00
15	64QAM	36	20	20.01	20.17	20.00	22.00
15	64QAM	36	39	20.00	20.09	20.02	22.00
15	64QAM	75	0	20.01	20.14	20.00	22.00
15	256QAM	1	0	18.00	18.11	18.00	20.00
15	256QAM	1	37	18.01	18.02	18.01	20.00
15	256QAM	1	74	18.01	18.00	18.01	20.00
15	256QAM	36	0	18.02	18.13	18.00	20.00
15	256QAM	36	20	18.00	18.08	18.01	20.00
15	256QAM	36	39	18.00	18.07	18.00	20.00
15	256QAM	75	0	18.00	18.01	18.01	20.00
Channel				37800	38000	38200	Tune-up limit
Frequency (MHz)				2575	2595	2615	
10	QPSK	1	0	23.02	23.34	23.10	25.00
10	QPSK	1	25	23.01	23.25	23.00	25.00
10	QPSK	1	49	23.00	23.10	23.02	25.00
10	QPSK	25	0	22.02	22.27	22.00	24.00
10	QPSK	25	12	22.00	22.23	22.04	24.00
10	QPSK	25	25	22.01	22.23	22.00	24.00
10	QPSK	50	0	22.00	22.21	22.05	24.00
10	16QAM	1	0	22.00	22.29	22.12	24.00
10	16QAM	1	25	22.00	22.25	22.00	24.00
10	16QAM	1	49	22.02	22.19	22.00	24.00
10	16QAM	25	0	21.01	21.18	21.01	23.00
10	16QAM	25	12	21.00	21.19	21.01	23.00
10	16QAM	25	25	21.00	21.13	21.00	23.00
10	16QAM	50	0	21.00	21.12	21.01	23.00
10	64QAM	1	0	21.10	21.39	21.10	23.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	64QAM	1	25	21.01	21.21	21.07	23.00
10	64QAM	1	49	21.00	21.21	21.00	23.00
10	64QAM	25	0	20.00	20.13	20.00	22.00
10	64QAM	25	12	20.01	20.11	20.01	22.00
10	64QAM	25	25	20.00	20.19	20.02	22.00
10	64QAM	50	0	20.01	20.07	20.03	22.00
10	256QAM	1	0	18.01	18.07	18.00	20.00
10	256QAM	1	25	18.02	18.00	18.01	20.00
10	256QAM	1	49	18.01	18.02	18.01	20.00
10	256QAM	25	0	18.02	18.07	18.01	20.00
10	256QAM	25	12	18.02	18.02	18.00	20.00
10	256QAM	25	25	18.00	18.17	18.00	20.00
10	256QAM	50	0	18.00	18.01	18.00	20.00
Channel				37775	38000	38225	Tune-up limit (dBm)
Frequency (MHz)				2572.5	2595	2617.5	
5	QPSK	1	0	23.05	23.34	23.19	25.00
5	QPSK	1	12	23.00	23.22	23.09	25.00
5	QPSK	1	24	23.01	23.08	23.01	25.00
5	QPSK	12	0	22.01	22.20	22.01	24.00
5	QPSK	12	7	22.00	22.14	22.00	24.00
5	QPSK	12	13	22.01	22.16	22.01	24.00
5	QPSK	25	0	22.00	22.22	22.01	24.00
5	16QAM	1	0	22.02	22.42	22.24	24.00
5	16QAM	1	12	22.00	22.26	22.00	24.00
5	16QAM	1	24	22.01	22.14	22.01	24.00
5	16QAM	12	0	21.00	21.22	21.01	23.00
5	16QAM	12	7	21.00	21.14	21.01	23.00
5	16QAM	12	13	21.00	21.11	21.00	23.00
5	16QAM	25	0	21.01	21.13	21.01	23.00
5	64QAM	1	0	21.02	21.36	21.14	23.00
5	64QAM	1	12	21.01	21.22	21.08	23.00
5	64QAM	1	24	21.01	21.22	21.01	23.00
5	64QAM	12	0	20.00	20.16	20.00	22.00
5	64QAM	12	7	20.01	20.15	20.00	22.00
5	64QAM	12	13	20.00	20.12	20.00	22.00
5	64QAM	25	0	20.01	20.17	20.02	22.00
5	256QAM	1	0	18.01	18.11	18.00	20.00
5	256QAM	1	12	18.00	18.00	18.00	20.00
5	256QAM	1	24	18.00	18.00	18.00	20.00
5	256QAM	12	0	18.00	18.06	18.00	20.00
5	256QAM	12	7	18.00	18.10	18.01	20.00
5	256QAM	12	13	18.01	18.07	18.00	20.00
5	256QAM	25	0	18.00	18.08	18.01	20.00

【LTE Band 38_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				37850	38000	38150	
Frequency (MHz)				2580	2595	2610	
20	QPSK	1	0	18.15	18.32	18.21	19.00
20	QPSK	1	49	17.93	18.23	18.01	19.00
20	QPSK	1	99	17.86	18.16	18.04	19.00
20	QPSK	50	0	18.07	18.28	18.15	19.00
20	QPSK	50	24	18.05	18.27	18.07	19.00
20	QPSK	50	50	17.95	18.25	18.01	19.00
20	QPSK	100	0	18.04	18.24	18.11	19.00
20	16QAM	1	0	18.10	18.29	18.12	19.00
20	16QAM	1	49	17.98	18.17	18.03	19.00
20	16QAM	1	99	17.90	18.11	17.86	19.00
20	16QAM	50	0	17.98	18.25	18.00	19.00
20	16QAM	50	24	18.04	18.23	18.06	19.00
20	16QAM	50	50	17.99	18.20	17.97	19.00
20	16QAM	100	0	17.98	18.19	17.99	19.00
20	64QAM	1	0	18.03	18.24	18.11	19.00
20	64QAM	1	49	17.85	18.16	18.01	19.00
20	64QAM	1	99	17.83	18.09	17.96	19.00
20	64QAM	50	0	17.96	18.22	18.09	19.00
20	64QAM	50	24	17.90	18.21	18.08	19.00
20	64QAM	50	50	17.97	18.17	18.01	19.00
20	64QAM	100	0	17.96	18.17	17.98	19.00
20	256QAM	1	0	17.97	18.18	18.01	19.00
20	256QAM	1	49	17.82	18.08	17.94	19.00
20	256QAM	1	99	17.84	18.05	17.93	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	256QAM	50	0	17.87	18.13	17.97	19.00
20	256QAM	50	24	17.93	18.12	17.95	19.00
20	256QAM	50	50	17.93	18.11	17.93	19.00
20	256QAM	100	0	17.79	18.10	17.98	19.00
Channel				37825	38000	38175	Tune-up limit
Frequency (MHz)				2577.5	2595	2612.5	(dBm)
15	QPSK	1	0	18.06	18.28	18.09	19.00
15	QPSK	1	37	17.91	18.09	17.90	19.00
15	QPSK	1	74	17.83	18.03	18.03	19.00
15	QPSK	36	0	18.02	18.17	18.09	19.00
15	QPSK	36	20	17.97	18.13	17.93	19.00
15	QPSK	36	39	17.80	18.17	17.96	19.00
15	QPSK	75	0	18.00	18.23	18.05	19.00
15	16QAM	1	0	18.01	18.26	18.08	19.00
15	16QAM	1	37	17.94	18.15	17.95	19.00
15	16QAM	1	74	17.85	17.98	17.83	19.00
15	16QAM	36	0	17.92	18.14	17.95	19.00
15	16QAM	36	20	17.99	18.21	17.93	19.00
15	16QAM	36	39	17.89	18.12	17.93	19.00
15	16QAM	75	0	17.93	18.10	17.84	19.00
15	64QAM	1	0	17.99	18.13	18.02	19.00
15	64QAM	1	37	17.74	18.02	17.95	19.00
15	64QAM	1	74	17.71	17.96	17.94	19.00
15	64QAM	36	0	17.90	18.19	18.04	19.00
15	64QAM	36	20	17.84	18.18	17.96	19.00
15	64QAM	36	39	17.94	18.13	17.89	19.00
15	64QAM	75	0	17.92	18.07	17.92	19.00
15	256QAM	1	0	17.91	18.14	17.90	19.00
15	256QAM	1	37	17.73	18.01	17.90	19.00
15	256QAM	1	74	17.70	17.91	17.91	19.00
15	256QAM	36	0	17.79	18.11	17.83	19.00
15	256QAM	36	20	17.80	18.05	17.90	19.00
15	256QAM	36	39	17.85	17.98	17.86	19.00
15	256QAM	75	0	17.67	18.03	17.91	19.00
Channel				37800	38000	38200	Tune-up limit
Frequency (MHz)				2575	2595	2615	(dBm)
10	QPSK	1	0	18.09	18.19	18.20	19.00
10	QPSK	1	25	17.84	18.10	17.92	19.00
10	QPSK	1	49	17.81	18.02	17.91	19.00
10	QPSK	25	0	17.94	18.15	18.13	19.00
10	QPSK	25	12	17.96	18.19	17.95	19.00
10	QPSK	25	25	17.92	18.22	17.89	19.00
10	QPSK	50	0	17.89	18.21	18.08	19.00
10	16QAM	1	0	18.08	18.15	18.10	19.00
10	16QAM	1	25	17.83	18.07	17.94	19.00
10	16QAM	1	49	17.87	18.01	17.81	19.00
10	16QAM	25	0	17.93	18.12	17.87	19.00
10	16QAM	25	12	17.97	18.18	17.92	19.00
10	16QAM	25	25	17.97	18.15	17.95	19.00
10	16QAM	50	0	17.94	18.09	17.93	19.00
10	64QAM	1	0	18.02	18.20	18.02	19.00
10	64QAM	1	25	17.73	18.13	17.92	19.00
10	64QAM	1	49	17.78	18.07	17.82	19.00
10	64QAM	25	0	17.86	18.08	18.06	19.00
10	64QAM	25	12	17.87	18.10	17.98	19.00
10	64QAM	25	25	17.94	18.16	17.94	19.00
10	64QAM	50	0	17.87	18.04	17.92	19.00
10	256QAM	1	0	17.93	18.14	17.88	19.00
10	256QAM	1	25	17.68	17.98	17.88	19.00
10	256QAM	1	49	17.81	18.03	17.90	19.00
10	256QAM	25	0	17.73	18.12	17.92	19.00
10	256QAM	25	12	17.80	18.07	17.92	19.00
10	256QAM	25	25	17.86	18.07	17.87	19.00
10	256QAM	50	0	17.77	18.04	17.88	19.00
Channel				37775	38000	38225	Tune-up limit
Frequency (MHz)				2572.5	2595	2617.5	(dBm)
5	QPSK	1	0	18.03	18.29	18.19	19.00
5	QPSK	1	12	17.90	18.18	17.90	19.00
5	QPSK	1	24	17.85	18.12	18.03	19.00
5	QPSK	12	0	17.96	18.17	18.11	19.00
5	QPSK	12	7	17.91	18.20	18.05	19.00
5	QPSK	12	13	17.81	18.15	17.94	19.00
5	QPSK	25	0	17.92	18.16	17.98	19.00
5	16QAM	1	0	18.04	18.18	18.06	19.00
5	16QAM	1	12	17.92	18.04	17.96	19.00
5	16QAM	1	24	17.88	18.01	17.71	19.00
5	16QAM	12	0	17.88	18.20	17.98	19.00
5	16QAM	12	7	17.97	18.12	17.97	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	16QAM	12	13	17.92	18.17	17.88	19.00
5	16QAM	25	0	17.95	18.06	17.85	19.00
5	64QAM	1	0	17.98	18.16	17.98	19.00
5	64QAM	1	12	17.75	18.09	17.86	19.00
5	64QAM	1	24	17.70	18.00	17.91	19.00
5	64QAM	12	0	17.81	18.14	17.95	19.00
5	64QAM	12	7	17.77	18.08	17.99	19.00
5	64QAM	12	13	17.89	18.13	17.99	19.00
5	64QAM	25	0	17.90	18.10	17.97	19.00
5	256QAM	1	0	17.92	18.06	17.96	19.00
5	256QAM	1	12	17.77	17.96	17.85	19.00
5	256QAM	1	24	17.79	17.91	17.81	19.00
5	256QAM	12	0	17.80	17.98	17.89	19.00
5	256QAM	12	7	17.92	18.02	17.80	19.00
5	256QAM	12	13	17.84	17.97	17.89	19.00
5	256QAM	25	0	17.75	17.97	17.87	19.00

【LTE Band 38_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				37850	38000	38150	Tune-up limit (dBm)
Frequency (MHz)				2580	2595	2610	
20	QPSK	1	0	18.51	18.66	18.58	20.00
20	QPSK	1	49	18.37	18.63	18.52	20.00
20	QPSK	1	99	18.31	18.60	18.43	20.00
20	QPSK	50	0	18.39	18.68	18.56	20.00
20	QPSK	50	24	18.43	18.61	18.44	20.00
20	QPSK	50	50	18.41	18.63	18.50	20.00
20	QPSK	100	0	18.46	18.68	18.54	20.00
20	16QAM	1	0	18.38	18.59	18.44	20.00
20	16QAM	1	49	18.29	18.54	18.39	20.00
20	16QAM	1	99	18.23	18.52	18.39	20.00
20	16QAM	50	0	18.42	18.64	18.41	20.00
20	16QAM	50	24	18.31	18.47	18.31	20.00
20	16QAM	50	50	18.33	18.56	18.45	20.00
20	16QAM	100	0	18.39	18.60	18.47	20.00
20	64QAM	1	0	18.27	18.51	18.34	20.00
20	64QAM	1	49	18.25	18.48	18.36	20.00
20	64QAM	1	99	18.23	18.43	18.32	20.00
20	64QAM	50	0	18.30	18.52	18.34	20.00
20	64QAM	50	24	18.27	18.50	18.37	20.00
20	64QAM	50	50	18.27	18.48	18.28	20.00
20	64QAM	100	0	18.37	18.56	18.43	20.00
20	256QAM	1	0	18.30	18.48	18.25	20.00
20	256QAM	1	49	18.21	18.46	18.27	20.00
20	256QAM	1	99	18.24	18.46	18.27	20.00
20	256QAM	50	0	18.30	18.48	18.34	20.00
20	256QAM	50	24	18.10	18.38	18.27	20.00
20	256QAM	50	50	18.25	18.46	18.37	20.00
20	256QAM	100	0	18.24	18.46	18.24	20.00
Channel				37825	38000	38175	Tune-up limit (dBm)
Frequency (MHz)				2577.5	2595	2612.5	
15	QPSK	1	0	18.39	18.52	18.51	20.00
15	QPSK	1	37	18.24	18.49	18.37	20.00
15	QPSK	1	74	18.28	18.57	18.33	20.00
15	QPSK	36	0	18.34	18.63	18.42	20.00
15	QPSK	36	20	18.41	18.53	18.42	20.00
15	QPSK	36	39	18.30	18.57	18.37	20.00
15	QPSK	75	0	18.32	18.54	18.40	20.00
15	16QAM	1	0	18.33	18.50	18.38	20.00
15	16QAM	1	37	18.22	18.52	18.38	20.00
15	16QAM	1	74	18.21	18.38	18.36	20.00
15	16QAM	36	0	18.30	18.62	18.34	20.00
15	16QAM	36	20	18.22	18.45	18.18	20.00
15	16QAM	36	39	18.24	18.48	18.33	20.00
15	16QAM	75	0	18.38	18.58	18.42	20.00
15	64QAM	1	0	18.20	18.41	18.33	20.00
15	64QAM	1	37	18.23	18.40	18.30	20.00
15	64QAM	1	74	18.19	18.38	18.27	20.00
15	64QAM	36	0	18.28	18.42	18.23	20.00
15	64QAM	36	20	18.16	18.38	18.30	20.00
15	64QAM	36	39	18.26	18.40	18.13	20.00
15	64QAM	75	0	18.34	18.55	18.35	20.00

15	256QAM	1	0	18.27	18.33	18.13	20.00
15	256QAM	1	37	18.12	18.32	18.21	20.00
15	256QAM	1	74	18.12	18.39	18.15	20.00
15	256QAM	36	0	18.15	18.44	18.26	20.00
15	256QAM	36	20	18.01	18.25	18.16	20.00
15	256QAM	36	39	18.18	18.42	18.32	20.00
15	256QAM	75	0	18.18	18.36	18.18	20.00
Channel				37800	38000	38200	Tune-up limit (dBm)
Frequency (MHz)				2575	2595	2615	
10	QPSK	1	0	18.50	18.58	18.56	20.00
10	QPSK	1	25	18.24	18.49	18.42	20.00
10	QPSK	1	49	18.27	18.47	18.36	20.00
10	QPSK	25	0	18.29	18.65	18.54	20.00
10	QPSK	25	12	18.37	18.54	18.42	20.00
10	QPSK	25	25	18.35	18.52	18.48	20.00
10	QPSK	50	0	18.35	18.59	18.53	20.00
10	16QAM	1	0	18.26	18.53	18.31	20.00
10	16QAM	1	25	18.27	18.43	18.38	20.00
10	16QAM	1	49	18.19	18.48	18.36	20.00
10	16QAM	25	0	18.33	18.52	18.27	20.00
10	16QAM	25	12	18.17	18.35	18.16	20.00
10	16QAM	25	25	18.31	18.41	18.38	20.00
10	16QAM	50	0	18.25	18.53	18.42	20.00
10	64QAM	1	0	18.25	18.39	18.29	20.00
10	64QAM	1	25	18.22	18.36	18.32	20.00
10	64QAM	1	49	18.11	18.30	18.25	20.00
10	64QAM	25	0	18.23	18.39	18.33	20.00
10	64QAM	25	12	18.21	18.35	18.34	20.00
10	64QAM	25	25	18.25	18.35	18.21	20.00
10	64QAM	50	0	18.29	18.44	18.39	20.00
10	256QAM	1	0	18.23	18.41	18.10	20.00
10	256QAM	1	25	18.11	18.43	18.13	20.00
10	256QAM	1	49	18.10	18.44	18.20	20.00
10	256QAM	25	0	18.16	18.46	18.31	20.00
10	256QAM	25	12	18.09	18.37	18.21	20.00
10	256QAM	25	25	18.10	18.41	18.35	20.00
10	256QAM	50	0	18.19	18.34	18.16	20.00
Channel				37775	38000	38225	Tune-up limit (dBm)
Frequency (MHz)				2572.5	2595	2617.5	
5	QPSK	1	0	18.46	18.61	18.54	20.00
5	QPSK	1	12	18.35	18.61	18.47	20.00
5	QPSK	1	24	18.24	18.54	18.35	20.00
5	QPSK	12	0	18.30	18.60	18.47	20.00
5	QPSK	12	7	18.29	18.47	18.42	20.00
5	QPSK	12	13	18.39	18.61	18.39	20.00
5	QPSK	25	0	18.35	18.54	18.47	20.00
5	16QAM	1	0	18.29	18.57	18.37	20.00
5	16QAM	1	12	18.14	18.46	18.28	20.00
5	16QAM	1	24	18.16	18.45	18.37	20.00
5	16QAM	12	0	18.29	18.51	18.27	20.00
5	16QAM	12	7	18.20	18.44	18.18	20.00
5	16QAM	12	13	18.20	18.43	18.33	20.00
5	16QAM	25	0	18.36	18.49	18.38	20.00
5	64QAM	1	0	18.22	18.42	18.30	20.00
5	64QAM	1	12	18.13	18.47	18.24	20.00
5	64QAM	1	24	18.19	18.42	18.28	20.00
5	64QAM	12	0	18.27	18.41	18.20	20.00
5	64QAM	12	7	18.12	18.36	18.25	20.00
5	64QAM	12	13	18.15	18.46	18.23	20.00
5	64QAM	25	0	18.33	18.49	18.32	20.00
5	256QAM	1	0	18.26	18.42	18.21	20.00
5	256QAM	1	12	18.18	18.41	18.14	20.00
5	256QAM	1	24	18.16	18.33	18.25	20.00
5	256QAM	12	0	18.22	18.40	18.24	20.00
5	256QAM	12	7	18.00	18.29	18.20	20.00
5	256QAM	12	13	18.14	18.36	18.29	20.00
5	256QAM	25	0	18.12	18.33	18.20	20.00

【LTE Band 41_FCC (2496~2690MHz)_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	QPSK	1	0	23.32	23.28	23.55	23.40	23.39	25.00
20	QPSK	1	49	23.00	23.00	23.29	23.10	23.04	25.00
20	QPSK	1	99	23.00	23.01	23.25	23.00	23.02	25.00
20	QPSK	50	0	22.10	22.02	22.25	22.15	22.13	24.00
20	QPSK	50	24	22.01	22.00	22.18	22.00	22.01	24.00
20	QPSK	50	50	22.01	22.00	22.07	22.01	22.01	24.00
20	QPSK	100	0	22.00	22.01	22.16	22.00	22.00	24.00
20	16QAM	1	0	22.01	22.01	22.09	22.01	22.01	24.00
20	16QAM	1	49	22.13	22.00	22.36	22.07	22.12	24.00
20	16QAM	1	99	22.01	22.02	22.32	22.04	22.11	24.00
20	16QAM	50	0	21.00	21.01	21.05	21.01	21.00	23.00
20	16QAM	50	24	21.00	21.00	21.15	21.00	21.00	23.00
20	16QAM	50	50	21.00	21.02	21.19	21.00	21.00	23.00
20	16QAM	100	0	21.02	21.02	21.14	21.00	21.00	23.00
20	64QAM	1	0	21.01	21.00	21.10	21.01	21.01	23.00
20	64QAM	1	49	21.10	21.02	21.36	21.10	21.18	23.00
20	64QAM	1	99	21.01	21.01	21.31	21.15	21.07	23.00
20	64QAM	50	0	20.00	20.01	20.25	20.09	20.03	22.00
20	64QAM	50	24	20.13	20.01	20.35	20.19	20.15	22.00
20	64QAM	50	50	20.12	20.05	20.39	20.17	20.20	22.00
20	64QAM	100	0	20.03	20.01	20.30	20.09	20.08	22.00
20	256QAM	1	0	18.01	18.02	18.31	18.14	18.06	20.00
20	256QAM	1	49	18.03	18.00	18.24	18.02	18.03	20.00
20	256QAM	1	99	18.01	18.00	18.22	18.01	18.07	20.00
20	256QAM	50	0	18.00	18.00	18.18	18.00	18.03	20.00
20	256QAM	50	24	18.00	18.01	18.28	18.14	18.03	20.00
20	256QAM	50	50	18.09	18.01	18.32	18.15	18.13	20.00
20	256QAM	100	0	18.02	18.00	18.25	18.00	18.02	20.00
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	23.26	23.20	23.50	23.28	23.27	25.00
15	QPSK	1	37	23.01	23.00	23.27	23.06	23.00	25.00
15	QPSK	1	74	23.02	23.00	23.20	23.00	23.01	25.00
15	QPSK	36	0	22.00	22.00	22.14	22.00	22.00	24.00
15	QPSK	36	20	22.00	22.01	22.12	22.00	22.01	24.00
15	QPSK	36	39	22.01	22.02	22.00	22.00	22.00	24.00
15	QPSK	75	0	22.01	22.00	22.06	22.00	22.00	24.00
15	16QAM	1	0	22.01	22.01	22.04	22.00	22.00	24.00
15	16QAM	1	37	22.01	22.00	22.30	22.00	22.10	24.00
15	16QAM	1	74	22.01	22.00	22.25	22.02	22.07	24.00
15	16QAM	36	0	21.01	21.02	21.00	21.00	21.00	23.00
15	16QAM	36	20	21.01	21.02	21.13	21.00	21.00	23.00
15	16QAM	36	39	21.01	21.01	21.07	21.00	21.01	23.00
15	16QAM	75	0	21.01	21.00	21.00	21.00	21.00	23.00
15	64QAM	1	0	21.00	21.01	21.01	21.02	21.01	23.00
15	64QAM	1	37	21.02	21.01	21.31	21.01	21.13	23.00
15	64QAM	1	74	21.01	21.00	21.20	21.05	21.00	23.00
15	64QAM	36	0	20.00	20.02	20.10	20.01	20.00	22.00
15	64QAM	36	20	20.09	20.01	20.24	20.08	20.00	22.00
15	64QAM	36	39	20.05	20.01	20.33	20.04	20.07	22.00
15	64QAM	75	0	20.00	20.01	20.18	20.01	20.01	22.00
15	256QAM	1	0	18.01	18.00	18.20	18.06	18.02	20.00
15	256QAM	1	37	18.01	18.00	18.21	18.00	18.01	20.00
15	256QAM	1	74	18.00	18.00	18.11	18.00	18.05	20.00
15	256QAM	36	0	18.00	18.00	18.06	18.02	18.01	20.00
15	256QAM	36	20	18.00	18.00	18.26	18.05	18.00	20.00
15	256QAM	36	39	18.00	18.01	18.25	18.04	18.04	20.00
15	256QAM	75	0	18.01	18.00	18.13	18.00	18.00	20.00
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	23.27	23.25	23.52	23.36	23.33	25.00
10	QPSK	1	25	23.02	23.02	23.15	23.08	23.02	25.00
10	QPSK	1	49	23.01	23.00	23.14	23.02	23.00	25.00
10	QPSK	25	0	22.01	22.02	22.23	22.00	22.00	24.00
10	QPSK	25	12	22.00	22.01	22.04	22.01	22.00	24.00
10	QPSK	25	25	22.00	22.01	22.00	22.02	22.00	24.00
10	QPSK	50	0	22.00	22.01	22.02	22.01	22.00	24.00
10	16QAM	1	0	22.01	22.01	22.00	22.00	22.00	24.00
10	16QAM	1	25	22.08	22.01	22.29	22.01	22.05	24.00
10	16QAM	1	49	22.00	22.01	22.31	22.03	22.01	24.00
10	16QAM	25	0	21.00	21.00	21.02	21.00	21.00	23.00
10	16QAM	25	12	21.00	21.00	21.10	21.02	21.01	23.00
10	16QAM	25	25	21.01	21.02	21.15	21.00	21.00	23.00
10	16QAM	50	0	21.00	21.00	21.01	21.00	21.00	23.00
10	64QAM	1	0	21.00	21.00	21.01	21.02	21.00	23.00
10	64QAM	1	25	21.06	21.02	21.34	21.00	21.11	23.00

10	64QAM	1	49	21.00	21.01	21.24	21.05	21.02	23.00
10	64QAM	25	0	20.00	20.00	20.13	20.07	20.00	22.00
10	64QAM	25	12	20.12	20.00	20.29	20.05	20.08	22.00
10	64QAM	25	25	20.00	20.00	20.37	20.10	20.17	22.00
10	64QAM	50	0	20.01	20.00	20.16	20.01	20.00	22.00
10	256QAM	1	0	18.02	18.00	18.26	18.07	18.04	20.00
10	256QAM	1	25	18.00	18.02	18.17	18.00	18.00	20.00
10	256QAM	1	49	18.01	18.01	18.18	18.00	18.03	20.00
10	256QAM	25	0	18.00	18.00	18.10	18.00	18.00	20.00
10	256QAM	25	12	18.00	18.00	18.27	18.10	18.02	20.00
10	256QAM	25	25	18.02	18.00	18.29	18.07	18.10	20.00
10	256QAM	50	0	18.00	18.00	18.12	18.01	18.00	20.00
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	23.25	23.18	23.52	23.36	23.27	25.00
5	QPSK	1	12	23.01	23.00	23.25	23.08	23.01	25.00
5	QPSK	1	24	23.02	23.01	23.21	23.00	23.01	25.00
5	QPSK	12	0	22.01	22.01	22.20	22.00	22.00	24.00
5	QPSK	12	7	22.00	22.00	22.04	22.00	22.00	24.00
5	QPSK	12	13	22.00	22.00	22.01	22.01	22.00	24.00
5	QPSK	25	0	22.00	22.01	22.06	22.00	22.00	24.00
5	16QAM	1	0	22.02	22.00	22.00	22.01	22.00	24.00
5	16QAM	1	12	22.05	22.01	22.29	22.03	22.09	24.00
5	16QAM	1	24	22.01	22.01	22.19	22.00	22.09	24.00
5	16QAM	12	0	21.00	21.00	21.01	21.00	21.00	23.00
5	16QAM	12	7	21.00	21.00	21.09	21.01	21.00	23.00
5	16QAM	12	13	21.01	21.00	21.11	21.01	21.00	23.00
5	16QAM	25	0	21.01	21.02	21.06	21.02	21.01	23.00
5	64QAM	1	0	21.02	21.01	21.07	21.00	21.00	23.00
5	64QAM	1	12	21.04	21.01	21.34	21.05	21.17	23.00
5	64QAM	1	24	21.00	21.00	21.23	21.01	21.02	23.00
5	64QAM	12	0	20.01	20.01	20.18	20.00	20.00	22.00
5	64QAM	12	7	20.04	20.01	20.24	20.13	20.02	22.00
5	64QAM	12	13	20.11	20.02	20.27	20.13	20.11	22.00
5	64QAM	25	0	20.01	20.02	20.25	20.01	20.02	22.00
5	256QAM	1	0	18.00	18.00	18.28	18.02	18.02	20.00
5	256QAM	1	12	18.01	18.01	18.10	18.00	18.01	20.00
5	256QAM	1	24	18.00	18.00	18.15	18.02	18.00	20.00
5	256QAM	12	0	18.00	18.01	18.08	18.00	18.01	20.00
5	256QAM	12	7	18.00	18.00	18.13	18.03	18.01	20.00
5	256QAM	12	13	18.00	18.00	18.31	18.01	18.10	20.00
5	256QAM	25	0	18.01	18.00	18.21	18.00	18.02	20.00

【LTE Band 41 _ FCC (2496~2690MHz) _ MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	23.30	23.57	23.75	23.68	23.63	25.00
20	QPSK	1	49	23.01	23.29	23.55	23.36	23.37	25.00
20	QPSK	1	99	23.03	23.24	23.51	23.42	23.33	25.00
20	QPSK	50	0	22.10	22.32	22.51	22.34	22.32	24.00
20	QPSK	50	24	22.00	22.21	22.43	22.30	22.21	24.00
20	QPSK	50	50	22.00	22.04	22.35	22.26	22.22	24.00
20	QPSK	100	0	22.00	22.08	22.40	22.25	22.14	24.00
20	16QAM	1	0	22.00	22.08	22.30	22.19	22.17	24.00
20	16QAM	1	49	22.11	22.32	22.61	22.43	22.39	24.00
20	16QAM	1	99	22.06	22.38	22.56	22.44	22.43	24.00
20	16QAM	50	0	21.02	21.13	21.32	21.17	21.12	23.00
20	16QAM	50	24	21.00	21.14	21.39	21.18	21.16	23.00
20	16QAM	50	50	21.00	21.25	21.45	21.37	21.30	23.00
20	16QAM	100	0	21.01	21.20	21.39	21.29	21.16	23.00
20	64QAM	1	0	21.00	21.15	21.32	21.18	21.18	23.00
20	64QAM	1	49	21.16	21.30	21.61	21.41	21.48	23.00
20	64QAM	1	99	21.09	21.24	21.54	21.35	21.31	23.00
20	64QAM	50	0	20.01	20.08	20.30	20.19	20.08	22.00
20	64QAM	50	24	20.00	20.14	20.38	20.22	20.25	22.00
20	64QAM	50	50	20.01	20.24	20.44	20.37	20.25	22.00
20	64QAM	100	0	20.01	20.14	20.33	20.21	20.18	22.00
20	256QAM	1	0	18.01	18.00	18.18	18.00	18.08	20.00
20	256QAM	1	49	18.04	18.29	18.50	18.39	18.26	20.00
20	256QAM	1	99	18.09	18.32	18.48	18.29	18.31	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	256QAM	50	0	18.01	18.17	18.43	18.29	18.24	20.00
20	256QAM	50	24	18.11	18.32	18.50	18.37	18.39	20.00
20	256QAM	50	50	18.15	18.29	18.55	18.44	18.40	20.00
20	256QAM	100	0	18.01	18.26	18.47	18.38	18.36	20.00
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	23.23	23.50	23.63	23.61	23.55	25.00
15	QPSK	1	37	23.00	23.15	23.47	23.30	23.23	25.00
15	QPSK	1	74	23.02	23.21	23.43	23.35	23.30	25.00
15	QPSK	36	0	22.00	22.21	22.42	22.23	22.26	24.00
15	QPSK	36	20	22.01	22.15	22.41	22.20	22.06	24.00
15	QPSK	36	39	22.00	22.00	22.27	22.12	22.13	24.00
15	QPSK	75	0	22.00	22.02	22.36	22.18	22.12	24.00
15	16QAM	1	0	22.01	22.01	22.27	22.15	22.08	24.00
15	16QAM	1	37	22.00	22.27	22.55	22.30	22.28	24.00
15	16QAM	1	74	22.05	22.37	22.44	22.34	22.35	24.00
15	16QAM	36	0	21.00	21.04	21.19	21.06	21.08	23.00
15	16QAM	36	20	21.01	21.07	21.29	21.15	21.11	23.00
15	16QAM	36	39	21.00	21.22	21.36	21.35	21.23	23.00
15	16QAM	75	0	21.00	21.12	21.27	21.17	21.10	23.00
15	64QAM	1	0	21.02	21.11	21.26	21.08	21.13	23.00
15	64QAM	1	37	21.08	21.16	21.56	21.26	21.38	23.00
15	64QAM	1	74	21.05	21.11	21.41	21.21	21.18	23.00
15	64QAM	36	0	20.01	20.06	20.26	20.10	20.00	22.00
15	64QAM	36	20	20.00	20.00	20.34	20.09	20.19	22.00
15	64QAM	36	39	20.00	20.19	20.38	20.26	20.24	22.00
15	64QAM	75	0	20.01	20.02	20.25	20.10	20.08	22.00
15	256QAM	1	0	18.00	18.01	18.08	18.00	18.02	20.00
15	256QAM	1	37	18.02	18.15	18.47	18.29	18.16	20.00
15	256QAM	1	74	18.06	18.25	18.44	18.17	18.17	20.00
15	256QAM	36	0	18.00	18.08	18.33	18.16	18.17	20.00
15	256QAM	36	20	18.07	18.30	18.44	18.36	18.32	20.00
15	256QAM	36	39	18.02	18.27	18.52	18.36	18.26	20.00
15	256QAM	75	0	18.00	18.12	18.37	18.25	18.23	20.00
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	23.17	23.44	23.66	23.60	23.51	25.00
10	QPSK	1	25	23.00	23.25	23.47	23.33	23.35	25.00
10	QPSK	1	49	23.00	23.17	23.45	23.30	23.29	25.00
10	QPSK	25	0	22.01	22.23	22.47	22.23	22.28	24.00
10	QPSK	25	12	22.02	22.13	22.31	22.23	22.12	24.00
10	QPSK	25	25	22.01	22.02	22.31	22.22	22.19	24.00
10	QPSK	50	0	22.00	22.00	22.30	22.20	22.06	24.00
10	16QAM	1	0	22.00	22.01	22.21	22.08	22.12	24.00
10	16QAM	1	25	22.00	22.24	22.52	22.39	22.36	24.00
10	16QAM	1	49	22.00	22.27	22.49	22.30	22.29	24.00
10	16QAM	25	0	21.00	21.01	21.28	21.10	21.10	23.00
10	16QAM	25	12	21.00	21.01	21.38	21.12	21.06	23.00
10	16QAM	25	25	21.00	21.22	21.43	21.32	21.29	23.00
10	16QAM	50	0	21.00	21.17	21.37	21.24	21.12	23.00
10	64QAM	1	0	21.02	21.13	21.27	21.07	21.06	23.00
10	64QAM	1	25	21.03	21.16	21.57	21.33	21.43	23.00
10	64QAM	1	49	21.08	21.12	21.42	21.20	21.29	23.00
10	64QAM	25	0	20.01	20.03	20.16	20.18	20.00	22.00
10	64QAM	25	12	20.00	20.01	20.31	20.08	20.14	22.00
10	64QAM	25	25	20.01	20.21	20.30	20.32	20.24	22.00
10	64QAM	50	0	20.00	20.02	20.29	20.15	20.07	22.00
10	256QAM	1	0	18.00	18.00	18.08	18.01	18.04	20.00
10	256QAM	1	25	18.00	18.28	18.43	18.35	18.21	20.00
10	256QAM	1	49	18.00	18.27	18.39	18.27	18.22	20.00
10	256QAM	25	0	18.00	18.10	18.30	18.19	18.10	20.00
10	256QAM	25	12	18.00	18.28	18.47	18.24	18.26	20.00
10	256QAM	25	25	18.00	18.21	18.41	18.31	18.33	20.00
10	256QAM	50	0	18.00	18.19	18.44	18.33	18.22	20.00
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	23.19	23.48	23.68	23.58	23.50	25.00
5	QPSK	1	12	23.00	23.26	23.45	23.24	23.33	25.00
5	QPSK	1	24	23.00	23.18	23.37	23.31	23.22	25.00
5	QPSK	12	0	22.00	22.20	22.44	22.15	22.20	24.00
5	QPSK	12	7	22.00	22.12	22.34	22.27	22.08	24.00
5	QPSK	12	13	22.02	22.01	22.21	22.13	22.11	24.00
5	QPSK	25	0	22.00	22.03	22.34	22.13	22.01	24.00
5	16QAM	1	0	22.02	22.00	22.24	22.15	22.04	24.00
5	16QAM	1	12	22.00	22.26	22.51	22.35	22.28	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	16QAM	1	24	22.05	22.27	22.44	22.39	22.40	24.00
5	16QAM	12	0	21.00	21.05	21.22	21.12	21.01	23.00
5	16QAM	12	7	21.00	21.03	21.24	21.10	21.09	23.00
5	16QAM	12	13	21.00	21.22	21.34	21.34	21.23	23.00
5	16QAM	25	0	21.01	21.16	21.30	21.28	21.12	23.00
5	64QAM	1	0	21.01	21.11	21.31	21.13	21.16	23.00
5	64QAM	1	12	21.15	21.27	21.49	21.28	21.36	23.00
5	64QAM	1	24	21.01	21.22	21.51	21.21	21.21	23.00
5	64QAM	12	0	20.00	20.00	20.16	20.11	20.00	22.00
5	64QAM	12	7	20.01	20.10	20.23	20.07	20.21	22.00
5	64QAM	12	13	20.00	20.20	20.37	20.31	20.18	22.00
5	64QAM	25	0	20.02	20.08	20.32	20.16	20.13	22.00
5	256QAM	1	0	18.01	18.00	18.13	18.01	18.03	20.00
5	256QAM	1	12	18.01	18.26	18.35	18.32	18.20	20.00
5	256QAM	1	24	18.00	18.19	18.37	18.16	18.17	20.00
5	256QAM	12	0	18.00	18.06	18.40	18.17	18.18	20.00
5	256QAM	12	7	18.00	18.19	18.41	18.23	18.30	20.00
5	256QAM	12	13	18.12	18.17	18.40	18.43	18.26	20.00
5	256QAM	25	0	18.00	18.17	18.44	18.32	18.29	20.00

【LTE Band 41 _ FCC (2496~2690MHz) _ HPUE_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	Tune-up limit (dBm)
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	25.55	25.80	25.52	25.76	25.71	27.50
20	QPSK	1	49	25.50	25.64	25.50	25.67	25.66	27.50
20	QPSK	1	99	25.50	25.73	25.50	25.67	25.67	27.50
20	QPSK	50	0	24.86	25.05	24.86	25.03	24.98	26.50
20	QPSK	50	24	24.69	25.03	24.81	24.98	24.88	26.50
20	QPSK	50	50	24.66	24.93	24.77	24.93	24.88	26.50
20	QPSK	100	0	24.71	25.03	24.78	24.93	24.82	26.50
20	16QAM	1	0	24.53	24.83	24.64	24.84	24.70	26.50
20	16QAM	1	49	24.88	25.13	24.92	25.10	25.09	26.50
20	16QAM	1	99	24.80	25.12	24.88	24.99	24.93	26.50
20	16QAM	50	0	23.61	23.81	23.69	23.84	23.85	25.50
20	16QAM	50	24	23.70	23.96	23.79	23.94	23.82	25.50
20	16QAM	50	50	23.74	24.06	23.84	23.97	23.96	25.50
20	16QAM	100	0	23.74	23.99	23.77	23.95	23.89	25.50
20	64QAM	1	0	23.52	23.76	23.61	23.72	23.73	25.50
20	64QAM	1	49	23.80	24.05	23.87	23.97	23.96	25.50
20	64QAM	1	99	23.83	24.06	23.82	24.03	23.85	25.50
20	64QAM	50	0	22.65	22.77	22.67	22.80	22.72	24.50
20	64QAM	50	24	22.71	22.92	22.77	22.90	22.83	24.50
20	64QAM	50	50	22.81	23.00	22.82	22.90	22.98	24.50
20	64QAM	100	0	22.64	22.92	22.75	22.90	22.87	24.50
20	256QAM	1	0	20.50	20.63	20.53	20.60	20.63	22.50
20	256QAM	1	49	20.67	20.96	20.74	20.89	20.81	22.50
20	256QAM	1	99	20.76	21.03	20.82	20.91	20.91	22.50
20	256QAM	50	0	20.59	20.74	20.61	20.76	20.75	22.50
20	256QAM	50	24	20.68	20.87	20.71	20.77	20.78	22.50
20	256QAM	50	50	20.73	20.94	20.76	20.84	20.81	22.50
20	256QAM	100	0	20.64	20.84	20.69	20.80	20.77	22.50
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	25.51	25.68	25.52	25.65	25.66	27.50
15	QPSK	1	37	25.50	25.52	25.50	25.65	25.54	27.50
15	QPSK	1	74	25.52	25.60	25.50	25.54	25.62	27.50
15	QPSK	36	0	24.82	24.92	24.80	24.96	24.96	26.50
15	QPSK	36	20	24.56	24.91	24.75	24.83	24.75	26.50
15	QPSK	36	39	24.62	24.88	24.67	24.91	24.87	26.50
15	QPSK	75	0	24.61	24.94	24.66	24.86	24.69	26.50
15	16QAM	1	0	24.51	24.73	24.51	24.72	24.65	26.50
15	16QAM	1	37	24.78	25.02	24.86	25.05	24.98	26.50
15	16QAM	1	74	24.75	24.98	24.86	24.87	24.83	26.50
15	16QAM	36	0	23.51	23.77	23.65	23.82	23.80	25.50
15	16QAM	36	20	23.65	23.83	23.69	23.92	23.68	25.50
15	16QAM	36	39	23.60	24.03	23.76	23.94	23.83	25.50
15	16QAM	75	0	23.66	23.91	23.76	23.85	23.81	25.50
15	64QAM	1	0	23.51	23.61	23.55	23.65	23.70	25.50
15	64QAM	1	37	23.71	24.04	23.82	23.86	23.94	25.50
15	64QAM	1	74	23.72	23.99	23.78	23.90	23.83	25.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	64QAM	36	0	22.58	22.75	22.64	22.76	22.58	24.50
15	64QAM	36	20	22.69	22.81	22.72	22.77	22.75	24.50
15	64QAM	36	39	22.78	22.97	22.74	22.89	22.83	24.50
15	64QAM	75	0	22.52	22.88	22.71	22.88	22.74	24.50
15	256QAM	1	0	20.50	20.58	20.50	20.50	20.58	22.50
15	256QAM	1	37	20.61	20.83	20.62	20.75	20.70	22.50
15	256QAM	1	74	20.65	21.01	20.81	20.86	20.76	22.50
15	256QAM	36	0	20.50	20.72	20.51	20.62	20.70	22.50
15	256QAM	36	20	20.62	20.74	20.63	20.66	20.76	22.50
15	256QAM	36	39	20.66	20.90	20.67	20.71	20.79	22.50
15	256QAM	75	0	20.51	20.78	20.58	20.69	20.66	22.50
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	25.52	25.72	25.51	25.64	25.58	27.50
10	QPSK	1	25	25.51	25.55	25.51	25.60	25.61	27.50
10	QPSK	1	49	25.51	25.61	25.50	25.55	25.54	27.50
10	QPSK	25	0	24.75	24.93	24.81	24.95	24.97	26.50
10	QPSK	25	12	24.65	24.99	24.67	24.95	24.84	26.50
10	QPSK	25	25	24.51	24.83	24.64	24.88	24.81	26.50
10	QPSK	50	0	24.66	25.02	24.77	24.79	24.71	26.50
10	16QAM	1	0	24.51	24.76	24.50	24.77	24.59	26.50
10	16QAM	1	25	24.85	25.08	24.90	25.01	25.04	26.50
10	16QAM	1	49	24.77	25.00	24.85	24.90	24.87	26.50
10	16QAM	25	0	23.51	23.67	23.64	23.75	23.70	25.50
10	16QAM	25	12	23.59	23.83	23.69	23.85	23.74	25.50
10	16QAM	25	25	23.65	23.97	23.69	23.87	23.84	25.50
10	16QAM	50	0	23.67	23.84	23.68	23.85	23.75	25.50
10	64QAM	1	0	23.51	23.74	23.56	23.63	23.64	25.50
10	64QAM	1	25	23.74	23.92	23.81	23.88	23.89	25.50
10	64QAM	1	49	23.69	23.97	23.74	23.88	23.81	25.50
10	64QAM	25	0	22.59	22.67	22.64	22.66	22.69	24.50
10	64QAM	25	12	22.59	22.78	22.73	22.85	22.73	24.50
10	64QAM	25	25	22.71	22.94	22.75	22.83	22.97	24.50
10	64QAM	50	0	22.63	22.78	22.61	22.87	22.74	24.50
10	256QAM	1	0	20.50	20.51	20.50	20.58	20.60	22.50
10	256QAM	1	25	20.60	20.87	20.60	20.75	20.77	22.50
10	256QAM	1	49	20.71	20.95	20.69	20.88	20.86	22.50
10	256QAM	25	0	20.51	20.61	20.51	20.64	20.60	22.50
10	256QAM	25	12	20.58	20.75	20.56	20.72	20.73	22.50
10	256QAM	25	25	20.69	20.88	20.62	20.82	20.66	22.50
10	256QAM	50	0	20.58	20.78	20.58	20.78	20.68	22.50
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	25.50	25.78	25.51	25.71	25.64	27.50
5	QPSK	1	12	25.50	25.59	25.51	25.60	25.56	27.50
5	QPSK	1	24	25.51	25.59	25.51	25.62	25.64	27.50
5	QPSK	12	0	24.74	24.89	24.82	25.00	24.83	26.50
5	QPSK	12	7	24.59	24.99	24.68	24.95	24.85	26.50
5	QPSK	12	13	24.52	24.86	24.62	24.84	24.73	26.50
5	QPSK	25	0	24.63	24.89	24.76	24.88	24.77	26.50
5	16QAM	1	0	24.51	24.69	24.56	24.75	24.62	26.50
5	16QAM	1	12	24.73	25.07	24.78	24.98	24.96	26.50
5	16QAM	1	24	24.65	24.97	24.74	24.93	24.91	26.50
5	16QAM	12	0	23.57	23.73	23.63	23.72	23.83	25.50
5	16QAM	12	7	23.61	23.88	23.76	23.87	23.77	25.50
5	16QAM	12	13	23.66	24.03	23.69	23.94	23.82	25.50
5	16QAM	25	0	23.71	23.88	23.73	23.93	23.76	25.50
5	64QAM	1	0	23.50	23.67	23.55	23.63	23.68	25.50
5	64QAM	1	12	23.77	23.92	23.84	23.90	23.86	25.50
5	64QAM	1	24	23.78	24.00	23.72	23.88	23.80	25.50
5	64QAM	12	0	22.60	22.68	22.62	22.72	22.67	24.50
5	64QAM	12	7	22.66	22.85	22.75	22.79	22.75	24.50
5	64QAM	12	13	22.74	22.95	22.68	22.83	22.94	24.50
5	64QAM	25	0	22.60	22.84	22.64	22.81	22.74	24.50
5	256QAM	1	0	20.50	20.54	20.51	20.58	20.58	22.50
5	256QAM	1	12	20.52	20.89	20.68	20.76	20.68	22.50
5	256QAM	1	24	20.64	20.99	20.68	20.78	20.84	22.50
5	256QAM	12	0	20.51	20.64	20.55	20.72	20.61	22.50
5	256QAM	12	7	20.62	20.83	20.65	20.72	20.72	22.50
5	256QAM	12	13	20.65	20.89	20.68	20.79	20.72	22.50
5	256QAM	25	0	20.60	20.81	20.67	20.67	20.66	22.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

【LTE Band 41_FCC (2496~2690MHz)_HPUE_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	27.50
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	25.60	25.73	25.58	26.00	25.77	27.50
20	QPSK	1	49	25.58	25.69	25.55	25.92	25.73	27.50
20	QPSK	1	99	25.58	25.58	25.55	25.82	25.65	27.50
20	QPSK	50	0	24.79	24.79	24.76	24.96	24.78	26.50
20	QPSK	50	24	24.75	24.75	24.72	24.93	24.76	26.50
20	QPSK	50	50	24.64	24.64	24.61	24.90	24.74	26.50
20	QPSK	100	0	24.66	24.66	24.63	24.93	24.81	26.50
20	16QAM	1	0	24.71	24.71	24.68	24.94	24.79	26.50
20	16QAM	1	49	24.69	24.69	24.66	24.88	24.72	26.50
20	16QAM	1	99	24.52	24.52	24.50	24.73	24.53	26.50
20	16QAM	50	0	23.70	23.70	23.67	23.94	23.74	25.50
20	16QAM	50	24	23.72	23.72	23.69	23.92	23.76	25.50
20	16QAM	50	50	23.66	23.66	23.63	23.84	23.72	25.50
20	16QAM	100	0	23.66	23.66	23.63	23.92	23.70	25.50
20	64QAM	1	0	23.70	23.70	23.67	23.87	23.74	25.50
20	64QAM	1	49	23.61	23.61	23.58	23.83	23.64	25.50
20	64QAM	1	99	23.50	23.50	23.51	23.72	23.59	25.50
20	64QAM	50	0	22.71	22.71	22.68	22.93	22.71	24.50
20	64QAM	50	24	22.62	22.62	22.59	22.83	22.69	24.50
20	64QAM	50	50	22.62	22.62	22.59	22.80	22.64	24.50
20	64QAM	100	0	22.69	22.69	22.66	22.91	22.69	24.50
20	256QAM	1	0	20.61	20.61	20.58	20.80	20.67	22.50
20	256QAM	1	49	20.55	20.55	20.52	20.77	20.65	22.50
20	256QAM	1	99	20.50	20.50	20.53	20.72	20.60	22.50
20	256QAM	50	0	20.65	20.65	20.62	20.88	20.70	22.50
20	256QAM	50	24	20.63	20.63	20.60	20.82	20.67	22.50
20	256QAM	50	50	20.58	20.58	20.55	20.80	20.65	22.50
20	256QAM	100	0	20.58	20.58	20.55	20.85	20.73	22.50
Channel				39725	40173	40620	41068	41515	27.50
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	25.54	25.70	25.50	25.90	25.72	27.50
15	QPSK	1	37	25.50	25.63	25.50	25.79	25.71	27.50
15	QPSK	1	74	25.51	25.51	25.50	25.76	25.56	27.50
15	QPSK	36	0	24.66	24.69	24.74	24.93	24.69	26.50
15	QPSK	36	20	24.62	24.70	24.64	24.89	24.71	26.50
15	QPSK	36	39	24.60	24.54	24.54	24.88	24.63	26.50
15	QPSK	75	0	24.56	24.54	24.52	24.87	24.79	26.50
15	16QAM	1	0	24.60	24.60	24.54	24.83	24.67	26.50
15	16QAM	1	37	24.65	24.66	24.56	24.80	24.63	26.50
15	16QAM	1	74	24.50	24.50	24.51	24.65	24.50	26.50
15	16QAM	36	0	23.62	23.58	23.60	23.80	23.73	25.50
15	16QAM	36	20	23.58	23.59	23.63	23.87	23.64	25.50
15	16QAM	36	39	23.64	23.56	23.52	23.80	23.59	25.50
15	16QAM	75	0	23.52	23.57	23.50	23.78	23.62	25.50
15	64QAM	1	0	23.63	23.69	23.65	23.80	23.62	25.50
15	64QAM	1	37	23.57	23.58	23.55	23.80	23.59	25.50
15	64QAM	1	74	23.52	23.51	23.50	23.65	23.55	25.50
15	64QAM	36	0	22.56	22.64	22.60	22.91	22.58	24.50
15	64QAM	36	20	22.59	22.57	22.50	22.82	22.63	24.50
15	64QAM	36	39	22.51	22.57	22.57	22.75	22.51	24.50
15	64QAM	75	0	22.55	22.61	22.61	22.76	22.66	24.50
15	256QAM	1	0	20.51	20.50	20.50	20.75	20.59	22.50
15	256QAM	1	37	20.53	20.54	20.51	20.74	20.63	22.50
15	256QAM	1	74	20.51	20.51	20.50	20.66	20.51	22.50
15	256QAM	36	0	20.63	20.51	20.57	20.77	20.65	22.50
15	256QAM	36	20	20.51	20.53	20.50	20.72	20.58	22.50
15	256QAM	36	39	20.54	20.54	20.50	20.76	20.51	22.50
15	256QAM	75	0	20.50	20.52	20.50	20.79	20.68	22.50
Channel				39700	40160	40620	41080	41540	27.50
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	25.51	25.68	25.56	25.95	25.66	27.50
10	QPSK	1	25	25.53	25.66	25.52	25.83	25.65	27.50
10	QPSK	1	49	25.51	25.54	25.51	25.80	25.58	27.50
10	QPSK	25	0	24.78	24.71	24.66	24.88	24.72	26.50
10	QPSK	25	12	24.61	24.74	24.68	24.83	24.74	26.50
10	QPSK	25	25	24.61	24.58	24.51	24.81	24.67	26.50
10	QPSK	50	0	24.62	24.52	24.50	24.80	24.66	26.50
10	16QAM	1	0	24.65	24.69	24.54	24.82	24.64	26.50
10	16QAM	1	25	24.57	24.56	24.61	24.80	24.63	26.50
10	16QAM	1	49	24.50	24.50	24.50	24.62	24.50	26.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	16QAM	25	0	23.65	23.63	23.63	23.88	23.64	25.50
10	16QAM	25	12	23.63	23.68	23.64	23.83	23.62	25.50
10	16QAM	25	25	23.56	23.59	23.58	23.73	23.63	25.50
10	16QAM	50	0	23.59	23.57	23.55	23.79	23.69	25.50
10	64QAM	1	0	23.67	23.63	23.62	23.86	23.62	25.50
10	64QAM	1	25	23.51	23.50	23.53	23.72	23.54	25.50
10	64QAM	1	49	23.51	23.51	23.50	23.63	23.57	25.50
10	64QAM	25	0	22.70	22.69	22.64	22.91	22.65	24.50
10	64QAM	25	12	22.51	22.52	22.52	22.76	22.60	24.50
10	64QAM	25	25	22.58	22.58	22.56	22.79	22.62	24.50
10	64QAM	50	0	22.60	22.63	22.55	22.85	22.61	24.50
10	256QAM	1	0	20.52	20.57	20.50	20.65	20.64	22.50
10	256QAM	1	25	20.50	20.51	20.50	20.72	20.58	22.50
10	256QAM	1	49	20.51	20.50	20.50	20.58	20.57	22.50
10	256QAM	25	0	20.51	20.50	20.55	20.79	20.67	22.50
10	256QAM	25	12	20.50	20.58	20.54	20.73	20.53	22.50
10	256QAM	25	25	20.55	20.50	20.52	20.70	20.51	22.50
10	256QAM	50	0	20.51	20.51	20.52	20.75	20.70	22.50
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	25.51	25.66	25.50	25.95	25.72	27.50
5	QPSK	1	12	25.54	25.62	25.53	25.87	25.70	27.50
5	QPSK	1	24	25.50	25.50	25.50	25.78	25.61	27.50
5	QPSK	12	0	24.70	24.69	24.74	24.93	24.69	26.50
5	QPSK	12	7	24.72	24.67	24.66	24.78	24.70	26.50
5	QPSK	12	13	24.62	24.60	24.51	24.82	24.67	26.50
5	QPSK	25	0	24.62	24.53	24.52	24.81	24.66	26.50
5	16QAM	1	0	24.62	24.69	24.57	24.87	24.66	26.50
5	16QAM	1	12	24.66	24.66	24.55	24.82	24.64	26.50
5	16QAM	1	24	24.51	24.50	24.50	24.60	24.51	26.50
5	16QAM	12	0	23.68	23.64	23.62	23.82	23.67	25.50
5	16QAM	12	7	23.66	23.66	23.60	23.78	23.69	25.50
5	16QAM	12	13	23.54	23.56	23.51	23.80	23.61	25.50
5	16QAM	25	0	23.52	23.63	23.58	23.91	23.61	25.50
5	64QAM	1	0	23.58	23.62	23.56	23.86	23.67	25.50
5	64QAM	1	12	23.52	23.57	23.50	23.79	23.59	25.50
5	64QAM	1	24	23.50	23.52	23.50	23.59	23.55	25.50
5	64QAM	12	0	22.66	22.64	22.58	22.86	22.62	24.50
5	64QAM	12	7	22.51	22.59	22.51	22.80	22.55	24.50
5	64QAM	12	13	22.54	22.50	22.55	22.70	22.63	24.50
5	64QAM	25	0	22.55	22.59	22.59	22.80	22.67	24.50
5	256QAM	1	0	20.50	20.53	20.51	20.74	20.63	22.50
5	256QAM	1	12	20.51	20.52	20.50	20.63	20.53	22.50
5	256QAM	1	24	20.51	20.50	20.51	20.61	20.58	22.50
5	256QAM	12	0	20.56	20.54	20.50	20.76	20.64	22.50
5	256QAM	12	7	20.59	20.56	20.51	20.80	20.53	22.50
5	256QAM	12	13	20.50	20.51	20.51	20.73	20.53	22.50
5	256QAM	25	0	20.51	20.51	20.51	20.70	20.59	22.50

【LTE Band 41_FCC (2496~2690MHz)_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	18.40	18.59	18.38	18.56	18.52	19.00
20	QPSK	1	49	18.34	18.57	18.29	18.55	18.46	19.00
20	QPSK	1	99	18.16	18.52	18.17	18.44	18.48	19.00
20	QPSK	50	0	18.26	18.43	18.31	18.35	18.34	19.00
20	QPSK	50	24	18.21	18.40	18.28	18.33	18.27	19.00
20	QPSK	50	50	18.12	18.39	18.20	18.30	18.25	19.00
20	QPSK	100	0	18.12	18.35	18.22	18.34	18.30	19.00
20	16QAM	1	0	18.25	18.41	18.31	18.48	18.37	19.00
20	16QAM	1	49	18.21	18.37	18.25	18.36	18.28	19.00
20	16QAM	1	99	18.04	18.19	18.10	18.18	18.20	19.00
20	16QAM	50	0	18.16	18.32	18.24	18.32	18.35	19.00
20	16QAM	50	24	18.15	18.38	18.24	18.30	18.31	19.00
20	16QAM	50	50	18.04	18.32	18.13	18.17	18.15	19.00
20	16QAM	100	0	18.04	18.31	18.17	18.26	18.30	19.00
20	64QAM	1	0	18.22	18.39	18.28	18.42	18.27	19.00
20	64QAM	1	49	18.08	18.35	18.20	18.23	18.23	19.00
20	64QAM	1	99	18.02	18.29	18.10	18.25	18.17	19.00
20	64QAM	50	0	18.17	18.31	18.23	18.36	18.30	19.00

20	64QAM	50	24	18.14	18.35	18.18	18.24	18.18	19.00
20	64QAM	50	50	18.14	18.26	18.14	18.29	18.14	19.00
20	64QAM	100	0	18.13	18.29	18.15	18.24	18.18	19.00
20	256QAM	1	0	18.14	18.30	18.24	18.34	18.28	19.00
20	256QAM	1	49	18.15	18.36	18.20	18.36	18.27	19.00
20	256QAM	1	99	17.94	18.22	18.06	18.22	18.06	19.00
20	256QAM	50	0	18.17	18.35	18.19	18.32	18.28	19.00
20	256QAM	50	24	18.06	18.30	18.17	18.33	18.19	19.00
20	256QAM	50	50	17.99	18.24	18.11	18.26	18.22	19.00
20	256QAM	100	0	18.02	18.17	18.08	18.17	18.18	19.00
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	18.38	18.52	18.27	18.44	18.44	19.00
15	QPSK	1	37	18.24	18.48	18.23	18.44	18.38	19.00
15	QPSK	1	74	18.06	18.42	18.07	18.39	18.37	19.00
15	QPSK	36	0	18.16	18.40	18.27	18.34	18.27	19.00
15	QPSK	36	20	18.25	18.33	18.20	18.31	18.24	19.00
15	QPSK	36	39	18.08	18.34	18.14	18.17	18.20	19.00
15	QPSK	75	0	18.04	18.21	18.14	18.33	18.20	19.00
15	16QAM	1	0	18.20	18.36	18.17	18.37	18.28	19.00
15	16QAM	1	37	18.18	18.32	18.22	18.32	18.17	19.00
15	16QAM	1	74	17.94	18.13	18.08	18.11	18.18	19.00
15	16QAM	36	0	18.14	18.22	18.10	18.25	18.30	19.00
15	16QAM	36	20	18.10	18.31	18.12	18.21	18.24	19.00
15	16QAM	36	39	17.92	18.24	18.03	18.13	18.13	19.00
15	16QAM	75	0	17.96	18.24	18.12	18.17	18.26	19.00
15	64QAM	1	0	18.09	18.37	18.24	18.32	18.12	19.00
15	64QAM	1	37	18.03	18.26	18.08	18.10	18.17	19.00
15	64QAM	1	74	17.95	18.22	18.04	18.22	18.05	19.00
15	64QAM	36	0	18.06	18.24	18.12	18.34	18.19	19.00
15	64QAM	36	20	18.01	18.29	18.12	18.12	18.16	19.00
15	64QAM	36	39	18.08	18.25	18.13	18.24	18.00	19.00
15	64QAM	75	0	18.06	18.25	18.12	18.16	18.13	19.00
15	256QAM	1	0	18.10	18.28	18.13	18.22	18.20	19.00
15	256QAM	1	37	18.09	18.22	18.12	18.21	18.23	19.00
15	256QAM	1	74	17.90	18.19	17.92	18.09	17.96	19.00
15	256QAM	36	0	18.15	18.23	18.10	18.28	18.19	19.00
15	256QAM	36	20	17.96	18.24	18.11	18.29	18.11	19.00
15	256QAM	36	39	17.88	18.13	18.04	18.13	18.15	19.00
15	256QAM	75	0	17.96	18.13	18.05	18.04	18.07	19.00
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	18.28	18.49	18.34	18.49	18.47	19.00
10	QPSK	1	25	18.28	18.54	18.20	18.51	18.38	19.00
10	QPSK	1	49	18.04	18.37	18.14	18.40	18.33	19.00
10	QPSK	25	0	18.12	18.30	18.28	18.30	18.19	19.00
10	QPSK	25	12	18.16	18.39	18.17	18.32	18.19	19.00
10	QPSK	25	25	18.09	18.25	18.11	18.26	18.15	19.00
10	QPSK	50	0	18.07	18.28	18.17	18.30	18.23	19.00
10	16QAM	1	0	18.23	18.36	18.16	18.44	18.35	19.00
10	16QAM	1	25	18.12	18.25	18.18	18.24	18.20	19.00
10	16QAM	1	49	17.96	18.08	17.98	18.14	18.15	19.00
10	16QAM	25	0	18.10	18.28	18.12	18.21	18.23	19.00
10	16QAM	25	12	18.07	18.27	18.18	18.18	18.17	19.00
10	16QAM	25	25	17.90	18.21	18.08	18.15	18.08	19.00
10	16QAM	50	0	18.02	18.17	18.04	18.14	18.25	19.00
10	64QAM	1	0	18.10	18.27	18.22	18.36	18.24	19.00
10	64QAM	1	25	18.05	18.20	18.18	18.14	18.12	19.00
10	64QAM	1	49	18.00	18.16	18.09	18.24	18.03	19.00
10	64QAM	25	0	18.08	18.18	18.12	18.32	18.23	19.00
10	64QAM	25	12	18.00	18.22	18.05	18.17	18.04	19.00
10	64QAM	25	25	18.01	18.14	18.04	18.15	18.00	19.00
10	64QAM	50	0	18.02	18.24	18.05	18.14	18.15	19.00
10	256QAM	1	0	18.09	18.24	18.12	18.21	18.23	19.00
10	256QAM	1	25	18.09	18.30	18.18	18.26	18.20	19.00
10	256QAM	1	49	17.83	18.12	18.00	18.18	17.96	19.00
10	256QAM	25	0	18.07	18.25	18.09	18.30	18.26	19.00
10	256QAM	25	12	17.99	18.16	18.11	18.21	18.13	19.00
10	256QAM	25	25	17.84	18.18	18.09	18.14	18.17	19.00
10	256QAM	50	0	17.94	18.10	17.93	18.11	18.06	19.00
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	18.29	18.52	18.34	18.49	18.45	19.00
5	QPSK	1	12	18.20	18.49	18.19	18.51	18.39	19.00
5	QPSK	1	24	18.04	18.38	18.07	18.35	18.37	19.00

5	QPSK	12	0	18.11	18.26	18.26	18.26	18.21	19.00
5	QPSK	12	7	18.17	18.38	18.15	18.37	18.21	19.00
5	QPSK	12	13	18.02	18.29	18.18	18.16	18.20	19.00
5	QPSK	25	0	18.05	18.24	18.12	18.24	18.27	19.00
5	16QAM	1	0	18.10	18.32	18.21	18.46	18.27	19.00
5	16QAM	1	12	18.11	18.35	18.24	18.29	18.26	19.00
5	16QAM	1	24	17.90	18.13	18.04	18.04	18.19	19.00
5	16QAM	12	0	18.06	18.19	18.22	18.28	18.31	19.00
5	16QAM	12	7	18.09	18.24	18.20	18.21	18.18	19.00
5	16QAM	12	13	17.98	18.19	18.11	18.12	18.10	19.00
5	16QAM	25	0	18.00	18.18	18.03	18.12	18.19	19.00
5	64QAM	1	0	18.20	18.38	18.14	18.32	18.16	19.00
5	64QAM	1	12	17.97	18.20	18.19	18.17	18.13	19.00
5	64QAM	1	24	17.91	18.26	18.01	18.23	18.08	19.00
5	64QAM	12	0	18.16	18.26	18.20	18.31	18.29	19.00
5	64QAM	12	7	18.05	18.29	18.04	18.21	18.07	19.00
5	64QAM	12	13	18.13	18.20	18.06	18.25	18.03	19.00
5	64QAM	25	0	18.00	18.17	18.11	18.20	18.09	19.00
5	256QAM	1	0	18.03	18.23	18.19	18.21	18.14	19.00
5	256QAM	1	12	18.08	18.28	18.05	18.28	18.24	19.00
5	256QAM	1	24	17.89	18.12	18.04	18.08	17.97	19.00
5	256QAM	12	0	18.11	18.25	18.14	18.31	18.15	19.00
5	256QAM	12	7	17.93	18.22	18.02	18.20	18.04	19.00
5	256QAM	12	13	17.89	18.16	18.08	18.25	18.17	19.00
5	256QAM	25	0	17.90	18.14	17.98	18.08	18.07	19.00

【LTE Band 41_FCC (2496~2690MHz)_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	20.00
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	18.39	18.72	18.35	18.80	18.75	20.00
20	QPSK	1	49	18.33	18.70	18.34	18.73	18.70	20.00
20	QPSK	1	99	18.31	18.68	18.31	18.70	18.64	20.00
20	QPSK	50	0	18.38	18.78	18.40	18.83	18.74	20.00
20	QPSK	50	24	18.37	18.64	18.28	18.80	18.61	20.00
20	QPSK	50	50	18.34	18.73	18.39	18.79	18.66	20.00
20	QPSK	100	0	18.35	18.72	18.30	18.90	18.63	20.00
20	16QAM	1	0	18.25	18.61	18.23	18.82	18.57	20.00
20	16QAM	1	49	18.24	18.49	18.22	18.74	18.56	20.00
20	16QAM	1	99	18.19	18.53	18.17	18.74	18.46	20.00
20	16QAM	50	0	18.31	18.59	18.22	18.78	18.58	20.00
20	16QAM	50	24	18.27	18.56	18.18	18.77	18.55	20.00
20	16QAM	50	50	18.22	18.58	18.27	18.78	18.55	20.00
20	16QAM	100	0	18.19	18.48	18.21	18.73	18.55	20.00
20	64QAM	1	0	18.23	18.53	18.24	18.76	18.52	20.00
20	64QAM	1	49	18.16	18.43	18.15	18.67	18.47	20.00
20	64QAM	1	99	18.24	18.52	18.17	18.72	18.49	20.00
20	64QAM	50	0	18.22	18.60	18.16	18.76	18.49	20.00
20	64QAM	50	24	18.14	18.37	18.10	18.62	18.39	20.00
20	64QAM	50	50	18.17	18.45	18.13	18.68	18.46	20.00
20	64QAM	100	0	18.15	18.43	18.15	18.65	18.39	20.00
20	256QAM	1	0	18.15	18.47	18.17	18.68	18.41	20.00
20	256QAM	1	49	18.18	18.48	18.14	18.72	18.44	20.00
20	256QAM	1	99	18.14	18.49	18.11	18.69	18.41	20.00
20	256QAM	50	0	18.18	18.50	18.14	18.67	18.44	20.00
20	256QAM	50	24	18.05	18.38	18.11	18.62	18.36	20.00
20	256QAM	50	50	18.25	18.49	18.17	18.72	18.54	20.00
20	256QAM	100	0	18.13	18.45	18.13	18.63	18.43	20.00
Channel				39725	40173	40620	41068	41515	20.00
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	18.28	18.64	18.31	18.85	18.61	20.00
15	QPSK	1	37	18.26	18.57	18.26	18.84	18.65	20.00
15	QPSK	1	74	18.25	18.55	18.20	18.85	18.61	20.00
15	QPSK	36	0	18.33	18.68	18.28	18.89	18.62	20.00
15	QPSK	36	20	18.33	18.58	18.24	18.82	18.53	20.00
15	QPSK	36	39	18.23	18.64	18.28	18.82	18.54	20.00
15	QPSK	75	0	18.29	18.58	18.26	18.78	18.54	20.00
15	16QAM	1	0	18.18	18.54	18.16	18.79	18.52	20.00
15	16QAM	1	37	18.21	18.44	18.17	18.71	18.44	20.00
15	16QAM	1	74	18.12	18.46	18.15	18.67	18.31	20.00
15	16QAM	36	0	18.16	18.50	18.08	18.72	18.57	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	16QAM	36	20	18.15	18.53	18.12	18.76	18.50	20.00
15	16QAM	36	39	18.20	18.46	18.14	18.71	18.54	20.00
15	16QAM	75	0	18.10	18.33	18.17	18.66	18.45	20.00
15	64QAM	1	0	18.18	18.46	18.14	18.68	18.50	20.00
15	64QAM	1	37	18.12	18.37	18.05	18.56	18.34	20.00
15	64QAM	1	74	18.22	18.43	18.13	18.63	18.36	20.00
15	64QAM	36	0	18.19	18.57	18.09	18.75	18.36	20.00
15	64QAM	36	20	18.05	18.29	18.00	18.55	18.27	20.00
15	64QAM	36	39	18.13	18.35	18.10	18.66	18.44	20.00
15	64QAM	75	0	18.08	18.40	18.05	18.51	18.29	20.00
15	256QAM	1	0	18.11	18.45	18.04	18.60	18.30	20.00
15	256QAM	1	37	18.05	18.41	18.07	18.70	18.32	20.00
15	256QAM	1	74	18.09	18.44	18.01	18.55	18.37	20.00
15	256QAM	36	0	18.05	18.38	18.13	18.56	18.35	20.00
15	256QAM	36	20	18.00	18.26	18.00	18.59	18.27	20.00
15	256QAM	36	39	18.17	18.42	18.06	18.59	18.47	20.00
15	256QAM	75	0	18.09	18.42	18.11	18.59	18.31	20.00
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	18.30	18.66	18.33	18.92	18.61	20.00
10	QPSK	1	25	18.23	18.56	18.32	18.84	18.56	20.00
10	QPSK	1	49	18.25	18.67	18.19	18.73	18.53	20.00
10	QPSK	25	0	18.25	18.71	18.31	18.92	18.72	20.00
10	QPSK	25	12	18.35	18.59	18.16	18.82	18.52	20.00
10	QPSK	25	25	18.30	18.58	18.25	18.75	18.56	20.00
10	QPSK	50	0	18.28	18.69	18.17	18.80	18.53	20.00
10	16QAM	1	0	18.22	18.57	18.20	18.78	18.43	20.00
10	16QAM	1	25	18.19	18.44	18.14	18.65	18.51	20.00
10	16QAM	1	49	18.11	18.39	18.08	18.65	18.34	20.00
10	16QAM	25	0	18.23	18.47	18.10	18.65	18.51	20.00
10	16QAM	25	12	18.18	18.51	18.04	18.65	18.47	20.00
10	16QAM	25	25	18.16	18.48	18.17	18.66	18.50	20.00
10	16QAM	50	0	18.08	18.33	18.14	18.58	18.48	20.00
10	64QAM	1	0	18.12	18.43	18.21	18.74	18.47	20.00
10	64QAM	1	25	18.04	18.35	18.04	18.57	18.44	20.00
10	64QAM	1	49	18.22	18.51	18.08	18.66	18.37	20.00
10	64QAM	25	0	18.18	18.45	18.11	18.71	18.37	20.00
10	64QAM	25	12	18.08	18.23	18.05	18.56	18.25	20.00
10	64QAM	25	25	18.09	18.37	18.10	18.61	18.40	20.00
10	64QAM	50	0	18.04	18.32	18.04	18.58	18.37	20.00
10	256QAM	1	0	18.12	18.33	18.12	18.53	18.30	20.00
10	256QAM	1	25	18.13	18.40	18.00	18.66	18.38	20.00
10	256QAM	1	49	18.08	18.37	18.05	18.55	18.38	20.00
10	256QAM	25	0	18.10	18.42	18.07	18.55	18.40	20.00
10	256QAM	25	12	18.01	18.37	18.04	18.56	18.22	20.00
10	256QAM	25	25	18.12	18.42	18.11	18.70	18.41	20.00
10	256QAM	50	0	18.12	18.38	18.09	18.56	18.35	20.00
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	18.36	18.69	18.20	18.94	18.65	20.00
5	QPSK	1	12	18.30	18.56	18.23	18.85	18.65	20.00
5	QPSK	1	24	18.28	18.60	18.28	18.79	18.55	20.00
5	QPSK	12	0	18.36	18.66	18.26	18.92	18.61	20.00
5	QPSK	12	7	18.31	18.50	18.21	18.76	18.51	20.00
5	QPSK	12	13	18.26	18.66	18.25	18.84	18.65	20.00
5	QPSK	25	0	18.32	18.69	18.18	18.85	18.55	20.00
5	16QAM	1	0	18.13	18.47	18.15	18.73	18.54	20.00
5	16QAM	1	12	18.13	18.36	18.10	18.70	18.47	20.00
5	16QAM	1	24	18.13	18.43	18.08	18.62	18.38	20.00
5	16QAM	12	0	18.23	18.53	18.17	18.70	18.47	20.00
5	16QAM	12	7	18.23	18.51	18.12	18.66	18.50	20.00
5	16QAM	12	13	18.18	18.45	18.16	18.64	18.52	20.00
5	16QAM	25	0	18.09	18.46	18.12	18.70	18.49	20.00
5	64QAM	1	0	18.20	18.41	18.16	18.67	18.40	20.00
5	64QAM	1	12	18.07	18.40	18.03	18.65	18.32	20.00
5	64QAM	1	24	18.12	18.49	18.13	18.63	18.44	20.00
5	64QAM	12	0	18.20	18.46	18.09	18.67	18.44	20.00
5	64QAM	12	7	18.09	18.32	18.01	18.57	18.38	20.00
5	64QAM	12	13	18.09	18.32	18.03	18.59	18.33	20.00
5	64QAM	25	0	18.08	18.40	18.11	18.54	18.29	20.00
5	256QAM	1	0	18.05	18.40	18.11	18.63	18.28	20.00
5	256QAM	1	12	18.15	18.37	18.13	18.64	18.33	20.00
5	256QAM	1	24	18.05	18.43	18.09	18.61	18.32	20.00
5	256QAM	12	0	18.11	18.43	18.08	18.59	18.31	20.00
5	256QAM	12	7	18.00	18.36	18.06	18.54	18.34	20.00
5	256QAM	12	13	18.14	18.48	18.03	18.58	18.42	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	256QAM	25	0	18.05	18.43	18.09	18.50	18.38	20.00
---	--------	----	---	-------	-------	-------	-------	-------	-------

【LTE Band 41_FCC (2496~2690MHz)_HPUE_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	21.00
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	19.91	20.34	20.20	20.31	20.23	21.00
20	QPSK	1	49	19.79	20.18	20.19	20.21	20.17	21.00
20	QPSK	1	99	19.74	20.29	20.17	20.15	20.13	21.00
20	QPSK	50	0	19.74	20.19	20.15	20.14	20.16	21.00
20	QPSK	50	24	19.72	20.18	20.14	20.11	20.04	21.00
20	QPSK	50	50	19.67	20.14	20.10	20.14	20.03	21.00
20	QPSK	100	0	19.72	20.20	20.12	20.12	20.02	21.00
20	16QAM	1	0	19.77	20.17	20.16	20.25	20.05	21.00
20	16QAM	1	49	19.81	20.22	20.14	20.18	20.11	21.00
20	16QAM	1	99	19.76	20.18	20.14	20.13	20.14	21.00
20	16QAM	50	0	19.73	20.19	20.12	20.12	20.01	21.00
20	16QAM	50	24	19.71	20.20	20.11	20.19	20.03	21.00
20	16QAM	50	50	19.72	20.14	20.04	20.01	19.95	21.00
20	16QAM	100	0	19.67	20.16	20.07	20.06	19.99	21.00
20	64QAM	1	0	19.82	20.18	20.14	20.17	20.14	21.00
20	64QAM	1	49	19.80	20.23	20.12	20.08	20.09	21.00
20	64QAM	1	99	19.69	20.24	20.12	20.16	20.05	21.00
20	64QAM	50	0	19.64	20.13	20.07	20.10	20.02	21.00
20	64QAM	50	24	19.61	20.07	20.04	20.02	20.04	21.00
20	64QAM	50	50	19.64	20.08	20.02	20.04	19.93	21.00
20	64QAM	100	0	19.74	20.15	20.04	20.10	20.04	21.00
20	256QAM	1	0	19.69	20.11	20.09	20.07	20.03	21.00
20	256QAM	1	49	19.75	20.16	20.07	20.16	20.07	21.00
20	256QAM	1	99	19.74	20.06	20.05	20.05	19.99	21.00
20	256QAM	50	0	19.60	20.06	20.02	20.06	20.02	21.00
20	256QAM	50	24	19.67	19.99	19.99	19.98	19.98	21.00
20	256QAM	50	50	19.56	20.03	19.98	20.02	20.00	21.00
20	256QAM	100	0	19.59	20.11	19.99	20.08	19.92	21.00
Channel				39725	40173	40620	41068	41515	21.00
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	19.79	20.26	20.10	20.17	20.20	21.00
15	QPSK	1	37	19.77	20.08	20.06	20.16	20.06	21.00
15	QPSK	1	74	19.68	20.16	20.05	20.11	20.04	21.00
15	QPSK	36	0	19.61	20.00	20.05	20.12	20.00	21.00
15	QPSK	36	20	19.70	20.00	20.04	19.97	20.08	21.00
15	QPSK	36	39	19.61	20.13	19.98	20.12	20.01	21.00
15	QPSK	75	0	19.61	20.09	20.08	20.10	19.97	21.00
15	16QAM	1	0	19.73	20.14	20.13	20.20	19.97	21.00
15	16QAM	1	37	19.78	20.20	20.06	20.04	20.08	21.00
15	16QAM	1	74	19.67	20.08	20.00	19.99	20.05	21.00
15	16QAM	36	0	19.65	20.05	20.08	20.00	20.00	21.00
15	16QAM	36	20	19.67	20.11	20.04	20.12	19.89	21.00
15	16QAM	36	39	19.57	20.10	19.98	19.94	19.88	21.00
15	16QAM	75	0	19.55	20.07	20.03	19.91	19.92	21.00
15	64QAM	1	0	19.70	20.05	20.00	20.14	20.03	21.00
15	64QAM	1	37	19.75	20.19	20.05	19.94	19.99	21.00
15	64QAM	1	74	19.57	20.20	20.05	20.15	19.96	21.00
15	64QAM	36	0	19.52	19.98	19.97	20.04	19.99	21.00
15	64QAM	36	20	19.58	19.95	19.93	20.01	19.96	21.00
15	64QAM	36	39	19.56	20.00	19.96	19.98	19.86	21.00
15	64QAM	75	0	19.65	20.09	19.97	19.95	19.92	21.00
15	256QAM	1	0	19.57	20.08	19.99	20.03	19.92	21.00
15	256QAM	1	37	19.63	20.02	20.04	20.12	20.02	21.00
15	256QAM	1	74	19.62	19.91	19.92	19.94	19.87	21.00
15	256QAM	36	0	19.57	19.97	19.95	19.91	19.97	21.00
15	256QAM	36	20	19.66	19.94	19.88	19.97	19.95	21.00
15	256QAM	36	39	19.52	19.94	19.90	19.99	19.97	21.00
15	256QAM	75	0	19.51	20.01	19.91	20.03	19.89	21.00
Channel				39700	40160	40620	41080	41540	21.00
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	19.82	20.31	20.18	20.24	20.12	21.00
10	QPSK	1	25	19.64	20.04	20.10	20.06	20.15	21.00
10	QPSK	1	49	19.72	20.14	20.11	20.05	20.08	21.00
10	QPSK	25	0	19.63	20.05	20.13	20.08	19.98	21.00

10	QPSK	25	12	19.70	20.02	20.10	20.07	20.05	21.00
10	QPSK	25	25	19.59	20.07	20.08	20.13	20.02	21.00
10	QPSK	50	0	19.62	20.05	20.03	20.01	19.91	21.00
10	16QAM	1	0	19.69	20.04	20.06	20.19	20.01	21.00
10	16QAM	1	25	19.71	20.10	20.12	20.15	20.04	21.00
10	16QAM	1	49	19.67	20.14	20.06	19.99	20.06	21.00
10	16QAM	25	0	19.70	20.06	19.98	20.05	19.92	21.00
10	16QAM	25	12	19.69	20.15	20.00	20.12	19.97	21.00
10	16QAM	25	25	19.58	20.02	19.95	19.96	19.87	21.00
10	16QAM	50	0	19.53	20.05	20.06	20.05	19.98	21.00
10	64QAM	1	0	19.72	20.04	20.12	20.08	19.99	21.00
10	64QAM	1	25	19.74	20.18	20.06	19.97	20.01	21.00
10	64QAM	1	49	19.63	20.14	19.99	20.02	19.93	21.00
10	64QAM	25	0	19.58	20.09	19.95	19.95	19.92	21.00
10	64QAM	25	12	19.50	19.99	19.99	19.95	19.93	21.00
10	64QAM	25	25	19.58	20.01	19.87	19.91	19.86	21.00
10	64QAM	50	0	19.72	20.05	19.97	20.00	19.99	21.00
10	256QAM	1	0	19.64	19.97	19.99	19.95	19.95	21.00
10	256QAM	1	25	19.65	20.09	19.97	20.05	20.03	21.00
10	256QAM	1	49	19.70	19.91	20.02	19.93	19.97	21.00
10	256QAM	25	0	19.49	20.00	19.88	19.99	19.96	21.00
10	256QAM	25	12	19.53	19.95	19.97	19.90	19.95	21.00
10	256QAM	25	25	19.49	19.98	19.94	19.89	19.89	21.00
10	256QAM	50	0	19.45	20.08	19.95	19.97	19.80	21.00
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	19.83	20.24	20.09	20.30	20.22	21.00
5	QPSK	1	12	19.77	20.15	20.11	20.13	20.09	21.00
5	QPSK	1	24	19.60	20.14	20.09	20.01	20.05	21.00
5	QPSK	12	0	19.68	20.06	20.06	20.12	19.91	21.00
5	QPSK	12	7	19.58	20.12	20.05	19.97	20.12	21.00
5	QPSK	12	13	19.59	20.14	20.02	20.09	19.95	21.00
5	QPSK	25	0	19.58	20.06	20.02	20.04	19.95	21.00
5	16QAM	1	0	19.74	20.03	20.06	20.11	20.00	21.00
5	16QAM	1	12	19.80	20.11	20.07	20.04	20.01	21.00
5	16QAM	1	24	19.66	20.07	20.12	20.11	20.10	21.00
5	16QAM	12	0	19.66	20.11	20.08	20.05	19.90	21.00
5	16QAM	12	7	19.69	20.16	20.08	20.16	19.91	21.00
5	16QAM	12	13	19.60	20.10	20.00	19.92	19.83	21.00
5	16QAM	25	0	19.61	20.15	19.94	19.92	19.92	21.00
5	64QAM	1	0	19.72	20.03	20.12	20.15	20.13	21.00
5	64QAM	1	12	19.78	20.13	20.02	19.98	19.97	21.00
5	64QAM	1	24	19.57	20.18	20.09	20.07	19.97	21.00
5	64QAM	12	0	19.60	20.05	20.02	20.06	19.89	21.00
5	64QAM	12	7	19.55	19.94	19.91	19.89	20.00	21.00
5	64QAM	12	13	19.54	20.01	19.97	19.93	19.83	21.00
5	64QAM	25	0	19.62	20.06	19.95	20.03	19.93	21.00
5	256QAM	1	0	19.68	20.04	19.98	20.03	19.91	21.00
5	256QAM	1	12	19.60	20.10	19.96	20.06	19.95	21.00
5	256QAM	1	24	19.63	19.92	20.01	19.90	19.91	21.00
5	256QAM	12	0	19.54	19.99	19.99	20.04	20.01	21.00
5	256QAM	12	7	19.59	19.89	19.89	19.90	19.89	21.00
5	256QAM	12	13	19.51	19.99	19.84	19.95	19.92	21.00
5	256QAM	25	0	19.53	20.06	19.88	19.93	19.86	21.00

【LTE Band 41__FCC (2496~2690MHz)_HPUE_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	21.32	21.63	21.27	21.73	21.67	22.00
20	QPSK	1	49	21.29	21.56	21.22	21.70	21.63	22.00
20	QPSK	1	99	21.28	21.55	21.22	21.67	21.54	22.00
20	QPSK	50	0	21.54	21.69	21.46	21.88	21.73	22.00
20	QPSK	50	24	21.45	21.66	21.37	21.85	21.73	22.00
20	QPSK	50	50	21.36	21.63	21.36	21.77	21.61	22.00
20	QPSK	100	0	21.45	21.72	21.45	21.85	21.75	22.00
20	16QAM	1	0	21.27	21.48	21.20	21.68	21.56	22.00
20	16QAM	1	49	21.18	21.44	21.13	21.61	21.47	22.00
20	16QAM	1	99	21.28	21.46	21.17	21.63	21.54	22.00
20	16QAM	50	0	21.44	21.65	21.40	21.84	21.75	22.00
20	16QAM	50	24	21.42	21.67	21.30	21.79	21.67	22.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	16QAM	50	50	21.39	21.58	21.29	21.72	21.58	22.00
20	16QAM	100	0	21.44	21.68	21.39	21.80	21.69	22.00
20	64QAM	1	0	21.23	21.48	21.15	21.62	21.49	22.00
20	64QAM	1	49	21.25	21.43	21.11	21.59	21.44	22.00
20	64QAM	1	99	21.16	21.48	21.17	21.59	21.52	22.00
20	64QAM	50	0	21.33	21.56	21.26	21.75	21.66	22.00
20	64QAM	50	24	21.41	21.65	21.29	21.77	21.65	22.00
20	64QAM	50	50	21.28	21.46	21.24	21.66	21.58	22.00
20	64QAM	100	0	21.41	21.59	21.26	21.75	21.65	22.00
20	256QAM	1	0	21.19	21.50	21.10	21.60	21.53	22.00
20	256QAM	1	49	21.19	21.43	21.10	21.55	21.40	22.00
20	256QAM	1	99	21.22	21.40	21.09	21.55	21.39	22.00
20	256QAM	50	0	21.36	21.55	21.33	21.74	21.60	22.00
20	256QAM	50	24	21.31	21.58	21.28	21.68	21.57	22.00
20	256QAM	50	50	21.18	21.41	21.20	21.61	21.46	22.00
20	256QAM	100	0	21.32	21.53	21.28	21.73	21.67	22.00
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	21.27	21.61	21.25	21.66	21.53	22.00
15	QPSK	1	37	21.21	21.46	21.18	21.58	21.58	22.00
15	QPSK	1	74	21.17	21.49	21.08	21.59	21.49	22.00
15	QPSK	36	0	21.32	21.62	21.27	21.73	21.66	22.00
15	QPSK	36	20	21.32	21.57	21.26	21.73	21.67	22.00
15	QPSK	36	39	21.32	21.60	21.23	21.72	21.60	22.00
15	QPSK	75	0	21.31	21.63	21.27	21.71	21.66	22.00
15	16QAM	1	0	21.23	21.44	21.11	21.62	21.52	22.00
15	16QAM	1	37	21.11	21.33	21.08	21.48	21.36	22.00
15	16QAM	1	74	21.13	21.42	21.07	21.52	21.45	22.00
15	16QAM	36	0	21.32	21.50	21.27	21.72	21.62	22.00
15	16QAM	36	20	21.28	21.61	21.16	21.72	21.64	22.00
15	16QAM	36	39	21.24	21.46	21.27	21.69	21.56	22.00
15	16QAM	75	0	21.30	21.60	21.26	21.71	21.57	22.00
15	64QAM	1	0	21.14	21.41	21.04	21.49	21.40	22.00
15	64QAM	1	37	21.15	21.29	20.97	21.44	21.42	22.00
15	64QAM	1	74	21.07	21.40	21.14	21.46	21.45	22.00
15	64QAM	36	0	21.21	21.55	21.16	21.72	21.55	22.00
15	64QAM	36	20	21.27	21.50	21.27	21.70	21.60	22.00
15	64QAM	36	39	21.23	21.38	21.13	21.65	21.53	22.00
15	64QAM	75	0	21.31	21.54	21.13	21.66	21.63	22.00
15	256QAM	1	0	21.10	21.39	21.05	21.57	21.41	22.00
15	256QAM	1	37	21.12	21.38	21.01	21.52	21.36	22.00
15	256QAM	1	74	21.09	21.29	21.06	21.43	21.32	22.00
15	256QAM	36	0	21.32	21.42	21.18	21.68	21.51	22.00
15	256QAM	36	20	21.18	21.48	21.26	21.57	21.55	22.00
15	256QAM	36	39	21.08	21.30	21.15	21.49	21.43	22.00
15	256QAM	75	0	21.26	21.47	21.15	21.59	21.61	22.00
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	21.28	21.55	21.22	21.65	21.56	22.00
10	QPSK	1	25	21.20	21.44	21.13	21.58	21.54	22.00
10	QPSK	1	49	21.23	21.47	21.09	21.58	21.50	22.00
10	QPSK	25	0	21.31	21.59	21.27	21.73	21.64	22.00
10	QPSK	25	12	21.32	21.55	21.26	21.73	21.62	22.00
10	QPSK	25	25	21.23	21.51	21.25	21.65	21.48	22.00
10	QPSK	50	0	21.31	21.63	21.26	21.73	21.63	22.00
10	16QAM	1	0	21.19	21.42	21.09	21.62	21.44	22.00
10	16QAM	1	25	21.06	21.42	21.06	21.54	21.39	22.00
10	16QAM	1	49	21.25	21.37	21.16	21.50	21.49	22.00
10	16QAM	25	0	21.30	21.63	21.26	21.73	21.65	22.00
10	16QAM	25	12	21.27	21.52	21.24	21.73	21.65	22.00
10	16QAM	25	25	21.32	21.44	21.22	21.64	21.57	22.00
10	16QAM	50	0	21.31	21.62	21.27	21.67	21.63	22.00
10	64QAM	1	0	21.20	21.40	21.05	21.50	21.42	22.00
10	64QAM	1	25	21.15	21.29	20.98	21.47	21.36	22.00
10	64QAM	1	49	21.05	21.46	21.10	21.46	21.42	22.00
10	64QAM	25	0	21.28	21.51	21.23	21.71	21.53	22.00
10	64QAM	25	12	21.32	21.58	21.18	21.73	21.56	22.00
10	64QAM	25	25	21.13	21.37	21.18	21.61	21.55	22.00
10	64QAM	50	0	21.30	21.56	21.20	21.66	21.51	22.00
10	256QAM	1	0	21.12	21.44	21.00	21.46	21.39	22.00
10	256QAM	1	25	21.12	21.31	20.96	21.44	21.32	22.00
10	256QAM	1	49	21.15	21.31	21.02	21.51	21.33	22.00
10	256QAM	25	0	21.21	21.52	21.18	21.71	21.56	22.00
10	256QAM	25	12	21.21	21.45	21.20	21.67	21.46	22.00
10	256QAM	25	25	21.14	21.37	21.16	21.48	21.43	22.00
10	256QAM	50	0	21.19	21.40	21.16	21.68	21.62	22.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5	
5	QPSK	1	0	21.23	21.61	21.18	21.64	21.53	22.00
5	QPSK	1	12	21.27	21.53	21.17	21.57	21.62	22.00
5	QPSK	1	24	21.19	21.45	21.20	21.63	21.43	22.00
5	QPSK	12	0	21.30	21.63	21.26	21.73	21.64	22.00
5	QPSK	12	7	21.32	21.63	21.27	21.72	21.64	22.00
5	QPSK	12	13	21.27	21.58	21.25	21.65	21.52	22.00
5	QPSK	25	0	21.32	21.58	21.25	21.71	21.65	22.00
5	16QAM	1	0	21.16	21.33	21.13	21.58	21.41	22.00
5	16QAM	1	12	21.13	21.40	20.98	21.59	21.43	22.00
5	16QAM	1	24	21.22	21.41	21.05	21.60	21.47	22.00
5	16QAM	12	0	21.31	21.53	21.26	21.70	21.65	22.00
5	16QAM	12	7	21.32	21.62	21.26	21.68	21.64	22.00
5	16QAM	12	13	21.26	21.54	21.15	21.61	21.53	22.00
5	16QAM	25	0	21.32	21.55	21.26	21.72	21.56	22.00
5	64QAM	1	0	21.18	21.46	21.02	21.51	21.38	22.00
5	64QAM	1	12	21.11	21.36	21.04	21.49	21.33	22.00
5	64QAM	1	24	21.04	21.34	21.03	21.52	21.47	22.00
5	64QAM	12	0	21.25	21.54	21.20	21.65	21.57	22.00
5	64QAM	12	7	21.31	21.52	21.22	21.65	21.56	22.00
5	64QAM	12	13	21.26	21.37	21.22	21.62	21.48	22.00
5	64QAM	25	0	21.32	21.47	21.12	21.65	21.53	22.00
5	256QAM	1	0	21.14	21.39	21.04	21.58	21.40	22.00
5	256QAM	1	12	21.14	21.33	21.07	21.42	21.26	22.00
5	256QAM	1	24	21.20	21.38	21.01	21.50	21.27	22.00
5	256QAM	12	0	21.25	21.51	21.23	21.66	21.48	22.00
5	256QAM	12	7	21.17	21.49	21.16	21.54	21.48	22.00
5	256QAM	12	13	21.12	21.36	21.14	21.55	21.36	22.00
5	256QAM	25	0	21.22	21.45	21.21	21.69	21.52	22.00

【LTE Band 48 FCC Part 96 IC RSS-192 (3550~3700MHz) Main Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				55340	55830	56150	56640	
Frequency (MHz)				3560	3609	3641	3690	
20	QPSK	1	0	20.57	20.67	20.78	21.20	22.00
20	QPSK	1	49	20.50	20.63	20.75	21.17	22.00
20	QPSK	1	99	20.41	20.63	20.70	21.10	22.00
20	QPSK	50	0	20.52	20.66	20.74	21.15	22.00
20	QPSK	50	24	20.46	20.58	20.76	21.13	22.00
20	QPSK	50	50	20.34	20.50	20.65	21.03	22.00
20	QPSK	100	0	20.41	20.63	20.80	21.15	22.00
20	16QAM	1	0	20.48	20.61	20.79	21.15	22.00
20	16QAM	1	49	20.31	20.55	20.75	21.13	22.00
20	16QAM	1	99	20.28	20.47	20.61	21.06	22.00
20	16QAM	50	0	19.96	20.17	20.36	20.71	21.00
20	16QAM	50	24	19.96	20.11	20.22	20.68	21.00
20	16QAM	50	50	19.83	20.07	20.22	20.66	21.00
20	16QAM	100	0	20.03	20.15	20.29	20.70	21.00
20	64QAM	1	0	20.07	20.18	20.33	20.70	21.00
20	64QAM	1	49	19.94	20.10	20.21	20.62	21.00
20	64QAM	1	99	19.92	20.06	20.07	20.54	21.00
20	64QAM	50	0	19.05	19.16	19.24	19.68	20.00
20	64QAM	50	24	18.95	19.12	19.25	19.66	20.00
20	64QAM	50	50	18.90	19.14	19.23	19.65	20.00
20	64QAM	100	0	18.95	19.07	19.17	19.64	20.00
20	256QAM	1	0	16.92	17.06	17.17	17.55	18.00
20	256QAM	1	49	16.69	16.90	16.98	17.45	18.00
20	256QAM	1	99	16.73	16.88	16.93	17.36	18.00
20	256QAM	50	0	16.97	17.10	17.29	17.65	18.00
20	256QAM	50	24	16.99	17.14	17.19	17.62	18.00
20	256QAM	50	50	16.92	17.11	17.16	17.59	18.00
20	256QAM	100	0	16.92	17.06	17.22	17.59	18.00
Channel				55315	55820	56160	56665	Tune-up limit (dBm)
Frequency (MHz)				3557.5	3608	3642	3692.5	
15	QPSK	1	0	20.49	20.56	20.74	21.09	22.00
15	QPSK	1	37	20.44	20.58	20.69	21.07	22.00
15	QPSK	1	74	20.37	20.56	20.68	21.04	22.00
15	QPSK	36	0	20.48	20.65	20.65	21.14	22.00
15	QPSK	36	20	20.40	20.51	20.63	21.04	22.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	QPSK	36	39	20.26	20.40	20.54	21.00	22.00
15	QPSK	75	0	20.35	20.54	20.69	21.12	22.00
15	16QAM	1	0	20.39	20.57	20.77	21.03	22.00
15	16QAM	1	37	20.29	20.40	20.73	21.08	22.00
15	16QAM	1	74	20.25	20.38	20.53	21.00	22.00
15	16QAM	36	0	19.83	20.12	20.30	20.70	21.00
15	16QAM	36	20	19.83	20.05	20.13	20.64	21.00
15	16QAM	36	39	19.79	20.02	20.19	20.59	21.00
15	16QAM	75	0	20.02	20.09	20.17	20.56	21.00
15	64QAM	1	0	20.01	20.08	20.28	20.63	21.00
15	64QAM	1	37	19.86	20.08	20.10	20.48	21.00
15	64QAM	1	74	19.80	20.02	20.02	20.46	21.00
15	64QAM	36	0	18.94	19.05	19.19	19.56	20.00
15	64QAM	36	20	18.82	19.00	19.13	19.57	20.00
15	64QAM	36	39	18.83	19.09	19.09	19.63	20.00
15	64QAM	75	0	18.90	19.05	19.12	19.54	20.00
15	256QAM	1	0	16.77	17.01	17.11	17.54	18.00
15	256QAM	1	37	16.64	16.88	16.87	17.33	18.00
15	256QAM	1	74	16.71	16.85	16.80	17.24	18.00
15	256QAM	36	0	16.84	17.08	17.14	17.58	18.00
15	256QAM	36	20	16.97	17.02	17.13	17.61	18.00
15	256QAM	36	39	16.82	16.98	17.15	17.47	18.00
15	256QAM	75	0	16.85	16.94	17.17	17.52	18.00
Channel				55290	55815	56165	56690	Tune-up limit (dBm)
Frequency (MHz)				3555	3607.5	3642.5	3695	
10	QPSK	1	0	20.45	20.56	20.66	21.08	22.00
10	QPSK	1	25	20.47	20.49	20.62	21.03	22.00
10	QPSK	1	49	20.38	20.53	20.60	20.98	22.00
10	QPSK	25	0	20.46	20.52	20.65	21.02	22.00
10	QPSK	25	12	20.33	20.49	20.73	21.04	22.00
10	QPSK	25	25	20.29	20.45	20.53	20.94	22.00
10	QPSK	50	0	20.29	20.50	20.67	21.05	22.00
10	16QAM	1	0	20.46	20.51	20.68	21.09	22.00
10	16QAM	1	25	20.26	20.52	20.74	21.10	22.00
10	16QAM	1	49	20.18	20.40	20.53	20.98	22.00
10	16QAM	25	0	19.81	20.05	20.26	20.67	21.00
10	16QAM	25	12	19.88	19.99	20.15	20.56	21.00
10	16QAM	25	25	19.73	20.04	20.12	20.58	21.00
10	16QAM	50	0	20.00	20.01	20.15	20.61	21.00
10	64QAM	1	0	20.01	20.07	20.26	20.58	21.00
10	64QAM	1	25	19.80	20.00	20.08	20.57	21.00
10	64QAM	1	49	19.82	19.95	20.05	20.43	21.00
10	64QAM	25	0	18.91	19.10	19.10	19.57	20.00
10	64QAM	25	12	18.87	19.06	19.13	19.57	20.00
10	64QAM	25	25	18.88	19.01	19.11	19.54	20.00
10	64QAM	50	0	18.85	18.98	19.15	19.56	20.00
10	256QAM	1	0	16.78	16.96	17.08	17.45	18.00
10	256QAM	1	25	16.54	16.83	16.87	17.37	18.00
10	256QAM	1	49	16.66	16.87	16.86	17.33	18.00
10	256QAM	25	0	16.86	16.95	17.18	17.59	18.00
10	256QAM	25	12	16.96	17.12	17.14	17.52	18.00
10	256QAM	25	25	16.80	16.98	17.08	17.45	18.00
10	256QAM	50	0	16.86	17.00	17.14	17.45	18.00
Channel				55265	55810	56170	56715	Tune-up limit (dBm)
Frequency (MHz)				3552.5	3607	3643	3697.5	
5	QPSK	1	0	20.55	20.63	20.67	21.07	22.00
5	QPSK	1	12	20.39	20.61	20.69	21.10	22.00
5	QPSK	1	24	20.33	20.61	20.67	21.02	22.00
5	QPSK	12	0	20.51	20.58	20.72	21.01	22.00
5	QPSK	12	7	20.40	20.49	20.63	21.05	22.00
5	QPSK	12	13	20.23	20.47	20.56	20.95	22.00
5	QPSK	25	0	20.29	20.50	20.74	21.01	22.00
5	16QAM	1	0	20.45	20.57	20.77	21.09	22.00
5	16QAM	1	12	20.20	20.45	20.71	20.99	22.00
5	16QAM	1	24	20.25	20.44	20.56	20.97	22.00
5	16QAM	12	0	19.91	20.09	20.28	20.67	21.00
5	16QAM	12	7	19.92	19.98	20.18	20.57	21.00
5	16QAM	12	13	19.72	19.93	20.19	20.60	21.00
5	16QAM	25	0	20.01	20.12	20.20	20.67	21.00
5	64QAM	1	0	20.02	20.10	20.24	20.61	21.00
5	64QAM	1	12	19.87	20.06	20.07	20.50	21.00
5	64QAM	1	24	19.85	19.92	19.99	20.48	21.00
5	64QAM	12	0	18.91	19.14	19.10	19.59	20.00
5	64QAM	12	7	18.93	19.07	19.20	19.63	20.00
5	64QAM	12	13	18.87	19.00	19.08	19.51	20.00
5	64QAM	25	0	18.81	19.06	19.07	19.57	20.00

5	256QAM	1	0	16.84	16.94	17.13	17.44	18.00
5	256QAM	1	12	16.63	16.79	16.97	17.36	18.00
5	256QAM	1	24	16.66	16.85	16.82	17.33	18.00
5	256QAM	12	0	16.90	16.99	17.24	17.52	18.00
5	256QAM	12	7	16.97	17.08	17.08	17.52	18.00
5	256QAM	12	13	16.89	16.97	17.03	17.45	18.00
5	256QAM	25	0	16.87	17.04	17.13	17.51	18.00

【LTE Band 48 _FCC_Part 96 IC_RSS-192 (3550~3700MHz) MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				55340	55830	56150	56640	Tune-up limit (dBm)
Frequency (MHz)				3560	3609	3641	3690	
20	QPSK	1	0	20.93	21.05	21.00	21.28	22.00
20	QPSK	1	49	20.90	21.02	20.98	21.20	22.00
20	QPSK	1	99	20.80	20.99	20.95	21.15	22.00
20	QPSK	50	0	20.92	21.03	21.09	21.25	22.00
20	QPSK	50	24	20.89	21.00	21.08	21.23	22.00
20	QPSK	50	50	20.87	20.98	21.00	21.21	22.00
20	QPSK	100	0	20.86	21.08	21.02	21.21	22.00
20	16QAM	1	0	21.01	21.12	21.07	21.27	22.00
20	16QAM	1	49	20.86	21.06	20.94	21.18	22.00
20	16QAM	1	99	20.87	21.02	20.95	21.15	22.00
20	16QAM	50	0	19.93	20.04	20.09	20.22	21.00
20	16QAM	50	24	19.89	20.03	20.00	20.22	21.00
20	16QAM	50	50	19.88	20.06	20.02	20.21	21.00
20	16QAM	100	0	19.87	20.04	20.02	20.19	21.00
20	64QAM	1	0	19.95	20.13	20.02	20.26	21.00
20	64QAM	1	49	19.82	20.02	19.98	20.14	21.00
20	64QAM	1	99	19.81	20.00	19.96	20.12	21.00
20	64QAM	50	0	18.94	19.06	19.02	19.23	20.00
20	64QAM	50	24	18.98	19.04	19.01	19.22	20.00
20	64QAM	50	50	18.90	19.05	19.04	19.21	20.00
20	64QAM	100	0	18.90	19.02	19.00	19.19	20.00
20	256QAM	1	0	16.75	16.96	16.87	17.08	18.00
20	256QAM	1	49	16.65	16.75	16.77	16.97	18.00
20	256QAM	1	99	16.62	16.72	16.80	16.95	18.00
20	256QAM	50	0	16.92	16.96	17.02	17.18	18.00
20	256QAM	50	24	16.82	16.96	16.98	17.17	18.00
20	256QAM	50	50	16.85	16.94	16.99	17.16	18.00
20	256QAM	100	0	16.92	17.03	16.99	17.16	18.00
Channel				55315	55820	56160	56665	Tune-up limit (dBm)
Frequency (MHz)				3557.5	3608	3642	3692.5	
15	QPSK	1	0	20.83	20.97	20.92	21.21	22.00
15	QPSK	1	37	20.82	20.89	20.87	21.09	22.00
15	QPSK	1	74	20.69	20.91	20.89	21.09	22.00
15	QPSK	36	0	20.85	20.89	21.00	21.19	22.00
15	QPSK	36	20	20.84	20.95	20.99	21.15	22.00
15	QPSK	36	39	20.74	20.95	20.91	21.20	22.00
15	QPSK	75	0	20.75	20.97	21.00	21.14	22.00
15	16QAM	1	0	20.91	21.05	21.00	21.14	22.00
15	16QAM	1	37	20.75	20.95	20.83	21.09	22.00
15	16QAM	1	74	20.83	20.95	20.94	21.00	22.00
15	16QAM	36	0	19.83	20.02	19.94	20.08	21.00
15	16QAM	36	20	19.86	19.98	19.94	20.12	21.00
15	16QAM	36	39	19.74	19.93	19.88	20.19	21.00
15	16QAM	75	0	19.82	19.96	19.93	20.08	21.00
15	64QAM	1	0	19.88	20.05	20.01	20.20	21.00
15	64QAM	1	37	19.80	20.00	19.92	20.13	21.00
15	64QAM	1	74	19.72	19.96	19.88	19.98	21.00
15	64QAM	36	0	18.93	19.00	18.94	19.14	20.00
15	64QAM	36	20	18.91	18.95	18.96	19.18	20.00
15	64QAM	36	39	18.82	18.90	18.95	19.14	20.00
15	64QAM	75	0	18.85	19.00	18.91	19.05	20.00
15	256QAM	1	0	16.71	16.84	16.80	16.96	18.00
15	256QAM	1	37	16.57	16.66	16.71	16.94	18.00
15	256QAM	1	74	16.52	16.61	16.68	16.84	18.00
15	256QAM	36	0	16.86	16.85	16.93	17.09	18.00
15	256QAM	36	20	16.72	16.82	16.95	17.15	18.00
15	256QAM	36	39	16.77	16.84	16.93	17.04	18.00
15	256QAM	75	0	16.83	16.91	16.87	17.14	18.00
Channel				55290	55815	56165	56690	Tune-up



FCC SAR TEST REPORT

Report No. : FA5D2601-04

Frequency (MHz)				3555	3607.5	3642.5	3695	limit (dBm)
10	QPSK	1	0	20.79	20.96	20.88	21.14	22.00
10	QPSK	1	25	20.76	20.97	20.86	21.10	22.00
10	QPSK	1	49	20.78	20.88	20.86	21.11	22.00
10	QPSK	25	0	20.77	20.91	20.98	21.14	22.00
10	QPSK	25	12	20.82	20.97	20.94	21.20	22.00
10	QPSK	25	25	20.74	20.88	20.91	21.06	22.00
10	QPSK	50	0	20.80	21.00	20.98	21.11	22.00
10	16QAM	1	0	20.93	21.00	20.99	21.17	22.00
10	16QAM	1	25	20.73	21.02	20.90	21.15	22.00
10	16QAM	1	49	20.83	21.00	20.83	21.03	22.00
10	16QAM	25	0	19.90	19.94	19.98	20.08	21.00
10	16QAM	25	12	19.86	19.95	19.93	20.13	21.00
10	16QAM	25	25	19.81	19.95	19.96	20.08	21.00
10	16QAM	50	0	19.80	20.02	19.96	20.18	21.00
10	64QAM	1	0	19.94	20.03	19.91	20.18	21.00
10	64QAM	1	25	19.78	19.87	19.94	20.04	21.00
10	64QAM	1	49	19.67	19.92	19.84	20.03	21.00
10	64QAM	25	0	18.93	19.02	18.95	19.20	20.00
10	64QAM	25	12	18.87	18.99	18.96	19.15	20.00
10	64QAM	25	25	18.86	18.92	19.02	19.13	20.00
10	64QAM	50	0	18.79	18.93	18.87	19.14	20.00
10	256QAM	1	0	16.63	16.86	16.79	16.94	18.00
10	256QAM	1	25	16.52	16.72	16.73	16.82	18.00
10	256QAM	1	49	16.47	16.62	16.77	16.91	18.00
10	256QAM	25	0	16.82	16.89	16.99	17.07	18.00
10	256QAM	25	12	16.69	16.89	16.92	17.13	18.00
10	256QAM	25	25	16.76	16.84	16.90	17.07	18.00
10	256QAM	50	0	16.78	17.01	16.97	17.11	18.00
Channel				55265	55810	56170	56715	Tune-up limit (dBm)
Frequency (MHz)				3552.5	3607	3643	3697.5	
5	QPSK	1	0	20.81	21.04	20.97	21.20	22.00
5	QPSK	1	12	20.89	20.97	20.88	21.15	22.00
5	QPSK	1	24	20.76	20.88	20.92	21.07	22.00
5	QPSK	12	0	20.83	20.95	20.99	21.11	22.00
5	QPSK	12	7	20.86	20.87	20.97	21.09	22.00
5	QPSK	12	13	20.81	20.95	20.90	21.16	22.00
5	QPSK	25	0	20.76	21.05	20.99	21.15	22.00
5	16QAM	1	0	20.93	21.04	21.00	21.13	22.00
5	16QAM	1	12	20.79	20.91	20.90	21.03	22.00
5	16QAM	1	24	20.76	20.98	20.84	21.06	22.00
5	16QAM	12	0	19.90	19.92	19.98	20.20	21.00
5	16QAM	12	7	19.85	20.02	19.90	20.15	21.00
5	16QAM	12	13	19.85	19.96	19.88	20.13	21.00
5	16QAM	25	0	19.83	20.00	19.88	20.16	21.00
5	64QAM	1	0	19.92	20.08	19.91	20.13	21.00
5	64QAM	1	12	19.77	19.93	19.97	20.00	21.00
5	64QAM	1	24	19.78	19.88	19.86	20.02	21.00
5	64QAM	12	0	18.89	19.04	18.96	19.22	20.00
5	64QAM	12	7	18.95	18.94	18.99	19.13	20.00
5	64QAM	12	13	18.82	18.98	18.96	19.10	20.00
5	64QAM	25	0	18.88	18.99	18.92	19.11	20.00
5	256QAM	1	0	16.72	16.94	16.80	16.99	18.00
5	256QAM	1	12	16.51	16.71	16.64	16.90	18.00
5	256QAM	1	24	16.60	16.58	16.73	16.88	18.00
5	256QAM	12	0	16.84	16.89	16.89	17.13	18.00
5	256QAM	12	7	16.67	16.86	16.89	17.16	18.00
5	256QAM	12	13	16.73	16.89	16.92	17.06	18.00
5	256QAM	25	0	16.89	16.96	16.86	17.08	18.00

【LTE Band 48 FCC_Part 96 IC_RSS-192 (3550~3700MHz) Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				55340	55830	56150	56640	
Frequency (MHz)				3560	3609	3641	3690	
20	QPSK	1	0	15.54	15.60	15.70	16.15	17.00
20	QPSK	1	49	15.29	15.49	15.61	16.08	17.00
20	QPSK	1	99	15.16	15.36	15.51	15.96	17.00
20	QPSK	50	0	15.39	15.53	15.66	16.13	17.00
20	QPSK	50	24	15.31	15.49	15.60	16.10	17.00
20	QPSK	50	50	15.36	15.48	15.59	16.07	17.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	QPSK	100	0	15.30	15.49	15.57	16.07	17.00
20	16QAM	1	0	15.36	15.53	15.67	16.12	17.00
20	16QAM	1	49	15.31	15.38	15.51	16.01	17.00
20	16QAM	1	99	15.19	15.30	15.45	15.92	17.00
20	16QAM	50	0	15.32	15.46	15.57	16.07	17.00
20	16QAM	50	24	15.26	15.45	15.53	16.03	17.00
20	16QAM	50	50	15.24	15.44	15.57	16.03	17.00
20	16QAM	100	0	15.23	15.44	15.57	16.02	17.00
20	64QAM	1	0	15.32	15.47	15.59	16.05	17.00
20	64QAM	1	49	15.31	15.40	15.54	15.99	17.00
20	64QAM	1	99	15.09	15.28	15.41	15.86	17.00
20	64QAM	50	0	15.34	15.44	15.57	16.02	17.00
20	64QAM	50	24	15.35	15.42	15.51	16.01	17.00
20	64QAM	50	50	15.28	15.38	15.53	15.98	17.00
20	64QAM	100	0	15.31	15.41	15.52	15.99	17.00
20	256QAM	1	0	15.33	15.42	15.53	16.03	17.00
20	256QAM	1	49	15.27	15.39	15.52	15.99	17.00
20	256QAM	1	99	15.10	15.24	15.35	15.85	17.00
20	256QAM	50	0	15.25	15.38	15.56	16.01	17.00
20	256QAM	50	24	15.21	15.37	15.54	15.99	17.00
20	256QAM	50	50	15.30	15.40	15.51	16.00	17.00
20	256QAM	100	0	15.24	15.32	15.48	15.95	17.00
Channel				55315	55820	56160	56665	Tune-up limit (dBm)
Frequency (MHz)				3557.5	3608	3642	3692.5	
15	QPSK	1	0	15.39	15.47	15.57	16.05	17.00
15	QPSK	1	37	15.26	15.46	15.50	16.02	17.00
15	QPSK	1	74	15.09	15.27	15.44	15.89	17.00
15	QPSK	36	0	15.30	15.41	15.58	16.03	17.00
15	QPSK	36	20	15.25	15.35	15.48	16.00	17.00
15	QPSK	36	39	15.23	15.41	15.53	16.01	17.00
15	QPSK	75	0	15.20	15.41	15.56	15.92	17.00
15	16QAM	1	0	15.30	15.42	15.64	16.06	17.00
15	16QAM	1	37	15.20	15.25	15.45	15.90	17.00
15	16QAM	1	74	15.05	15.19	15.38	15.88	17.00
15	16QAM	36	0	15.22	15.34	15.45	16.05	17.00
15	16QAM	36	20	15.16	15.40	15.45	15.97	17.00
15	16QAM	36	39	15.11	15.32	15.55	15.99	17.00
15	16QAM	75	0	15.15	15.38	15.52	15.97	17.00
15	64QAM	1	0	15.21	15.41	15.48	16.03	17.00
15	64QAM	1	37	15.28	15.35	15.49	15.96	17.00
15	64QAM	1	74	15.00	15.24	15.27	15.78	17.00
15	64QAM	36	0	15.30	15.30	15.49	15.95	17.00
15	64QAM	36	20	15.24	15.39	15.42	15.96	17.00
15	64QAM	36	39	15.23	15.26	15.46	15.86	17.00
15	64QAM	75	0	15.21	15.33	15.45	15.87	17.00
15	256QAM	1	0	15.21	15.29	15.49	15.95	17.00
15	256QAM	1	37	15.19	15.25	15.48	15.89	17.00
15	256QAM	1	74	15.00	15.23	15.32	15.82	17.00
15	256QAM	36	0	15.10	15.31	15.46	16.00	17.00
15	256QAM	36	20	15.09	15.32	15.50	15.97	17.00
15	256QAM	36	39	15.23	15.32	15.44	15.89	17.00
15	256QAM	75	0	15.18	15.30	15.33	15.84	17.00
Channel				55290	55815	56165	56690	Tune-up limit (dBm)
Frequency (MHz)				3555	3607.5	3642.5	3695	
10	QPSK	1	0	15.41	15.49	15.65	16.10	17.00
10	QPSK	1	25	15.23	15.45	15.56	15.93	17.00
10	QPSK	1	49	15.08	15.27	15.40	15.89	17.00
10	QPSK	25	0	15.29	15.52	15.61	16.06	17.00
10	QPSK	25	12	15.18	15.39	15.48	16.09	17.00
10	QPSK	25	25	15.31	15.38	15.46	16.02	17.00
10	QPSK	50	0	15.26	15.36	15.45	15.95	17.00
10	16QAM	1	0	15.34	15.44	15.54	15.98	17.00
10	16QAM	1	25	15.27	15.27	15.41	15.97	17.00
10	16QAM	1	49	15.06	15.27	15.37	15.80	17.00
10	16QAM	25	0	15.20	15.35	15.49	15.99	17.00
10	16QAM	25	12	15.18	15.32	15.50	16.00	17.00
10	16QAM	25	25	15.22	15.41	15.54	15.91	17.00
10	16QAM	50	0	15.14	15.31	15.54	15.87	17.00
10	64QAM	1	0	15.17	15.38	15.55	15.95	17.00
10	64QAM	1	25	15.22	15.29	15.43	15.97	17.00
10	64QAM	1	49	15.02	15.25	15.37	15.74	17.00
10	64QAM	25	0	15.29	15.38	15.50	15.97	17.00
10	64QAM	25	12	15.24	15.34	15.39	15.88	17.00
10	64QAM	25	25	15.22	15.25	15.49	15.90	17.00
10	64QAM	50	0	15.24	15.26	15.49	15.89	17.00
10	256QAM	1	0	15.30	15.32	15.44	16.00	17.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	256QAM	1	25	15.23	15.33	15.47	15.94	17.00
10	256QAM	1	49	15.00	15.16	15.21	15.77	17.00
10	256QAM	25	0	15.15	15.34	15.48	15.98	17.00
10	256QAM	25	12	15.18	15.29	15.45	15.90	17.00
10	256QAM	25	25	15.17	15.29	15.47	15.86	17.00
10	256QAM	50	0	15.14	15.29	15.37	15.91	17.00
Channel				55265	55810	56170	56715	Tune-up limit (dBm)
Frequency (MHz)				3552.5	3607	3643	3697.5	
5	QPSK	1	0	15.44	15.51	15.58	16.03	17.00
5	QPSK	1	12	15.25	15.42	15.46	16.04	17.00
5	QPSK	1	24	15.02	15.30	15.45	15.88	17.00
5	QPSK	12	0	15.33	15.52	15.52	16.10	17.00
5	QPSK	12	7	15.20	15.48	15.53	16.09	17.00
5	QPSK	12	13	15.24	15.34	15.58	15.97	17.00
5	QPSK	25	0	15.18	15.43	15.54	16.05	17.00
5	16QAM	1	0	15.28	15.50	15.60	16.07	17.00
5	16QAM	1	12	15.24	15.27	15.45	15.87	17.00
5	16QAM	1	24	15.09	15.20	15.42	15.83	17.00
5	16QAM	12	0	15.19	15.37	15.49	16.03	17.00
5	16QAM	12	7	15.22	15.36	15.46	15.96	17.00
5	16QAM	12	13	15.17	15.33	15.49	15.94	17.00
5	16QAM	25	0	15.13	15.33	15.50	15.91	17.00
5	64QAM	1	0	15.19	15.39	15.53	15.98	17.00
5	64QAM	1	12	15.29	15.25	15.50	15.96	17.00
5	64QAM	1	24	15.02	15.17	15.33	15.77	17.00
5	64QAM	12	0	15.25	15.38	15.43	15.96	17.00
5	64QAM	12	7	15.24	15.40	15.48	15.92	17.00
5	64QAM	12	13	15.21	15.27	15.44	15.97	17.00
5	64QAM	25	0	15.25	15.37	15.45	15.89	17.00
5	256QAM	1	0	15.26	15.28	15.46	15.99	17.00
5	256QAM	1	12	15.18	15.36	15.41	15.89	17.00
5	256QAM	1	24	15.03	15.15	15.26	15.72	17.00
5	256QAM	12	0	15.15	15.24	15.50	15.95	17.00
5	256QAM	12	7	15.11	15.33	15.40	15.92	17.00
5	256QAM	12	13	15.16	15.35	15.46	15.94	17.00
5	256QAM	25	0	15.13	15.25	15.34	15.85	17.00

【LTE Band 48_FCC_Part 96 IC_RSS-192 (3550~3700MHz)_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				55340	55830	56150	56640	
Frequency (MHz)				3560	3609	3641	3690	
20	QPSK	1	0	14.36	14.47	14.43	14.58	15.50
20	QPSK	1	49	14.33	14.43	14.39	14.57	15.50
20	QPSK	1	99	14.31	14.31	14.32	14.51	15.50
20	QPSK	50	0	14.53	14.53	14.46	14.68	15.50
20	QPSK	50	24	14.48	14.46	14.41	14.66	15.50
20	QPSK	50	50	14.42	14.48	14.40	14.62	15.50
20	QPSK	100	0	14.51	14.53	14.47	14.65	15.50
20	16QAM	1	0	14.30	14.35	14.28	14.45	15.50
20	16QAM	1	49	14.30	14.30	14.27	14.47	15.50
20	16QAM	1	99	14.12	14.16	14.10	14.35	15.50
20	16QAM	50	0	14.40	14.37	14.32	14.55	15.50
20	16QAM	50	24	14.27	14.32	14.32	14.49	15.50
20	16QAM	50	50	14.35	14.36	14.27	14.50	15.50
20	16QAM	100	0	14.36	14.33	14.30	14.51	15.50
20	64QAM	1	0	14.22	14.23	14.17	14.41	15.50
20	64QAM	1	49	14.20	14.28	14.18	14.39	15.50
20	64QAM	1	99	14.27	14.29	14.26	14.41	15.50
20	64QAM	50	0	14.38	14.37	14.29	14.52	15.50
20	64QAM	50	24	14.28	14.28	14.23	14.48	15.50
20	64QAM	50	50	14.27	14.29	14.19	14.43	15.50
20	64QAM	100	0	14.33	14.36	14.30	14.54	15.50
20	256QAM	1	0	14.25	14.28	14.21	14.40	15.50
20	256QAM	1	49	14.21	14.19	14.13	14.35	15.50
20	256QAM	1	99	14.18	14.16	14.14	14.36	15.50
20	256QAM	50	0	14.28	14.31	14.35	14.50	15.50
20	256QAM	50	24	14.25	14.23	14.23	14.42	15.50
20	256QAM	50	50	14.18	14.24	14.22	14.42	15.50
20	256QAM	100	0	14.33	14.40	14.36	14.51	15.50
Channel				55315	55820	56160	56665	Tune-up limit
Frequency (MHz)				3557.5	3608	3642	3692.5	



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	QPSK	1	0	14.35	14.41	14.33	14.53	(dBm)
15	QPSK	1	37	14.19	14.40	14.35	14.47	15.50
15	QPSK	1	74	14.19	14.20	14.27	14.44	15.50
15	QPSK	36	0	14.36	14.40	14.38	14.57	15.50
15	QPSK	36	20	14.36	14.37	14.30	14.57	15.50
15	QPSK	36	39	14.31	14.40	14.38	14.50	15.50
15	QPSK	75	0	14.36	14.47	14.34	14.51	15.50
15	16QAM	1	0	14.21	14.27	14.21	14.38	15.50
15	16QAM	1	37	14.22	14.16	14.25	14.36	15.50
15	16QAM	1	74	14.06	14.13	13.97	14.30	15.50
15	16QAM	36	0	14.35	14.33	14.28	14.47	15.50
15	16QAM	36	20	14.13	14.24	14.28	14.44	15.50
15	16QAM	36	39	14.33	14.27	14.26	14.37	15.50
15	16QAM	75	0	14.25	14.31	14.21	14.49	15.50
15	64QAM	1	0	14.10	14.16	14.12	14.32	15.50
15	64QAM	1	37	14.13	14.24	14.17	14.37	15.50
15	64QAM	1	74	14.18	14.22	14.17	14.33	15.50
15	64QAM	36	0	14.28	14.27	14.26	14.47	15.50
15	64QAM	36	20	14.26	14.27	14.11	14.38	15.50
15	64QAM	36	39	14.16	14.16	14.16	14.28	15.50
15	64QAM	75	0	14.19	14.29	14.27	14.39	15.50
15	256QAM	1	0	14.18	14.14	14.13	14.38	15.50
15	256QAM	1	37	14.16	14.05	14.01	14.26	15.50
15	256QAM	1	74	14.04	14.10	14.05	14.32	15.50
15	256QAM	36	0	14.25	14.19	14.30	14.45	15.50
15	256QAM	36	20	14.23	14.18	14.09	14.33	15.50
15	256QAM	36	39	14.07	14.23	14.10	14.35	15.50
15	256QAM	75	0	14.22	14.34	14.25	14.48	15.50
Channel				55290	55815	56165	56690	Tune-up limit (dBm)
Frequency (MHz)				3555	3607.5	3642.5	3695	
10	QPSK	1	0	14.27	14.43	14.33	14.45	15.50
10	QPSK	1	25	14.21	14.39	14.26	14.52	15.50
10	QPSK	1	49	14.25	14.24	14.23	14.45	15.50
10	QPSK	25	0	14.36	14.46	14.36	14.58	15.50
10	QPSK	25	12	14.36	14.41	14.39	14.58	15.50
10	QPSK	25	25	14.30	14.41	14.36	14.58	15.50
10	QPSK	50	0	14.35	14.46	14.39	14.56	15.50
10	16QAM	1	0	14.23	14.23	14.18	14.41	15.50
10	16QAM	1	25	14.20	14.27	14.14	14.32	15.50
10	16QAM	1	49	13.99	14.11	14.09	14.22	15.50
10	16QAM	25	0	14.30	14.22	14.25	14.54	15.50
10	16QAM	25	12	14.25	14.18	14.18	14.45	15.50
10	16QAM	25	25	14.22	14.34	14.23	14.38	15.50
10	16QAM	50	0	14.31	14.20	14.17	14.36	15.50
10	64QAM	1	0	14.13	14.10	14.15	14.29	15.50
10	64QAM	1	25	14.19	14.19	14.15	14.30	15.50
10	64QAM	1	49	14.21	14.20	14.14	14.38	15.50
10	64QAM	25	0	14.31	14.25	14.21	14.43	15.50
10	64QAM	25	12	14.13	14.23	14.14	14.37	15.50
10	64QAM	25	25	14.20	14.14	14.09	14.33	15.50
10	64QAM	50	0	14.20	14.34	14.20	14.40	15.50
10	256QAM	1	0	14.14	14.22	14.10	14.37	15.50
10	256QAM	1	25	14.18	14.10	14.00	14.26	15.50
10	256QAM	1	49	14.15	14.08	14.08	14.24	15.50
10	256QAM	25	0	14.18	14.27	14.31	14.37	15.50
10	256QAM	25	12	14.14	14.15	14.17	14.32	15.50
10	256QAM	25	25	14.05	14.21	14.17	14.30	15.50
10	256QAM	50	0	14.28	14.27	14.28	14.37	15.50
Channel				55265	55810	56170	56715	Tune-up limit (dBm)
Frequency (MHz)				3552.5	3607	3643	3697.5	
5	QPSK	1	0	14.22	14.40	14.34	14.56	15.50
5	QPSK	1	12	14.21	14.41	14.28	14.55	15.50
5	QPSK	1	24	14.17	14.18	14.30	14.50	15.50
5	QPSK	12	0	14.36	14.43	14.40	14.58	15.50
5	QPSK	12	7	14.35	14.34	14.31	14.58	15.50
5	QPSK	12	13	14.30	14.40	14.35	14.56	15.50
5	QPSK	25	0	14.36	14.41	14.43	14.58	15.50
5	16QAM	1	0	14.27	14.26	14.22	14.37	15.50
5	16QAM	1	12	14.25	14.28	14.16	14.43	15.50
5	16QAM	1	24	13.98	14.01	14.02	14.25	15.50
5	16QAM	12	0	14.32	14.28	14.22	14.47	15.50
5	16QAM	12	7	14.20	14.23	14.26	14.41	15.50
5	16QAM	12	13	14.21	14.27	14.19	14.48	15.50
5	16QAM	25	0	14.27	14.24	14.23	14.44	15.50
5	64QAM	1	0	14.12	14.16	14.03	14.29	15.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	64QAM	1	12	14.14	14.26	14.09	14.36	15.50
5	64QAM	1	24	14.13	14.18	14.22	14.36	15.50
5	64QAM	12	0	14.30	14.34	14.16	14.49	15.50
5	64QAM	12	7	14.26	14.26	14.13	14.43	15.50
5	64QAM	12	13	14.18	14.25	14.10	14.42	15.50
5	64QAM	25	0	14.28	14.28	14.20	14.43	15.50
5	256QAM	1	0	14.22	14.21	14.16	14.38	15.50
5	256QAM	1	12	14.19	14.04	14.02	14.23	15.50
5	256QAM	1	24	14.14	14.02	14.08	14.26	15.50
5	256QAM	12	0	14.18	14.21	14.23	14.48	15.50
5	256QAM	12	7	14.14	14.16	14.19	14.28	15.50
5	256QAM	12	13	14.05	14.22	14.17	14.39	15.50
5	256QAM	25	0	14.22	14.28	14.35	14.47	15.50

【LTE Band 66_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	Tune-up limit (dBm)
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	23.41	23.19	23.15	25.00
20	QPSK	1	49	23.24	23.14	23.00	25.00
20	QPSK	1	99	23.29	23.10	23.00	25.00
20	QPSK	50	0	22.49	22.37	22.31	24.00
20	QPSK	50	24	22.48	22.36	22.27	24.00
20	QPSK	50	50	22.46	22.32	22.24	24.00
20	QPSK	100	0	22.40	22.31	22.21	24.00
20	16QAM	1	0	22.50	22.43	22.28	24.00
20	16QAM	1	49	22.54	22.35	22.19	24.00
20	16QAM	1	99	22.43	22.33	22.21	24.00
20	16QAM	50	0	21.50	21.33	21.24	23.00
20	16QAM	50	24	21.48	21.30	21.15	23.00
20	16QAM	50	50	21.46	21.28	21.13	23.00
20	16QAM	100	0	21.38	21.31	21.25	23.00
20	64QAM	1	0	21.37	21.29	21.18	23.00
20	64QAM	1	49	21.39	21.22	21.13	23.00
20	64QAM	1	99	21.34	21.20	21.14	23.00
20	64QAM	50	0	20.40	20.31	20.22	22.00
20	64QAM	50	24	20.41	20.30	20.22	22.00
20	64QAM	50	50	20.38	20.27	20.10	22.00
20	64QAM	100	0	20.44	20.26	20.14	22.00
20	256QAM	1	0	18.32	18.17	18.10	20.00
20	256QAM	1	49	18.16	18.09	18.02	20.00
20	256QAM	1	99	18.19	18.08	18.01	20.00
20	256QAM	50	0	18.27	18.24	18.09	20.00
20	256QAM	50	24	18.33	18.22	18.09	20.00
20	256QAM	50	50	18.34	18.18	18.01	20.00
20	256QAM	100	0	18.23	18.20	18.08	20.00
Channel				132047	132322	132597	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	23.37	23.04	23.13	25.00
15	QPSK	1	37	23.19	23.08	23.00	25.00
15	QPSK	1	74	23.26	23.01	23.02	25.00
15	QPSK	36	0	22.48	22.29	22.26	24.00
15	QPSK	36	20	22.44	22.27	22.24	24.00
15	QPSK	36	39	22.41	22.18	22.15	24.00
15	QPSK	75	0	22.30	22.22	22.11	24.00
15	16QAM	1	0	22.47	22.40	22.25	24.00
15	16QAM	1	37	22.47	22.25	22.13	24.00
15	16QAM	1	74	22.32	22.18	22.15	24.00
15	16QAM	36	0	21.49	21.28	21.13	23.00
15	16QAM	36	20	21.45	21.28	21.03	23.00
15	16QAM	36	39	21.35	21.22	21.11	23.00
15	16QAM	75	0	21.35	21.24	21.13	23.00
15	64QAM	1	0	21.25	21.20	21.09	23.00
15	64QAM	1	37	21.37	21.16	21.01	23.00
15	64QAM	1	74	21.23	21.19	21.07	23.00
15	64QAM	36	0	20.29	20.28	20.16	22.00
15	64QAM	36	20	20.39	20.19	20.18	22.00
15	64QAM	36	39	20.29	20.17	20.03	22.00
15	64QAM	75	0	20.32	20.17	20.11	22.00
15	256QAM	1	0	18.27	18.04	18.04	20.00
15	256QAM	1	37	18.08	18.00	18.01	20.00
15	256QAM	1	74	18.10	18.01	18.00	20.00

15	256QAM	36	0	18.19	18.11	18.06	20.00
15	256QAM	36	20	18.21	18.14	18.06	20.00
15	256QAM	36	39	18.33	18.12	18.01	20.00
15	256QAM	75	0	18.19	18.15	18.00	20.00
Channel				132022	132322	132622	Tune-up limit
Frequency (MHz)				1715	1745	1775	(dBm)
10	QPSK	1	0	23.31	23.18	23.11	25.00
10	QPSK	1	25	23.09	23.06	23.01	25.00
10	QPSK	1	49	23.24	23.00	23.00	25.00
10	QPSK	25	0	22.47	22.33	22.26	24.00
10	QPSK	25	12	22.34	22.34	22.14	24.00
10	QPSK	25	25	22.39	22.21	22.11	24.00
10	QPSK	50	0	22.37	22.27	22.13	24.00
10	16QAM	1	0	22.38	22.31	22.27	24.00
10	16QAM	1	25	22.43	22.28	22.08	24.00
10	16QAM	1	49	22.39	22.26	22.15	24.00
10	16QAM	25	0	21.37	21.25	21.22	23.00
10	16QAM	25	12	21.40	21.28	21.07	23.00
10	16QAM	25	25	21.40	21.25	21.05	23.00
10	16QAM	50	0	21.26	21.17	21.13	23.00
10	64QAM	1	0	21.23	21.26	21.10	23.00
10	64QAM	1	25	21.34	21.15	21.09	23.00
10	64QAM	1	49	21.32	21.15	21.10	23.00
10	64QAM	25	0	20.38	20.30	20.08	22.00
10	64QAM	25	12	20.28	20.27	20.14	22.00
10	64QAM	25	25	20.32	20.17	20.02	22.00
10	64QAM	50	0	20.41	20.21	20.03	22.00
10	256QAM	1	0	18.26	18.05	18.00	20.00
10	256QAM	1	25	18.15	18.01	18.00	20.00
10	256QAM	1	49	18.04	18.07	18.01	20.00
10	256QAM	25	0	18.24	18.12	18.04	20.00
10	256QAM	25	12	18.27	18.13	18.00	20.00
10	256QAM	25	25	18.25	18.15	18.01	20.00
10	256QAM	50	0	18.18	18.09	18.05	20.00
Channel				131997	132322	132647	Tune-up limit
Frequency (MHz)				1712.5	1745	1777.5	(dBm)
5	QPSK	1	0	23.39	23.08	23.10	25.00
5	QPSK	1	12	23.11	23.09	23.00	25.00
5	QPSK	1	24	23.27	23.02	23.02	25.00
5	QPSK	12	0	22.37	22.31	22.27	24.00
5	QPSK	12	7	22.36	22.25	22.13	24.00
5	QPSK	12	13	22.33	22.23	22.22	24.00
5	QPSK	25	0	22.25	22.18	22.06	24.00
5	16QAM	1	0	22.43	22.39	22.26	24.00
5	16QAM	1	12	22.52	22.32	22.10	24.00
5	16QAM	1	24	22.36	22.31	22.18	24.00
5	16QAM	12	0	21.43	21.20	21.22	23.00
5	16QAM	12	7	21.38	21.18	21.02	23.00
5	16QAM	12	13	21.41	21.24	21.06	23.00
5	16QAM	25	0	21.27	21.24	21.12	23.00
5	64QAM	1	0	21.35	21.26	21.07	23.00
5	64QAM	1	12	21.28	21.10	21.09	23.00
5	64QAM	1	24	21.30	21.18	21.08	23.00
5	64QAM	12	0	20.34	20.21	20.13	22.00
5	64QAM	12	7	20.37	20.25	20.20	22.00
5	64QAM	12	13	20.30	20.15	20.01	22.00
5	64QAM	25	0	20.32	20.19	20.00	22.00
5	256QAM	1	0	18.22	18.02	18.02	20.00
5	256QAM	1	12	18.06	18.00	18.02	20.00
5	256QAM	1	24	18.09	18.00	18.00	20.00
5	256QAM	12	0	18.24	18.13	18.02	20.00
5	256QAM	12	7	18.24	18.08	18.00	20.00
5	256QAM	12	13	18.20	18.15	18.01	20.00
5	256QAM	25	0	18.19	18.14	18.01	20.00
Channel				131987	132322	132657	Tune-up limit
Frequency (MHz)				1711.5	1745	1778.5	(dBm)
3	QPSK	1	0	23.34	23.05	23.02	25.00
3	QPSK	1	8	23.10	23.03	23.01	25.00
3	QPSK	1	14	23.20	23.04	23.01	25.00
3	QPSK	8	0	22.39	22.25	22.25	24.00
3	QPSK	8	4	22.44	22.32	22.12	24.00
3	QPSK	8	7	22.37	22.18	22.14	24.00
3	QPSK	15	0	22.26	22.25	22.10	24.00
3	16QAM	1	0	22.43	22.32	22.19	24.00
3	16QAM	1	8	22.41	22.24	22.12	24.00
3	16QAM	1	14	22.37	22.27	22.17	24.00
3	16QAM	8	0	21.48	21.20	21.09	23.00
3	16QAM	8	4	21.45	21.25	21.06	23.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

3	16QAM	8	7	21.35	21.24	21.10	23.00
3	16QAM	15	0	21.35	21.28	21.10	23.00
3	64QAM	1	0	21.32	21.14	21.07	23.00
3	64QAM	1	8	21.30	21.11	21.09	23.00
3	64QAM	1	14	21.31	21.08	21.03	23.00
3	64QAM	8	0	20.34	20.19	20.11	22.00
3	64QAM	8	4	20.29	20.22	20.16	22.00
3	64QAM	8	7	20.36	20.15	20.01	22.00
3	64QAM	15	0	20.42	20.16	20.09	22.00
3	256QAM	1	0	18.28	18.03	18.06	20.00
3	256QAM	1	8	18.02	18.02	18.01	20.00
3	256QAM	1	14	18.07	18.02	18.01	20.00
3	256QAM	8	0	18.15	18.14	18.07	20.00
3	256QAM	8	4	18.25	18.20	18.00	20.00
3	256QAM	8	7	18.28	18.09	18.00	20.00
3	256QAM	15	0	18.13	18.09	18.02	20.00
Channel				131979	132322	132665	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1745	1779.3	
1.4	QPSK	1	0	23.36	23.18	23.04	25.00
1.4	QPSK	1	3	23.13	23.05	23.00	25.00
1.4	QPSK	1	5	23.21	23.02	23.02	25.00
1.4	QPSK	3	0	23.37	23.19	23.15	25.00
1.4	QPSK	3	1	23.37	23.17	23.14	25.00
1.4	QPSK	3	3	23.34	23.19	23.15	25.00
1.4	QPSK	6	0	22.34	22.23	22.09	24.00
1.4	16QAM	1	0	22.44	22.42	22.26	24.00
1.4	16QAM	1	3	22.41	22.32	22.12	24.00
1.4	16QAM	1	5	22.33	22.20	22.11	24.00
1.4	16QAM	3	0	22.49	22.29	22.15	24.00
1.4	16QAM	3	1	22.42	22.25	22.01	24.00
1.4	16QAM	3	3	22.37	22.22	22.00	24.00
1.4	16QAM	6	0	21.30	21.26	21.19	23.00
1.4	64QAM	1	0	21.23	21.28	21.16	23.00
1.4	64QAM	1	3	21.26	21.19	21.02	23.00
1.4	64QAM	1	5	21.31	21.10	21.06	23.00
1.4	64QAM	3	0	21.32	21.30	21.18	23.00
1.4	64QAM	3	1	21.27	21.28	21.13	23.00
1.4	64QAM	3	3	21.29	21.23	21.01	23.00
1.4	64QAM	6	0	20.41	20.15	20.09	22.00
1.4	256QAM	1	0	18.27	18.02	18.00	20.00
1.4	256QAM	1	3	18.03	18.00	18.00	20.00
1.4	256QAM	1	5	18.09	18.00	18.00	20.00
1.4	256QAM	3	0	18.26	18.11	18.01	20.00
1.4	256QAM	3	1	18.21	18.20	18.06	20.00
1.4	256QAM	3	3	18.25	18.13	18.00	20.00
1.4	256QAM	6	0	18.18	18.07	18.01	20.00

【LTE Band 66_MIMO2_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	23.03	23.15	23.00	25.00
20	QPSK	1	49	23.00	23.06	23.01	25.00
20	QPSK	1	99	23.00	23.00	23.01	25.00
20	QPSK	50	0	22.11	22.28	22.03	24.00
20	QPSK	50	24	22.05	22.26	22.02	24.00
20	QPSK	50	50	22.01	22.25	22.00	24.00
20	QPSK	100	0	22.07	22.24	22.00	24.00
20	16QAM	1	0	22.14	22.36	22.14	24.00
20	16QAM	1	49	22.06	22.27	22.02	24.00
20	16QAM	1	99	22.03	22.18	22.00	24.00
20	16QAM	50	0	21.02	21.26	21.08	23.00
20	16QAM	50	24	21.07	21.23	21.03	23.00
20	16QAM	50	50	21.09	21.23	21.04	23.00
20	16QAM	100	0	21.05	21.23	21.08	23.00
20	64QAM	1	0	21.06	21.20	21.00	23.00
20	64QAM	1	49	21.01	21.10	21.01	23.00
20	64QAM	1	99	21.01	21.08	21.02	23.00
20	64QAM	50	0	20.08	20.25	20.02	22.00
20	64QAM	50	24	20.03	20.21	20.00	22.00
20	64QAM	50	50	20.01	20.21	20.00	22.00
20	64QAM	100	0	20.06	20.19	20.00	22.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	256QAM	1	0	18.01	18.11	18.00	20.00
20	256QAM	1	49	18.01	18.02	18.00	20.00
20	256QAM	1	99	18.02	18.00	18.01	20.00
20	256QAM	50	0	18.03	18.21	18.00	20.00
20	256QAM	50	24	18.01	18.16	18.00	20.00
20	256QAM	50	50	18.00	18.14	18.01	20.00
20	256QAM	100	0	18.02	18.14	18.01	20.00
Channel				132047	132322	132597	Tune-up limit
Frequency (MHz)				1717.5	1745	1772.5	(dBm)
15	QPSK	1	0	23.01	23.13	23.00	25.00
15	QPSK	1	37	23.01	23.00	23.02	25.00
15	QPSK	1	74	23.00	23.02	23.00	25.00
15	QPSK	36	0	22.09	22.22	22.00	24.00
15	QPSK	36	20	22.00	22.13	22.01	24.00
15	QPSK	36	39	22.00	22.11	22.00	24.00
15	QPSK	75	0	22.05	22.20	22.00	24.00
15	16QAM	1	0	22.07	22.31	22.00	24.00
15	16QAM	1	37	22.00	22.16	22.00	24.00
15	16QAM	1	74	22.01	22.11	22.01	24.00
15	16QAM	36	0	21.01	21.14	21.01	23.00
15	16QAM	36	20	21.00	21.13	21.01	23.00
15	16QAM	36	39	21.04	21.09	21.01	23.00
15	16QAM	75	0	21.00	21.11	21.01	23.00
15	64QAM	1	0	21.00	21.06	21.00	23.00
15	64QAM	1	37	21.00	21.01	21.00	23.00
15	64QAM	1	74	21.00	21.00	21.00	23.00
15	64QAM	36	0	20.05	20.21	20.01	22.00
15	64QAM	36	20	20.00	20.19	20.00	22.00
15	64QAM	36	39	20.01	20.13	20.01	22.00
15	64QAM	75	0	20.00	20.07	20.00	22.00
15	256QAM	1	0	18.01	18.04	18.02	20.00
15	256QAM	1	37	18.02	18.01	18.01	20.00
15	256QAM	1	74	18.00	18.01	18.01	20.00
15	256QAM	36	0	18.00	18.19	18.00	20.00
15	256QAM	36	20	18.01	18.12	18.01	20.00
15	256QAM	36	39	18.00	18.09	18.00	20.00
15	256QAM	75	0	18.00	18.01	18.00	20.00
Channel				132022	132322	132622	Tune-up limit
Frequency (MHz)				1715	1745	1775	(dBm)
10	QPSK	1	0	23.00	23.08	23.00	25.00
10	QPSK	1	25	23.01	23.01	23.01	25.00
10	QPSK	1	49	23.02	23.00	23.01	25.00
10	QPSK	25	0	22.07	22.24	22.01	24.00
10	QPSK	25	12	22.02	22.20	22.00	24.00
10	QPSK	25	25	22.00	22.23	22.00	24.00
10	QPSK	50	0	22.01	22.13	22.00	24.00
10	16QAM	1	0	22.00	22.33	22.06	24.00
10	16QAM	1	25	22.01	22.14	22.00	24.00
10	16QAM	1	49	22.00	22.05	22.00	24.00
10	16QAM	25	0	21.00	21.12	21.04	23.00
10	16QAM	25	12	21.00	21.20	21.00	23.00
10	16QAM	25	25	21.04	21.13	21.02	23.00
10	16QAM	50	0	21.00	21.11	21.00	23.00
10	64QAM	1	0	21.01	21.10	21.00	23.00
10	64QAM	1	25	21.00	21.04	21.01	23.00
10	64QAM	1	49	21.01	21.06	21.00	23.00
10	64QAM	25	0	20.00	20.14	20.01	22.00
10	64QAM	25	12	20.00	20.10	20.00	22.00
10	64QAM	25	25	20.00	20.15	20.02	22.00
10	64QAM	50	0	20.00	20.08	20.00	22.00
10	256QAM	1	0	18.01	18.01	18.00	20.00
10	256QAM	1	25	18.00	18.01	18.01	20.00
10	256QAM	1	49	18.02	18.00	18.00	20.00
10	256QAM	25	0	18.00	18.20	18.00	20.00
10	256QAM	25	12	18.00	18.13	18.00	20.00
10	256QAM	25	25	18.01	18.05	18.00	20.00
10	256QAM	50	0	18.01	18.02	18.00	20.00
Channel				131997	132322	132647	Tune-up limit
Frequency (MHz)				1712.5	1745	1777.5	(dBm)
5	QPSK	1	0	23.00	23.07	23.00	25.00
5	QPSK	1	12	23.00	23.00	23.01	25.00
5	QPSK	1	24	23.00	23.00	23.01	25.00
5	QPSK	12	0	22.01	22.26	22.00	24.00
5	QPSK	12	7	22.01	22.12	22.00	24.00
5	QPSK	12	13	22.00	22.11	22.01	24.00
5	QPSK	25	0	22.03	22.20	22.00	24.00
5	16QAM	1	0	22.08	22.33	22.07	24.00
5	16QAM	1	12	22.00	22.14	22.01	24.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	16QAM	1	24	22.01	22.11	22.02	24.00
5	16QAM	12	0	21.00	21.14	21.00	23.00
5	16QAM	12	7	21.00	21.09	21.00	23.00
5	16QAM	12	13	21.00	21.19	21.01	23.00
5	16QAM	25	0	21.01	21.10	21.01	23.00
5	64QAM	1	0	21.00	21.13	21.00	23.00
5	64QAM	1	12	21.01	21.00	21.00	23.00
5	64QAM	1	24	21.01	21.03	21.01	23.00
5	64QAM	12	0	20.01	20.23	20.01	22.00
5	64QAM	12	7	20.00	20.15	20.00	22.00
5	64QAM	12	13	20.00	20.16	20.01	22.00
5	64QAM	25	0	20.04	20.16	20.00	22.00
5	256QAM	1	0	18.00	18.04	18.00	20.00
5	256QAM	1	12	18.00	18.01	18.01	20.00
5	256QAM	1	24	18.01	18.02	18.01	20.00
5	256QAM	12	0	18.00	18.07	18.00	20.00
5	256QAM	12	7	18.00	18.05	18.00	20.00
5	256QAM	12	13	18.01	18.12	18.00	20.00
5	256QAM	25	0	18.01	18.01	18.01	20.00
Channel				131987	132322	132657	Tune-up limit
Frequency (MHz)				1711.5	1745	1778.5	(dBm)
3	QPSK	1	0	23.01	23.13	23.00	25.00
3	QPSK	1	8	23.01	23.02	23.01	25.00
3	QPSK	1	14	23.01	23.00	23.01	25.00
3	QPSK	8	0	22.09	22.22	22.00	24.00
3	QPSK	8	4	22.00	22.19	22.01	24.00
3	QPSK	8	7	22.01	22.19	22.00	24.00
3	QPSK	15	0	22.00	22.15	22.00	24.00
3	16QAM	1	0	22.10	22.28	22.08	24.00
3	16QAM	1	8	22.02	22.19	22.00	24.00
3	16QAM	1	14	22.00	22.10	22.01	24.00
3	16QAM	8	0	21.00	21.17	21.00	23.00
3	16QAM	8	4	21.01	21.15	21.00	23.00
3	16QAM	8	7	21.08	21.15	21.00	23.00
3	16QAM	15	0	21.00	21.11	21.00	23.00
3	64QAM	1	0	21.01	21.11	21.00	23.00
3	64QAM	1	8	21.00	21.02	21.02	23.00
3	64QAM	1	14	21.01	21.00	21.00	23.00
3	64QAM	8	0	20.01	20.10	20.00	22.00
3	64QAM	8	4	20.00	20.18	20.02	22.00
3	64QAM	8	7	20.01	20.18	20.00	22.00
3	64QAM	15	0	20.00	20.14	20.00	22.00
3	256QAM	1	0	18.01	18.08	18.00	20.00
3	256QAM	1	8	18.01	18.01	18.00	20.00
3	256QAM	1	14	18.00	18.00	18.00	20.00
3	256QAM	8	0	18.00	18.14	18.00	20.00
3	256QAM	8	4	18.00	18.05	18.01	20.00
3	256QAM	8	7	18.01	18.13	18.01	20.00
3	256QAM	15	0	18.02	18.07	18.00	20.00
Channel				131979	132322	132665	Tune-up limit
Frequency (MHz)				1710.7	1745	1779.3	(dBm)
1.4	QPSK	1	0	23.01	23.07	23.01	25.00
1.4	QPSK	1	3	23.01	23.03	23.01	25.00
1.4	QPSK	1	5	23.02	23.00	23.00	25.00
1.4	QPSK	3	0	23.03	23.13	23.01	25.00
1.4	QPSK	3	1	23.02	23.14	23.00	25.00
1.4	QPSK	3	3	23.00	23.12	23.01	25.00
1.4	QPSK	6	0	22.04	22.16	22.00	24.00
1.4	16QAM	1	0	22.05	22.29	22.04	24.00
1.4	16QAM	1	3	22.00	22.16	22.00	24.00
1.4	16QAM	1	5	22.01	22.14	22.01	24.00
1.4	16QAM	3	0	22.00	22.16	22.01	24.00
1.4	16QAM	3	1	22.02	22.13	22.02	24.00
1.4	16QAM	3	3	22.03	22.11	22.01	24.00
1.4	16QAM	6	0	21.02	21.10	21.00	23.00
1.4	64QAM	1	0	21.01	21.14	21.01	23.00
1.4	64QAM	1	3	21.00	21.04	21.00	23.00
1.4	64QAM	1	5	21.00	21.00	21.00	23.00
1.4	64QAM	3	0	21.06	21.18	21.01	23.00
1.4	64QAM	3	1	21.01	21.19	21.00	23.00
1.4	64QAM	3	3	21.00	21.10	21.00	23.00
1.4	64QAM	6	0	20.02	20.06	20.02	22.00
1.4	256QAM	1	0	18.00	18.10	18.01	20.00
1.4	256QAM	1	3	18.01	18.00	18.00	20.00
1.4	256QAM	1	5	18.00	18.00	18.01	20.00
1.4	256QAM	3	0	18.02	18.11	18.00	20.00
1.4	256QAM	3	1	18.00	18.11	18.00	20.00
1.4	256QAM	3	3	18.00	18.06	18.01	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

1.4	256QAM	6	0	18.02	18.04	18.00	20.00
-----	--------	---	---	-------	-------	-------	-------

【LTE Band 66_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	Tune-up limit (dBm)
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	20.00	19.80	19.78	20.00
20	QPSK	1	49	19.89	19.72	19.67	20.00
20	QPSK	1	99	19.82	19.70	19.56	20.00
20	QPSK	50	0	19.93	19.76	19.71	20.00
20	QPSK	50	24	19.90	19.74	19.62	20.00
20	QPSK	50	50	19.83	19.71	19.67	20.00
20	QPSK	100	0	19.90	19.72	19.64	20.00
20	16QAM	1	0	19.84	19.76	19.61	20.00
20	16QAM	1	49	19.79	19.65	19.59	20.00
20	16QAM	1	99	19.82	19.63	19.48	20.00
20	16QAM	50	0	19.83	19.73	19.64	20.00
20	16QAM	50	24	19.87	19.71	19.61	20.00
20	16QAM	50	50	19.74	19.65	19.62	20.00
20	16QAM	100	0	19.81	19.66	19.58	20.00
20	64QAM	1	0	19.83	19.70	19.61	20.00
20	64QAM	1	49	19.83	19.65	19.53	20.00
20	64QAM	1	99	19.83	19.63	19.59	20.00
20	64QAM	50	0	19.88	19.69	19.58	20.00
20	64QAM	50	24	19.88	19.68	19.54	20.00
20	64QAM	50	50	19.75	19.65	19.59	20.00
20	64QAM	100	0	19.85	19.65	19.55	20.00
20	256QAM	1	0	19.84	19.72	19.66	20.00
20	256QAM	1	49	19.82	19.65	19.56	20.00
20	256QAM	1	99	19.71	19.63	19.53	20.00
20	256QAM	50	0	19.80	19.71	19.58	20.00
20	256QAM	50	24	19.85	19.69	19.63	20.00
20	256QAM	50	50	19.79	19.61	19.49	20.00
20	256QAM	100	0	19.76	19.61	19.54	20.00
Channel				132047	132322	132597	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	19.60	19.37	19.34	20.00
15	QPSK	1	37	19.51	19.40	19.33	20.00
15	QPSK	1	74	19.43	19.25	19.17	20.00
15	QPSK	36	0	19.56	19.42	19.39	20.00
15	QPSK	36	20	19.53	19.34	19.24	20.00
15	QPSK	36	39	19.46	19.28	19.33	20.00
15	QPSK	75	0	19.46	19.32	19.24	20.00
15	16QAM	1	0	19.44	19.31	19.21	20.00
15	16QAM	1	37	19.47	19.30	19.21	20.00
15	16QAM	1	74	19.39	19.20	19.10	20.00
15	16QAM	36	0	19.42	19.32	19.29	20.00
15	16QAM	36	20	19.55	19.35	19.25	20.00
15	16QAM	36	39	19.40	19.30	19.28	20.00
15	16QAM	75	0	19.48	19.23	19.15	20.00
15	64QAM	1	0	19.50	19.28	19.24	20.00
15	64QAM	1	37	19.47	19.30	19.18	20.00
15	64QAM	1	74	19.42	19.21	19.20	20.00
15	64QAM	36	0	19.44	19.31	19.23	20.00
15	64QAM	36	20	19.54	19.35	19.14	20.00
15	64QAM	36	39	19.31	19.21	19.23	20.00
15	64QAM	75	0	19.42	19.28	19.22	20.00
15	256QAM	1	0	19.45	19.39	19.30	20.00
15	256QAM	1	37	19.39	19.32	19.14	20.00
15	256QAM	1	74	19.39	19.28	19.12	20.00
15	256QAM	36	0	19.41	19.31	19.16	20.00
15	256QAM	36	20	19.42	19.29	19.21	20.00
15	256QAM	36	39	19.43	19.26	19.17	20.00
15	256QAM	75	0	19.33	19.18	19.22	20.00
Channel				132022	132322	132622	Tune-up limit (dBm)
Frequency (MHz)				1715	1745	1775	
10	QPSK	1	0	19.68	19.43	19.36	20.00
10	QPSK	1	25	19.48	19.30	19.22	20.00
10	QPSK	1	49	19.50	19.33	19.23	20.00
10	QPSK	25	0	19.53	19.37	19.37	20.00
10	QPSK	25	12	19.52	19.30	19.22	20.00
10	QPSK	25	25	19.46	19.33	19.33	20.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

10	QPSK	50	0	19.52	19.37	19.26	20.00
10	16QAM	1	0	19.48	19.32	19.22	20.00
10	16QAM	1	25	19.35	19.31	19.25	20.00
10	16QAM	1	49	19.51	19.32	19.11	20.00
10	16QAM	25	0	19.39	19.41	19.27	20.00
10	16QAM	25	12	19.45	19.39	19.27	20.00
10	16QAM	25	25	19.41	19.26	19.18	20.00
10	16QAM	50	0	19.37	19.33	19.18	20.00
10	64QAM	1	0	19.43	19.28	19.24	20.00
10	64QAM	1	25	19.45	19.33	19.10	20.00
10	64QAM	1	49	19.50	19.27	19.16	20.00
10	64QAM	25	0	19.48	19.38	19.23	20.00
10	64QAM	25	12	19.44	19.30	19.11	20.00
10	64QAM	25	25	19.33	19.23	19.15	20.00
10	64QAM	50	0	19.51	19.21	19.18	20.00
10	256QAM	1	0	19.45	19.33	19.31	20.00
10	256QAM	1	25	19.45	19.22	19.19	20.00
10	256QAM	1	49	19.34	19.27	19.11	20.00
10	256QAM	25	0	19.46	19.30	19.19	20.00
10	256QAM	25	12	19.48	19.30	19.25	20.00
10	256QAM	25	25	19.45	19.21	19.04	20.00
10	256QAM	50	0	19.41	19.30	19.17	20.00
Channel				131997	132322	132647	Tune-up limit
Frequency (MHz)				1712.5	1745	1777.5	(dBm)
5	QPSK	1	0	19.66	19.45	19.35	20.00
5	QPSK	1	12	19.51	19.31	19.26	20.00
5	QPSK	1	24	19.47	19.31	19.25	20.00
5	QPSK	12	0	19.49	19.39	19.35	20.00
5	QPSK	12	7	19.51	19.40	19.29	20.00
5	QPSK	12	13	19.46	19.35	19.25	20.00
5	QPSK	25	0	19.46	19.29	19.20	20.00
5	16QAM	1	0	19.51	19.31	19.19	20.00
5	16QAM	1	12	19.46	19.32	19.25	20.00
5	16QAM	1	24	19.49	19.28	19.10	20.00
5	16QAM	12	0	19.50	19.35	19.19	20.00
5	16QAM	12	7	19.51	19.32	19.21	20.00
5	16QAM	12	13	19.38	19.33	19.18	20.00
5	16QAM	25	0	19.42	19.21	19.23	20.00
5	64QAM	1	0	19.43	19.37	19.20	20.00
5	64QAM	1	12	19.47	19.29	19.13	20.00
5	64QAM	1	24	19.50	19.28	19.19	20.00
5	64QAM	12	0	19.48	19.36	19.17	20.00
5	64QAM	12	7	19.46	19.35	19.19	20.00
5	64QAM	12	13	19.38	19.21	19.23	20.00
5	64QAM	25	0	19.48	19.22	19.13	20.00
5	256QAM	1	0	19.40	19.40	19.25	20.00
5	256QAM	1	12	19.46	19.27	19.12	20.00
5	256QAM	1	24	19.30	19.20	19.21	20.00
5	256QAM	12	0	19.48	19.28	19.15	20.00
5	256QAM	12	7	19.48	19.26	19.27	20.00
5	256QAM	12	13	19.35	19.29	19.07	20.00
5	256QAM	25	0	19.32	19.22	19.18	20.00
Channel				131987	132322	132657	Tune-up limit
Frequency (MHz)				1711.5	1745	1778.5	(dBm)
3	QPSK	1	0	19.65	19.46	19.45	20.00
3	QPSK	1	8	19.49	19.32	19.33	20.00
3	QPSK	1	14	19.47	19.32	19.12	20.00
3	QPSK	8	0	19.60	19.38	19.35	20.00
3	QPSK	8	4	19.56	19.37	19.21	20.00
3	QPSK	8	7	19.43	19.34	19.24	20.00
3	QPSK	15	0	19.51	19.32	19.23	20.00
3	16QAM	1	0	19.41	19.32	19.21	20.00
3	16QAM	1	8	19.47	19.26	19.28	20.00
3	16QAM	1	14	19.41	19.31	19.09	20.00
3	16QAM	8	0	19.40	19.36	19.24	20.00
3	16QAM	8	4	19.44	19.40	19.24	20.00
3	16QAM	8	7	19.32	19.26	19.21	20.00
3	16QAM	15	0	19.38	19.32	19.27	20.00
3	64QAM	1	0	19.46	19.35	19.27	20.00
3	64QAM	1	8	19.40	19.33	19.10	20.00
3	64QAM	1	14	19.41	19.30	19.26	20.00
3	64QAM	8	0	19.55	19.30	19.14	20.00
3	64QAM	8	4	19.47	19.26	19.21	20.00
3	64QAM	8	7	19.37	19.25	19.19	20.00
3	64QAM	15	0	19.53	19.26	19.21	20.00
3	256QAM	1	0	19.39	19.28	19.35	20.00
3	256QAM	1	8	19.44	19.20	19.22	20.00
3	256QAM	1	14	19.30	19.27	19.22	20.00

3	256QAM	8	0	19.39	19.39	19.22	20.00
3	256QAM	8	4	19.51	19.26	19.26	20.00
3	256QAM	8	7	19.37	19.24	19.14	20.00
3	256QAM	15	0	19.39	19.16	19.20	20.00
Channel				131979	132322	132665	Tune-up limit
Frequency (MHz)				1710.7	1745	1779.3	(dBm)
1.4	QPSK	1	0	19.64	19.48	19.36	20.00
1.4	QPSK	1	3	19.52	19.39	19.34	20.00
1.4	QPSK	1	5	19.40	19.26	19.17	20.00
1.4	QPSK	3	0	19.57	19.35	19.37	20.00
1.4	QPSK	3	1	19.57	19.30	19.18	20.00
1.4	QPSK	3	3	19.49	19.31	19.35	20.00
1.4	QPSK	6	0	19.57	19.35	19.32	20.00
1.4	16QAM	1	0	19.41	19.44	19.22	20.00
1.4	16QAM	1	3	19.38	19.33	19.17	20.00
1.4	16QAM	1	5	19.44	19.19	19.03	20.00
1.4	16QAM	3	0	19.48	19.36	19.21	20.00
1.4	16QAM	3	1	19.54	19.28	19.28	20.00
1.4	16QAM	3	3	19.31	19.31	19.22	20.00
1.4	16QAM	6	0	19.42	19.24	19.14	20.00
1.4	64QAM	1	0	19.52	19.29	19.30	20.00
1.4	64QAM	1	3	19.43	19.24	19.12	20.00
1.4	64QAM	1	5	19.52	19.20	19.17	20.00
1.4	64QAM	3	0	19.55	19.25	19.15	20.00
1.4	64QAM	3	1	19.44	19.28	19.14	20.00
1.4	64QAM	3	3	19.36	19.21	19.27	20.00
1.4	64QAM	6	0	19.51	19.22	19.23	20.00
1.4	256QAM	1	0	19.49	19.32	19.33	20.00
1.4	256QAM	1	3	19.41	19.23	19.20	20.00
1.4	256QAM	1	5	19.33	19.18	19.18	20.00
1.4	256QAM	3	0	19.40	19.39	19.14	20.00
1.4	256QAM	3	1	19.40	19.34	19.21	20.00
1.4	256QAM	3	3	19.46	19.24	19.12	20.00
1.4	256QAM	6	0	19.35	19.21	19.15	20.00

【LTE Band 66_MIMO2_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	19.11	19.23	19.03	19.50
20	QPSK	1	49	18.97	19.15	18.94	19.50
20	QPSK	1	99	18.79	19.04	18.73	19.50
20	QPSK	50	0	19.05	19.20	18.93	19.50
20	QPSK	50	24	18.93	19.16	18.89	19.50
20	QPSK	50	50	19.00	19.14	18.90	19.50
20	QPSK	100	0	18.92	19.16	18.93	19.50
20	16QAM	1	0	18.99	19.18	18.91	19.50
20	16QAM	1	49	18.80	19.00	18.70	19.50
20	16QAM	1	99	18.68	18.94	18.70	19.50
20	16QAM	50	0	18.92	19.06	18.73	19.50
20	16QAM	50	24	18.79	19.01	18.76	19.50
20	16QAM	50	50	18.82	19.03	18.76	19.50
20	16QAM	100	0	18.92	19.06	18.85	19.50
20	64QAM	1	0	18.88	19.11	18.77	19.50
20	64QAM	1	49	18.81	19.00	18.73	19.50
20	64QAM	1	99	18.71	18.90	18.61	19.50
20	64QAM	50	0	18.92	19.07	18.74	19.50
20	64QAM	50	24	18.83	19.06	18.74	19.50
20	64QAM	50	50	18.80	18.98	18.71	19.50
20	64QAM	100	0	18.79	19.05	18.71	19.50
20	256QAM	1	0	18.94	19.07	18.80	19.50
20	256QAM	1	49	18.77	18.96	18.74	19.50
20	256QAM	1	99	18.68	18.86	18.60	19.50
20	256QAM	50	0	18.79	19.03	18.76	19.50
20	256QAM	50	24	18.88	19.02	18.79	19.50
20	256QAM	50	50	18.68	18.94	18.65	19.50
20	256QAM	100	0	18.81	19.01	18.72	19.50
Channel				132047	132322	132597	Tune-up limit
Frequency (MHz)				1717.5	1745	1772.5	(dBm)
15	QPSK	1	0	19.00	19.10	18.99	19.50
15	QPSK	1	37	18.95	19.07	18.87	19.50
15	QPSK	1	74	18.73	18.92	18.64	19.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

15	QPSK	36	0	18.94	19.10	18.78	19.50
15	QPSK	36	20	18.87	19.04	18.88	19.50
15	QPSK	36	39	18.88	19.08	18.76	19.50
15	QPSK	75	0	18.90	19.12	18.82	19.50
15	16QAM	1	0	18.94	19.16	18.76	19.50
15	16QAM	1	37	18.79	18.98	18.58	19.50
15	16QAM	1	74	18.56	18.92	18.61	19.50
15	16QAM	36	0	18.85	18.91	18.68	19.50
15	16QAM	36	20	18.64	18.91	18.69	19.50
15	16QAM	36	39	18.77	18.96	18.66	19.50
15	16QAM	75	0	18.86	18.99	18.79	19.50
15	64QAM	1	0	18.84	18.97	18.66	19.50
15	64QAM	1	37	18.68	18.94	18.71	19.50
15	64QAM	1	74	18.66	18.81	18.60	19.50
15	64QAM	36	0	18.84	19.03	18.65	19.50
15	64QAM	36	20	18.68	18.95	18.66	19.50
15	64QAM	36	39	18.66	18.92	18.66	19.50
15	64QAM	75	0	18.76	18.97	18.58	19.50
15	256QAM	1	0	18.83	18.97	18.71	19.50
15	256QAM	1	37	18.64	18.91	18.60	19.50
15	256QAM	1	74	18.64	18.79	18.54	19.50
15	256QAM	36	0	18.75	19.01	18.71	19.50
15	256QAM	36	20	18.79	18.95	18.67	19.50
15	256QAM	36	39	18.55	18.88	18.57	19.50
15	256QAM	75	0	18.67	18.94	18.60	19.50
Channel				132022	132322	132622	Tune-up limit
Frequency (MHz)				1715	1745	1775	(dBm)
10	QPSK	1	0	19.03	19.08	19.01	19.50
10	QPSK	1	25	18.86	19.00	18.81	19.50
10	QPSK	1	49	18.72	19.00	18.70	19.50
10	QPSK	25	0	18.94	19.08	18.92	19.50
10	QPSK	25	12	18.80	19.05	18.84	19.50
10	QPSK	25	25	18.88	19.08	18.81	19.50
10	QPSK	50	0	18.82	19.11	18.89	19.50
10	16QAM	1	0	18.93	19.12	18.86	19.50
10	16QAM	1	25	18.70	18.94	18.67	19.50
10	16QAM	1	49	18.65	18.82	18.68	19.50
10	16QAM	25	0	18.88	18.98	18.70	19.50
10	16QAM	25	12	18.69	18.94	18.65	19.50
10	16QAM	25	25	18.79	18.97	18.72	19.50
10	16QAM	50	0	18.80	19.01	18.70	19.50
10	64QAM	1	0	18.84	18.98	18.64	19.50
10	64QAM	1	25	18.67	18.86	18.62	19.50
10	64QAM	1	49	18.65	18.79	18.47	19.50
10	64QAM	25	0	18.80	19.05	18.73	19.50
10	64QAM	25	12	18.74	19.03	18.60	19.50
10	64QAM	25	25	18.70	18.83	18.65	19.50
10	64QAM	50	0	18.69	18.94	18.59	19.50
10	256QAM	1	0	18.87	18.97	18.67	19.50
10	256QAM	1	25	18.69	18.88	18.68	19.50
10	256QAM	1	49	18.63	18.77	18.55	19.50
10	256QAM	25	0	18.76	18.93	18.75	19.50
10	256QAM	25	12	18.75	18.92	18.66	19.50
10	256QAM	25	25	18.57	18.93	18.60	19.50
10	256QAM	50	0	18.73	18.93	18.63	19.50
Channel				131997	132322	132647	Tune-up limit
Frequency (MHz)				1712.5	1745	1777.5	(dBm)
5	QPSK	1	0	18.98	19.18	18.90	19.50
5	QPSK	1	12	18.86	19.11	18.84	19.50
5	QPSK	1	24	18.66	19.00	18.62	19.50
5	QPSK	12	0	18.92	19.09	18.88	19.50
5	QPSK	12	7	18.92	19.03	18.78	19.50
5	QPSK	12	13	18.85	19.12	18.85	19.50
5	QPSK	25	0	18.88	19.02	18.82	19.50
5	16QAM	1	0	18.87	19.07	18.86	19.50
5	16QAM	1	12	18.76	18.93	18.55	19.50
5	16QAM	1	24	18.60	18.88	18.58	19.50
5	16QAM	12	0	18.86	19.04	18.68	19.50
5	16QAM	12	7	18.68	18.96	18.73	19.50
5	16QAM	12	13	18.73	19.00	18.71	19.50
5	16QAM	25	0	18.80	18.98	18.84	19.50
5	64QAM	1	0	18.83	19.05	18.69	19.50
5	64QAM	1	12	18.70	18.88	18.64	19.50
5	64QAM	1	24	18.69	18.89	18.59	19.50
5	64QAM	12	0	18.81	18.97	18.72	19.50
5	64QAM	12	7	18.78	19.03	18.69	19.50
5	64QAM	12	13	18.66	18.92	18.70	19.50
5	64QAM	25	0	18.68	18.98	18.59	19.50



FCC SAR TEST REPORT

Report No. : FA5D2601-04

5	256QAM	1	0	18.88	18.99	18.74	19.50
5	256QAM	1	12	18.64	18.89	18.66	19.50
5	256QAM	1	24	18.63	18.85	18.48	19.50
5	256QAM	12	0	18.75	18.98	18.63	19.50
5	256QAM	12	7	18.78	18.87	18.74	19.50
5	256QAM	12	13	18.63	18.92	18.62	19.50
5	256QAM	25	0	18.68	18.99	18.61	19.50
Channel				131987	132322	132657	Tune-up limit (dBm)
Frequency (MHz)				1711.5	1745	1778.5	
3	QPSK	1	0	19.01	19.09	19.00	19.50
3	QPSK	1	8	18.91	19.09	18.87	19.50
3	QPSK	1	14	18.64	18.99	18.64	19.50
3	QPSK	8	0	18.90	19.14	18.79	19.50
3	QPSK	8	4	18.91	19.09	18.80	19.50
3	QPSK	8	7	18.94	19.00	18.81	19.50
3	QPSK	15	0	18.88	19.07	18.87	19.50
3	16QAM	1	0	18.94	19.12	18.77	19.50
3	16QAM	1	8	18.74	18.90	18.57	19.50
3	16QAM	1	14	18.59	18.87	18.59	19.50
3	16QAM	8	0	18.77	19.01	18.71	19.50
3	16QAM	8	4	18.66	18.91	18.69	19.50
3	16QAM	8	7	18.81	18.97	18.74	19.50
3	16QAM	15	0	18.87	18.94	18.73	19.50
3	64QAM	1	0	18.76	19.04	18.63	19.50
3	64QAM	1	8	18.75	18.85	18.63	19.50
3	64QAM	1	14	18.59	18.78	18.47	19.50
3	64QAM	8	0	18.88	18.99	18.61	19.50
3	64QAM	8	4	18.70	18.99	18.64	19.50
3	64QAM	8	7	18.75	18.83	18.64	19.50
3	64QAM	15	0	18.71	19.02	18.57	19.50
3	256QAM	1	0	18.93	19.02	18.73	19.50
3	256QAM	1	8	18.73	18.85	18.64	19.50
3	256QAM	1	14	18.61	18.79	18.50	19.50
3	256QAM	8	0	18.76	18.92	18.70	19.50
3	256QAM	8	4	18.75	18.95	18.71	19.50
3	256QAM	8	7	18.54	18.84	18.52	19.50
3	256QAM	15	0	18.78	18.95	18.57	19.50
Channel				131979	132322	132665	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1745	1779.3	
1.4	QPSK	1	0	18.99	19.08	18.97	19.50
1.4	QPSK	1	3	18.88	19.13	18.80	19.50
1.4	QPSK	1	5	18.73	19.00	18.68	19.50
1.4	QPSK	3	0	18.98	19.07	18.84	19.50
1.4	QPSK	3	1	18.88	19.08	18.85	19.50
1.4	QPSK	3	3	18.88	19.02	18.85	19.50
1.4	QPSK	6	0	18.89	19.10	18.86	19.50
1.4	16QAM	1	0	18.89	19.17	18.88	19.50
1.4	16QAM	1	3	18.77	18.89	18.63	19.50
1.4	16QAM	1	5	18.55	18.92	18.63	19.50
1.4	16QAM	3	0	18.79	18.98	18.63	19.50
1.4	16QAM	3	1	18.74	18.98	18.72	19.50
1.4	16QAM	3	3	18.77	18.93	18.71	19.50
1.4	16QAM	6	0	18.81	18.99	18.79	19.50
1.4	64QAM	1	0	18.81	19.03	18.63	19.50
1.4	64QAM	1	3	18.72	18.89	18.60	19.50
1.4	64QAM	1	5	18.62	18.77	18.53	19.50
1.4	64QAM	3	0	18.84	19.05	18.61	19.50
1.4	64QAM	3	1	18.78	19.02	18.63	19.50
1.4	64QAM	3	3	18.72	18.87	18.62	19.50
1.4	64QAM	6	0	18.78	18.99	18.69	19.50
1.4	256QAM	1	0	18.90	18.93	18.68	19.50
1.4	256QAM	1	3	18.64	18.93	18.71	19.50
1.4	256QAM	1	5	18.56	18.75	18.51	19.50
1.4	256QAM	3	0	18.78	18.92	18.69	19.50
1.4	256QAM	3	1	18.80	18.90	18.70	19.50
1.4	256QAM	3	3	18.58	18.89	18.61	19.50
1.4	256QAM	6	0	18.77	18.91	18.58	19.50

【LTE Band 71_Main_Sensor Off】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				133222	133297	133372	
Frequency (MHz)				673	680.5	688	



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	QPSK	1	0	23.35	23.45	23.31	25.00
20	QPSK	1	49	23.24	23.42	23.19	25.00
20	QPSK	1	99	23.29	23.40	23.13	25.00
20	QPSK	50	0	22.31	22.43	22.16	24.00
20	QPSK	50	24	22.19	22.40	22.15	24.00
20	QPSK	50	50	22.14	22.36	22.21	24.00
20	QPSK	100	0	22.16	22.37	22.10	24.00
20	16QAM	1	0	22.28	22.51	22.32	24.00
20	16QAM	1	49	22.29	22.50	22.28	24.00
20	16QAM	1	99	22.16	22.38	22.23	24.00
20	16QAM	50	0	21.33	21.53	21.35	23.00
20	16QAM	50	24	21.32	21.50	21.24	23.00
20	16QAM	50	50	21.28	21.48	21.27	23.00
20	16QAM	100	0	21.31	21.51	21.36	23.00
20	64QAM	1	0	21.40	21.59	21.32	23.00
20	64QAM	1	49	21.32	21.55	21.33	23.00
20	64QAM	1	99	21.30	21.46	21.23	23.00
20	64QAM	50	0	20.35	20.52	20.38	22.00
20	64QAM	50	24	20.27	20.49	20.24	22.00
20	64QAM	50	50	20.34	20.47	20.27	22.00
20	64QAM	100	0	20.34	20.46	20.23	22.00
20	256QAM	1	0	18.23	18.42	18.26	20.00
20	256QAM	1	49	18.18	18.37	18.23	20.00
20	256QAM	1	99	18.12	18.28	18.03	20.00
20	256QAM	50	0	18.29	18.48	18.26	20.00
20	256QAM	50	24	18.35	18.46	18.26	20.00
20	256QAM	50	50	18.22	18.43	18.19	20.00
20	256QAM	100	0	18.33	18.43	18.25	20.00
Channel				133197	133297	133397	Tune-up limit
Frequency (MHz)				670.5	680.5	690.5	(dBm)
15	QPSK	1	0	23.31	23.35	23.26	25.00
15	QPSK	1	37	23.21	23.34	23.08	25.00
15	QPSK	1	74	23.20	23.27	23.05	25.00
15	QPSK	36	0	22.18	22.33	22.10	24.00
15	QPSK	36	20	22.09	22.33	22.05	24.00
15	QPSK	36	39	22.12	22.27	22.11	24.00
15	QPSK	75	0	22.01	22.32	22.06	24.00
15	16QAM	1	0	22.22	22.47	22.20	24.00
15	16QAM	1	37	22.17	22.43	22.14	24.00
15	16QAM	1	74	22.13	22.25	22.13	24.00
15	16QAM	36	0	21.27	21.40	21.34	23.00
15	16QAM	36	20	21.20	21.38	21.15	23.00
15	16QAM	36	39	21.14	21.45	21.22	23.00
15	16QAM	75	0	21.26	21.38	21.30	23.00
15	64QAM	1	0	21.32	21.46	21.26	23.00
15	64QAM	1	37	21.24	21.48	21.25	23.00
15	64QAM	1	74	21.20	21.34	21.18	23.00
15	64QAM	36	0	20.22	20.48	20.24	22.00
15	64QAM	36	20	20.24	20.42	20.17	22.00
15	64QAM	36	39	20.22	20.45	20.21	22.00
15	64QAM	75	0	20.20	20.35	20.17	22.00
15	256QAM	1	0	18.13	18.27	18.12	20.00
15	256QAM	1	37	18.08	18.32	18.21	20.00
15	256QAM	1	74	18.01	18.23	18.02	20.00
15	256QAM	36	0	18.15	18.34	18.23	20.00
15	256QAM	36	20	18.27	18.39	18.24	20.00
15	256QAM	36	39	18.21	18.40	18.05	20.00
15	256QAM	75	0	18.20	18.37	18.14	20.00
Channel				133172	133297	133422	Tune-up limit
Frequency (MHz)				668	680.5	693	(dBm)
10	QPSK	1	0	23.21	23.40	23.28	25.00
10	QPSK	1	25	23.22	23.33	23.16	25.00
10	QPSK	1	49	23.16	23.25	23.07	25.00
10	QPSK	25	0	22.26	22.34	22.05	24.00
10	QPSK	25	12	22.17	22.35	22.01	24.00
10	QPSK	25	25	22.04	22.23	22.19	24.00
10	QPSK	50	0	22.14	22.27	22.00	24.00
10	16QAM	1	0	22.22	22.39	22.18	24.00
10	16QAM	1	25	22.18	22.43	22.14	24.00
10	16QAM	1	49	22.07	22.26	22.22	24.00
10	16QAM	25	0	21.23	21.51	21.28	23.00
10	16QAM	25	12	21.27	21.39	21.20	23.00
10	16QAM	25	25	21.27	21.41	21.13	23.00
10	16QAM	50	0	21.21	21.43	21.25	23.00
10	64QAM	1	0	21.35	21.55	21.22	23.00
10	64QAM	1	25	21.30	21.43	21.27	23.00
10	64QAM	1	49	21.26	21.39	21.17	23.00
10	64QAM	25	0	20.28	20.42	20.27	22.00

10	64QAM	25	12	20.20	20.38	20.19	22.00
10	64QAM	25	25	20.24	20.42	20.17	22.00
10	64QAM	50	0	20.19	20.35	20.16	22.00
10	256QAM	1	0	18.21	18.39	18.25	20.00
10	256QAM	1	25	18.14	18.27	18.21	20.00
10	256QAM	1	49	18.08	18.19	18.00	20.00
10	256QAM	25	0	18.21	18.35	18.14	20.00
10	256QAM	25	12	18.30	18.33	18.23	20.00
10	256QAM	25	25	18.20	18.34	18.09	20.00
10	256QAM	50	0	18.22	18.41	18.12	20.00
Channel				133147	133297	133447	Tune-up limit (dBm)
Frequency (MHz)				665.5	680.5	695.5	
5	QPSK	1	0	23.32	23.36	23.24	25.00
5	QPSK	1	12	23.17	23.38	23.07	25.00
5	QPSK	1	24	23.23	23.28	23.03	25.00
5	QPSK	12	0	22.18	22.40	22.11	24.00
5	QPSK	12	7	22.17	22.26	22.07	24.00
5	QPSK	12	13	22.06	22.33	22.08	24.00
5	QPSK	25	0	22.07	22.35	22.04	24.00
5	16QAM	1	0	22.25	22.44	22.24	24.00
5	16QAM	1	12	22.14	22.35	22.26	24.00
5	16QAM	1	24	22.11	22.28	22.14	24.00
5	16QAM	12	0	21.24	21.48	21.20	23.00
5	16QAM	12	7	21.24	21.44	21.12	23.00
5	16QAM	12	13	21.27	21.46	21.17	23.00
5	16QAM	25	0	21.25	21.47	21.33	23.00
5	64QAM	1	0	21.30	21.51	21.26	23.00
5	64QAM	1	12	21.22	21.50	21.19	23.00
5	64QAM	1	24	21.20	21.32	21.20	23.00
5	64QAM	12	0	20.33	20.45	20.37	22.00
5	64QAM	12	7	20.24	20.40	20.17	22.00
5	64QAM	12	13	20.29	20.32	20.25	22.00
5	64QAM	25	0	20.27	20.34	20.08	22.00
5	256QAM	1	0	18.11	18.38	18.20	20.00
5	256QAM	1	12	18.15	18.36	18.12	20.00
5	256QAM	1	24	18.06	18.25	18.00	20.00
5	256QAM	12	0	18.20	18.36	18.18	20.00
5	256QAM	12	7	18.26	18.43	18.11	20.00
5	256QAM	12	13	18.14	18.34	18.10	20.00
5	256QAM	25	0	18.29	18.32	18.16	20.00

【LTE Band 71_Main_Sensor On】

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				133222	133297	133372	
Frequency (MHz)				673	680.5	688	
20	QPSK	1	0	18.44	18.53	18.38	19.00
20	QPSK	1	49	18.25	18.48	18.24	19.00
20	QPSK	1	99	18.15	18.38	18.10	19.00
20	QPSK	50	0	18.31	18.48	18.24	19.00
20	QPSK	50	24	18.32	18.46	18.27	19.00
20	QPSK	50	50	18.20	18.42	18.25	19.00
20	QPSK	100	0	18.22	18.45	18.20	19.00
20	16QAM	1	0	18.37	18.50	18.25	19.00
20	16QAM	1	49	18.34	18.45	18.20	19.00
20	16QAM	1	99	18.18	18.32	18.04	19.00
20	16QAM	50	0	18.24	18.41	18.12	19.00
20	16QAM	50	24	18.24	18.42	18.16	19.00
20	16QAM	50	50	18.18	18.35	18.07	19.00
20	16QAM	100	0	18.17	18.38	18.21	19.00
20	64QAM	1	0	18.22	18.44	18.19	19.00
20	64QAM	1	49	18.18	18.38	18.18	19.00
20	64QAM	1	99	18.12	18.28	18.09	19.00
20	64QAM	50	0	18.22	18.41	18.18	19.00
20	64QAM	50	24	18.26	18.37	18.08	19.00
20	64QAM	50	50	18.10	18.33	18.05	19.00
20	64QAM	100	0	18.23	18.35	18.10	19.00
20	256QAM	1	0	18.26	18.38	18.09	19.00
20	256QAM	1	49	18.20	18.34	18.13	19.00
20	256QAM	1	99	18.02	18.24	17.97	19.00
20	256QAM	50	0	18.20	18.33	18.05	19.00
20	256QAM	50	24	18.22	18.34	18.17	19.00
20	256QAM	50	50	18.14	18.27	17.98	19.00



FCC SAR TEST REPORT

Report No. : FA5D2601-04

20	256QAM	100	0	18.22	18.34	18.10	19.00
Channel				133197	133297	133397	Tune-up limit
Frequency (MHz)				670.5	680.5	690.5	(dBm)
15	QPSK	1	0	18.36	18.44	18.26	19.00
15	QPSK	1	37	18.19	18.39	18.15	19.00
15	QPSK	1	74	18.04	18.27	18.00	19.00
15	QPSK	36	0	18.25	18.40	18.13	19.00
15	QPSK	36	20	18.28	18.33	18.24	19.00
15	QPSK	36	39	18.18	18.30	18.18	19.00
15	QPSK	75	0	18.13	18.36	18.11	19.00
15	16QAM	1	0	18.29	18.48	18.11	19.00
15	16QAM	1	37	18.20	18.32	18.09	19.00
15	16QAM	1	74	18.12	18.24	18.01	19.00
15	16QAM	36	0	18.19	18.39	18.05	19.00
15	16QAM	36	20	18.21	18.31	18.07	19.00
15	16QAM	36	39	18.08	18.29	17.93	19.00
15	16QAM	75	0	18.07	18.35	18.08	19.00
15	64QAM	1	0	18.19	18.36	18.08	19.00
15	64QAM	1	37	18.08	18.26	18.09	19.00
15	64QAM	1	74	17.99	18.24	17.97	19.00
15	64QAM	36	0	18.17	18.39	18.13	19.00
15	64QAM	36	20	18.13	18.28	18.05	19.00
15	64QAM	36	39	17.97	18.19	18.03	19.00
15	64QAM	75	0	18.10	18.28	18.05	19.00
15	256QAM	1	0	18.19	18.33	18.00	19.00
15	256QAM	1	37	18.11	18.29	18.12	19.00
15	256QAM	1	74	17.99	18.13	17.85	19.00
15	256QAM	36	0	18.17	18.22	18.00	19.00
15	256QAM	36	20	18.10	18.29	18.05	19.00
15	256QAM	36	39	17.99	18.23	17.93	19.00
15	256QAM	75	0	18.13	18.26	17.97	19.00
Channel				133172	133297	133422	Tune-up limit
Frequency (MHz)				668	680.5	693	(dBm)
10	QPSK	1	0	18.41	18.47	18.36	19.00
10	QPSK	1	25	18.18	18.43	18.21	19.00
10	QPSK	1	49	18.01	18.31	18.01	19.00
10	QPSK	25	0	18.28	18.41	18.16	19.00
10	QPSK	25	12	18.25	18.42	18.18	19.00
10	QPSK	25	25	18.17	18.38	18.22	19.00
10	QPSK	50	0	18.12	18.41	18.14	19.00
10	16QAM	1	0	18.31	18.40	18.14	19.00
10	16QAM	1	25	18.31	18.33	18.16	19.00
10	16QAM	1	49	18.13	18.28	17.90	19.00
10	16QAM	25	0	18.09	18.28	18.10	19.00
10	16QAM	25	12	18.23	18.29	18.03	19.00
10	16QAM	25	25	18.16	18.30	17.97	19.00
10	16QAM	50	0	18.11	18.25	18.16	19.00
10	64QAM	1	0	18.11	18.37	18.16	19.00
10	64QAM	1	25	18.04	18.24	18.07	19.00
10	64QAM	1	49	17.99	18.23	18.05	19.00
10	64QAM	25	0	18.10	18.35	18.09	19.00
10	64QAM	25	12	18.20	18.33	18.00	19.00
10	64QAM	25	25	17.97	18.24	17.94	19.00
10	64QAM	50	0	18.14	18.34	18.07	19.00
10	256QAM	1	0	18.23	18.32	18.00	19.00
10	256QAM	1	25	18.13	18.25	18.03	19.00
10	256QAM	1	49	17.99	18.16	17.85	19.00
10	256QAM	25	0	18.10	18.29	17.95	19.00
10	256QAM	25	12	18.14	18.29	18.08	19.00
10	256QAM	25	25	18.11	18.22	17.86	19.00
10	256QAM	50	0	18.17	18.19	18.06	19.00
Channel				133147	133297	133447	Tune-up limit
Frequency (MHz)				665.5	680.5	695.5	(dBm)
5	QPSK	1	0	18.31	18.39	18.24	19.00
5	QPSK	1	12	18.12	18.40	18.15	19.00
5	QPSK	1	24	18.07	18.30	17.96	19.00
5	QPSK	12	0	18.29	18.35	18.15	19.00
5	QPSK	12	7	18.18	18.42	18.19	19.00
5	QPSK	12	13	18.15	18.39	18.10	19.00
5	QPSK	25	0	18.19	18.44	18.15	19.00
5	16QAM	1	0	18.23	18.41	18.13	19.00
5	16QAM	1	12	18.23	18.36	18.17	19.00
5	16QAM	1	24	18.11	18.22	18.01	19.00
5	16QAM	12	0	18.14	18.35	18.02	19.00
5	16QAM	12	7	18.19	18.39	18.09	19.00
5	16QAM	12	13	18.06	18.26	17.93	19.00
5	16QAM	25	0	18.10	18.30	18.08	19.00
5	64QAM	1	0	18.10	18.43	18.09	19.00



5	64QAM	1	12	18.16	18.29	18.15	19.00
5	64QAM	1	24	18.06	18.21	17.99	19.00
5	64QAM	12	0	18.13	18.29	18.07	19.00
5	64QAM	12	7	18.20	18.31	17.98	19.00
5	64QAM	12	13	18.02	18.28	18.03	19.00
5	64QAM	25	0	18.15	18.30	17.99	19.00
5	256QAM	1	0	18.22	18.27	18.07	19.00
5	256QAM	1	12	18.18	18.29	18.03	19.00
5	256QAM	1	24	17.87	18.22	17.93	19.00
5	256QAM	12	0	18.06	18.26	17.99	19.00
5	256QAM	12	7	18.20	18.30	18.12	19.00
5	256QAM	12	13	18.02	18.14	17.90	19.00
5	256QAM	25	0	18.18	18.32	18.02	19.00

13. UL/DL Carrier aggregation

LTE DL Carrier Aggregation

General Note:

1. According to 202410 TCB workshop, the downlink (DL) pertains to receiver functionality, thus it is not related to RF exposure compliance limits related to cumulative effects of different transmitters.
2. According to 202410 TCB workshop, equipment authorization applications shall refer to the worst-case UL powers resulting from all the possible modes of operations. Accordingly, CA-DL cases do not need to be analyzed separately, unless pertinent to establishing UL power setting.
3. This device supports LTE carrier aggregation in the downlink. All uplink maximum output power with downlink carrier aggregation active does not show more than ¼ dB higher than the maximum output power without downlink carrier aggregation active, therefore SAR evaluation with downlink carrier aggregation active can be excluded

LTE UL carrier aggregation

General Note:

1. The device supports intra-band uplink carrier aggregation with a maximum of two 20MHz component carriers. For intra band contiguous carrier aggregation scenarios, 3GPP 36.101 table 6.2.2A-1 specifies that the aggregate maximum allowed output power is equivalent to the single carrier scenario. 3GPP 36.101 6.2.3A allows for several dB of MPR to be applied when not-contiguous RB allocation is implemented. The conducted power and MPR setting in this device are permanently implemented pre 3GPP requirement.
2. According TCB workshop, the output power with uplink CA active was measured for the configuration with the highest reported SAR with single carrier for each exposure condition. The power was measured with wideband signal integration over both component carriers.
3. Additional SAR measurement for LTE UL CA whit other DL CA combinations active were not required since the maximum output power for this configuration was not < 0.25dB higher than the maximum output power for UL CA active.

2CC Uplink Carrier Aggregation	
Number	Combination
1	5B
2	7C
3	38C
4	41C
5	48C
6	66B
7	66C

【CA_5B_Main_Sensor Off】

CA_5B_Main_Sensor Off								
Combination 10MHz+10MHz (50RB+50RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
20450	20549	QPSK	1	49	1	0	23.39	25.00
20476	20575	QPSK	1	49	1	0	23.50	25.00
20600	20501	QPSK	1	0	1	49	23.48	25.00

【CA_5B_Main_Sensor On】

CA_5B_Main_Sensor On								
Combination 10MHz+10MHz (50RB+50RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
20450	20549	QPSK	1	49	1	0	17.42	18.50
20476	20575	QPSK	1	49	1	0	17.55	18.50
20600	20501	QPSK	1	0	1	49	17.53	18.50

【CA_7C_Main_Sensor Off】

CA_7C_Main_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
20850	21048	QPSK	1	99	1	0	23.15	25.00
21100	21298	QPSK	1	99	1	0	23.16	25.00
21350	21152	QPSK	1	0	1	99	23.03	25.00

【CA_7C_Main_Sensor On】

CA_7C_Main_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
20850	21048	QPSK	1	99	1	0	16.09	17.00
21100	21298	QPSK	1	99	1	0	16.20	17.00
21350	21152	QPSK	1	0	1	99	16.15	17.00

【CA_7C_MIMO2_Sensor Off】

CA_7C_MIMO2_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
20850	21048	QPSK	1	99	1	0	23.02	25.00
21100	21298	QPSK	1	99	1	0	23.11	25.00
21350	21152	QPSK	1	0	1	99	22.99	25.00

【CA_7C_MIMO2_Sensor On】

CA_7C_MIMO2_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
20850	21048	QPSK	1	99	1	0	17.46	18.50
21100	21298	QPSK	1	99	1	0	17.59	18.50
21350	21152	QPSK	1	0	1	99	17.50	18.50

【CA_38C_Main_Sensor Off】

CA_38C_Main_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								

PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
37850	38048	QPSK	1	99	1	0	23.01	25.00
37901	38099	QPSK	1	99	1	0	23.14	25.00
38150	37952	QPSK	1	0	1	99	23.08	25.00

【CA_38C_Main_Sensor On】

CA_38C_Main_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
37850	38048	QPSK	1	99	1	0	17.89	19.00
37901	38099	QPSK	1	99	1	0	18.01	19.00
38150	37952	QPSK	1	0	1	99	17.96	19.00

【CA_38C_MIMO2_Sensor Off】

CA_38C_MIMO2_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
37850	38048	QPSK	1	99	1	0	23.03	25.00
37901	38099	QPSK	1	99	1	0	23.17	25.00
38150	37952	QPSK	1	0	1	99	23.04	25.00

【CA_38C_MIMO2_Sensor On】

CA_38C_MIMO2_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
37850	38048	QPSK	1	99	1	0	18.21	20.00
37901	38099	QPSK	1	99	1	0	18.55	20.00
38150	37952	QPSK	1	0	1	99	18.47	20.00

【CA_41C HPUE_Main_Sensor Off】

CA_41C HPUE_Main_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
39750	39948	QPSK	1	99	1	0	23.02	25.00
40185	40383	QPSK	1	99	1	0	23.17	25.00
40620	40818	QPSK	1	99	1	0	23.25	25.00
41055	41253	QPSK	1	99	1	0	23.21	25.00
41490	41292	QPSK	1	0	1	99	23.20	25.00

【CA_41C HPUE_Main_Sensor On】

CA_41C HPUE_Main_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
39750	39948	QPSK	1	99	1	0	18.01	19.00
40185	40383	QPSK	1	99	1	0	18.48	19.00
40620	40818	QPSK	1	99	1	0	18.18	19.00
41055	41253	QPSK	1	99	1	0	18.16	19.00
41490	41292	QPSK	1	0	1	99	18.21	19.00

【 CA_41C HPUE_MIMO2_Sensor Off】

CA_41C HPUE_MIMO2_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		

39750	39948	QPSK	1	99	1	0	23.19	25.00
40185	40383	QPSK	1	99	1	0	23.37	25.00
40620	40818	QPSK	1	99	1	0	23.41	25.00
41055	41253	QPSK	1	99	1	0	23.38	25.00
41490	41292	QPSK	1	0	1	99	23.23	25.00

【 CA_41C HPUE_MIMO2_Sensor On】

CA_41C HPUE_MIMO2_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
39750	39948	QPSK	1	99	1	0	18.03	20.00
40185	40383	QPSK	1	99	1	0	18.52	20.00
40620	40818	QPSK	1	99	1	0	18.12	20.00
41055	41253	QPSK	1	99	1	0	18.70	20.00
41490	41292	QPSK	1	0	1	99	18.68	20.00

【CA_48C_Main_Sensor Off】

CA_48C_Main_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
55340	55538	QPSK	1	99	1	0	20.37	22.00
55830	56028	QPSK	1	99	1	0	20.57	22.00
56150	56348	QPSK	1	99	1	0	20.67	22.00
56640	56442	QPSK	1	0	1	99	20.87	22.00

【CA_48C_Main_Sensor On】

CA_48C_Main_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
55340	55538	QPSK	1	99	1	0	15.34	17.00
55830	56028	QPSK	1	99	1	0	15.40	17.00
56150	56348	QPSK	1	99	1	0	15.52	17.00
56640	56442	QPSK	1	0	1	99	15.95	17.00

【CA_48C_MIMO2_Sensor Off】

CA_48C_MIMO2_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
55340	55538	QPSK	1	99	1	0	20.77	22.00
55830	56028	QPSK	1	99	1	0	20.95	22.00
56150	56348	QPSK	1	99	1	0	20.87	22.00
56640	56442	QPSK	1	0	1	99	21.08	22.00

【CA_48C_MIMO2_Sensor On】

CA_48C_MIMO2_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
55340	55538	QPSK	1	99	1	0	14.16	15.50
55830	56028	QPSK	1	99	1	0	14.27	15.50
56150	56348	QPSK	1	99	1	0	14.23	15.50
56640	56442	QPSK	1	0	1	99	14.38	15.50

【CA_66B_Main_Sensor On】

CA_66B_Main_Sensor On							
Combination 15MHz+5MHz (75RB+25RB)							
PCC	SCC	Modulation	PCC		SCC		Tune up

Channel	Channel		RB Size	RB Offset	RB Size	RB Offset	Power (dBm)	Power (dBm)
132047	132140	QPSK	1	74	1	0	18.39	18.50
132322	132415	QPSK	1	74	1	0	18.18	18.50
132597	132504	QPSK	1	0	1	24	18.22	18.50

【CA_66C_Main_Sensor On】

CA_66C_Main_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
132072	132270	QPSK	1	99	1	0	18.45	18.50
132322	132520	QPSK	1	99	1	0	18.23	18.50
132572	132374	QPSK	1	0	1	99	18.26	18.50

【CA_66B_MIMO2_Sensor Off】

CA_66B_MIMO2_Sensor Off								
Combination 15MHz+5MHz (75RB+25RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
132047	132140	QPSK	1	74	1	0	23.01	25.00
132322	132415	QPSK	1	74	1	0	23.11	25.00
132597	132504	QPSK	1	0	1	24	23.00	25.00

【CA_66C_MIMO2_Sensor Off】

CA_66C_MIMO2_Sensor Off								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
132072	132270	QPSK	1	99	1	0	23.02	25.00
132322	132520	QPSK	1	99	1	0	23.14	25.00
132572	132374	QPSK	1	0	1	99	23.00	25.00

【CA_66B_MIMO2_Sensor On】

CA_66B_MIMO2_Sensor On								
Combination 15MHz+5MHz (75RB+25RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
132047	132140	QPSK	1	74	1	0	18.50	19.00
132322	132415	QPSK	1	74	1	0	18.62	19.00
132597	132504	QPSK	1	0	1	24	18.47	19.00

【CA_66C_MIMO2_Sensor On】

CA_66C_MIMO2_Sensor On								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
132072	132270	QPSK	1	99	1	0	18.55	19.00
132322	132520	QPSK	1	99	1	0	18.71	19.00
132572	132374	QPSK	1	0	1	99	18.49	19.00

14. 5G NR Output Power (Unit: dBm)

General Note:

1. Referencing the procedure in KDB 941225, the test procedures are outlined as below
 - a. For DFT-OFDM output power measurement, full measurement was done for PI/2 BPSK and QPSK and for the largest supported bandwidth, repeat test for 16QAM/64QAM/256QAM under 1RB 1Offset configuration. For smaller bandwidth, measure conducted power for PI/2 BPSK and 1RB 1Offset configuration.
 - b. According to the tune-up, CP-OFDM output power is not ½ dB higher than DFT-OFDM mode, and the reported SAR of DFT-OFDM mode reported SAR is ≤ 1.45 W/kg, SAR test and thus conducted power for CP-OFDM mode is not required.
 - c. To start SAR test for the largest channel bandwidth for PI/2 BPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel. Also do SAR test for 50% RB allocation for PI/2 BPSK SAR testing using 1RB PI/2 BPSK allocation procedure
 - d. For PI/2 BPSK with 100% RB allocation, SAR test is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is ≤ 1.45 W/kg, the remaining required test channels must also be tested.
 - e. For higher modulation QPSK/16QAM/64QAM/256QAM, according to tune-up document the power level is not ½ dB higher than the same configuration in PI/2 BPSK, also reported SAR for the PI/2 BPSK configuration is less than 1.45 W/kg, QPSK/16QAM/64QAM/256QAM SAR testing are not required.
 - f. Smaller bandwidth output power for each RB allocation configuration for this device is not ½ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg, smaller bandwidth SAR testing is not required for this device
2. Due to test setup limitations, SAR testing for NR was performed using Factory Test Mode software to establish the connection and perform SAR with 100% transmission. And only for TDD power class2 was performed using Factory Test Mode software to establish the connection and perform SAR with 50% transmission

3GPP 38.101 MPR for EN-DC

Table 6.2.2-1 Maximum power reduction (MPR) for power class 3

Modulation		MPR (dB)		
		Edge RB allocations	Outer RB allocations	Inner RB allocations
DFT-s-OFDM	Pi/2 BPSK	$\leq 3.5^1$	$\leq 1.2^1$	$\leq 0.2^1$
		$\leq 0.5^2$	$\leq 0.5^2$	0 ²
	QPSK	≤ 1		0
	16 QAM	≤ 2		≤ 1
	64 QAM	≤ 2.5		
CP-OFDM	256 QAM	≤ 4.5		
	QPSK	≤ 3		≤ 1.5
	16 QAM	≤ 3		≤ 2
	64 QAM	≤ 3.5		
	256 QAM	≤ 6.5		

NOTE 1: Applicable for UE operating in TDD mode with Pi/2 BPSK modulation and UE indicates support for UE capability *powerBoosting-pi2BPSK* and if the IE *powerBoostPi2BPSK* is set to 1 and 40 % or less slots in radio frame are used for UL transmission for bands n40, n41, n77, n78 and n79. The reference power of 0 dB MPR is 26 dBm.

NOTE 2: Applicable for UE operating in FDD mode, or in TDD mode in bands other than n40, n41, n77, n78 and n79 with Pi/2 BPSK modulation and if the IE *powerBoostPi2BPSK* is set to 0 and if more than 40 % of slots in radio frame are used for UL transmission for bands n40, n41, n77, n78 and n79.

Table 6.2.2-2 Maximum power reduction (MPR) for power class 2

Modulation		MPR (dB)		
		Edge RB allocations	Outer RB allocations	Inner RB allocations
DFT-s-OFDM	Pi/2 BPSK	≤ 3.5	≤ 0.5	0
	QPSK	≤ 3.5	≤ 1	0
	16 QAM	≤ 3.5	≤ 2	≤ 1
	64 QAM	≤ 3.5	≤ 2.5	
	256 QAM	≤ 4.5		
CP-OFDM	QPSK	≤ 3.5	≤ 3	≤ 1.5
	16 QAM	≤ 3.5	≤ 3	≤ 2
	64 QAM	≤ 3.5		
	256 QAM	≤ 6.5		