


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side (mm)	To Bottom Side (mm)	To Left Side (mm)	To Right Side (mm)
WWAN Main Ant 0	2.10	190.00	24.00	191.00
WLAN Main Ant 0	15.00	186.00	256.00	26.00
WLAN/BT Aux Ant 1	130.00	16.80	4.10	284.50

<Right Side View> Tablet




Antenna	To Front Side (mm)	To Rear Side (mm)
WWAN Main Ant 0	2.50	6.90
WLAN Main Ant 0	2.50	10.90
WLAN/BT Aux Ant 1	2.55	6.90

<Front Face View> Laptop Mode (180°)



Antenna	To Top/Bottom Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)
WWAN Main Ant 0	2.10	190.00	24.00	191.00
WLAN Main Ant 0	15.00	186.00	256.00	26.00
WLAN/BT Aux Ant 1	130.00	16.80	4.10	284.50

<Right Side View> Laptop Mode(90°)



Antenna	Bottom (mm)
WWAN Main Ant 0	200.00
WLAN Main Ant 0	200.00
WLAN/BT Aux Ant 1	27.00

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Mode Tested at 0 mm



Top Side of Tablet Mode Tested at 0 mm



Bottom Side of Tablet Mode Tested at 0 mm

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 10 mm



Top Side of Tablet Mode Tested at 15 mm



Rear Face of Tablet Mode Tested at 5 mm



Top Side of Tablet Mode Tested at 10 mm

<Photographs of EUT with Handheld Body SAR Test Setup>



Top Side of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm

<Photographs of Bottom Body SAR Test Setup>



Bottom of Laptop Tested at 0 mm