












Intel
Pentium II
Intel
Pentium II
FCC Sample






FCC Sample



Everex 400Mhz PTM-II CPU
Everex 400Mhz PTM-II CPU
intel
FCC Sample



CH FAN
WOL
intel
pentium II
processor
with MMX™ technology
Everex 400Mhz PTM-II CPU


1 CPU2 FAN
intel
pentium II
with MMX™ technology
Everex 400Mhz PTM-II CPU


KOREA
intel
AGPset
U1
U4
U7
C202
C203
C204
C159
L3


FCC Sample
S82093AA
S U045
L2A0254
NNM 9720
N715113P1
WE18294
MALAYSIA
'92,'95
CR2032
SONY
3VOLTS LITHIUM CELL JAPAN
intel
FOR HOME OR OFFICE USE
Tested to Comply
With FCC Standards
S18320D
500MHZ
450MHZ


C107
R120
CB61
R424
R423
R425
CB90
R421
R419
C19
U10
PCI1
C110
C121
R359
RA24
R119
RA9
R332
PCI2
C117
CB62
L17
C118
C106
C14
JP4
JP8 JP9
R123
R228
D9
PCI3
C120
R366
R298
R299
R295
R238
R230
CB40
C196
C14
R365
R368
D11 D10
U22
CB41
U23
RA43 RA42
C113
C134
R367
J8
R243
R245R247
PCI5



W48C101-01H
B428 1809L
Y1
C7
C6
L1
C201



SPI
SPARKLE POWER INT'L LTD.
SWITCHING POWER SUPPLY.
MODEL NO: FSP235 - 60GT
INPUT :100 -120/200 -240V~,6/4A,60/50Hz
OUTPUT: 235W
+3.3V⎓14.0A(ORG),+5Vsb⎓0.8A(PURP)
+5V⎓22.0A(RED), -5V⎓0.3A(BLUE)
+12V⎓8.0A(YEL), - 12V⎓0.8A(BROWN)
P.G SIGNAL (WHITE), GROUND (BLACK)
FUSE RATING: 5A,250V~
LR103136
LEVEL 3
E161885
CB
Assembled From
Tested Components
(Complete System Not Tested)
FOR HOME OR OFFICE USE
WARNING
HAZARDOUS VOLTAGES CONTAINED WITHIN THIS POWER SUPPLY, NOT USER SERVICEABLE. RETURN TO SERVICE CENTER FOR REPAIR.
WARNUNG
NETZTEIL UNTER GEFÄHRLICHER SPANNUNG. NICHT VOM BENUTZER ZU REPARIEREN, ZUR REPARATUR AN KUNDENDIENST ZURÜCKSENDEN.
W1479922
9723



SPI
SPARKLE POWER INT'L LTD.
SWITCHING POWER SUPPLY
MODEL NO: FSP235 - 60GT
FOR HOME OR OFFICE USE
WARNING
WARNUNG



© 1998 PCTEST Lab





SPI
280-000-22
R-6


SPI 804-2007-35
HI-POT
WARNING!
FOR CONTINUED
PROTECTION
AGAINST FIRE
SAME TYPE



Enlight Corporation
MODEL NO.: EN-8257901
SERIAL NO.: B9710458 3
CB
INPUT RATING:
115V ~ 5A
230V ~ 3A
50/60Hz
OUTPUT RATING 250W(MAX)
RED +5V 24A PURPLE +5VSB 0.1A
YELLOW +12V 7A BLACK GND
WHITE -5V 0.5A GRAY POWER GOOD
BLUE -12V 0.5A +3.3V & +5V 160W MAX
ORANGE +3.3V 14A
CAUTION:
Do not remove this cover.
No serviceable components inside.
HAZARDOUS AREA
Trained service people only
ATTENTION:
ZONE DANGEREUE
MADE IN CHINA
Tested To Comply
With FCC Standards
FOR HOME OR OFFICE USE



Enlight Corporation
MODEL NO.: EN-B2570D1
SERIAL NO.: B971045833
OUTPUT RATING
INPUT RATING
FOR HOME OR OFFICE USE
MADE IN CHINA


115





© 1998 PCTEST Lab


T-ATX-T1
98 8 C



ATX-200
REVB



POWER WIN
SWITCHING POWER SUPPLY
MODEL NO. PW-300ATX
AC INPUT: 115V~/230V~ 10/5A 60/50Hz
CB
CAUTION:


POWER WIN TM SWITCHING POWER SUPPLY
MODEL NO. PW-300ATX
AC INPUT: 115V~/230V~, 10/5A 60/50Hz
LR94521 E156513
CB
COLOR BROWN RED WHITE YELLOW BLUE PURPLE BLACK GREY ORANGE
DC ⎓ +3.3V +5V -5V +12V -12V +5V SB COM PS-ON PW-OK
OUTPUT 0-22A 18-30A 0.3A 12-14A 1A 0-0.72A RETURN REMOTE P.G.
( +3.3V & +5V MAX. OUTPUT 140W, ALL OUTPUT IS EXTEND TO 300W MAX. )
CAUTION:
Do not remove this cover
Trained service people only.
No serviceable components inside.
VORSICHT
Abdeckungen Unter Keinen Umstanden entfernen
Es Sind keine vom Benutzer oder vom
Service zu wartende Bauteile vorhanden
Please notify your dealer for prompt service.
Before power on, Please check input voltage
avoiding damage.
MADE IN CHINA




© 1998 PCTEST Lab


PW - 0011
B
QC
PASS
4


PW-95104