

Main Antenna: Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.14.05

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH1 P=18.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.72	-4.87	74.0	20.28	Peak	338.92	150	Vertical	Pass
1**	2390.000	43.10	-4.87	54.0	10.90	AV	338.92	150	Vertical	Pass
2	2380.100	53.82	-4.32	74.0	20.18	Peak	354.00	150	Vertical	Pass
2**	2380.100	41.89	-4.32	54.0	12.11	AV	354.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.12.23

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH1 P=18.5

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.76	-4.87	74.0	23.24	Peak	77.30	150	Horizontal	Pass
1**	2390.000	41.69	-4.87	54.0	12.31	AV	77.30	150	Horizontal	Pass
2	2377.500	52.72	-4.23	74.0	21.28	Peak	360.00	150	Horizontal	Pass
2**	2377.500	40.57	-4.23	54.0	13.43	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.46.56

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH11 P=18.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.61	-3.78	74.0	20.39	Peak	277.00	150	Vertical	Pass
1**	2483.500	44.67	-3.78	54.0	9.33	AV	277.00	150	Vertical	Pass
2	2485.180	56.90	-3.78	74.0	17.10	Peak	191.00	150	Vertical	Pass
2**	2485.180	44.84	-3.78	54.0	9.16	AV	191.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.48.45

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH11 P=18.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.49	-3.78	74.0	22.51	Peak	91.00	150	Horizontal	Pass
1**	2483.500	42.71	-3.78	54.0	11.29	AV	91.00	150	Horizontal	Pass
2	2484.160	53.47	-3.78	74.0	20.53	Peak	85.00	150	Horizontal	Pass
2**	2484.160	42.35	-3.78	54.0	11.65	AV	85.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.21.03

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11g CH1 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.07	-4.87	74.0	9.93	Peak	279.96	150	Vertical	Pass
1**	2390.000	47.36	-4.87	54.0	6.64	AV	279.96	150	Vertical	Pass
2	2389.700	64.23	-4.86	74.0	9.77	Peak	337.00	150	Vertical	Pass
2**	2389.700	46.80	-4.86	54.0	7.20	AV	337.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.23.16

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH1 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.54	-4.87	74.0	22.46	Peak	2.30	150	Horizontal	Pass
1**	2390.000	41.90	-4.87	54.0	12.10	AV	2.30	150	Horizontal	Pass
2	2378.000	52.92	-4.24	74.0	21.08	Peak	238.00	150	Horizontal	Pass
2**	2378.000	40.83	-4.24	54.0	13.17	AV	238.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.43.29

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.57	-3.78	74.0	14.43	Peak	260.00	150	Vertical	Pass
1**	2483.500	47.82	-3.78	54.0	6.18	AV	260.00	150	Vertical	Pass
2	2483.680	62.02	-3.78	74.0	11.98	Peak	311.00	150	Vertical	Pass
2**	2483.680	47.96	-3.78	54.0	6.04	AV	311.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.40.53

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.50	-3.78	74.0	18.50	Peak	183.00	150	Horizontal	Pass
1**	2483.500	43.63	-3.78	54.0	10.37	AV	183.00	150	Horizontal	Pass
2	2483.950	56.72	-3.78	74.0	17.28	Peak	199.00	150	Horizontal	Pass
2**	2483.950	43.47	-3.78	54.0	10.53	AV	199.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.35.14

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH1 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.29	-4.87	74.0	8.71	Peak	340.99	150	Vertical	Pass
1**	2390.000	48.90	-4.87	54.0	5.10	AV	340.99	150	Vertical	Pass
2	2388.800	64.08	-4.81	74.0	9.92	Peak	272.00	150	Vertical	Pass
2**	2388.800	48.40	-4.81	54.0	5.60	AV	272.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.32.24

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH1 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.12	-4.87	74.0	20.88	Peak	153.02	150	Horizontal	Pass
1**	2390.000	41.93	-4.87	54.0	12.07	AV	153.02	150	Horizontal	Pass
2	2384.100	53.12	-4.54	74.0	20.88	Peak	238.00	150	Horizontal	Pass
2**	2384.100	41.13	-4.54	54.0	12.87	AV	238.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.35.09

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.39	-3.78	74.0	12.61	Peak	206.00	150	Vertical	Pass
1**	2483.500	49.28	-3.78	54.0	4.72	AV	206.00	150	Vertical	Pass
2	2483.800	63.86	-3.78	74.0	10.14	Peak	281.00	150	Vertical	Pass
2**	2483.800	49.21	-3.78	54.0	4.79	AV	281.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.37.29

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.64	-3.78	74.0	17.36	Peak	88.00	150	Horizontal	Pass
1**	2483.500	45.82	-3.78	54.0	8.18	AV	88.00	150	Horizontal	Pass
2	2484.130	57.76	-3.78	74.0	16.24	Peak	172.00	150	Horizontal	Pass
2**	2484.130	44.76	-3.78	54.0	9.24	AV	172.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.44.07

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH3 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.21	-4.87	74.0	16.79	Peak	273.09	150	Vertical	Pass
1**	2390.000	44.93	-4.87	54.0	9.07	AV	273.09	150	Vertical	Pass
2	2389.900	58.45	-4.87	74.0	15.55	Peak	341.00	150	Vertical	Pass
2**	2389.900	45.57	-4.87	54.0	8.43	AV	341.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.45.51

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH3 P=13

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.34	-4.87	74.0	23.66	Peak	310.63	150	Horizontal	Pass
1**	2390.000	41.18	-4.87	54.0	12.82	AV	310.63	150	Horizontal	Pass
2	2388.900	51.43	-4.81	74.0	22.57	Peak	146.00	150	Horizontal	Pass
2**	2388.900	40.89	-4.81	54.0	13.11	AV	146.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.30.11

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.91	-3.78	74.0	18.09	Peak	311.00	150	Vertical	Pass
1**	2483.500	46.97	-3.78	54.0	7.03	AV	311.00	150	Vertical	Pass
2	2483.800	59.01	-3.78	74.0	14.99	Peak	311.00	150	Vertical	Pass
2**	2483.800	45.73	-3.78	54.0	8.27	AV	311.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.27.56

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.22	-3.78	74.0	21.78	Peak	90.00	150	Horizontal	Pass
1**	2483.500	43.44	-3.78	54.0	10.56	AV	90.00	150	Horizontal	Pass
2	2486.710	55.09	-3.79	74.0	18.91	Peak	74.00	150	Horizontal	Pass
2**	2486.710	43.27	-3.79	54.0	10.73	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.58.29

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH1 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.59	-4.87	74.0	13.41	Peak	339.91	150	Vertical	Pass
1**	2390.000	47.53	-4.87	54.0	6.47	AV	339.91	150	Vertical	Pass
2	2388.800	62.23	-4.81	74.0	11.77	Peak	248.00	150	Vertical	Pass
2**	2388.800	47.26	-4.81	54.0	6.74	AV	248.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.01.27

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH1 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.92	-4.87	74.0	21.08	Peak	75.92	150	Horizontal	Pass
1**	2390.000	42.66	-4.87	54.0	11.34	AV	75.92	150	Horizontal	Pass
2	2388.800	54.56	-4.81	74.0	19.44	Peak	58.00	150	Horizontal	Pass
2**	2388.800	41.71	-4.81	54.0	12.29	AV	58.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.10.37

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.43	-3.78	74.0	10.57	Peak	265.00	150	Vertical	Pass
1**	2483.500	48.76	-3.78	54.0	5.24	AV	265.00	150	Vertical	Pass
2	2483.620	63.64	-3.78	74.0	10.36	Peak	281.00	150	Vertical	Pass
2**	2483.620	48.21	-3.78	54.0	5.79	AV	281.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.08.35

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.19	-3.78	74.0	17.81	Peak	58.00	150	Horizontal	Pass
1**	2483.500	45.90	-3.78	54.0	8.10	AV	58.00	150	Horizontal	Pass
2	2484.340	59.55	-3.78	74.0	14.45	Peak	86.00	150	Horizontal	Pass
2**	2484.340	45.16	-3.78	54.0	8.84	AV	86.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.53.39

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH3 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.800	59.16	-4.81	74.0	14.84	Peak	282.00	150	Vertical	Pass
1**	2388.800	45.05	-4.81	54.0	8.95	AV	282.00	150	Vertical	Pass
2	2388.200	58.23	-4.78	74.0	15.77	Peak	285.00	150	Vertical	Pass
2**	2388.200	44.89	-4.78	54.0	9.11	AV	285.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_18.51.47

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH3 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.61	-4.87	74.0	23.39	Peak	174.79	150	Horizontal	Pass
1**	2390.000	40.78	-4.87	54.0	13.22	AV	174.79	150	Horizontal	Pass
2	2389.000	53.11	-4.82	74.0	20.89	Peak	325.00	150	Horizontal	Pass
2**	2389.000	41.18	-4.82	54.0	12.82	AV	325.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.15.14

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.54	-3.78	74.0	15.46	Peak	308.00	150	Vertical	Pass
1**	2483.500	49.39	-3.78	54.0	4.61	AV	308.00	150	Vertical	Pass
2	2483.890	60.18	-3.78	74.0	13.82	Peak	302.00	150	Vertical	Pass
2**	2483.890	48.92	-3.78	54.0	5.08	AV	302.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_19.17.16

EUT Name: Edge II Security Panel

Temp.(°C): 23.4

Model Number: 2GIG-EDG II

Humidity (%RH): 52

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT1

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.29	-3.78	74.0	20.71	Peak	80.00	150	Horizontal	Pass
1**	2483.500	44.27	-3.78	54.0	9.73	AV	80.00	150	Horizontal	Pass
2	2485.090	55.05	-3.78	74.0	18.95	Peak	86.00	150	Horizontal	Pass
2**	2485.090	43.56	-3.78	54.0	10.44	AV	86.00	150	Horizontal	Pass

AUX. Antenna: Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.11.50

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH1 P=18.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.96	-4.87	74.0	21.04	Peak	275.02	150	Vertical	Pass
1**	2390.000	44.07	-4.87	54.0	9.93	AV	275.02	150	Vertical	Pass
2	2385.600	55.09	-4.62	74.0	18.91	Peak	312.00	150	Vertical	Pass
2**	2385.600	45.91	-4.62	54.0	8.09	AV	312.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.14.12

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH1 P=18.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.18	-4.87	74.0	22.82	Peak	339.64	150	Horizontal	Pass
1**	2390.000	41.46	-4.87	54.0	12.54	AV	339.64	150	Horizontal	Pass
2	2386.400	54.02	-4.66	74.0	19.98	Peak	76.00	150	Horizontal	Pass
2**	2386.400	42.27	-4.66	54.0	11.73	AV	76.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.42.38

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH11 P=18.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.87	-3.78	74.0	18.13	Peak	296.00	150	Vertical	Pass
1**	2483.500	45.44	-3.78	54.0	8.56	AV	296.00	150	Vertical	Pass
2	2487.010	55.44	-3.80	74.0	18.56	Peak	305.00	150	Vertical	Pass
2**	2487.010	47.09	-3.80	54.0	6.91	AV	305.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.40.45

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH11 P=18.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.31	-3.78	74.0	21.69	Peak	162.00	150	Horizontal	Pass
1**	2483.500	43.24	-3.78	54.0	10.76	AV	162.00	150	Horizontal	Pass
2	2486.350	54.56	-3.79	74.0	19.44	Peak	60.00	150	Horizontal	Pass
2**	2486.350	43.99	-3.79	54.0	10.01	AV	60.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.02.33

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH1 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.62	-4.87	74.0	7.38	Peak	323.89	150	Vertical	Pass
1**	2390.000	47.89	-4.87	54.0	6.11	AV	323.89	150	Vertical	Pass
2	2389.700	66.24	-4.86	74.0	7.76	Peak	311.00	150	Vertical	Pass
2**	2389.700	47.70	-4.86	54.0	6.30	AV	311.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.59.37

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH1 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.60	-4.87	74.0	20.40	Peak	219.01	150	Horizontal	Pass
1**	2390.000	42.32	-4.87	54.0	11.68	AV	219.01	150	Horizontal	Pass
2	2386.500	54.53	-4.67	74.0	19.47	Peak	337.00	150	Horizontal	Pass
2**	2386.500	41.55	-4.67	54.0	12.45	AV	337.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.48.31

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.14	-3.78	74.0	13.86	Peak	196.00	150	Vertical	Pass
1**	2483.500	46.83	-3.78	54.0	7.17	AV	196.00	150	Vertical	Pass
2	2483.950	61.33	-3.78	74.0	12.67	Peak	268.00	150	Vertical	Pass
2**	2483.950	47.70	-3.78	54.0	6.30	AV	268.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.51.43

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.96	-3.78	74.0	19.04	Peak	326.00	150	Horizontal	Pass
1**	2483.500	44.45	-3.78	54.0	9.55	AV	326.00	150	Horizontal	Pass
2	2484.430	56.88	-3.78	74.0	17.12	Peak	190.00	150	Horizontal	Pass
2**	2484.430	43.44	-3.78	54.0	10.56	AV	190.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.46.01

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH1 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.88	-4.87	74.0	8.12	Peak	329.92	150	Vertical	Pass
1**	2390.000	50.37	-4.87	54.0	3.63	AV	329.92	150	Vertical	Pass
2	2389.000	65.79	-4.82	74.0	8.21	Peak	316.00	150	Vertical	Pass
2**	2389.000	49.46	-4.82	54.0	4.54	AV	316.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.43.08

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH1 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.65	-4.87	74.0	21.35	Peak	291.67	150	Horizontal	Pass
1**	2390.000	42.40	-4.87	54.0	11.60	AV	291.67	150	Horizontal	Pass
2	2388.200	53.97	-4.78	74.0	20.03	Peak	350.00	150	Horizontal	Pass
2**	2388.200	41.51	-4.78	54.0	12.49	AV	350.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_05.00.06

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.91	-3.78	74.0	12.09	Peak	300.00	150	Vertical	Pass
1**	2483.500	47.22	-3.78	54.0	6.78	AV	300.00	150	Vertical	Pass
2	2483.530	62.86	-3.78	74.0	11.14	Peak	302.00	150	Vertical	Pass
2**	2483.530	48.32	-3.78	54.0	5.68	AV	302.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_04.57.07

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.41	-3.78	74.0	17.59	Peak	218.00	150	Horizontal	Pass
1**	2483.500	44.79	-3.78	54.0	9.21	AV	218.00	150	Horizontal	Pass
2	2484.100	57.39	-3.78	74.0	16.61	Peak	65.00	150	Horizontal	Pass
2**	2484.100	44.48	-3.78	54.0	9.52	AV	65.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.51.39

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH3 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.80	-4.87	74.0	17.20	Peak	314.90	150	Vertical	Pass
1**	2390.000	43.86	-4.87	54.0	10.14	AV	314.90	150	Vertical	Pass
2	2389.500	58.71	-4.85	74.0	15.29	Peak	317.00	150	Vertical	Pass
2**	2389.500	43.98	-4.85	54.0	10.02	AV	317.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.53.50

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH3 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.83	-4.87	74.0	23.17	Peak	62.19	150	Horizontal	Pass
1**	2390.000	40.77	-4.87	54.0	13.23	AV	62.19	150	Horizontal	Pass
2	2380.800	52.55	-4.35	74.0	21.45	Peak	174.00	150	Horizontal	Pass
2**	2380.800	40.84	-4.35	54.0	13.16	AV	174.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_05.10.48

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.19	-3.78	74.0	16.81	Peak	323.00	150	Vertical	Pass
1**	2483.500	47.23	-3.78	54.0	6.77	AV	323.00	150	Vertical	Pass
2	2485.960	58.25	-3.79	74.0	15.75	Peak	315.00	150	Vertical	Pass
2**	2485.960	46.92	-3.79	54.0	7.08	AV	315.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_05.14.12

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.55	-3.78	74.0	21.45	Peak	72.00	150	Horizontal	Pass
1**	2483.500	43.06	-3.78	54.0	10.94	AV	72.00	150	Horizontal	Pass
2	2484.460	54.61	-3.78	74.0	19.39	Peak	65.00	150	Horizontal	Pass
2**	2484.460	43.28	-3.78	54.0	10.72	AV	65.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.30.41

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH1 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.70	-4.87	74.0	19.30	Peak	260.12	150	Vertical	Pass
1**	2390.000	42.48	-4.87	54.0	11.52	AV	260.12	150	Vertical	Pass
2	2387.800	56.58	-4.75	74.0	17.42	Peak	319.00	150	Vertical	Pass
2**	2387.800	42.15	-4.75	54.0	11.85	AV	319.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.33.02

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH1 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.17	-4.87	74.0	22.83	Peak	5.09	150	Horizontal	Pass
1**	2390.000	41.50	-4.87	54.0	12.50	AV	5.09	150	Horizontal	Pass
2	2389.100	54.07	-4.82	74.0	19.93	Peak	72.00	150	Horizontal	Pass
2**	2389.100	41.69	-4.82	54.0	12.31	AV	72.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_05.30.46

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.90	-3.78	74.0	16.10	Peak	295.00	150	Vertical	Pass
1**	2483.500	46.15	-3.78	54.0	7.85	AV	295.00	150	Vertical	Pass
2	2484.070	60.62	-3.78	74.0	13.38	Peak	292.00	150	Vertical	Pass
2**	2484.070	45.48	-3.78	54.0	8.52	AV	292.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_05.33.59

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.99	-3.78	74.0	18.01	Peak	63.00	150	Horizontal	Pass
1**	2483.500	45.04	-3.78	54.0	8.96	AV	63.00	150	Horizontal	Pass
2	2483.590	58.63	-3.78	74.0	15.37	Peak	70.00	150	Horizontal	Pass
2**	2483.590	44.97	-3.78	54.0	9.03	AV	70.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.25.22

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH3 P=13

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.85	-4.87	74.0	22.15	Peak	0.04	150	Vertical	Pass
1**	2390.000	41.66	-4.87	54.0	12.34	AV	0.04	150	Vertical	Pass
2	2372.200	52.78	-4.07	74.0	21.22	Peak	19.00	150	Vertical	Pass
2**	2372.200	41.27	-4.07	54.0	12.73	AV	19.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_03.22.00

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH3 P=13

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.32	-4.87	74.0	22.68	Peak	359.63	150	Horizontal	Pass
1**	2390.000	41.21	-4.87	54.0	12.79	AV	359.63	150	Horizontal	Pass
2	2374.600	52.80	-4.14	74.0	21.20	Peak	60.00	150	Horizontal	Pass
2**	2374.600	41.02	-4.14	54.0	12.98	AV	60.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_05.20.49

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.12	-3.78	74.0	18.88	Peak	296.00	150	Vertical	Pass
1**	2483.500	45.33	-3.78	54.0	8.67	AV	296.00	150	Vertical	Pass
2	2491.240	55.72	-3.85	74.0	18.28	Peak	289.00	150	Vertical	Pass
2**	2491.240	44.05	-3.85	54.0	9.95	AV	289.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-14_05.19.14

EUT Name: Edge II Security Panel

Temp.(°C): 23.5

Model Number: 2GIG-EDG II

Humidity (%RH): 51

Sample Number: CC26010287-001-S02

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax40 CH9 P=13


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02 ANT0

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.18	-3.78	74.0	20.82	Peak	359.00	150	Horizontal	Pass
1**	2483.500	43.89	-3.78	54.0	10.11	AV	359.00	150	Horizontal	Pass
2	2486.140	54.77	-3.79	74.0	19.23	Peak	61.00	150	Horizontal	Pass
2**	2486.140	43.82	-3.79	54.0	10.18	AV	61.00	150	Horizontal	Pass