


Main Antenna: Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_13.09.45

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.45	3.82	74.0	18.55	Peak	120.99	150	Vertical	Pass
1**	5150.000	44.74	3.82	54.0	9.26	AV	120.99	150	Vertical	Pass
2	5110.350	56.89	3.57	74.0	17.11	Peak	55.00	150	Vertical	Pass
2**	5110.350	44.56	3.57	54.0	9.44	AV	55.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_12.59.19

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.84	3.82	74.0	18.16	Peak	64.01	150	Horizontal	Pass
1**	5150.000	44.76	3.82	54.0	9.24	AV	64.01	150	Horizontal	Pass
2	4955.650	57.04	3.96	74.0	16.96	Peak	353.00	150	Horizontal	Pass
2**	4955.650	44.48	3.96	54.0	9.52	AV	353.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_13.47.42

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	4.04	74.0	18.64	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.69	4.04	54.0	9.31	AV	360.00	150	Vertical	Pass
2	5423.150	56.63	3.73	74.0	17.37	Peak	11.00	150	Vertical	Pass
2**	5423.150	44.59	3.73	54.0	9.41	AV	11.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_13.54.47

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.76	4.04	74.0	19.24	Peak	198.00	150	Horizontal	Pass
1**	5350.000	44.87	4.04	54.0	9.13	AV	198.00	150	Horizontal	Pass
2	5353.630	56.62	4.11	74.0	17.38	Peak	360.00	150	Horizontal	Pass
2**	5353.630	44.73	4.11	54.0	9.27	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_11.35.01

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.00	3.82	74.0	16.00	Peak	2.00	150	Vertical	Pass
1**	5150.000	47.27	3.82	54.0	6.73	AV	2.00	150	Vertical	Pass
2	5149.350	58.35	3.84	74.0	15.65	Peak	0.00	150	Vertical	Pass
2**	5149.350	46.92	3.84	54.0	7.08	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_11.38.02

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.09	3.82	74.0	18.91	Peak	279.97	150	Horizontal	Pass
1**	5150.000	44.96	3.82	54.0	9.04	AV	279.97	150	Horizontal	Pass
2	5148.700	57.05	3.85	74.0	16.95	Peak	141.00	150	Horizontal	Pass
2**	5148.700	45.08	3.85	54.0	8.92	AV	141.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.05.34

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.81	4.04	74.0	19.19	Peak	298.00	150	Vertical	Pass
1**	5350.000	44.74	4.04	54.0	9.26	AV	298.00	150	Vertical	Pass
2	5355.720	56.64	4.16	74.0	17.36	Peak	180.00	150	Vertical	Pass
2**	5355.720	44.70	4.16	54.0	9.30	AV	180.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_14.01.39

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.16	4.04	74.0	18.84	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.66	4.04	54.0	9.34	AV	360.00	150	Horizontal	Pass
2	5351.760	56.47	4.08	74.0	17.53	Peak	41.00	150	Horizontal	Pass
2**	5351.760	44.79	4.08	54.0	9.21	AV	41.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_07.02.22

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.84	3.82	74.0	12.16	Peak	0.06	150	Vertical	Pass
1**	5150.000	47.31	3.82	54.0	6.69	AV	0.06	150	Vertical	Pass
2	5148.050	62.31	3.87	74.0	11.69	Peak	241.00	150	Vertical	Pass
2**	5148.050	46.82	3.87	54.0	7.18	AV	241.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_07.04.05

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.44	3.82	74.0	19.56	Peak	2.05	150	Horizontal	Pass
1**	5150.000	44.24	3.82	54.0	9.76	AV	2.05	150	Horizontal	Pass
2	5148.050	55.74	3.87	74.0	18.26	Peak	82.00	150	Horizontal	Pass
2**	5148.050	44.13	3.87	54.0	9.87	AV	82.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.13.13

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.52	4.04	74.0	18.48	Peak	26.00	150	Vertical	Pass
1**	5350.000	44.86	4.04	54.0	9.14	AV	26.00	150	Vertical	Pass
2	5387.180	56.83	4.04	74.0	17.17	Peak	106.00	150	Vertical	Pass
2**	5387.180	44.60	4.04	54.0	9.40	AV	106.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.16.42

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.60	4.04	74.0	19.40	Peak	285.00	150	Horizontal	Pass
1**	5350.000	44.91	4.04	54.0	9.09	AV	285.00	150	Horizontal	Pass
2	5410.060	56.77	3.66	74.0	17.23	Peak	10.00	150	Horizontal	Pass
2**	5410.060	44.46	3.66	54.0	9.54	AV	10.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_07.13.32

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.23	3.82	74.0	12.77	Peak	245.02	150	Vertical	Pass
1**	5150.000	48.10	3.82	54.0	5.90	AV	245.02	150	Vertical	Pass
2	5149.350	63.90	3.84	74.0	10.10	Peak	338.00	150	Vertical	Pass
2**	5149.350	47.03	3.84	54.0	6.97	AV	338.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_07.11.25

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.18	3.82	74.0	18.82	Peak	346.95	150	Horizontal	Pass
1**	5150.000	44.26	3.82	54.0	9.74	AV	346.95	150	Horizontal	Pass
2	5106.450	55.97	3.70	74.0	18.03	Peak	238.00	150	Horizontal	Pass
2**	5106.450	44.15	3.70	54.0	9.85	AV	238.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_10.59.10

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.96	3.82	74.0	18.04	Peak	208.96	150	Vertical	Pass
1**	5150.000	45.53	3.82	54.0	8.47	AV	208.96	150	Vertical	Pass
2	5148.050	57.05	3.87	74.0	16.95	Peak	342.00	150	Vertical	Pass
2**	5148.050	45.68	3.87	54.0	8.32	AV	342.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_11.03.16

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.77	3.82	74.0	18.23	Peak	339.99	150	Horizontal	Pass
1**	5150.000	44.69	3.82	54.0	9.31	AV	339.99	150	Horizontal	Pass
2	5050.550	56.55	3.68	74.0	17.45	Peak	221.00	150	Horizontal	Pass
2**	5050.550	44.58	3.68	54.0	9.42	AV	221.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_14.55.20

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.86	4.04	74.0	19.14	Peak	358.00	150	Vertical	Pass
1**	5350.000	44.87	4.04	54.0	9.13	AV	358.00	150	Vertical	Pass
2	5359.570	57.92	4.24	74.0	16.08	Peak	358.00	150	Vertical	Pass
2**	5359.570	44.82	4.24	54.0	9.18	AV	358.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_14.49.15

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.56	4.04	74.0	19.44	Peak	159.00	150	Horizontal	Pass
1**	5350.000	44.64	4.04	54.0	9.36	AV	159.00	150	Horizontal	Pass
2	5397.630	56.77	4.10	74.0	17.23	Peak	182.00	150	Horizontal	Pass
2**	5397.630	44.61	4.10	54.0	9.39	AV	182.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_11.23.51

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.14	3.82	74.0	12.86	Peak	337.00	150	Vertical	Pass
1**	5150.000	49.70	3.82	54.0	4.30	AV	337.00	150	Vertical	Pass
2	5148.050	62.18	3.87	74.0	11.82	Peak	333.00	150	Vertical	Pass
2**	5148.050	49.20	3.87	54.0	4.80	AV	333.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_11.12.12

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.90	3.82	74.0	19.10	Peak	174.01	150	Horizontal	Pass
1**	5150.000	45.44	3.82	54.0	8.56	AV	174.01	150	Horizontal	Pass
2	5081.750	56.69	3.46	74.0	17.31	Peak	191.00	150	Horizontal	Pass
2**	5081.750	44.50	3.46	54.0	9.50	AV	191.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_09.36.51

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.31	4.04	74.0	18.69	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.79	4.04	54.0	9.21	AV	360.00	150	Vertical	Pass
2	5358.800	56.93	4.22	74.0	17.07	Peak	199.00	150	Vertical	Pass
2**	5358.800	44.95	4.22	54.0	9.05	AV	199.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_09.29.14

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.21	4.04	74.0	18.79	Peak	264.00	150	Horizontal	Pass
1**	5350.000	44.73	4.04	54.0	9.27	AV	264.00	150	Horizontal	Pass
2	5457.360	56.58	3.79	74.0	17.42	Peak	0.00	150	Horizontal	Pass
2**	5457.360	44.48	3.79	54.0	9.52	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_09.56.35

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.71	3.82	74.0	17.29	Peak	337.00	150	Vertical	Pass
1**	5150.000	47.15	3.82	54.0	6.85	AV	337.00	150	Vertical	Pass
2	5149.350	59.69	3.84	74.0	14.31	Peak	334.00	150	Vertical	Pass
2**	5149.350	47.10	3.84	54.0	6.90	AV	334.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_10.01.46

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.04	3.82	74.0	18.96	Peak	314.97	150	Horizontal	Pass
1**	5150.000	44.79	3.82	54.0	9.21	AV	314.97	150	Horizontal	Pass
2	4852.950	56.83	4.28	74.0	17.17	Peak	318.00	150	Horizontal	Pass
2**	4852.950	44.55	4.28	54.0	9.45	AV	318.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.15.37

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	54.34	3.84	74.0	19.66	Peak	289.00	150	Vertical	Pass
1**	5149.350	43.70	3.84	54.0	10.30	AV	289.00	150	Vertical	Pass
2	5058.350	55.39	3.76	74.0	18.61	Peak	343.00	150	Vertical	Pass
2**	5058.350	43.69	3.76	54.0	10.31	AV	343.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.07.06

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.18	3.82	74.0	20.82	Peak	305.00	150	Horizontal	Pass
1**	5150.000	43.83	3.82	54.0	10.17	AV	305.00	150	Horizontal	Pass
2	5087.600	55.44	3.44	74.0	18.56	Peak	26.00	150	Horizontal	Pass
2**	5087.600	43.37	3.44	54.0	10.63	AV	26.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.31.14

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.55	4.04	74.0	20.45	Peak	222.00	150	Vertical	Pass
1**	5350.000	43.85	4.04	54.0	10.15	AV	222.00	150	Vertical	Pass
2	5361.550	55.54	4.20	74.0	18.46	Peak	1.00	150	Vertical	Pass
2**	5361.550	43.84	4.20	54.0	10.16	AV	1.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.29.46

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.72	4.04	74.0	20.28	Peak	220.00	150	Horizontal	Pass
1**	5350.000	43.74	4.04	54.0	10.26	AV	220.00	150	Horizontal	Pass
2	5352.310	55.94	4.09	74.0	18.06	Peak	226.00	150	Horizontal	Pass
2**	5352.310	43.85	4.09	54.0	10.15	AV	226.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.42.09

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.05	3.82	74.0	19.95	Peak	188.00	150	Vertical	Pass
1**	5150.000	43.77	3.82	54.0	10.23	AV	188.00	150	Vertical	Pass
2	5130.500	55.20	3.84	74.0	18.80	Peak	69.00	150	Vertical	Pass
2**	5130.500	43.67	3.84	54.0	10.33	AV	69.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.39.54

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.95	3.82	74.0	20.05	Peak	279.00	150	Horizontal	Pass
1**	5150.000	43.91	3.82	54.0	10.09	AV	279.00	150	Horizontal	Pass
2	5097.350	54.86	3.82	74.0	19.14	Peak	0.00	150	Horizontal	Pass
2**	5097.350	43.70	3.82	54.0	10.30	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_21.49.30

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.29	4.04	74.0	20.71	Peak	87.00	150	Vertical	Pass
1**	5350.000	43.67	4.04	54.0	10.33	AV	87.00	150	Vertical	Pass
2	5356.160	54.97	4.17	74.0	19.03	Peak	246.00	150	Vertical	Pass
2**	5356.160	43.94	4.17	54.0	10.06	AV	246.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.47.51

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.40	4.04	74.0	20.60	Peak	31.00	150	Horizontal	Pass
1**	5350.000	43.80	4.04	54.0	10.20	AV	31.00	150	Horizontal	Pass
2	5354.840	55.63	4.14	74.0	18.37	Peak	74.00	150	Horizontal	Pass
2**	5354.840	43.72	4.14	54.0	10.28	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_22.03.38

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.15	3.82	74.0	19.85	Peak	167.04	150	Vertical	Pass
1**	5150.000	43.99	3.82	54.0	10.01	AV	167.04	150	Vertical	Pass
2	5065.500	55.39	3.72	74.0	18.61	Peak	204.00	150	Vertical	Pass
2**	5065.500	43.67	3.72	54.0	10.33	AV	204.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_22.01.26

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.51	3.82	74.0	20.49	Peak	360.00	150	Horizontal	Pass
1**	5150.000	43.91	3.82	54.0	10.09	AV	360.00	150	Horizontal	Pass
2	4958.900	55.14	3.99	74.0	18.86	Peak	180.00	150	Horizontal	Pass
2**	4958.900	43.39	3.99	54.0	10.61	AV	180.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_22.51.53

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.35	4.04	74.0	20.65	Peak	0.00	150	Vertical	Pass
1**	5350.000	44.00	4.04	54.0	10.00	AV	0.00	150	Vertical	Pass
2	5353.190	56.95	4.10	74.0	17.05	Peak	239.00	150	Vertical	Pass
2**	5353.190	43.85	4.10	54.0	10.15	AV	239.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_22.49.26

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.30	4.04	74.0	15.70	Peak	241.00	150	Horizontal	Pass
1**	5350.000	45.44	4.04	54.0	8.56	AV	241.00	150	Horizontal	Pass
2	5352.860	60.28	4.09	74.0	13.72	Peak	155.00	150	Horizontal	Pass
2**	5352.860	45.48	4.09	54.0	8.52	AV	155.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_23.18.34

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.17	4.04	74.0	7.83	Peak	331.00	150	Vertical	Pass
1**	5350.000	48.37	4.04	54.0	5.63	AV	331.00	150	Vertical	Pass
2	5351.100	66.41	4.06	74.0	7.59	Peak	309.00	150	Vertical	Pass
2**	5351.100	46.54	4.06	54.0	7.46	AV	309.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_23.16.19

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.61	4.04	74.0	15.39	Peak	359.00	150	Horizontal	Pass
1**	5350.000	44.40	4.04	54.0	9.60	AV	359.00	150	Horizontal	Pass
2	5351.870	60.00	4.08	74.0	14.00	Peak	67.00	150	Horizontal	Pass
2**	5351.870	43.97	4.08	54.0	10.03	AV	67.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_02.13.04

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.40	3.82	74.0	19.60	Peak	334.97	150	Vertical	Pass
1**	5150.000	44.22	3.82	54.0	9.78	AV	334.97	150	Vertical	Pass
2	5070.050	55.77	3.70	74.0	18.23	Peak	106.00	150	Vertical	Pass
2**	5070.050	43.85	3.70	54.0	10.15	AV	106.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_02.18.21

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.35	3.82	74.0	19.65	Peak	179.97	150	Horizontal	Pass
1**	5150.000	44.23	3.82	54.0	9.77	AV	179.97	150	Horizontal	Pass
2	5118.800	55.35	3.70	74.0	18.65	Peak	251.00	150	Horizontal	Pass
2**	5118.800	43.74	3.70	54.0	10.26	AV	251.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_02.30.29

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.24	4.04	74.0	18.76	Peak	298.00	150	Vertical	Pass
1**	5350.000	45.24	4.04	54.0	8.76	AV	298.00	150	Vertical	Pass
2	5353.190	58.87	4.10	74.0	15.13	Peak	332.00	150	Vertical	Pass
2**	5353.190	45.07	4.10	54.0	8.93	AV	332.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_02.25.29

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.27	4.04	74.0	18.73	Peak	24.00	150	Horizontal	Pass
1**	5350.000	44.13	4.04	54.0	9.87	AV	24.00	150	Horizontal	Pass
2	5368.700	55.91	4.00	74.0	18.09	Peak	185.00	150	Horizontal	Pass
2**	5368.700	43.91	4.00	54.0	10.09	AV	185.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_02.05.21

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.51	3.82	74.0	19.49	Peak	194.02	150	Vertical	Pass
1**	5150.000	44.06	3.82	54.0	9.94	AV	194.02	150	Vertical	Pass
2	4923.800	56.28	3.59	74.0	17.72	Peak	360.00	150	Vertical	Pass
2**	4923.800	43.64	3.59	54.0	10.36	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_01.50.24

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.78	3.82	74.0	19.22	Peak	359.98	150	Horizontal	Pass
1**	5150.000	43.93	3.82	54.0	10.07	AV	359.98	150	Horizontal	Pass
2	5059.650	55.68	3.76	74.0	18.32	Peak	122.00	150	Horizontal	Pass
2**	5059.650	43.69	3.76	54.0	10.31	AV	122.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_00.47.45

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.92	4.04	74.0	17.08	Peak	323.00	150	Vertical	Pass
1**	5350.000	46.35	4.04	54.0	7.65	AV	323.00	150	Vertical	Pass
2	5353.410	58.99	4.10	74.0	15.01	Peak	332.00	150	Vertical	Pass
2**	5353.410	45.99	4.10	54.0	8.01	AV	332.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_00.53.40

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.14	4.04	74.0	19.86	Peak	54.00	150	Horizontal	Pass
1**	5350.000	44.23	4.04	54.0	9.77	AV	54.00	150	Horizontal	Pass
2	5387.730	56.34	4.04	74.0	17.66	Peak	196.00	150	Horizontal	Pass
2**	5387.730	43.98	4.04	54.0	10.02	AV	196.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_01.12.03

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.30	4.04	74.0	17.70	Peak	328.00	150	Vertical	Pass
1**	5350.000	46.14	4.04	54.0	7.86	AV	328.00	150	Vertical	Pass
2	5376.840	60.14	4.03	74.0	13.86	Peak	337.00	150	Vertical	Pass
2**	5376.840	44.94	4.03	54.0	9.06	AV	337.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_01.04.21

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.08	4.04	74.0	18.92	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.52	4.04	54.0	9.48	AV	360.00	150	Horizontal	Pass
2	5366.390	55.89	4.07	74.0	18.11	Peak	220.00	150	Horizontal	Pass
2**	5366.390	43.98	4.07	54.0	10.02	AV	220.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_15.25.46

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.14	3.78	68.2	14.06	Peak	111.73	150	Vertical	Pass
1**	5460.000	43.62	3.78	54.0	10.38	AV	111.73	150	Vertical	Pass
2	5469.040	55.55	4.07	68.2	12.65	Peak	98.00	150	Vertical	Pass
2**	5469.040	43.94	4.07	--	-43.94	AV	98.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.23.43

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.13	3.78	68.2	14.07	Peak	107.34	150	Horizontal	Pass
1**	5460.000	44.65	3.78	54.0	9.35	AV	107.34	150	Horizontal	Pass
2	5469.760	57.31	4.09	68.2	10.89	Peak	146.00	150	Horizontal	Pass
2**	5469.760	45.43	4.09	--	-45.43	AV	146.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.69.11

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6 GWIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.88	4.31	68.2	12.32	Peak	172.00	150	Vertical	Pass
2	5725.250	57.98	4.30	68.2	10.22	Peak	310.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.65.07

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6 GWIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.90	4.31	68.2	9.30	Peak	79.00	150	Horizontal	Pass
2	5726.750	61.45	4.25	68.2	6.75	Peak	89.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.57.02

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.15	3.78	68.2	15.05	Peak	12.36	150	Vertical	Pass
1**	5460.000	43.45	3.78	54.0	10.55	AV	12.36	150	Vertical	Pass
2	5470.000	55.38	4.09	--	256.62	Peak	312.00	150	Vertical	Pass
2**	5470.000	43.87	4.09	--	-43.87	AV	312.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_15.55.13

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.25	3.78	68.2	13.95	Peak	193.15	150	Horizontal	Pass
1**	5460.000	44.83	3.78	54.0	9.17	AV	193.15	150	Horizontal	Pass
2	5469.520	58.02	4.08	68.2	10.18	Peak	162.00	150	Horizontal	Pass
2**	5469.520	45.47	4.08	--	-45.47	AV	162.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.07.51

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.28	4.31	68.2	11.92	Peak	305.00	150	Vertical	Pass
2	5727.125	56.43	4.24	68.2	11.77	Peak	305.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.06.08

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.13	4.31	68.2	8.07	Peak	83.00	150	Horizontal	Pass
2	5725.250	61.84	4.30	68.2	6.36	Peak	88.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.22.39

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.02	3.78	68.2	14.18	Peak	325.62	150	Vertical	Pass
1**	5460.000	43.62	3.78	54.0	10.38	AV	325.62	150	Vertical	Pass
2	5467.840	58.85	4.04	68.2	9.35	Peak	308.00	150	Vertical	Pass
2**	5467.840	44.46	4.04	--	-44.46	AV	308.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.20.35

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.22	3.78	68.2	10.98	Peak	130.98	150	Horizontal	Pass
1**	5460.000	44.99	3.78	54.0	9.01	AV	130.98	150	Horizontal	Pass
2	5469.520	64.70	4.08	68.2	3.50	Peak	142.00	150	Horizontal	Pass
2**	5469.520	46.59	4.08	--	-46.59	AV	142.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.33.06

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.44	4.31	68.2	13.76	Peak	13.00	150	Vertical	Pass
2	5733.250	56.47	4.19	68.2	11.73	Peak	114.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.30.22

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.55	4.31	68.2	10.65	Peak	77.00	150	Horizontal	Pass
2	5727.750	59.35	4.23	68.2	8.85	Peak	82.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.45.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.71	3.78	68.2	14.49	Peak	16.01	150	Vertical	Pass
1**	5460.000	43.49	3.78	54.0	10.51	AV	16.01	150	Vertical	Pass
2	5469.640	58.80	4.08	68.2	9.40	Peak	312.00	150	Vertical	Pass
2**	5469.640	43.85	4.08	--	-43.85	AV	312.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.44.24

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.62	3.78	68.2	10.58	Peak	67.65	150	Horizontal	Pass
1**	5460.000	45.22	3.78	54.0	8.78	AV	67.65	150	Horizontal	Pass
2	5469.640	63.38	4.08	68.2	4.82	Peak	77.00	150	Horizontal	Pass
2**	5469.640	46.65	4.08	--	-46.65	AV	77.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_04.27.12

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.53	4.31	68.2	12.67	Peak	327.00	150	Vertical	Pass
2	5839.500	57.78	5.41	68.2	10.42	Peak	40.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_04.34.37

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.47	4.31	68.2	12.73	Peak	42.00	150	Horizontal	Pass
2	5843.500	57.83	5.64	68.2	10.37	Peak	134.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.59.14

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.51	3.78	68.2	14.69	Peak	40.42	150	Vertical	Pass
1**	5460.000	43.37	3.78	54.0	10.63	AV	40.42	150	Vertical	Pass
2	5468.680	55.09	4.06	68.2	13.11	Peak	155.00	150	Vertical	Pass
2**	5468.680	44.28	4.06	--	-44.28	AV	155.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.57.11

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.15	3.78	68.2	14.05	Peak	237.15	150	Horizontal	Pass
1**	5460.000	44.59	3.78	54.0	9.41	AV	237.15	150	Horizontal	Pass
2	5469.160	58.78	4.07	68.2	9.42	Peak	76.00	150	Horizontal	Pass
2**	5469.160	45.57	4.07	--	-45.57	AV	76.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_17.15.49

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.30	4.31	68.2	12.90	Peak	223.00	150	Vertical	Pass
2	5730.375	56.03	4.17	68.2	12.17	Peak	26.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.13.35

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.91	4.31	68.2	11.29	Peak	198.00	150	Horizontal	Pass
2	5728.750	62.07	4.20	68.2	6.13	Peak	93.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.29.16

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.62	3.78	68.2	14.58	Peak	176.31	150	Vertical	Pass
1**	5460.000	43.96	3.78	54.0	10.04	AV	176.31	150	Vertical	Pass
2	5465.320	57.63	3.95	68.2	10.57	Peak	155.00	150	Vertical	Pass
2**	5465.320	44.77	3.95	--	-44.77	AV	155.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_17.27.03

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.93	3.78	68.2	11.27	Peak	80.67	150	Horizontal	Pass
1**	5460.000	46.13	3.78	54.0	7.87	AV	80.67	150	Horizontal	Pass
2	5465.800	63.13	3.97	68.2	5.07	Peak	150.00	150	Horizontal	Pass
2**	5465.800	47.11	3.97	--	-47.11	AV	150.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.43.19

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.65	4.31	68.2	12.55	Peak	55.00	150	Vertical	Pass
2	5730.250	57.20	4.17	68.2	11.00	Peak	53.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.37.13

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.42	4.31	68.2	9.78	Peak	84.00	150	Horizontal	Pass
2	5727.875	58.92	4.23	68.2	9.28	Peak	84.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.56.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.38	3.78	68.2	13.82	Peak	14.36	150	Vertical	Pass
1**	5460.000	43.39	3.78	54.0	10.61	AV	14.36	150	Vertical	Pass
2	5464.480	55.18	3.92	68.2	13.02	Peak	173.00	150	Vertical	Pass
2**	5464.480	43.80	3.92	--	-43.80	AV	173.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.54.59

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.19	3.78	68.2	14.01	Peak	45.73	150	Horizontal	Pass
1**	5460.000	44.62	3.78	54.0	9.38	AV	45.73	150	Horizontal	Pass
2	5464.120	60.57	3.91	68.2	7.63	Peak	106.00	150	Horizontal	Pass
2**	5464.120	45.05	3.91	--	-45.05	AV	106.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_05.44.44

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.00	4.31	68.2	12.20	Peak	10.00	150	Vertical	Pass
2	5780.750	57.09	5.07	68.2	11.11	Peak	339.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_05.49.04

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.50	4.31	68.2	12.70	Peak	313.00	150	Horizontal	Pass
2	5848.625	57.90	5.24	68.2	10.30	Peak	354.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.13.37

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.51	3.81	68.2	12.69	Peak	227.91	150	Vertical	Pass
2	5647.375	56.45	3.79	68.2	11.75	Peak	2.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.11.46

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.87	3.81	68.2	13.33	Peak	35.31	150	Horizontal	Pass
2	5649.500	56.54	3.81	68.2	11.66	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.22.02

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.77	6.44	68.2	11.43	Peak	198.97	150	Vertical	Pass
2	5935.500	57.68	6.16	68.2	10.52	Peak	93.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.20.59

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.44	6.44	68.2	11.76	Peak	359.91	150	Horizontal	Pass
2	5926.500	57.50	6.41	68.2	10.70	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.28.01

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.59	3.81	68.2	13.61	Peak	0.00	150	Vertical	Pass
2	5633.500	56.63	3.70	68.2	11.57	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.26.45

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.76	3.81	68.2	12.44	Peak	333.94	150	Horizontal	Pass
2	5647.500	56.02	3.79	68.2	12.18	Peak	357.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.35.34

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.62	6.44	68.2	11.58	Peak	0.34	150	Vertical	Pass
2	5927.550	57.79	6.38	68.2	10.41	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.34.33

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.35	6.44	68.2	11.85	Peak	215.14	150	Horizontal	Pass
2	5928.750	58.19	6.35	68.2	10.01	Peak	319.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.43.57

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.03	3.81	68.2	12.17	Peak	105.92	150	Vertical	Pass
2	5642.125	56.35	3.74	68.2	11.85	Peak	185.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.42.34

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.22	3.81	68.2	12.98	Peak	12.21	150	Horizontal	Pass
2	5646.750	56.73	3.79	68.2	11.47	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_23.11.03

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.57	6.44	68.2	11.63	Peak	0.27	150	Vertical	Pass
2	5930.550	57.90	6.30	68.2	10.30	Peak	138.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_23.09.09

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.73	6.44	68.2	11.47	Peak	47.25	150	Horizontal	Pass
2	5928.300	58.02	6.36	68.2	10.18	Peak	346.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.12.24

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.30	3.81	68.2	12.90	Peak	0.37	150	Vertical	Pass
2	5646.250	56.72	3.78	68.2	11.48	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.05.16

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.34	3.81	68.2	12.86	Peak	148.22	150	Horizontal	Pass
2	5647.000	56.56	3.79	68.2	11.64	Peak	219.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-18_00.22.20

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.19	3.81	68.2	13.01	Peak	38.04	150	Vertical	Pass
2	5614.375	55.83	3.59	68.2	12.37	Peak	181.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.27.59

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.81	3.81	68.2	13.39	Peak	0.03	150	Horizontal	Pass
2	5613.500	55.85	3.60	68.2	12.35	Peak	343.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-18_00.37.38

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.15	6.44	68.2	12.05	Peak	70.37	150	Vertical	Pass
2	5949.750	58.58	6.22	68.2	9.62	Peak	121.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.33.07

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.75	6.44	68.2	11.45	Peak	152.90	150	Horizontal	Pass
2	5939.100	58.93	6.06	68.2	9.27	Peak	42.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_01.04.05

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.94	3.81	68.2	13.26	Peak	266.99	150	Vertical	Pass
2	5639.625	57.13	3.74	68.2	11.07	Peak	221.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.52.47

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.67	3.81	68.2	12.53	Peak	298.89	150	Horizontal	Pass
2	5635.000	56.64	3.71	68.2	11.56	Peak	268.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.41.53

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.74	6.44	68.2	11.46	Peak	359.70	150	Vertical	Pass
2	5941.200	58.75	6.06	68.2	9.45	Peak	245.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-18_00.48.02

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.17	6.44	68.2	12.03	Peak	130.15	150	Horizontal	Pass
2	5985.150	58.52	6.21	68.2	9.68	Peak	32.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_01.20.28

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.44	3.81	68.2	12.76	Peak	346.85	150	Vertical	Pass
2	5608.750	57.27	3.60	68.2	10.93	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_01.12.56

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.07	3.81	68.2	13.13	Peak	6.22	150	Horizontal	Pass
2	5633.250	56.75	3.70	68.2	11.45	Peak	314.00	150	Horizontal	Pass

Aux. Antenna: Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_13.07.56

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.98	3.82	74.0	19.02	Peak	299.00	150	Vertical	Pass
1**	5150.000	44.72	3.82	54.0	9.28	AV	299.00	150	Vertical	Pass
2	5124.650	56.33	3.79	74.0	17.67	Peak	0.00	150	Vertical	Pass
2**	5124.650	44.58	3.79	54.0	9.42	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_12.56.24

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.79	3.82	74.0	18.21	Peak	0.06	150	Horizontal	Pass
1**	5150.000	44.85	3.82	54.0	9.15	AV	0.06	150	Horizontal	Pass
2	5133.750	56.37	3.94	74.0	17.63	Peak	212.00	150	Horizontal	Pass
2**	5133.750	44.68	3.94	54.0	9.32	AV	212.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_13.39.45

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	4.04	74.0	18.64	Peak	219.00	150	Vertical	Pass
1**	5350.000	44.95	4.04	54.0	9.05	AV	219.00	150	Vertical	Pass
2	5357.480	56.51	4.20	74.0	17.49	Peak	129.00	150	Vertical	Pass
2**	5357.480	44.76	4.20	54.0	9.24	AV	129.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_13.49.23

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.91	4.04	74.0	19.09	Peak	0.00	150	Horizontal	Pass
1**	5350.000	44.65	4.04	54.0	9.35	AV	0.00	150	Horizontal	Pass
2	5354.070	56.63	4.11	74.0	17.37	Peak	312.00	150	Horizontal	Pass
2**	5354.070	44.75	4.11	54.0	9.25	AV	312.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_11.36.38

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.55	3.82	74.0	17.45	Peak	359.99	150	Vertical	Pass
1**	5150.000	46.75	3.82	54.0	7.25	AV	359.99	150	Vertical	Pass
2	5141.550	57.41	4.06	74.0	16.59	Peak	315.00	150	Vertical	Pass
2**	5141.550	46.38	4.06	54.0	7.62	AV	315.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_11.39.30

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.51	3.82	74.0	19.49	Peak	6.00	150	Horizontal	Pass
1**	5150.000	44.96	3.82	54.0	9.04	AV	6.00	150	Horizontal	Pass
2	5087.600	56.14	3.44	74.0	17.86	Peak	295.00	150	Horizontal	Pass
2**	5087.600	44.36	3.44	54.0	9.64	AV	295.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.04.04

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.60	4.04	74.0	18.40	Peak	3.00	150	Vertical	Pass
1**	5350.000	44.83	4.04	54.0	9.17	AV	3.00	150	Vertical	Pass
2	5404.450	57.09	3.94	74.0	16.91	Peak	66.00	150	Vertical	Pass
2**	5404.450	44.59	3.94	54.0	9.41	AV	66.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.00.16

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.72	4.04	74.0	18.28	Peak	6.00	150	Horizontal	Pass
1**	5350.000	44.60	4.04	54.0	9.40	AV	6.00	150	Horizontal	Pass
2	5444.270	56.77	3.80	74.0	17.23	Peak	0.00	150	Horizontal	Pass
2**	5444.270	44.49	3.80	54.0	9.51	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_14.26.23

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.59	3.82	74.0	8.41	Peak	324.01	150	Vertical	Pass
1**	5150.000	47.99	3.82	54.0	6.01	AV	324.01	150	Vertical	Pass
2	5149.350	64.34	3.84	74.0	9.66	Peak	360.00	150	Vertical	Pass
2**	5149.350	48.63	3.84	54.0	5.37	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.23.40

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.97	3.82	74.0	19.03	Peak	196.00	150	Horizontal	Pass
1**	5150.000	45.16	3.82	54.0	8.84	AV	196.00	150	Horizontal	Pass
2	5144.150	56.36	3.99	74.0	17.64	Peak	158.00	150	Horizontal	Pass
2**	5144.150	44.90	3.99	54.0	9.10	AV	158.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_14.15.20

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.66	4.04	74.0	19.34	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.75	4.04	54.0	9.25	AV	360.00	150	Vertical	Pass
2	5380.580	56.61	4.05	74.0	17.39	Peak	246.00	150	Vertical	Pass
2**	5380.580	44.68	4.05	54.0	9.32	AV	246.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.18.08

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.38	4.04	74.0	19.62	Peak	273.00	150	Horizontal	Pass
1**	5350.000	44.93	4.04	54.0	9.07	AV	273.00	150	Horizontal	Pass
2	5458.020	56.73	3.77	74.0	17.27	Peak	109.00	150	Horizontal	Pass
2**	5458.020	44.43	3.77	54.0	9.57	AV	109.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_15.22.29

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.18	3.82	74.0	10.82	Peak	335.00	150	Vertical	Pass
1**	5150.000	48.70	3.82	54.0	5.30	AV	335.00	150	Vertical	Pass
2	5149.350	64.02	3.84	74.0	9.98	Peak	338.00	150	Vertical	Pass
2**	5149.350	46.06	3.84	54.0	7.94	AV	338.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_15.18.11

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.78	3.82	74.0	18.22	Peak	57.99	150	Horizontal	Pass
1**	5150.000	45.50	3.82	54.0	8.50	AV	57.99	150	Horizontal	Pass
2	5088.250	56.58	3.44	74.0	17.42	Peak	141.00	150	Horizontal	Pass
2**	5088.250	44.40	3.44	54.0	9.60	AV	141.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_11.01.56

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.10	3.82	74.0	17.90	Peak	315.01	150	Vertical	Pass
1**	5150.000	45.71	3.82	54.0	8.29	AV	315.01	150	Vertical	Pass
2	5142.850	57.39	4.02	74.0	16.61	Peak	336.00	150	Vertical	Pass
2**	5142.850	46.47	4.02	54.0	7.53	AV	336.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_11.04.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.63	3.82	74.0	19.37	Peak	164.01	150	Horizontal	Pass
1**	5150.000	44.85	3.82	54.0	9.15	AV	164.01	150	Horizontal	Pass
2	5143.500	56.50	4.01	74.0	17.50	Peak	197.00	150	Horizontal	Pass
2**	5143.500	44.81	4.01	54.0	9.19	AV	197.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_14.52.12

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	4.04	74.0	18.64	Peak	111.00	150	Vertical	Pass
1**	5350.000	44.77	4.04	54.0	9.23	AV	111.00	150	Vertical	Pass
2	5454.280	56.64	3.86	74.0	17.36	Peak	146.00	150	Vertical	Pass
2**	5454.280	44.50	3.86	54.0	9.50	AV	146.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_14.47.30

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.46	4.04	74.0	19.54	Peak	300.00	150	Horizontal	Pass
1**	5350.000	44.78	4.04	54.0	9.22	AV	300.00	150	Horizontal	Pass
2	5383.110	56.53	4.06	74.0	17.47	Peak	55.00	150	Horizontal	Pass
2**	5383.110	44.69	4.06	54.0	9.31	AV	55.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_11.17.26

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.34	3.82	74.0	11.66	Peak	334.99	150	Vertical	Pass
1**	5150.000	49.51	3.82	54.0	4.49	AV	334.99	150	Vertical	Pass
2	5147.400	62.05	3.89	74.0	11.95	Peak	208.00	150	Vertical	Pass
2**	5147.400	49.24	3.89	54.0	4.76	AV	208.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-15_11.15.55

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.66	3.82	74.0	18.34	Peak	40.01	150	Horizontal	Pass
1**	5150.000	45.59	3.82	54.0	8.41	AV	40.01	150	Horizontal	Pass
2	4944.600	56.77	3.98	74.0	17.23	Peak	4.00	150	Horizontal	Pass
2**	4944.600	44.41	3.98	54.0	9.59	AV	4.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_09.34.42

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.42	4.04	74.0	19.58	Peak	32.00	150	Vertical	Pass
1**	5350.000	44.93	4.04	54.0	9.07	AV	32.00	150	Vertical	Pass
2	5355.830	56.94	4.17	74.0	17.06	Peak	353.00	150	Vertical	Pass
2**	5355.830	44.74	4.17	54.0	9.26	AV	353.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_09.31.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.57	4.04	74.0	19.43	Peak	51.00	150	Horizontal	Pass
1**	5350.000	44.75	4.04	54.0	9.25	AV	51.00	150	Horizontal	Pass
2	5376.840	56.67	4.03	74.0	17.33	Peak	177.00	150	Horizontal	Pass
2**	5376.840	44.75	4.03	54.0	9.25	AV	177.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_09.58.16

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.36	3.82	74.0	17.64	Peak	200.02	150	Vertical	Pass
1**	5150.000	46.41	3.82	54.0	7.59	AV	200.02	150	Vertical	Pass
2	5145.450	57.65	3.95	74.0	16.35	Peak	214.00	150	Vertical	Pass
2**	5145.450	46.64	3.95	54.0	7.36	AV	214.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-15_10.19.01

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.91	3.82	74.0	19.09	Peak	10.02	150	Horizontal	Pass
1**	5150.000	44.89	3.82	54.0	9.11	AV	10.02	150	Horizontal	Pass
2	5069.400	56.67	3.70	74.0	17.33	Peak	58.00	150	Horizontal	Pass
2**	5069.400	44.73	3.70	54.0	9.27	AV	58.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_21.17.51

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.46	3.82	74.0	20.54	Peak	89.00	150	Vertical	Pass
1**	5150.000	44.01	3.82	54.0	9.99	AV	89.00	150	Vertical	Pass
2	4976.450	55.16	3.58	74.0	18.84	Peak	118.00	150	Vertical	Pass
2**	4976.450	43.42	3.58	54.0	10.58	AV	118.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_21.24.55

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.09	3.82	74.0	19.91	Peak	215.00	150	Horizontal	Pass
1**	5150.000	43.87	3.82	54.0	10.13	AV	215.00	150	Horizontal	Pass
2	5144.800	54.98	3.97	74.0	19.02	Peak	273.00	150	Horizontal	Pass
2**	5144.800	43.79	3.97	54.0	10.21	AV	273.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_21.33.14

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.98	4.04	74.0	20.02	Peak	180.00	150	Vertical	Pass
1**	5350.000	43.65	4.04	54.0	10.35	AV	180.00	150	Vertical	Pass
2	5351.320	55.08	4.07	74.0	18.92	Peak	0.00	150	Vertical	Pass
2**	5351.320	43.69	4.07	54.0	10.31	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.34.13

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.93	4.04	74.0	20.07	Peak	322.00	150	Horizontal	Pass
1**	5350.000	43.64	4.04	54.0	10.36	AV	322.00	150	Horizontal	Pass
2	5356.930	55.09	4.19	74.0	18.91	Peak	2.00	150	Horizontal	Pass
2**	5356.930	43.84	4.19	54.0	10.16	AV	2.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_21.44.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.60	3.82	74.0	20.40	Peak	188.00	150	Vertical	Pass
1**	5150.000	44.04	3.82	54.0	9.96	AV	188.00	150	Vertical	Pass
2	5050.550	55.22	3.68	74.0	18.78	Peak	215.00	150	Vertical	Pass
2**	5050.550	43.53	3.68	54.0	10.47	AV	215.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.46.30

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.81	3.82	74.0	20.19	Peak	74.00	150	Horizontal	Pass
1**	5150.000	43.81	3.82	54.0	10.19	AV	74.00	150	Horizontal	Pass
2	5112.950	55.06	3.62	74.0	18.94	Peak	360.00	150	Horizontal	Pass
2**	5112.950	43.62	3.62	54.0	10.38	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.51.32

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.76	4.04	74.0	20.24	Peak	66.00	150	Vertical	Pass
1**	5350.000	43.61	4.04	54.0	10.39	AV	66.00	150	Vertical	Pass
2	5384.760	55.64	4.06	74.0	18.36	Peak	266.00	150	Vertical	Pass
2**	5384.760	43.91	4.06	54.0	10.09	AV	266.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_21.53.34

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.36	4.04	74.0	19.64	Peak	123.00	150	Horizontal	Pass
1**	5350.000	43.55	4.04	54.0	10.45	AV	123.00	150	Horizontal	Pass
2	5357.260	56.32	4.20	74.0	17.68	Peak	209.00	150	Horizontal	Pass
2**	5357.260	43.84	4.20	54.0	10.16	AV	209.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_22.08.39

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.19	3.82	74.0	18.81	Peak	10.02	150	Vertical	Pass
1**	5150.000	44.00	3.82	54.0	10.00	AV	10.02	150	Vertical	Pass
2	4976.450	55.83	3.58	74.0	18.17	Peak	237.00	150	Vertical	Pass
2**	4976.450	43.55	3.58	54.0	10.45	AV	237.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_22.10.25

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.70	3.82	74.0	18.30	Peak	276.00	150	Horizontal	Pass
1**	5150.000	44.00	3.82	54.0	10.00	AV	276.00	150	Horizontal	Pass
2	5129.200	55.40	3.83	74.0	18.60	Peak	143.00	150	Horizontal	Pass
2**	5129.200	43.66	3.83	54.0	10.34	AV	143.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_22.56.59

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.01	4.04	74.0	19.99	Peak	32.00	150	Vertical	Pass
1**	5350.000	43.82	4.04	54.0	10.18	AV	32.00	150	Vertical	Pass
2	5354.290	56.53	4.12	74.0	17.47	Peak	232.00	150	Vertical	Pass
2**	5354.290	43.95	4.12	54.0	10.05	AV	232.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-16_22.59.12

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.21	4.04	74.0	13.79	Peak	234.00	150	Horizontal	Pass
1**	5350.000	45.29	4.04	54.0	8.71	AV	234.00	150	Horizontal	Pass
2	5351.980	60.70	4.08	74.0	13.30	Peak	170.00	150	Horizontal	Pass
2**	5351.980	44.98	4.08	54.0	9.02	AV	170.00	150	Horizontal	Pass

Test Result

Project Number: 5.24-LTE

Test Time: 2026-03-16_23.26.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.33	4.04	74.0	7.67	Peak	328.00	150	Vertical	Pass
1**	5350.000	46.58	4.04	54.0	7.42	AV	328.00	150	Vertical	Pass
2	5350.550	66.92	4.05	74.0	7.08	Peak	325.00	150	Vertical	Pass
2**	5350.550	46.16	4.05	54.0	7.84	AV	325.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-16_23.29.29

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.56	4.04	74.0	16.44	Peak	0.00	150	Horizontal	Pass
1**	5350.000	44.99	4.04	54.0	9.01	AV	0.00	150	Horizontal	Pass
2	5350.990	60.57	4.06	74.0	13.43	Peak	72.00	150	Horizontal	Pass
2**	5350.990	44.61	4.06	54.0	9.39	AV	72.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_02.14.55

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.57	3.82	74.0	19.43	Peak	313.95	150	Vertical	Pass
1**	5150.000	44.40	3.82	54.0	9.60	AV	313.95	150	Vertical	Pass
2	4940.700	56.04	4.04	74.0	17.96	Peak	355.00	150	Vertical	Pass
2**	4940.700	43.74	4.04	54.0	10.26	AV	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_02.16.20

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.07	3.82	74.0	19.93	Peak	63.04	150	Horizontal	Pass
1**	5150.000	43.93	3.82	54.0	10.07	AV	63.04	150	Horizontal	Pass
2	5025.200	55.60	3.56	74.0	18.40	Peak	0.00	150	Horizontal	Pass
2**	5025.200	43.63	3.56	54.0	10.37	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_02.29.06

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.36	4.04	74.0	15.64	Peak	343.00	150	Vertical	Pass
1**	5350.000	45.38	4.04	54.0	8.62	AV	343.00	150	Vertical	Pass
2	5351.100	58.89	4.06	74.0	15.11	Peak	344.00	150	Vertical	Pass
2**	5351.100	45.56	4.06	54.0	8.44	AV	344.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_02.27.32

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.78	4.04	74.0	20.22	Peak	68.00	150	Horizontal	Pass
1**	5350.000	43.94	4.04	54.0	10.06	AV	68.00	150	Horizontal	Pass
2	5445.040	55.73	3.83	74.0	18.27	Peak	59.00	150	Horizontal	Pass
2**	5445.040	43.69	3.83	54.0	10.31	AV	59.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_01.53.32

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.48	3.82	74.0	19.52	Peak	319.99	150	Vertical	Pass
1**	5150.000	44.16	3.82	54.0	9.84	AV	319.99	150	Vertical	Pass
2	5116.850	55.55	3.68	74.0	18.45	Peak	64.00	150	Vertical	Pass
2**	5116.850	44.04	3.68	54.0	9.96	AV	64.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_01.51.54

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.57	3.82	74.0	19.43	Peak	53.00	150	Horizontal	Pass
1**	5150.000	44.01	3.82	54.0	9.99	AV	53.00	150	Horizontal	Pass
2	5129.200	55.78	3.83	74.0	18.22	Peak	208.00	150	Horizontal	Pass
2**	5129.200	43.84	3.83	54.0	10.16	AV	208.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_00.50.03

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.68	4.04	74.0	17.32	Peak	348.00	150	Vertical	Pass
1**	5350.000	46.77	4.04	54.0	7.23	AV	348.00	150	Vertical	Pass
2	5352.310	59.84	4.09	74.0	14.16	Peak	327.00	150	Vertical	Pass
2**	5352.310	46.04	4.09	54.0	7.96	AV	327.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_00.51.57

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.87	4.04	74.0	19.13	Peak	145.00	150	Horizontal	Pass
1**	5350.000	44.39	4.04	54.0	9.61	AV	145.00	150	Horizontal	Pass
2	5381.900	56.25	4.05	74.0	17.75	Peak	360.00	150	Horizontal	Pass
2**	5381.900	44.04	4.05	54.0	9.96	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_01.08.55

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.39	4.04	74.0	17.61	Peak	317.00	150	Vertical	Pass
1**	5350.000	45.97	4.04	54.0	8.03	AV	317.00	150	Vertical	Pass
2	5365.950	60.09	4.08	74.0	13.91	Peak	332.00	150	Vertical	Pass
2**	5365.950	45.12	4.08	54.0	8.88	AV	332.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_01.07.34

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.43	4.04	74.0	20.57	Peak	80.00	150	Horizontal	Pass
1**	5350.000	43.86	4.04	54.0	10.14	AV	80.00	150	Horizontal	Pass
2	5364.630	56.01	4.10	74.0	17.99	Peak	175.00	150	Horizontal	Pass
2**	5364.630	44.27	4.10	54.0	9.73	AV	175.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_05.46.07

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.90	4.31	68.2	12.30	Peak	299.00	150	Vertical	Pass
2	5836.625	57.40	5.66	68.2	10.80	Peak	19.00	150	Vertical	Pass


Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_05.47.38

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1

Bandedge_FCC-WIFI_5G_Band3_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.92	4.31	68.2	12.28	Peak	215.00	150	Horizontal	Pass
2	5840.000	57.38	5.42	68.2	10.82	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.28.29

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.86	3.78	68.2	14.34	Peak	251.91	150	Vertical	Pass
1**	5460.000	43.49	3.78	54.0	10.51	AV	251.91	150	Vertical	Pass
2	5468.200	54.87	4.05	68.2	13.33	Peak	314.00	150	Vertical	Pass
2**	5468.200	43.94	4.05	--	-43.94	AV	314.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.60.07

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.36	3.78	68.2	13.84	Peak	52.61	150	Horizontal	Pass
1**	5460.000	44.57	3.78	54.0	9.43	AV	52.61	150	Horizontal	Pass
2	5469.760	56.41	4.09	68.2	11.79	Peak	61.00	150	Horizontal	Pass
2**	5469.760	45.66	4.09	--	-45.66	AV	61.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.44.08

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.66	4.31	68.2	12.84	Peak	360.00	150	Vertical	Pass
2	5729.750	56.69	4.17	68.2	11.51	Peak	106.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_15.46.37

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.30	4.31	68.2	7.90	Peak	90.00	150	Horizontal	Pass
2	5725.250	61.11	4.30	68.2	7.09	Peak	90.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_15.59.07

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.66	3.78	68.2	14.54	Peak	330.70	150	Vertical	Pass
1**	5460.000	43.55	3.78	54.0	10.45	AV	330.70	150	Vertical	Pass
2	5468.680	55.31	4.06	68.2	12.89	Peak	155.00	150	Vertical	Pass
2**	5468.680	44.05	4.06	--	-44.05	AV	155.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.00.42

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.00	3.78	68.2	14.20	Peak	72.36	150	Horizontal	Pass
1**	5460.000	44.56	3.78	54.0	9.44	AV	72.36	150	Horizontal	Pass
2	5469.760	58.33	4.09	68.2	9.87	Peak	144.00	150	Horizontal	Pass
2**	5469.760	46.29	4.09	--	-46.29	AV	144.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.10.33

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.75	4.31	68.2	11.45	Peak	360.00	150	Vertical	Pass
2	5725.875	57.48	4.28	68.2	10.72	Peak	307.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.13.08

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.76	4.31	68.2	7.44	Peak	87.00	150	Horizontal	Pass
2	5725.750	62.40	4.28	68.2	5.80	Peak	87.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.24.47

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.40	3.78	68.2	13.80	Peak	72.81	150	V	Pass
1**	5460.000	43.55	3.78	54.0	10.45	AV	72.81	150	V	Pass
2	5468.560	58.97	4.06	68.2	9.23	Peak	151.00	150	Vertical	Pass
2**	5468.560	44.11	4.06	--	-44.11	AV	151.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.26.44

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.38	3.78	68.2	12.82	Peak	177.83	150	Horizontal	Pass
1**	5460.000	45.11	3.78	54.0	8.89	AV	177.83	150	Horizontal	Pass
2	5469.520	64.81	4.08	68.2	3.39	Peak	107.00	150	Horizontal	Pass
2**	5469.520	47.64	4.08	--	-47.64	AV	107.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.36.11

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.44	4.31	68.2	12.76	Peak	221.00	150	Vertical	Pass
2	5728.250	57.34	4.22	68.2	10.86	Peak	334.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.37.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.94	4.31	68.2	9.26	Peak	87.00	150	Horizontal	Pass
2	5725.500	59.19	4.29	68.2	9.01	Peak	76.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_16.48.08

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.13	3.78	68.2	14.07	Peak	189.43	150	Vertical	Pass
1**	5460.000	43.42	3.78	54.0	10.58	AV	189.43	150	Vertical	Pass
2	5469.640	58.75	4.08	68.2	9.45	Peak	312.00	150	Vertical	Pass
2**	5469.640	44.00	4.08	--	-44.00	AV	312.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_16.51.17

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.16	3.78	68.2	12.04	Peak	101.99	150	H	Pass
1**	5460.000	45.04	3.78	54.0	8.96	AV	101.99	150	H	Pass
2	5467.960	62.86	4.04	68.2	5.34	Peak	82.00	150	Horizontal	Pass
2**	5467.960	45.69	4.04	--	-45.69	AV	82.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_04.31.09

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.57	4.31	68.2	12.63	Peak	40.00	150	Vertical	Pass
2	5762.000	57.39	4.66	68.2	10.81	Peak	299.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_04.33.04

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.03	4.31	68.2	12.17	Peak	130.00	150	Horizontal	Pass
2	5835.750	57.60	5.65	68.2	10.60	Peak	261.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_17.03.11

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.64	3.78	68.2	14.56	Peak	313.97	150	Vertical	Pass
1**	5460.000	43.60	3.78	54.0	10.40	AV	313.97	150	Vertical	Pass
2	5468.920	55.99	4.07	68.2	12.21	Peak	308.00	150	Vertical	Pass
2**	5468.920	44.31	4.07	--	-44.31	AV	308.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.05.19

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.71	3.78	68.2	14.49	Peak	131.69	150	Horizontal	Pass
1**	5460.000	44.36	3.78	54.0	9.64	AV	131.69	150	Horizontal	Pass
2	5465.320	59.35	3.95	68.2	8.85	Peak	101.00	150	Horizontal	Pass
2**	5465.320	45.17	3.95	--	-45.17	AV	101.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.19.40

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.32	4.31	68.2	12.88	Peak	201.00	150	Vertical	Pass
2	5728.125	57.94	4.22	68.2	10.26	Peak	308.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.22.18

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.11	4.31	68.2	8.09	Peak	90.00	150	Horizontal	Pass
2	5727.625	61.65	4.23	68.2	6.55	Peak	90.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_17.30.58

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.97	3.78	68.2	14.23	Peak	158.66	150	Vertical	Pass
1**	5460.000	44.09	3.78	54.0	9.91	AV	158.66	150	Vertical	Pass
2	5466.760	57.70	4.00	68.2	10.50	Peak	310.00	150	Vertical	Pass
2**	5466.760	45.10	4.00	--	-45.10	AV	310.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.32.44

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.22	3.78	68.2	11.98	Peak	98.97	150	Horizontal	Pass
1**	5460.000	46.07	3.78	54.0	7.93	AV	98.97	150	Horizontal	Pass
2	5466.040	62.61	3.97	68.2	5.59	Peak	101.00	150	Horizontal	Pass
2**	5466.040	48.13	3.97	--	-48.13	AV	101.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.47.40

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.46	4.31	68.2	12.74	Peak	198.00	150	Vertical	Pass
2	5725.500	57.51	4.29	68.2	10.69	Peak	17.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_17.50.18

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.73	4.31	68.2	10.47	Peak	113.00	150	Horizontal	Pass
2	5726.125	60.32	4.27	68.2	7.88	Peak	81.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_18.00.37

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.33	3.78	68.2	14.87	Peak	128.25	150	Vertical	Pass
1**	5460.000	43.40	3.78	54.0	10.60	AV	128.25	150	Vertical	Pass
2	5465.800	55.93	3.97	68.2	12.27	Peak	160.00	150	Vertical	Pass
2**	5465.800	43.99	3.97	--	-43.99	AV	160.00	150	Vertical	N/A

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_18.08.43

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.35	3.78	68.2	13.85	Peak	177.08	150	Horizontal	Pass
1**	5460.000	43.70	3.78	54.0	10.30	AV	177.08	150	Horizontal	Pass
2	5464.240	60.71	3.91	68.2	7.49	Peak	105.00	150	Horizontal	Pass
2**	5464.240	46.11	3.91	--	-46.11	AV	105.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.14.56

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.65	3.81	68.2	13.55	Peak	315.05	150	Vertical	Pass
2	5647.750	57.33	3.80	68.2	10.87	Peak	237.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.17.35

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.83	3.81	68.2	13.37	Peak	148.17	150	Horizontal	Pass
2	5643.500	56.34	3.76	68.2	11.86	Peak	3.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.23.12

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.01	6.44	68.2	12.19	Peak	316.05	150	Vertical	Pass
2	5928.150	58.09	6.37	68.2	10.11	Peak	202.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.24.12

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.23	6.44	68.2	11.97	Peak	205.74	150	Horizontal	Pass
2	5926.950	57.22	6.40	68.2	10.98	Peak	130.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.28.59

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.47	3.81	68.2	12.73	Peak	172.11	150	Vertical	Pass
2	5646.375	56.92	3.78	68.2	11.28	Peak	135.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.30.36

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.51	3.81	68.2	13.69	Peak	60.94	150	Horizontal	Pass
2	5649.125	56.87	3.81	68.2	11.33	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.38.16

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.33	6.44	68.2	11.87	Peak	278.94	150	Vertical	Pass
2	5927.700	58.48	6.38	68.2	9.72	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-17_22.39.39

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.77	6.44	68.2	11.43	Peak	259.98	150	Horizontal	Pass
2	5927.550	57.82	6.38	68.2	10.38	Peak	229.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.45.27

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.10	3.81	68.2	12.10	Peak	359.78	150	Vertical	Pass
2	5645.750	56.48	3.78	68.2	11.72	Peak	253.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_22.46.53

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.18	3.81	68.2	13.02	Peak	0.36	150	Horizontal	Pass
2	5646.500	56.21	3.78	68.2	11.99	Peak	111.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_23.13.00

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.63	6.44	68.2	11.57	Peak	158.03	150	Vertical	Pass
2	5958.000	58.65	6.12	68.2	9.55	Peak	301.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-17_23.14.28

EUT Name:	Edge II Security Panel	Temp.(°C):	23.3
Model Number:	2GIG-EDG II	Humidity (%RH):	51
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.52	6.44	68.2	11.68	Peak	1.00	150	Horizontal	Pass
2	5930.700	57.38	6.30	68.2	10.82	Peak	209.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.10.18

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.79	3.81	68.2	13.41	Peak	87.28	150	Vertical	Pass
2	5640.375	56.41	3.74	68.2	11.79	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.07.28

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.72	3.81	68.2	12.48	Peak	244.87	150	Horizontal	Pass
2	5644.250	57.21	3.77	68.2	10.99	Peak	246.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.24.50

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.87	3.81	68.2	13.33	Peak	345.65	150	Vertical	Pass
2	5630.500	56.24	3.68	68.2	11.96	Peak	4.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.26.23

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.43	3.81	68.2	12.77	Peak	157.08	150	Horizontal	Pass
2	5638.875	56.77	3.74	68.2	11.43	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.36.25

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.21	6.44	68.2	11.99	Peak	14.44	150	Vertical	Pass
2	5950.950	58.61	6.21	68.2	9.59	Peak	278.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.35.02

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.96	6.44	68.2	11.24	Peak	66.03	150	Horizontal	Pass
2	5938.950	58.13	6.06	68.2	10.07	Peak	71.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_01.02.35

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.58	3.81	68.2	13.62	Peak	327.66	150	Vertical	Pass
2	5644.125	57.36	3.77	68.2	10.84	Peak	158.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-18_00.58.29

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.65	3.81	68.2	13.55	Peak	202.85	150	Horizontal	Pass
2	5632.625	57.53	3.70	68.2	10.67	Peak	309.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.44.03

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.62	6.44	68.2	11.58	Peak	197.91	150	Vertical	Pass
2	5955.900	58.67	6.13	68.2	9.53	Peak	0.00	150	Vertical	Pass


Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_00.46.07

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.59	6.44	68.2	11.61	Peak	192.05	150	Horizontal	Pass
2	5939.850	58.60	6.05	68.2	9.60	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26020056
Test Time: 2026-03-18_01.18.23

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.31	3.81	68.2	12.89	Peak	28.05	150	Vertical	Pass
2	5640.375	56.06	3.74	68.2	12.14	Peak	343.00	150	Vertical	Pass

Test Result

Project Number: P-CC26020056

Test Time: 2026-03-18_01.15.47

EUT Name:	Edge II Security Panel	Temp.(°C):	23.4
Model Number:	2GIG-EDG II	Humidity (%RH):	52
Sample Number:	CC26010287-001-S02	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A02 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.97	3.81	68.2	13.23	Peak	357.93	150	Horizontal	Pass
2	5631.750	56.70	3.69	68.2	11.50	Peak	193.00	150	Horizontal	Pass