


Remtron 21T44 Information




hp REF 00.0 dBμV ATTN 10 dB MKR 2.745 000 GHz
5 dB/ 39.40 dBμV

CENTER
2.745 00 GHz

CORR'D

CENTER 2.745 00 GHz SPAN 5.00 MHz
RES BW 1 MHz VBW 1 MHz SWP 20.0 msec



5 dB/

HP

REF

80.0 dBμV

ATTEN

10 dB

MARK 5.414 80 GHz
38.45 dBμV


CENTER
5.418 0 GHz

CORR'D

CENTER 5.418 0 GHz
RES BW 1 MHz

VBW 1 MHz

SPAN 10.0 MHz
SWP 20.0 msec



2144 MHz

HP REF 80.0 dBμV ATTEN 10 dB MKR 3.613 70 GHz
37.60 dBμV
5 dB/

SPAN
10.0 MHz

CORR'D

CENTER 3.612 0 GHz SPAN 10.0 MHz
RES BW 1 MHz VBW 1 MHz SWP 20.0 msec



21744 Wavescan

HP REF 80.0 dBμV ATTEN 10 dB MKR 3.613 70 GHz
37.60 dBμV
5 dB/


SPAN
10.0 MHz

CORR'D

CENTER 3.612 0 GHz VBW 1 MHz SPAN 10.0 MHz
RES BW 1 MHz SWP 20.0 msec



Q1T444 Horizontal



217441 Horizontal

72 REF 80.0 dBμV ATTEN 10 dB
5 dB/

CORR'D

CENTER 5.562 00 GHz
RES BW 1 MHz
VBW 1 MHz
SPAN 5.00 MHz
SWP 20.0 msec



217441 Mexico-1-1

HP REF 80.0 dBμV ATTN 10 dB
5 dB/

CORR'D

CENTER 4.635 00 GHz
RES BW 1 MHz
VBW 1 MHz
SPAN 5.00 MHz
SWP 20.0 msec



HP 5 dB/


REF 80.0 dBμV ATTN 10 dB

MKR 3.707 975 GHz
39.85 dBμV

MARKER
3.707 975 GHz
39.85 dBμV

CORR'D

CENTER 3.708 00 GHz
RES BW 1 MHz
VBW 1 MHz
SPAN 5.00 MHz
SWP 20.0 msec



21744 Horizontal

hp REF 80.0 dBμV ATTN 10 dB MKR 2.780 930 GHz
38.95 dBμV
5 dB/

MARKER
2.780 930 GHz
38.95 dBμV

CORR'D

CENTER 2.781 00 GHz SPAN 5.00 MHz
RES BW 1 MHz VBW 1 MHz SWP 20.0 msec

