


EMC Technologies Report Number: M050103_Cert_Eton_Cal2_BT

APPENDIX M1
PEAK POWER - Calexico2 802.11b



Peak Power – Channel 1

Marker 1 [T1]	RBW	20 MHz	RF Att	40 dB
Ref Lvl	16.61 dBm	VBW	20 MHz	
30 dBm	2.41390381 GHz	SWT	5 ms	Unit dBm




Date: 1.MAR.2004 09:40:28

Note: The 3 dB offset (measurement cable loss) will be added to the above peak power level.



Peak Power – Channel 6

 Marker 1 [T1] RBW 20 MHz RF Att 40 dB
Ref Lvl 16.48 dBm VBW 20 MHz
30 dBm 2.43830261 GHz SWT 5 ms Unit dBm




Date: 1.MAR.2004 09:41:40

Note: The 3 dB offset (measurement cable loss) will be added to the above peak power level.



Peak Power – Channel 11

Marker 1 [T1]	RBW	20 MHz	RF Att	40 dB
Ref Lvl	16.35 dBm	VBW	20 MHz	
30 dBm	2.46270140 GHz	SWT	5 ms	Unit dBm



Date: 1.MAR.2004 09:43:07

Note: The 3 dB offset (measurement cable loss) will be added to the above peak power level.

