


(h) 12:04:33 NOV 15, 1999
911501 NEUTRAL PN 11J8627

AC.V DET: PEAK
MEAS DET: PEAK QP AVG
MKR 450 kHz
44.05 dB μ V

LOG REF 72.0 dB μ V

10
dB/
ATTN
10 dB

VA SB
SC FC
ACORR



START 450 kHz

IF BW 9.0 kHz

AVG BW 30 kHz

STOP 30.00 MHz

SWP 2.46 sec

Neutral Conducted


(12) 11:52:02 NOV 15, 1999
9111501 LINE PN 11J0627

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 450 kHz
47.26 dB μ V

LOG REF 72.0 dB μ V

10
dB/
ATTN
10 dB

UP S3
SC FC
ACORR



START 450 kHz

IF BW 9.0 kHz

AVG BW 30 kHz

STOP 30.00 MHz

SWP 2.46 sec

Line Conducted

Conducted Emissions	FCC Part 15
Agency / Limits:	FCC Class B
Frequency Range:	450KHz-30MHz

Intel-AnyPoint™-HRF1 PC Card

APPENDIX B

Conducted Emissions Data

Contents:

<u>Report Information</u>	
Product Name:	AnyPoint 1PC MODEL APRW1PCC
Serial Number:	0020A638FE8D
Report Number:	9111501A
File Name:	1PCappendixB.pdf

Contact Info:

Intel Corporation	3585 S.W. 198 Ave.	Aloha, OR 97007-1299	503/642-8013 503/642-0605fax	Website e-mail
Intel's Contact:	Ken Aakre	Quality Assurance	503/642-8013	N/A
EC Labs Contact:	Chip Matheny	Chief Technical Officer	408/747-1490	chip@eclabs.com

FREQUENCY HOPPING SPREAD SPECTRUM (FHSS) RF INTENTIONAL RADIATOR FCC PART 15.247 SUBPART C, CLASS B CERTIFICATION

ELECTRONIC COMPLIANCE LABORATORIES, INC.
1249 BIRCHWOOD DRIVE, SUNNYVALE, CALIFORNIA 94089
408/747-1490 www.eclabs.com 800/707-LABS