




REV A



RMN: HSTNN-PM11 Assy. PN: 434569-001 Rating: 5V 250mA
Kit PN: hp RJ316AA SPS PN: 434773-001 Product of China
CLASS 1 LED PRODUCT S/N: Y Y M M X X X X X X



Hewlett-Packard


REV A



RMN: HSTNN-PM11
Kit PN: hp RJ316AA
CLASS 1 LED PRODUCT

Assy. PN: 434569-001
SPS PN: 434773-001
S/N: Y Y M M X X X X X

Rating: 5V 250mA
Product of China



COMPAQ


REV A



RMN: HSTNN-PM11
Kit PN: hp RJ316AA
CLASS 1 LED PRODUCT

Assy. PN: 434569-001
SPS PN: 434773-001
S/N: Y Y M M X X X X X X

Rating: 5V 250mA
Product of China





MoGo

RMN: HSTNN-PM11

Rating: 5V 250mA

CLASS 1 LED PRODUCT

Product of China


Agência Nacional de Telecomunicações
HHHH-AA-FFFF

(01)0789123400019


TE-98/115
IC/SA
APPROVED

TRC:XXXXXXXXXX
MOC:XXX-XXXX-X
SUBTEL:XXXXX
CNC:XX-XXXX
XXXX-XXXX

COFETEL: XXXXXXXXX-XXX
MTC:XXXX-XXXX-MTC/XX.XX
ETA-XX/XXXX

Complies with
IDA Standards
DA123456


NTC
Sign Approved
No. ESD-CPE-018888

Connect


JTB
APPROVED


BAELAB
APPROVED


PG
RECYCLED PAPER

FCC ID: EMJM7B601
IC: 4251A-M7B601
CMII ID: XXXXXXXXX


TUV
Rheinland
Product Safety


BAUART
GEPRÜFT
TYPE
APPROVED


06/BA2


06/CA4


R 201 XX
jj215nnn

[certificate no.]
[PLG. ID no.]

Format Label | Label Format


UL
E134790
2586
US ITE
LIMITED ACCESSORY


R41108


Z233


MIC

XXXXXXXXXX
XXXXXX

당해 무선설비는 운용 중 전파혼선 가능성이 있음