



BUREAU
VERITAS

香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : MS700

Remark : TX , BTLE , CH : 2440 MHz

Sample No.

Tested by : William SU

Location: RF Chamber


Date: 2022/7/19

Time: 上午 11:06:34

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2440.00

Antenna Polarity : Vertical

Average Value (dBi) : -11.96

Maximum Value (dBi) : -7.77

Maximum Value (degree) : 279

Minimum Value (dBi) : -36.20

Minimum Value (degree) : 355

V 6.2



BUREAU
VERITAS

香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : MS700

Remark : TX , BTLE , CH : 2480 MHz

Sample No.

Tested by : William SU

Location: RF Chamber


Date: 2022/7/19

Time: 上午 11:37:31

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2480.00

Antenna Polarity : Horizontal

Average Value (dBi) : -3.82

Maximum Value (dBi) : 2.80

Maximum Value (degree) : 193

Minimum Value (dBi) : -31.13

Minimum Value (degree) : 305

V 6.2



BUREAU
VERITAS

香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : MS700

Remark : TX , BTLE , CH : 2480 MHz

Sample No.

Tested by : William SU

Location: RF Chamber


Date: 2022/7/19

Time: 上午 11:14:11

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz): 2480.00

Antenna Polarity : Vertical

Average Value (dBi): -12.08

Maximum Value (dBi): -7.94

Maximum Value (degree): 293

Minimum Value (dBi): -24.57

Minimum Value (degree): 347

V 6.2



香港商立德國際商品試驗有限公司桃園分公司

BUREAU
VERITAS

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : MS700

Remark : TX , BTLE , CH : 2402 MHz

Sample No.

Tested by : William SU

Location: RF Chamber


Date: 2022/7/19

Time: 上午 11:22:53

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz): 2402.00

Antenna Polarity : Horizontal

Average Value (dBi): -5.13

Maximum Value (dBi): 1.73

Maximum Value (degree): 208

Minimum Value (dBi): -24.85

Minimum Value (degree): 98

V 6.2



BUREAU
VERITAS

香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : MS700

Remark : TX , BTLE , CH : 2402 MHz

Sample No.

Tested by : William SU

Location: RF Chamber


Date: 2022/7/19

Time: 上午 11:02:24

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz) : 2402.00

Antenna Polarity : Vertical

Average Value (dBi) : -12.16

Maximum Value (dBi) : -7.82

Maximum Value (degree) : 301

Minimum Value (dBi) : -21.36

Minimum Value (degree) : 133

V6.2



BUREAU
VERITAS

香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch [Bureau Veritas ADT]

www.adt.com.tw Hwa Ya Lab & Head Office, Tel +886-3-3183232 / Linkou EMC/RF Lab, Tel +886-2-26052180 / Hsinchu EMC/RF Lab, Tel +886-3-5935343

Brand / Model : MS700

Remark : TX , BTLE , CH : 2440 MHz

Sample No.

Tested by : William SU

Location: RF Chamber


Date: 2022/7/19

Time: 上午 11:34:42

Temperature (°C): 25

Humidity (%): 75

Approved by:



Frequency (MHz): 2440.00

Antenna Polarity : Horizontal

Average Value (dBi): -4.04

Maximum Value (dBi): 2.42

Maximum Value (degree): 198

Minimum Value (dBi): -32.00

Minimum Value (degree): 302

V 6.2