





ACME TESTING, SITE #2 MKR 130.9 MHz
hp REF 0.0 dBm ATTN 0 dB + 30 dB -72.10 dBm

10 dB/
POS PK
OFFSET 10.0
dB


FCC CFR47, PART 101
ITRON, INC.
G4
CONDUCTED SPURIOUS EMISSIONS
WITH 20.8 dB PAD



START 30 MHz STOP 1.000 GHz
RES BW 100 KHZ VBW 300 KHZ SWP 1.00 sec

ACME TESTING, SITE #2 MKR 1.899 GHz
REF 0.0 dBm ATTN 0 dB + 30 dB -63.90 dBm


hp
10 dB/
POS PK
OFFSET 10.0 dB
FCC CFR47, PART 101
ITRON, INC.
G4
CONDUCTED SPURIOUS EMISSIONS
WITH 20.8 dB PAD



START 1.00 GHz STOP 2.00 GHz
RES BW 30 KHZ VBW 100 KHZ SWP 3.00 sec

ACME TESTING, SITE #2 MKR 4.720 GHZ
REF -10.0 dBm ATTEN 0 dB -56.40 dBm

hp
10 dB/
POS PK



FCC CFR47, PART 101
ITRON, INC.
G4
CONDUCTED SPURIOUS EMISSIONS
WITH 20.8 dB PAD

START 2.00 GHZ STOP 10.00 GHZ
RES BW 100 KHZ VBW 300 KHZ SWP 2.40 sec