

Apollo SL40 VHF COMM

P/N 430-6040-303 Mods: FG

TSO-C37d, DO-186a Class 4, 100nm, 25kHz, TSO-C128

TSO-C38d, DO-186a Class D

DO-178B Software Level C

FCC ID: EOJCOMM25-10 CAN 1312195247A

Garmin AT Salem, Oregon USA

Apollo SL30 VHF NAV/COMM

P/N 430-6040-303 Mods:

COMM

TSO-C37d, DO-186a Class 4, Tsr<100nm range JTSD 2C37e

TSO-C38d, DO-186a Class D, Rsr 25kHz channels JTSD 2C38e

TSO-C128, DO-207, Stuck Mic JTSD 2C128

DO-178B/ED12B Software Level C

FCC ID: EOJCOMM25-10

IC 1312195247A

NAV

TSO-C34e, DO-192 Cat B, Glideslope JTSD 34e

TSO-C36e, DO-195 Cat B, Class A, Localizer JTSD 36e

TSO-C40e, DO-196 Cat B, VHF Omni Range JTSD 2C40e

TSO-C66e, DO-189 DME (display only) JTSD 2C66b (display only)

DO-178B/ED12B Software Level C

PATENT PENDING: 60/170/881

Garmin AT - Salem, Oregon, USA


4

3

2

1

P	REV	D	REV	DATE	REFERENCE	DWN	AUTH	CK
01	--			08APR04	RELEASED PER EN ?		BJM	GFB



NOTES: UNLESS OTHERWISE SPECIFIED:

☒ INDICATES CHANGE BY LAST REVISION.

1. ARTWORK TO BE SUPPLIED BY 'GARMIN AT'
ARTWORK SHOWN HERE IS FOR REFERENCE ONLY.
2. NOMENCLATURE: BLACK
3. REFER TO UNIT CONFIGURATION (BD) DRAWING
FOR SPECIFIC LABEL INFORMATION.
4. ☐ DENOTES CHANGEABLE FIELD.

Garmin AT

2345 Turner Road S.E., Salem, OR 97302
Phone: 503.581.8101 <http://www.garmin.com>

DWN	B. MARCROFT	UNLESS OTHERWISE SPECIFIED		THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND SHALL NOT BE USED WITHOUT THE WRITTEN PERMISSION OF GARMIN AT, INC. SCALE 1:1 FIRST USED SL30
	APPROVING PERSONNEL	DIMENSIONS ARE IN INCHES. TOLERANCES ON		
ENGR	C. SCHULTE	DECIMAL:	HOLES:	
CHKR	J. BEYER	ANGLES:		
PROD	D. GERGES			
QUAL	J. LANGHAM	DO NOT SCALE DRAWING		

TITLE LABEL, SL30 NAMEPLATE

1	565-9000-15	LBL STK, POLYES, PA, 3 x 6, MULT-8, WHT	1
ITEM	PART NUMBER	DESCRIPTION	QTY.

4

3

2

1

SIZE	CAGE CODE	SHT	1 OF 1	DWG NO.	565-0292-01	D REV
A	0XCJ6					

DWG NO.

565-0292-01

A

4


3

2

1

P	REV	D	REV	DATE	REFERENCE	DWN	AUTH	CK
XX	K			26SEP03	REVISE PER EN 7727	BJM		GFB
XX	M			19JAN04	REVISE PER EN 7796	BJM		GFB
XX	N			23MAR04	REVISE PER EN ?	BJM		GFB

-xx	Unit	Unit part number	TSO	JTSO	JTSO S/W Level	FCC ID:		Canadian approval
-00	SL40 VHF COMM	430-6040-2xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D	N/A	N/A	EOJ52ICOM96	DO-178B Software Level C	1312195247A
-01	SL40 VHF COMM	430-6040-2xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D	N/A	N/A	EOJCOMM25-10	DO-178B Software Level C	1312195247A
-10	SL50	430-6040-4xx	C129 Class A2	N/A	N/A	N/A	DO-178B Software Level C	N/A
-20	SL60 GPS/COMM	430-6040-6xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D, C129 Class A2	N/A	N/A	EOJ52ICOM96	DO-178B Software Level C	1312195247A
-21	SL60 GPS/COMM	430-6040-6xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D, C129 Class A2	N/A	N/A	EOJCOMM25-10	DO-178B Software Level C	1312195247A
-30	GX50 GPS	430-6050-4xx	C129a, Class A1	C129a Class A1	ED-12B	N/A	DO-178B Software Level C	N/A
-40	GX55 GPS	430-6050-2xx	C129, Class A2	N/A	N/A	N/A	DO-178B Software Level C	N/A
-51	GX60 GPS/COMM	430-6050-6xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D, C129a, Class A1	2C37e Class 4, C38e Class D, 2C128, C129a Class A1	ED-12B	EOJ52ICOM96	DO-178B Software Level C	1312195247A
-52	GX60 GPS/COMM	430-6050-6xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D, C129a, Class A1	2C37e Class 4, C38e Class D, 2C128, C129a Class A1	ED-12B	EOJCOMM25-10	DO-178B Software Level C	1312195247A
-61	GX65 GPS/COMM	430-6050-8xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D, C129a, Class A2	2C37e Class 4, C38e Class D, 2C128, C129a Class A2	ED-12B	EOJ52ICOM96	DO-178B Software Level C	1312195247A
-62	GX65 GPS/COMM	430-6050-8xx	C37d, DO-186a Class 4, 100nm, 25kHz, C128, C38d, DO-186a Class D, C129a, Class A2	2C37e Class 4, C38e Class D, 2C128, C129a Class A2	ED-12B	EOJCOMM25-10	DO-178B Software Level C	1312195247A



NOTES: UNLESS OTHERWISE SPECIFIED

☒ INDICATES CHANGE BY LAST REVISION.

1. ARTWORK TO BE SUPPLIED BY 'GARMIN AT' ARTWORK SHOWN HERE IS FOR REFERENCE ONLY. REFER TO B.O.M. FOR ARTWORK NUMBER.

2. NOMENCLATURE: BLACK

3. REFER TO UNIT CONFIGURATION (BD) DRAWING FOR SPECIFIC LABEL INFORMATION.

4. ☐ DENOTES CHANGEABLE FIELD.

Garmin AT 2345 Turner Road S.E., Salem, OR 97302 Phone: 503.581.8101 http://www.garmin.com				DWN NO. 565-0286-XX
DWN B. MARCROFT		UNLESS OTHERWISE SPECIFIED		
APPROVING PERSONNEL		DIMENSIONS ARE IN INCHES. TOLERANCES ON		
ENGR J. BEYER		DECIMAL: HOLES:		
CHKR J. BEYER		ANGLES:		
PROD D. GERGES		SCALE 1:1		THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND SHALL NOT BE USED WITHOUT THE WRITTEN PERMISSION OF GARMIN AT, INC. FIRST USED SL/GX
QUAL J. LANGHAM		DO NOT SCALE DRAWING		
TITLE LABEL, SL/GX NAMEPLATE				
1 565-9000-15 LABEL STK, POLYES, THRM XFR, PERM ADH.		DWG NO. 565-0286-XX		D REV N
ITEM PART NUMBER DESCRIPTION QTY.		SIZE A CAGE CODE 0XCJ6 SHT 1 OF 1		

4

3

2

1