



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
6525	-13.39	0.05	-13.34	-7.34	-1.00	Pass
6685	-13.33	0.05	-13.28	-7.28	-1.00	Pass
6845	-13.57	0.05	-13.52	-7.52	-1.00	Pass




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
6885	-13.43	0.05	-13.38	-7.38	-1.00	Pass
6965	-13.61	0.05	-13.57	-7.57	-1.00	Pass
7085	-13.76	0.05	-13.71	-7.71	-1.00	Pass




Test Mode	IEEE 802.11ax (HE40)_ Aux Antenna
-----------	-----------------------------------


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5965	-13.63	0.05	-13.58	-7.96	-1.00	Pass
6165	-13.52	0.05	-13.47	-7.85	-1.00	Pass
6405	-13.36	0.05	-13.31	-7.69	-1.00	Pass




Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
6445	-13.57	0.05	-13.53	-7.91	-1.00	Pass
6485	-13.78	0.05	-13.73	-8.11	-1.00	Pass



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
6525	-13.61	0.05	-13.56	-7.94	-1.00	Pass
6685	-13.42	0.05	-13.37	-7.75	-1.00	Pass
6845	-13.05	0.05	-13.00	-7.38	-1.00	Pass



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
6885	-13.11	0.05	-13.06	-7.44	-1.00	Pass
6965	-13.20	0.05	-13.15	-7.53	-1.00	Pass
7085	-13.12	0.05	-13.07	-7.45	-1.00	Pass




Test Mode	IEEE 802.11ax (HE40)_ Total
-----------	-----------------------------


Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5965	-10.21	0.05	-10.16	-1.34	-1.00	Pass
6165	-10.26	0.05	-10.22	-1.40	-1.00	Pass
6405	-10.35	0.05	-10.30	-1.48	-1.00	Pass
6445	-10.40	0.05	-10.35	-1.53	-1.00	Pass
6485	-10.45	0.05	-10.40	-1.58	-1.00	Pass
6525	-10.49	0.05	-10.44	-1.62	-1.00	Pass
6685	-10.36	0.05	-10.31	-1.49	-1.00	Pass
6845	-10.29	0.05	-10.24	-1.42	-1.00	Pass
6885	-10.26	0.05	-10.21	-1.39	-1.00	Pass
6965	-10.39	0.05	-10.34	-1.52	-1.00	Pass
7085	-10.42	0.05	-10.37	-1.55	-1.00	Pass

Test Mode	IEEE 802.11ax (HE80)_ Main Antenna
-----------	------------------------------------

Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
5985	-13.10	0.05	-13.05	-7.05	-1.00	Pass
6145	-13.55	0.05	-13.50	-7.50	-1.00	Pass
6385	-15.22	0.05	-15.16	-9.16	-1.00	Pass



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
6465	-12.94	0.05	-12.88	-6.88	-1.00	



Frequency	Maximum Power Spectral Density	Duty Factor	Measured Power Spectral Density	e.i.r.p. Spectral Density	Maximum Limit	Result
(MHz)	(dBm/MHz)	(dB)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	
6545	-16.23	0.05	-16.17	-10.17	-1.00	Pass
6625	-15.68	0.05	-15.63	-9.63	-1.00	Pass
6705	-13.90	0.05	-13.85	-7.85	-1.00	Pass
6785	-16.29	0.05	-16.23	-10.23	-1.00	Pass
6865	-14.29	0.05	-14.24	-8.24	-1.00	Pass

