



Test Report:

1W04518.1

Applicant:

VTECH Engineering Canada Ltd.
200-7671 Alderbridge Way
Richmond, B.C.
V6X 1Z9

**Equipment Under Test:
(EUT)**

VTECH 9118
900 MHz Cordless Telephone

FCC ID:

EW79108

In Accordance With:

FCC Part 15, Subpart C, 15.249

Tested By:

Nemko Canada Inc.
3325 River Road, R.R. 5
Ottawa, Ontario K1V 1H2

Authorized By:

G. Westwell, Wireless Technologist

Date:

January 10, 2002

Total Number of Pages:

13

Authorized Copy:

Soft Copy

EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone
FCC ID: EW79108

Table Of Contents

Section 1. Summary Of Test Results.....3

Section 2. General Equipment Specification5

Section 3. Radiated Emissions.....8

Section 4. Block Diagrams 12

Section 5. Test Equipment List 13

EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone

FCC ID: EW79108

Section 1. Summary Of Test Results

General

All measurements are traceable to national standards.

These tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with FCC Part 15.249. All tests were conducted using measurement procedure ANSI C63.4-1992. Radiated Emissions were made on an open area test site. A description of the test facility is on file with the FCC.

THIS TEST REPORT RELATES ONLY TO THE ITEM(S) TESTED.

THE FOLLOWING DEVIATIONS FROM, ADDITIONS TO, OR EXCLUSIONS FROM THE TEST SPECIFICATIONS HAVE BEEN MADE.

See " Summary of Test Data".



TESTED BY:

Russell Grant, Wireless Group Manager

DATE: January 9, 2002

Nemko Canada Inc., a testing laboratory, is accredited by the Standards Council of Canada. The tests included in this report are within the scope of this accreditation. The results apply only to the samples tested.

Nemko Canada Inc. authorizes the above named company to reproduce this report provided it is reproduced in its entirety and for use by the company's employees only.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. Nemko Canada Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.

This report applies only to the items tested.

*EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone**FCC ID: EW79108*

Summary Of Test Data

Name Of Test	Para. No.	Result
Conducted Emissions	15.207	N/A *
Radiated Emissions	15.249	Complies

*** Note:** Class II Permissive Change
New RF IC


Test Conditions:

Indoor Temperature: 22 °C
Humidity: 50 %

Outdoor Temperature: 25 °C
Humidity: 52 %


EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone

FCC ID: EW79108



EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone

FCC ID: EW79108



EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone

FCC ID: EW79108

Section 3. Radiated Emissions

Para. No.: 15.249

Test Performed By: Russell Grant	Date of Test: January 8, 2002
---	--------------------------------------

Minimum Standard:

Fundamental (MHz)	Field Strength (mV/m)	Field Strength (dBμV)	Harmonic (mV/m)	Harmonic (dBμV)
902-928	50	94	0.5	54

Test Results: Complies.


Measurement Data: See attached tabulated data.

EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone

FCC ID: EW79108

Radiated Emissions Photograph

Front View:



*EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone**FCC ID: EW79108***Test Data - Radiated Emissions****Base Set Transmitter TX 902.6 MHz**

Frequency of Emission (MHz)	Polarization	Received Signal Level (dBuV)	Antenna Factor (dB)	Amplifier Gain (dB)	Field Strength (dBuV/m@3m)	Limit (dBuV/m@3m)	Margin (dB)
902.6	V	53.4	33.2		86.6	94.0	7.4
902.6	H	51.3	33.2		84.5	94.0	9.5
1805.2	V	46.2	31.9	48.5	29.6	54.0	24.4
1805.2	H	44.3	31.9	48.5	27.7	54.0	26.3
2707.8	V	56.5	35.6	59.7	32.4	54.0	21.6
2707.8	H	55.3	35.6	59.7	31.2	54.0	22.8
3610.4	V	59.8	39.1	59.8	39.1	54.0	14.9
3610.4	H	55.2	39.1	59.8	34.5	54.0	19.5

Base Set Transmitter TX 906.35 MHz

Frequency of Emission (MHz)	Polarization	Received Signal Level (dBuV)	Antenna Factor (dB)	Amplifier Gain (dB)	Field Strength (dBuV/m@3m)	Limit (dBuV/m@3m)	Margin (dB)
906.35	V	56.4	33.2		89.6	94.0	4.4
906.35	H	54.3	33.2		87.5	94.0	6.5
1812.7	V	49.8	32.0	48.5	33.3	54.0	20.7
1812.7	H	47.0	32.0	48.5	30.5	54.0	23.5
2719.05	V	60.8	35.6	59.7	36.7	54.0	17.3
2719.05	H	59.0	35.6	59.7	34.9	54.0	19.1
3625.4	V	59.3	39.2	59.7	38.8	54.0	15.2
3625.4	H	54.8	39.2	59.7	34.3	54.0	19.7

*EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone**FCC ID: EW79108***Test Data - Radiated Emissions****Handset Transmitter TX 923.4 MHz**

Frequency of Emission (MHz)	Polarization	Received Signal Level (dBuV)	Antenna Factor (dB)	Amplifier Gain (dB)	Field Strength (dBuV/m@3m)	Limit (dBuV/m@3m)	Margin (dB)
923.4	V	57.0	33.4		90.4	94.0	3.6
923.4	H	57.1	33.4		90.5	94.0	3.5
1846.8	V	60.7	32.3	48.6	44.4	54.0	9.6
1846.8	H	60.2	32.3	48.6	43.9	54.0	10.1
2770.2	V	77.5	35.8	59.8	53.5	54.0	0.5
2770.2	H	73.8	35.8	59.8	49.8	54.0	4.2
3693.6	V	63.3	39.4	59.4	43.3	54.0	10.7
3693.6	H	58.8	39.4	59.4	38.8	54.0	15.2

Handset Transmitter TX 927.75 MHz


Frequency of Emission (MHz)	Polarization	Received Signal Level (dBuV)	Antenna Factor (dB)	Amplifier Gain (dB)	Field Strength (dBuV/m@3m)	Limit (dBuV/m@3m)	Margin (dB)
927.75	V	58.8	33.6		92.4	94.0	1.6
927.75	H	59.7	33.6		93.3	94.0	0.7
1855.5	V	56.0	32.3	48.6	39.7	54.0	14.3
1855.5	H	53.2	32.3	48.6	36.9	54.0	17.1
2783.25	V	74.5	36.0	59.8	50.7	54.0	3.3
2783.25	H	70.3	36.0	59.8	46.5	54.0	7.5
3711.00	V	58.2	39.6	59.3	38.5	54.0	15.5
3711.00	H	57.80	39.60	59.30	38.1	54.0	15.9

EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone

FCC ID: EW79108

Section 4. Block Diagrams

Test Site For Radiated Emissions



The spectrum was search up to the 10th harmonic of the fundamental frequency of operation.

The equipment was configured on 3 axis in order to determine worst case emissions.

Peak Detector > 1 GHz, RBW = VBW = 1 MHz

CISPR QUASI PEAK < 1 GHz

*EQUIPMENT: VTECH 9118, 900 MHz Cordless Telephone**FCC ID: EW79108*

Section 5. Test Equipment List

CAL CYCLE	EQUIPMENT	MANUFACTURER	MODEL	SERIAL	LAST CAL.	NEXT CAL.
1 Year	Spectrum Analyzer	Hewlett Packard	8565E	FA000981	June 08/01	June 08/02
1 Year	Receiver	Rohde & Schwarz	ESVP	892661/014	Apr. 3/01	Apr. 3/02
1 Year	Horn Antenna	EMCO #2	3115	4336	Dec. 1/01	Dec. 1/02
1 Year	Dipole Antenna Set	EMCO #2	3121C	FA001349	Apr. 3/01	Apr. 3/02
1 Year	RF AMP	JCA	2-4 GHz	FA001496	COU	COU
1 Year	RF AMP	JCA	1-2 GHz	FA001498	COU	COU
1 Year	RF AMP	JCA	4-8 GHz	FA001497	COU	COU

NA: Not Applicable

NCR: No Cal Required

COU: CAL On Use