


## **ATTACHMENT D – TEST PLOTS**

---

ORION Electric Co. Ltd. 1024 X 768  
FCC ID: EWBLV510SN 48KHz/60Hz LINE A


PCTEST Engineering Lab.




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 21.733      | 37.18           | -              | -          | 37.18           | 48.00        | -10.82      |
| 2   | 15.272      | 37.52           | -              | -          | 37.52           | 48.00        | -10.48      |
| 3   | 21.796      | 37.26           | -              | -          | 37.26           | 48.00        | -10.74      |
| 4   | 21.147      | 37.30           | -              | -          | 37.30           | 48.00        | -10.70      |
| 5   | 21.857      | 37.01           | -              | -          | 37.01           | 48.00        | -10.99      |
| 6   | 22.152      | 36.80           | -              | -          | 36.80           | 48.00        | -11.20      |
| 7   | 15.691      | 37.72           | -              | -          | 37.72           | 48.00        | -10.28      |
| 8   | 21.982      | 36.94           | -              | -          | 36.94           | 48.00        | -11.06      |
| 9   | 22.215      | 36.63           | -              | -          | 36.63           | 48.00        | -11.37      |
| 10  | 15.516      | 37.84           | -              | -          | 37.84           | 48.00        | -10.16      |

ORION Electric Co. Ltd. 1024 X 768  
FCC ID: EWBLV510SN 48KHz/60Hz LINE B


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 21.225      | 37.12           | -              | -          | 37.12           | 48.00        | -10.88      |
| 2   | 15.639      | 38.16           | -              | -          | 38.16           | 48.00        | -9.84       |
| 3   | 22.400      | 35.68           | -              | -          | 35.68           | 48.00        | -12.32      |
| 4   | 15.111      | 37.66           | -              | -          | 37.66           | 48.00        | -10.34      |
| 5   | 20.953      | 37.43           | -              | -          | 37.43           | 48.00        | -10.57      |
| 6   | 22.276      | 36.63           | -              | -          | 36.63           | 48.00        | -11.37      |
| 7   | 22.460      | 35.76           | -              | -          | 35.76           | 48.00        | -12.24      |
| 8   | 15.875      | 37.60           | -              | -          | 37.60           | 48.00        | -10.40      |
| 9   | 22.537      | 35.43           | -              | -          | 35.43           | 48.00        | -12.57      |
| 10  | 21.697      | 36.87           | -              | -          | 36.87           | 48.00        | -11.13      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 22.578      | 36.40           | -              | -          | 36.40           | 48.00        | -11.60      |
| 2   | 22.047      | 37.69           | -              | -          | 37.69           | 48.00        | -10.31      |
| 3   | 22.341      | 36.93           | -              | -          | 36.93           | 48.00        | -11.07      |
| 4   | 21.751      | 37.87           | -              | -          | 37.87           | 48.00        | -10.13      |
| 5   | 15.404      | 38.52           | -              | -          | 38.52           | 48.00        | -9.48       |
| 6   | 21.105      | 38.19           | -              | -          | 38.19           | 48.00        | -9.81       |
| 7   | 9.640       | 37.94           | -              | -          | 37.94           | 48.00        | -10.06      |
| 8   | 20.452      | 37.97           | -              | -          | 37.97           | 48.00        | -10.03      |
| 9   | 20.630      | 37.91           | -              | -          | 37.91           | 48.00        | -10.09      |
| 10  | 9.816       | 36.85           | -              | -          | 36.85           | 48.00        | -11.15      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 15.638      | 37.99           | -              | -          | 37.99           | 48.00        | -10.01      |
| 2   | 15.344      | 38.51           | -              | -          | 38.51           | 48.00        | -9.49       |
| 3   | 9.523       | 37.66           | -              | -          | 37.66           | 48.00        | -10.34      |
| 4   | 15.050      | 37.49           | -              | -          | 37.49           | 48.00        | -10.51      |
| 5   | 16.051      | 37.47           | -              | -          | 37.47           | 48.00        | -10.53      |
| 6   | 21.578      | 37.55           | -              | -          | 37.55           | 48.00        | -10.45      |
| 7   | 21.753      | 37.51           | -              | -          | 37.51           | 48.00        | -10.49      |
| 8   | 21.874      | 37.21           | -              | -          | 37.21           | 48.00        | -10.79      |
| 9   | 9.112       | 36.70           | -              | -          | 36.70           | 48.00        | -11.30      |
| 10  | 22.286      | 36.47           | -              | -          | 36.47           | 48.00        | -11.53      |

ORION Electric Co. Ltd. 640 X 480  
FCC ID: EWBLV510SN 32KHz/70Hz LINE A PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 22.167      | 37.48           | -              | -          | 37.48           | 48.00        | -10.52      |
| 2   | 21.818      | 37.99           | -              | -          | 37.99           | 48.00        | -10.01      |
| 3   | 21.226      | 38.22           | -              | -          | 38.22           | 48.00        | -9.78       |
| 4   | 22.465      | 37.00           | -              | -          | 37.00           | 48.00        | -11.00      |
| 5   | 20.468      | 38.03           | -              | -          | 38.03           | 48.00        | -9.97       |
| 6   | 9.175       | 37.90           | -              | -          | 37.90           | 48.00        | -10.10      |
| 7   | 21.589      | 38.30           | -              | -          | 38.30           | 48.00        | -9.70       |
| 8   | 21.945      | 37.99           | -              | -          | 37.99           | 48.00        | -10.01      |
| 9   | 21.997      | 38.56           | -              | -          | 38.56           | 48.00        | -9.44       |
| 10  | 22.355      | 37.44           | -              | -          | 37.44           | 48.00        | -10.56      |

ORION Electric Co. Ltd. 640 X 480  
FCC ID: EWBLV510SN 32KHz/70Hz LINE B PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 15.419      | 39.33           | -              | -          | 39.33           | 48.00        | -8.67       |
| 2   | 21.597      | 38.06           | -              | -          | 38.06           | 48.00        | -9.94       |
| 3   | 22.301      | 37.10           | -              | -          | 37.10           | 48.00        | -10.90      |
| 4   | .454        | 28.46           | -              | -          | 28.46           | 48.00        | -19.54      |
| 5   | 9.593       | 38.04           | -              | -          | 38.04           | 48.00        | -9.96       |
| 6   | 22.245      | 37.29           | -              | -          | 37.29           | 48.00        | -10.71      |
| 7   | 15.536      | 38.89           | -              | -          | 38.89           | 48.00        | -9.11       |
| 8   | 21.183      | 38.24           | -              | -          | 38.24           | 48.00        | -9.76       |
| 9   | 16.062      | 37.81           | -              | -          | 37.81           | 48.00        | -10.19      |
| 10  | 20.831      | 38.01           | -              | -          | 38.01           | 48.00        | -9.99       |