

EMC REPORT

No. 1906392STO-001, Ed. 1

Electromagnetic disturbances

EQUIPMENT UNDER TEST

Equipment: Surface-mounted luminaire with LED
Type/Model: T1911 Bogspröt
Manufacturer: IKEA of Sweden AB
Tested by request of: IKEA of Sweden AB

SUMMARY

The equipment is evaluated to comply with the requirements according to the following standards.

FCC 47 CFR Part 15: Radio frequency device, Subpart B: Unintentional radiators. Class B equipment.


ICES-005 Issue 5: Lighting Equipment, Class B

Date of issue: September 11, 2019

Tested by:


Ann-Christine Norrström

Approved by:


Per Granberg

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Revision History

Edition	Date	Description	Changes
1	2019-09-11	First release	

Reference type/model



Test report no.	1818652STO-001, Ed. 2
Test performed by:	Intertek Semko AB Torshamnsgatan 43, Box 1103, SE-164 22 Kista Sweden
Standards:	FCC 47 CFR Part 15: 2015, Subpart B ICES-005 Issue 5: Lightning Equipment, Class B
Equipment:	LED Module
Type / model:	LED1804E25
Brand name:	IKEA
Manufacturer:	IKEA of Sweden AB Box 702 SE-343 81 Älmhult Sweden
Rating	120 V AC, 60 Hz, 25 W, 280 mA
Class	-
Highest clock frequency:	< 108 MHz
Transmitting frequency:	-

Opinions and interpretation

This test report covers alternative types, presumed to have the same EMC-characteristics as the above tested reference type.

According to the manufacturer, the alternative type is identical to the tested type except for the following difference: the tested LED Module is provided a housing and have a new type designation.

The difference is considered not to imply different EMC-characteristics when compared to the tested type. Therefore, the type is not tested, but considered to have the same EMC-characteristics as the tested type.



Rating plate T1911 Bogspröt

Test set up and EUT photos

Test set up and EUT photos are enclosed in Annex 1 to this test report.