



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode_Ant. 3 |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.61                             | 0.00        | 3.61                                           | 11.00                | Complies |
| 116     | 5580            | 3.86                             | 0.00        | 3.86                                           | 11.00                | Complies |
| 140     | 5700            | 4.71                             | 0.00        | 4.71                                           | 11.00                | Complies |



Date: 21.AUG.2019 17:05:27




Date: 21.AUG.2019 17:06:04




Date: 21.AUG.2019 17:06:29

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode_Ant. 4 |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 4.01                             | 0.00        | 4.01                                           | 11.00                | Complies |
| 116     | 5580            | 4.14                             | 0.00        | 4.14                                           | 11.00                | Complies |
| 140     | 5700            | 4.42                             | 0.00        | 4.42                                           | 11.00                | Complies |



Date: 21.AUG.2019 17:25:42



Date: 21.AUG.2019 17:28:35






Date: 21.AUG.2019 17:28:57

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 10.16                            | 11.00                | Complies |
| 116     | 5580            | 10.46                            | 11.00                | Complies |
| 140     | 5700            | 10.86                            | 11.00                | Complies |




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 1.22                             | 0.00        | 1.22                                           | 11.00                | Complies |
| 110     | 5550            | 1.01                             | 0.00        | 1.01                                           | 11.00                | Complies |
| 134     | 5670            | -4.85                            | 0.00        | -4.85                                          | 11.00                | Complies |






|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 3.33                             | 0.00        | 3.33                                           | 11.00                | Complies |
| 110     | 5550            | 3.01                             | 0.00        | 3.01                                           | 11.00                | Complies |
| 134     | 5670            | -2.51                            | 0.00        | -2.51                                          | 11.00                | Complies |






|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 1.44                             | 0.00        | 1.44                                           | 11.00                | Complies |
| 110     | 5550            | 1.23                             | 0.00        | 1.23                                           | 11.00                | Complies |
| 134     | 5670            | -3.68                            | 0.00        | -3.68                                          | 11.00                | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 4 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 1.87                             | 0.00        | 1.87                                           | 11.00                | Complies |
| 110     | 5550            | 1.57                             | 0.00        | 1.57                                           | 11.00                | Complies |
| 134     | 5670            | -3.85                            | 0.00        | -3.85                                          | 11.00                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 8.07                             | 11.00                | Complies |
| 110     | 5550            | 7.80                             | 11.00                | Complies |
| 134     | 5670            | 2.38                             | 11.00                | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -2.58                            | 0.16        | -2.42                                          | 11.00                | Complies |

## CH106




Date: 21.AUG.2019 17:57:55

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -0.58                            | 0.16        | -0.42                                          | 11.00                | Complies |


## CH106



Date: 21.AUG.2019 16:54:22

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 3 |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -2.25                            | 0.16        | -2.09                                          | 11.00                | Complies |



Date: 21.AUG.2019 17:19:48

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 4 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -1.94                            | 0.16        | -1.78                                          | 11.00                | Complies |




Date: 21.AUG.2019 17:37:45

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Total |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | 4.41                             | 11.00                | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 5.56                                 | 1.01        | 6.57                                               | 30.00                    | Complies |
| 157     | 5785            | 6.64                                 | 1.01        | 7.65                                               | 30.00                    | Complies |
| 165     | 5825            | 6.12                                 | 1.01        | 7.13                                               | 30.00                    | Complies |



Date: 16.MAY.2019 15:50:29




Date: 29.MAY.2019 11:44:18




Date: 29.MAY.2019 11:46:15

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 7.83                                 | 1.01        | 8.84                                               | 30.00                    | Complies |
| 157     | 5785            | 8.46                                 | 1.01        | 9.47                                               | 30.00                    | Complies |
| 165     | 5825            | 8.37                                 | 1.01        | 9.38                                               | 30.00                    | Complies |



Date: 16.MAY.2019 10:54:39




Date: 29.MAY.2019 11:45:13




Date: 29.MAY.2019 11:47:33

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 7.08                                 | 1.01        | 8.09                                               | 30.00                    | Complies |
| 157     | 5785            | 7.70                                 | 1.01        | 8.71                                               | 30.00                    | Complies |
| 165     | 5825            | 7.49                                 | 1.01        | 8.50                                               | 30.00                    | Complies |



Date: 16.MAY.2019 15:24:48




Date: 29.MAY.2019 11:44:51




Date: 29.MAY.2019 11:47:12

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 4 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 6.46                                 | 1.01        | 7.47                                               | 30.00                    | Complies |
| 157     | 5785            | 7.30                                 | 1.01        | 8.31                                               | 30.00                    | Complies |
| 165     | 5825            | 6.71                                 | 1.01        | 7.72                                               | 30.00                    | Complies |



Date: 16.MAY.2019 16:07:29



Date: 29.MAY.2019 11:43:44




Date: 29.MAY.2019 11:46:38

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 13.85                                | 30.00                    | Complies |
| 157     | 5785            | 14.61                                | 30.00                    | Complies |
| 165     | 5825            | 14.29                                | 30.00                    | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 2.31                                 | 1.99        | 4.30                                               | 30.00                    | Complies |
| 159     | 5795            | 1.53                                 | 1.99        | 3.52                                               | 30.00                    | Complies |




Date: 16.MAY.2019 15:57:48




Date: 16.MAY.2019 15:58:12

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 4.13                                 | 1.99        | 6.12                                               | 30.00                    | Complies |
| 159     | 5795            | 3.99                                 | 1.99        | 5.98                                               | 30.00                    | Complies |



Date: 16.MAY.2019 11:10:24




Date: 16.MAY.2019 11:12:52

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 3.57                                 | 1.99        | 5.56                                               | 30.00                    | Complies |
| 159     | 5795            | 3.25                                 | 1.99        | 5.24                                               | 30.00                    | Complies |

CH151



Date: 16.MAY.2019 15:36:11

CH159




Date: 16.MAY.2019 15:36:41

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 4 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 2.59                                 | 1.99        | 4.58                                               | 30.00                    | Complies |
| 159     | 5795            | 2.03                                 | 1.99        | 4.02                                               | 30.00                    | Complies |

CH151



Date: 16.MAY.2019 16:16:52

CH159



Date: 16.MAY.2019 16:17:21


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 11.23                                | 27.89                    | Complies |
| 159     | 5795            | 10.82                                | 27.89                    | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -3.31                                | 3.48        | 0.17                                               | 30.00                    | Complies |

## CH155




Date: 16.MAY.2019 15:59:28

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -0.64                                | 3.48        | 2.84                                               | 30.00                    | Complies |


## CH155



Date: 16.MAY.2019 11:16:56

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -1.32                                | 3.48        | 2.16                                               | 30.00                    | Complies |



Date: 16.MAY.2019 15:38:11

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -2.47                                | 3.48        | 1.01                                               | 30.00                    | Complies |



Date: 16.MAY.2019 16:18:40


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | 7.69                                 | 30.75                    | Complies |


## With Beamforming

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.34                             | 1.02        | 6.36                                           | 14.89                | Complies |
| 40      | 5200            | 5.08                             | 1.02        | 6.10                                           | 14.89                | Complies |
| 48      | 5240            | 5.12                             | 1.02        | 6.14                                           | 14.89                | Complies |



Date: 29\_MAY.2019 09:30:38




Date: 29\_MAY.2019 09:26:39




Date: 29\_MAY.2019 09:22:30

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 8.67                             | 1.02        | 9.69                                           | 14.89                | Complies |
| 40      | 5200            | 8.91                             | 1.02        | 9.93                                           | 14.89                | Complies |
| 48      | 5240            | 8.51                             | 1.02        | 9.53                                           | 14.89                | Complies |



Date: 29\_MAY.2019 09:32:20




Date: 29\_MAY.2019 09:28:15




Date: 29\_MAY.2019 09:23:38

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 3 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 6.82                             | 1.02        | 7.84                                           | 14.89                | Complies |
| 40      | 5200            | 6.96                             | 1.02        | 7.98                                           | 14.89                | Complies |
| 48      | 5240            | 6.71                             | 1.02        | 7.73                                           | 14.89                | Complies |



Date: 29\_MAY.2019 09:31:58




Date: 29\_MAY.2019 09:27:34




Date: 29\_MAY.2019 09:23:05

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 4 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 6.85                             | 1.02        | 7.87                                           | 14.89                | Complies |
| 40      | 5200            | 6.78                             | 1.02        | 7.80                                           | 14.89                | Complies |
| 48      | 5240            | 6.66                             | 1.02        | 7.68                                           | 14.89                | Complies |



Date: 29\_MAY.2019 09:31:05



Date: 29\_MAY.2019 09:26:02




Date: 29\_MAY.2019 09:21:57

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Total |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 14.12                            | 14.89                | Complies |
| 40      | 5200            | 14.19                            | 14.89                | Complies |
| 48      | 5240            | 13.96                            | 14.89                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 0.71                             | 1.99        | 2.70                                           | 14.89                | Complies |
| 46      | 5230            | 0.91                             | 1.99        | 2.90                                           | 14.89                | Complies |




Date: 20.MAY.2019 19:15:31




Date: 20.MAY.2019 19:25:40

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 3.99                             | 1.99        | 5.98                                           | 14.89                | Complies |
| 46      | 5230            | 4.22                             | 1.99        | 6.21                                           | 14.89                | Complies |




Date: 20.MAY.2019 19:18:21



Date: 20.MAY.2019 19:22:57


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 3 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 2.56                             | 1.99        | 4.55                                           | 14.89                | Complies |
| 46      | 5230            | 2.42                             | 1.99        | 4.41                                           | 14.89                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 4 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 1.98                             | 1.99        | 3.97                                           | 14.89                | Complies |
| 46      | 5230            | 2.26                             | 1.99        | 4.25                                           | 14.89                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Total |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 10.48                            | 14.89                | Complies |
| 46      | 5230            | 10.63                            | 14.89                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.18                             | 0.00        | 1.18                                           | 8.89                 | Complies |
| 60      | 5300            | 1.43                             | 0.00        | 1.43                                           | 8.89                 | Complies |
| 64      | 5320            | 1.47                             | 0.00        | 1.47                                           | 8.89                 | Complies |



Date: 20.AUG.2019 11:11:24




Date: 20.AUG.2019 11:18:08




Date: 20.AUG.2019 11:18:53

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.91                             | 0.00        | 3.91                                           | 8.89                 | Complies |
| 60      | 5300            | 3.86                             | 0.00        | 3.86                                           | 8.89                 | Complies |
| 64      | 5320            | 3.86                             | 0.00        | 3.86                                           | 8.89                 | Complies |



Date: 20.AUG.2019 11:36:09




Date: 20.AUG.2019 11:38:51




Date: 20.AUG.2019 11:39:56

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Ant. 3 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 2.16                             | 0.00        | 2.16                                           | 8.89                 | Complies |
| 60      | 5300            | 2.18                             | 0.00        | 2.18                                           | 8.89                 | Complies |
| 64      | 5320            | 2.20                             | 0.00        | 2.20                                           | 8.89                 | Complies |



Date: 20.AUG.2019 11:27:37




Date: 20.AUG.2019 11:28:08




Date: 20.AUG.2019 11:28:51

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Ant. 4 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 2.31                             | 0.00        | 2.31                                           | 8.89                 | Complies |
| 60      | 5300            | 1.96                             | 0.00        | 1.96                                           | 8.89                 | Complies |
| 64      | 5320            | 1.89                             | 0.00        | 1.89                                           | 8.89                 | Complies |



Date: 20.AUG.2019 11:22:31



Date: 20.AUG.2019 11:22:59





Date: 20.AUG.2019 11:23:40

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 8.52                             | 8.89                 | Complies |
| 60      | 5300            | 8.48                             | 8.89                 | Complies |
| 64      | 5320            | 8.48                             | 8.89                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -0.40                            | 0.12        | -0.28                                          | 8.89                 | Complies |
| 62      | 5310            | -0.15                            | 0.12        | -0.03                                          | 8.89                 | Complies |





Date: 21.AUG.2019 14:16:05

Date: 21.AUG.2019 14:18:36

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 2.27                             | 0.12        | 2.39                                           | 8.89                 | Complies |
| 62      | 5310            | 2.30                             | 0.12        | 2.42                                           | 8.89                 | Complies |




Date: 21.AUG.2019 14:29:45


Date: 21.AUG.2019 14:30:32

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 0.66                             | 0.12        | 0.78                                           | 8.89                 | Complies |
| 62      | 5310            | 0.70                             | 0.12        | 0.82                                           | 8.89                 | Complies |




Date: 21.AUG.2019 14:26:13




Date: 21.AUG.2019 14:26:44

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 0.71                             | 0.12        | 0.83                                           | 8.89                 | Complies |
| 62      | 5310            | 0.48                             | 0.12        | 0.60                                           | 8.89                 | Complies |



Date: 21.AUG.2019 14:22:11




Date: 21.AUG.2019 14:22:44

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 7.06                             | 8.89                 | Complies |
| 62      | 5310            | 7.07                             | 8.89                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 1.44                             | 0.00        | 1.44                                           | 8.89                 | Complies |
| 116     | 5580            | 0.99                             | 0.00        | 0.99                                           | 8.89                 | Complies |
| 140     | 5700            | 0.89                             | 0.00        | 0.89                                           | 8.89                 | Complies |



Date: 20.AUG.2019 19:14:14




Date: 20.AUG.2019 19:15:06




Date: 20.AUG.2019 19:16:37

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 4.08                             | 0.00        | 4.08                                           | 8.89                 | Complies |
| 116     | 5580            | 3.33                             | 0.00        | 3.33                                           | 8.89                 | Complies |
| 140     | 5700            | 3.79                             | 0.00        | 3.79                                           | 8.89                 | Complies |



Date: 20.AUG.2019 19:24:58




Date: 20.AUG.2019 19:25:41




Date: 20.AUG.2019 19:26:41

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Ant. 3 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 2.18                             | 0.00        | 2.18                                           | 8.89                 | Complies |
| 116     | 5580            | 1.40                             | 0.00        | 1.40                                           | 8.89                 | Complies |
| 140     | 5700            | 2.33                             | 0.00        | 2.33                                           | 8.89                 | Complies |



Date: 20.AUG.2019 19:22:24




Date: 20.AUG.2019 19:23:25




Date: 20.AUG.2019 19:24:16

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Ant. 4 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 2.27                             | 0.00        | 2.27                                           | 8.89                 | Complies |
| 116     | 5580            | 1.58                             | 0.00        | 1.58                                           | 8.89                 | Complies |
| 140     | 5700            | 1.73                             | 0.00        | 1.73                                           | 8.89                 | Complies |



Date: 20.AUG.2019 19:18:49



Date: 20.AUG.2019 19:19:26



Date: 20.AUG.2019 19:20:12


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 8.63                             | 8.89                 | Complies |
| 116     | 5580            | 7.94                             | 8.89                 | Complies |
| 140     | 5700            | 8.34                             | 8.89                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 0.82                             | 0.12        | 0.94                                           | 8.89                 | Complies |
| 110     | 5550            | 1.59                             | 0.12        | 1.71                                           | 8.89                 | Complies |
| 134     | 5670            | 1.38                             | 0.12        | 1.50                                           | 8.89                 | Complies |

CH102




Date: 21.AUG.2019 14:20:07

CH110



Date: 21.AUG.2019 14:20:53

CH134




Date: 21.AUG.2019 14:21:26

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 3.29                             | 0.12        | 3.41                                           | 8.89                 | Complies |
| 110     | 5550            | 3.87                             | 0.12        | 3.99                                           | 8.89                 | Complies |
| 134     | 5670            | 3.76                             | 0.12        | 3.88                                           | 8.89                 | Complies |

CH102




Date: 21.AUG.2019 14:31:16

CH110



Date: 21.AUG.2019 14:31:45

CH134




Date: 21.AUG.2019 14:32:16

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Ant. 3 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 1.54                             | 0.12        | 1.66                                           | 8.89                 | Complies |
| 110     | 5550            | 2.07                             | 0.12        | 2.19                                           | 8.89                 | Complies |
| 134     | 5670            | 2.57                             | 0.12        | 2.69                                           | 8.89                 | Complies |

CH102




Date: 21.AUG.2019 14:27:20

CH110



Date: 21.AUG.2019 14:27:50

CH134




Date: 21.AUG.2019 14:28:19

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Ant. 4 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 1.58                             | 0.12        | 1.70                                           | 8.89                 | Complies |
| 110     | 5550            | 2.30                             | 0.12        | 2.42                                           | 8.89                 | Complies |
| 134     | 5670            | 2.32                             | 0.12        | 2.44                                           | 8.89                 | Complies |

CH102




Date: 21.AUG.2019 14:23:30

CH110



Date: 21.AUG.2019 14:23:57

CH134




Date: 21.AUG.2019 14:24:25

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 8.05                             | 8.89                 | Complies |
| 110     | 5550            | 8.69                             | 8.89                 | Complies |
| 134     | 5670            | 8.73                             | 8.89                 | Complies |

Test Mode UNII-3\_TX N (HT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 6.97                                 | 1.02        | 7.99                                               | 27.89                    | Complies |
| 157     | 5785            | 6.48                                 | 1.02        | 7.50                                               | 27.89                    | Complies |
| 165     | 5825            | 6.16                                 | 1.02        | 7.18                                               | 27.89                    | Complies |



Date: 29\_MAY.2019 09:12:27




Date: 29\_MAY.2019 09:08:27




Date: 29\_MAY.2019 09:35:01

Test Mode UNII-3\_TX N (HT20) Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 8.85                                 | 1.02        | 9.87                                               | 27.89                    | Complies |
| 157     | 5785            | 8.43                                 | 1.02        | 9.45                                               | 27.89                    | Complies |
| 165     | 5825            | 8.44                                 | 1.02        | 9.46                                               | 27.89                    | Complies |



Date: 29\_MAY.2019 09:14:11




Date: 29\_MAY.2019 09:09:47




Date: 29\_MAY.2019 09:36:06

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Ant. 3 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 8.08                                 | 1.02        | 9.10                                               | 27.89                    | Complies |
| 157     | 5785            | 7.67                                 | 1.02        | 8.69                                               | 27.89                    | Complies |
| 165     | 5825            | 7.52                                 | 1.02        | 8.54                                               | 27.89                    | Complies |



Date: 29.MAY.2019 09:13:41




Date: 29.MAY.2019 09:09:15




Date: 29.MAY.2019 09:35:35

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Ant. 4 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 7.54                                 | 1.02        | 8.56                                               | 27.89                    | Complies |
| 157     | 5785            | 7.15                                 | 1.02        | 8.17                                               | 27.89                    | Complies |
| 165     | 5825            | 6.60                                 | 1.02        | 7.62                                               | 27.89                    | Complies |



Date: 29.MAY.2019 09:13:02



Date: 29.MAY.2019 09:07:51



Date: 29.MAY.2019 09:34:31


|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 14.96                                | 27.89                    | Complies |
| 157     | 5785            | 14.53                                | 27.89                    | Complies |
| 165     | 5825            | 14.31                                | 27.89                    | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 2.21                                 | 1.99        | 4.20                                               | 27.89                    | Complies |
| 159     | 5795            | 3.14                                 | 1.99        | 5.13                                               | 27.89                    | Complies |

CH151



Date: 29.MAY.2019 09:39:44

CH159




Date: 29.MAY.2019 09:40:15

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 4.48                                 | 1.99        | 6.47                                               | 27.89                    | Complies |
| 159     | 5795            | 5.08                                 | 1.99        | 7.07                                               | 27.89                    | Complies |

CH151



Date: 29.MAY.2019 09:42:00

CH159




Date: 29.MAY.2019 09:47:00

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 3 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 3.62                                 | 1.99        | 5.61                                               | 27.89                    | Complies |
| 159     | 5795            | 4.74                                 | 1.99        | 6.73                                               | 27.89                    | Complies |

CH151



Date: 29.MAY.2019 09:41:23

CH159




Date: 29.MAY.2019 09:46:23

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 4 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 3.00                                 | 1.99        | 4.99                                               | 27.89                    | Complies |
| 159     | 5795            | 3.73                                 | 1.99        | 5.72                                               | 27.89                    | Complies |

CH151



Date: 29.MAY.2019 09:40:37

CH159




Date: 29.MAY.2019 09:44:35

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Total |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 11.42                                | 27.89                    | Complies |
| 159     | 5795            | 12.25                                | 27.89                    | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.24                             | 1.01        | 6.25                                           | 14.89                | Complies |
| 40      | 5200            | 5.11                             | 1.01        | 6.12                                           | 14.89                | Complies |
| 48      | 5240            | 5.29                             | 1.01        | 6.30                                           | 14.89                | Complies |



Date: 29\_MAY.2019 09:51:06




Date: 29\_MAY.2019 09:59:27




Date: 29\_MAY.2019 10:02:01

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 8.71                             | 1.01        | 9.72                                           | 14.89                | Complies |
| 40      | 5200            | 8.74                             | 1.01        | 9.75                                           | 14.89                | Complies |
| 48      | 5240            | 8.53                             | 1.01        | 9.54                                           | 14.89                | Complies |



Date: 29\_MAY.2019 09:53:13



Date: 29\_MAY.2019 10:00:24



Date: 29\_MAY.2019 10:03:17