


Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.980	23.170	0.5	Pass
157	5785	17.280	22.171	0.5	Pass
165	5825	16.920	20.840	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.300	46.678	0.5	Pass
159	5795	35.100	46.560	0.5	Pass


CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.000	120.557	0.5	Pass

CH155 6 dB Bandwidth




99 % Occupied Bandwidth



Test Mode UNII-3_TX AX(HE20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.360	18.960	0.5	Pass
157	5785	18.000	18.960	0.5	Pass
165	5825	18.120	18.960	0.5	Pass

CH149




Date: 3.NOV.2025 17:12:30

CH157
6 dB Bandwidth




Date: 3.NOV.2025 17:13:58

CH165




Date: 3.NOV.2025 17:14:47


99 % Occupied Bandwidth



Date: 3.NOV.2025 17:12:42



Date: 3.NOV.2025 17:14:10




Date: 3.NOV.2025 17:15:00

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.600	38.400	0.5	Pass
159	5795	37.600	38.400	0.5	Pass

CH151




Date: 3.NOV.2025 17:23:40

CH159
6 dB Bandwidth




Date: 3.NOV.2025 17:24:24

99 % Occupied Bandwidth



Date: 3.NOV.2025 17:23:52




Date: 3.NOV.2025 17:24:36

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.200	78.400	0.5	Pass

CH155 6 dB Bandwidth



Date: 3.NOV.2025 17:36:36

99 % Occupied Bandwidth



Date: 3.NOV.2025 17:36:48

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.79	0.31	19.10	23.98	0.2500	Pass
40	5200	18.75	0.31	19.06	23.98	0.2500	Pass
48	5240	18.63	0.31	18.94	23.98	0.2500	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.87	0.31	19.18	23.98	0.2500	Pass
40	5200	18.82	0.31	19.13	23.98	0.2500	Pass
48	5240	18.75	0.31	19.06	23.98	0.2500	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.15	23.98	0.2500	Pass
40	5200	22.11	23.98	0.2500	Pass
48	5240	22.01	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.78	0.10	18.88	23.98	0.2500	Pass
40	5200	18.96	0.10	19.06	23.98	0.2500	Pass
48	5240	18.57	0.10	18.67	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.53	0.10	18.63	23.98	0.2500	Pass
40	5200	18.68	0.10	18.78	23.98	0.2500	Pass
48	5240	18.48	0.10	18.58	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.77	23.98	0.2500	Pass
40	5200	21.93	23.98	0.2500	Pass
48	5240	21.64	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.31	0.20	17.51	23.98	0.2500	Pass
46	5230	18.76	0.20	18.96	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.22	0.20	17.42	23.98	0.2500	Pass
46	5230	18.73	0.20	18.93	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.48	23.98	0.2500	Pass
46	5230	21.96	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.34	0.22	16.56	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.29	0.22	16.51	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.55	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.67	0.24	13.91	23.98	0.2500	Pass
40	5200	13.83	0.24	14.07	23.98	0.2500	Pass
48	5240	13.68	0.24	13.92	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.07	0.24	14.31	23.98	0.2500	Pass
40	5200	14.05	0.24	14.29	23.98	0.2500	Pass
48	5240	13.86	0.24	14.10	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.12	23.98	0.2500	Pass
40	5200	17.19	23.98	0.2500	Pass
48	5240	17.02	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.76	0.43	14.19	23.98	0.2500	Pass
46	5230	13.65	0.43	14.08	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.12	0.43	14.55	23.98	0.2500	Pass
46	5230	14.05	0.43	14.48	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.38	23.98	0.2500	Pass
46	5230	17.29	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.97	0.42	14.39	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.07	0.42	14.49	23.98	0.2500	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.45	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.77	0.31	19.08	23.98	0.2500	Pass
60	5300	18.87	0.31	19.18	23.98	0.2500	Pass
64	5320	18.78	0.31	19.09	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.68	0.31	18.99	23.98	0.2500	Pass
60	5300	18.79	0.31	19.10	23.98	0.2500	Pass
64	5320	18.71	0.31	19.02	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.05	23.98	0.2500	Pass
60	5300	22.15	23.98	0.2500	Pass
64	5320	22.07	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.91	0.10	19.01	23.98	0.2500	Pass
60	5300	18.78	0.10	18.88	23.98	0.2500	Pass
64	5320	18.81	0.10	18.91	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.59	0.10	18.69	23.98	0.2500	Pass
60	5300	19.02	0.10	19.12	23.98	0.2500	Pass
64	5320	18.75	0.10	18.85	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.86	23.98	0.2500	Pass
60	5300	22.01	23.98	0.2500	Pass
64	5320	21.89	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.74	0.20	15.94	23.98	0.2500	Pass
62	5310	16.69	0.20	16.89	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.56	0.20	18.76	23.98	0.2500	Pass
62	5310	16.73	0.20	16.93	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.59	23.98	0.2500	Pass
62	5310	19.92	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.22	0.22	15.44	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.17	0.22	15.39	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.43	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.66	0.24	13.90	23.98	0.2500	Pass
60	5300	13.81	0.24	14.05	23.98	0.2500	Pass
64	5320	13.71	0.24	13.95	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.03	0.24	14.27	23.98	0.2500	Pass
60	5300	14.11	0.24	14.35	23.98	0.2500	Pass
64	5320	14.13	0.24	14.37	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.10	23.98	0.2500	Pass
60	5300	17.21	23.98	0.2500	Pass
64	5320	17.18	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.78	0.43	14.21	23.98	0.2500	Pass
62	5310	14.01	0.43	14.44	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.97	0.43	14.40	23.98	0.2500	Pass
62	5310	14.08	0.43	14.51	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.32	23.98	0.2500	Pass
62	5310	17.49	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.26	0.42	15.68	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.23	0.42	15.65	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.68	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.94	0.31	17.25	23.98	0.2500	Pass
116	5580	18.75	0.31	19.06	23.98	0.2500	Pass
140	5700	17.92	0.31	18.23	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.22	0.31	17.53	23.98	0.2500	Pass
116	5580	18.67	0.31	18.98	23.98	0.2500	Pass
140	5700	18.09	0.31	18.40	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.40	23.98	0.2500	Pass
116	5580	22.03	23.98	0.2500	Pass
140	5700	21.33	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.84	0.10	16.94	23.98	0.2500	Pass
116	5580	18.59	0.10	18.69	23.98	0.2500	Pass
140	5700	18.96	0.10	19.06	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.32	0.10	17.42	23.98	0.2500	Pass
116	5580	18.71	0.10	18.81	23.98	0.2500	Pass
140	5700	18.87	0.10	18.97	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.20	23.98	0.2500	Pass
116	5580	21.76	23.98	0.2500	Pass
140	5700	22.03	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.08	0.20	16.28	23.98	0.2500	Pass
110	5550	18.77	0.20	18.97	23.98	0.2500	Pass
134	5670	18.56	0.20	18.76	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.21	0.20	16.41	23.98	0.2500	Pass
110	5550	18.84	0.20	19.04	23.98	0.2500	Pass
134	5670	18.79	0.20	18.99	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.36	23.98	0.2500	Pass
110	5550	22.02	23.98	0.2500	Pass
134	5670	21.89	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.26	0.22	15.48	23.98	0.2500	Pass
122	5610	18.89	0.22	19.11	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.22	0.22	15.44	23.98	0.2500	Pass
122	5610	18.74	0.22	18.96	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.47	23.98	0.2500	Pass
122	5610	22.05	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.67	0.24	13.91	23.98	0.2500	Pass
116	5580	13.73	0.24	13.97	23.98	0.2500	Pass
140	5700	13.97	0.24	14.21	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.22	0.24	14.46	23.98	0.2500	Pass
116	5580	14.07	0.24	14.31	23.98	0.2500	Pass
140	5700	14.33	0.24	14.57	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.20	23.98	0.2500	Pass
116	5580	17.15	23.98	0.2500	Pass
140	5700	17.40	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.78	0.43	14.21	23.98	0.2500	Pass
110	5550	13.86	0.43	14.29	23.98	0.2500	Pass
134	5670	13.69	0.43	14.12	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.21	0.43	14.64	23.98	0.2500	Pass
110	5550	14.18	0.43	14.61	23.98	0.2500	Pass
134	5670	14.04	0.43	14.47	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.44	23.98	0.2500	Pass
110	5550	17.46	23.98	0.2500	Pass
134	5670	17.31	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.03	0.42	14.45	23.98	0.2500	Pass
122	5610	13.87	0.42	14.29	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.94	0.42	14.36	23.98	0.2500	Pass
122	5610	14.11	0.42	14.53	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.42	23.98	0.2500	Pass
122	5610	17.42	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.25	0.31	20.56	30.00	1.0000	Pass
157	5785	19.23	0.31	19.54	30.00	1.0000	Pass
165	5825	19.15	0.31	19.46	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.35	0.31	20.66	30.00	1.0000	Pass
157	5785	19.46	0.31	19.77	30.00	1.0000	Pass
165	5825	19.41	0.31	19.72	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.62	30.00	1.0000	Pass
157	5785	22.67	30.00	1.0000	Pass
165	5825	22.60	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.19	0.10	20.29	30.00	1.0000	Pass
157	5785	20.08	0.10	20.18	30.00	1.0000	Pass
165	5825	19.11	0.10	19.21	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.14	0.10	20.24	30.00	1.0000	Pass
157	5785	20.18	0.10	20.28	30.00	1.0000	Pass
165	5825	19.18	0.10	19.28	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.28	30.00	1.0000	Pass
157	5785	23.24	30.00	1.0000	Pass
165	5825	22.26	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.46	0.20	22.66	30.00	1.0000	Pass
159	5795	22.03	0.20	22.23	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.87	0.20	22.07	30.00	1.0000	Pass
159	5795	21.72	0.20	21.92	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.39	30.00	1.0000	Pass
159	5795	25.09	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.74	0.22	18.96	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.72	0.22	18.94	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.96	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.86	0.24	14.10	30.00	1.0000	Pass
157	5785	13.78	0.24	14.02	30.00	1.0000	Pass
165	5825	13.59	0.24	13.83	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.42	0.24	14.66	30.00	1.0000	Pass
157	5785	14.47	0.24	14.71	30.00	1.0000	Pass
165	5825	14.22	0.24	14.46	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.40	30.00	1.0000	Pass
157	5785	17.39	30.00	1.0000	Pass
165	5825	17.17	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.89	0.43	14.32	30.00	1.0000	Pass
159	5795	13.81	0.43	14.24	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.39	0.43	14.82	30.00	1.0000	Pass
159	5795	14.33	0.43	14.76	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.59	30.00	1.0000	Pass
159	5795	17.52	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.66	0.42	14.08	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.92	0.42	14.34	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.22	30.00	1.0000	Pass

Note: Output power = Measure result + Cable loss


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.65	0.31	7.96	11.00	Pass
40	5200	7.49	0.31	7.81	11.00	Pass
48	5240	7.24	0.31	7.55	11.00	Pass



Date: 1.NOV.2025 14:40:32



Date: 1.NOV.2025 14:49:22




Date: 1.NOV.2025 14:51:27

Test Mode UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.38	0.31	7.70	11.00	Pass
40	5200	7.60	0.31	7.91	11.00	Pass
48	5240	7.15	0.31	7.46	11.00	Pass



Date: 1.NOV.2025 14:41:29



Date: 1.NOV.2025 14:48:32



Date: 1.NOV.2025 14:52:12


Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.84	11.00	Pass
40	5200	10.87	11.00	Pass
48	5240	10.52	11.00	Pass


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.00	0.10	7.10	11.00	Pass
40	5200	7.36	0.10	7.46	11.00	Pass
48	5240	6.93	0.10	7.03	11.00	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.23	0.10	7.33	11.00	Pass
40	5200	6.59	0.10	6.69	11.00	Pass
48	5240	7.22	0.10	7.32	11.00	Pass


CH36



CH40



CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.23	11.00	Pass
40	5200	10.10	11.00	Pass
48	5240	10.19	11.00	Pass


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.46	0.20	4.66	11.00	Pass
46	5230	4.48	0.20	4.68	11.00	Pass

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.75	0.20	4.95	11.00	Pass
46	5230	4.42	0.20	4.63	11.00	Pass

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.82	11.00	Pass
46	5230	7.66	11.00	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.60	0.22	2.81	11.00	Pass


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.76	0.22	2.97	11.00	Pass

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.90	11.00	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.66	0.24	2.90	11.00	Pass
40	5200	2.83	0.24	3.07	11.00	Pass
48	5240	2.75	0.24	2.99	11.00	Pass



Date: 1.NOV.2025 15:28:05




Date: 1.NOV.2025 15:29:56



Date: 1.NOV.2025 15:31:44

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.06	0.24	3.30	11.00	Pass
40	5200	3.04	0.24	3.28	11.00	Pass
48	5240	2.98	0.24	3.22	11.00	Pass



Date: 1.NOV.2025 15:28:48



Date: 1.NOV.2025 15:30:48




Date: 1.NOV.2025 15:32:26

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.12	11.00	Pass
40	5200	6.19	11.00	Pass
48	5240	6.12	11.00	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.17	0.43	0.59	11.00	Pass
46	5230	0.11	0.43	0.54	11.00	Pass




Date: 1.NOV.2025 16:14:37




Date: 1.NOV.2025 16:18:16

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.22	0.43	0.65	11.00	Pass
46	5230	0.27	0.43	0.70	11.00	Pass



Date: 1.NOV.2025 16:15:11




Date: 1.NOV.2025 16:18:57

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.63	11.00	Pass
46	5230	3.63	11.00	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.05	0.42	-0.63	11.00	Pass



Date: 1.NOV.2025 16:49:53

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.73	0.42	-1.31	11.00	Pass




Date: 1.NOV.2025 16:50:39

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.05	11.00	Pass

Test Mode UNII-2A_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.98	0.31	7.29	11.00	Pass
60	5300	7.46	0.31	7.78	11.00	Pass
64	5320	7.28	0.31	7.59	11.00	Pass



Date: 1.NOV.2025 14:53:13



Date: 1.NOV.2025 14:55:52




Date: 1.NOV.2025 14:57:55

Test Mode UNII-2A_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.29	0.31	7.60	11.00	Pass
60	5300	7.31	0.31	7.62	11.00	Pass
64	5320	7.23	0.31	7.55	11.00	Pass



Date: 1.NOV.2025 14:53:52



Date: 1.NOV.2025 14:56:57



Date: 1.NOV.2025 14:58:52


Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.46	11.00	Pass
60	5300	10.71	11.00	Pass
64	5320	10.58	11.00	Pass


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.02	0.10	7.12	11.00	Pass
60	5300	7.21	0.10	7.31	11.00	Pass
64	5320	7.03	0.10	7.13	11.00	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.71	0.10	6.81	11.00	Pass
60	5300	7.34	0.10	7.44	11.00	Pass
64	5320	7.54	0.10	7.64	11.00	Pass


CH52



CH60



CH64




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.98	11.00	Pass
60	5300	10.39	11.00	Pass
64	5320	10.40	11.00	Pass


Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.11	0.20	4.32	11.00	Pass
62	5310	4.76	0.20	4.96	11.00	Pass

CH54




CH62




Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.61	0.20	4.81	11.00	Pass
62	5310	4.37	0.20	4.57	11.00	Pass

CH54



CH62




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.58	11.00	Pass
62	5310	7.78	11.00	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.77	0.22	1.98	11.00	Pass


CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.79	0.22	4.01	11.00	Pass

CH58




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.12	11.00	Pass

Test Mode UNII-2A_TX AX(HE20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.75	0.24	2.99	11.00	Pass
60	5300	2.70	0.24	2.94	11.00	Pass
64	5320	2.66	0.24	2.91	11.00	Pass



Date: 1.NOV.2025 15:33:21




Date: 1.NOV.2025 15:34:55




Date: 1.NOV.2025 15:37:46

Test Mode UNII-2A_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.00	0.24	3.25	11.00	Pass
60	5300	3.06	0.24	3.30	11.00	Pass
64	5320	3.12	0.24	3.37	11.00	Pass



Date: 1.NOV.2025 15:33:58



Date: 1.NOV.2025 15:36:56



Date: 1.NOV.2025 15:38:32

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.13	11.00	Pass
60	5300	6.14	11.00	Pass
64	5320	6.15	11.00	Pass


Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.51	0.42	-0.09	11.00	Pass



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.97	0.42	-1.55	11.00	Pass




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.25	11.00	Pass

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.15	0.31	7.46	11.00	Pass
116	5580	7.67	0.31	7.99	11.00	Pass
140	5700	7.43	0.31	7.75	11.00	Pass



Date: 1.NOV.2025 14:59:13




Date: 1.NOV.2025 15:09:08




Date: 1.NOV.2025 15:12:52

Test Mode UNII-2C_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.56	0.31	7.88	11.00	Pass
116	5580	7.20	0.31	7.51	11.00	Pass
140	5700	7.11	0.31	7.43	11.00	Pass



Date: 1.NOV.2025 15:01:22



Date: 1.NOV.2025 15:09:59



Date: 1.NOV.2025 15:12:05


Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.68	11.00	Pass
116	5580	10.77	11.00	Pass
140	5700	10.60	11.00	Pass


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.97	0.10	7.07	11.00	Pass
116	5580	6.88	0.10	6.98	11.00	Pass
140	5700	6.89	0.10	6.99	11.00	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.62	0.10	6.72	11.00	Pass
116	5580	6.64	0.10	6.74	11.00	Pass
140	5700	7.13	0.10	7.23	11.00	Pass


CH100



CH116



CH140




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.91	11.00	Pass
116	5580	9.87	11.00	Pass
140	5700	10.12	11.00	Pass


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.36	0.20	4.57	11.00	Pass
110	5550	4.45	0.20	4.65	11.00	Pass
134	5670	4.52	0.20	4.72	11.00	Pass


CH102



CH110




CH134




Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.48	0.20	4.68	11.00	Pass
110	5550	4.53	0.20	4.73	11.00	Pass
134	5670	4.45	0.20	4.65	11.00	Pass


CH102



CH110



CH134




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.63	11.00	Pass
110	5550	7.70	11.00	Pass
134	5670	7.70	11.00	Pass


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.35	0.22	2.56	11.00	Pass
122	5610	2.02	0.22	2.24	11.00	Pass

CH106




CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.54	0.22	3.76	11.00	Pass
122	5610	2.41	0.22	2.63	11.00	Pass

CH106



CH122




Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.21	11.00	Pass
122	5610	5.45	11.00	Pass

Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.71	0.24	2.96	11.00	Pass
116	5580	2.73	0.24	2.97	11.00	Pass
140	5700	3.75	0.24	3.99	11.00	Pass



Date: 1.NOV.2025 15:39:29




Date: 1.NOV.2025 15:42:53




Date: 1.NOV.2025 15:47:19

Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.29	0.24	3.54	11.00	Pass
116	5580	3.20	0.24	3.45	11.00	Pass
140	5700	3.83	0.24	4.07	11.00	Pass



Date: 1.NOV.2025 15:40:28



Date: 1.NOV.2025 15:43:53




Date: 1.NOV.2025 15:48:04

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.27	11.00	Pass
116	5580	6.23	11.00	Pass
140	5700	7.04	11.00	Pass




Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.25	0.43	0.68	11.00	Pass
110	5550	0.15	0.43	0.58	11.00	Pass
134	5670	0.16	0.43	0.58	11.00	Pass



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.32	0.43	0.75	11.00	Pass
110	5550	0.55	0.43	0.98	11.00	Pass
134	5670	0.39	0.43	0.82	11.00	Pass



Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.72	11.00	Pass
110	5550	3.79	11.00	Pass
134	5670	3.71	11.00	Pass

