













Mode	69																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																																	
ANT	TXBF1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.00</td><td>65.88</td><td>74.00</td><td>-8.12</td><td>46.90</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>77 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.00	65.88	74.00	-8.12	46.90	34.60	10.75	36.37	10.00	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>117.37</td><td>-----</td><td>-----</td><td>98.50</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100 77 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	117.37	-----	-----	98.50	34.56	10.73	36.42	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5353.00	65.88	74.00	-8.12	46.90	34.60	10.75	36.37	10.00	77 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	117.37	-----	-----	98.50	34.56	10.73	36.42	10.00	100 77 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>51.45</td><td>54.00</td><td>-2.55</td><td>32.48</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>77 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	51.45	54.00	-2.55	32.48	34.59	10.75	36.37	10.00	77 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.54</td><td>-----</td><td>-----</td><td>88.67</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100 77 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.54	-----	-----	88.67	34.56	10.73	36.42	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.10	51.45	54.00	-2.55	32.48	34.59	10.75	36.37	10.00	77 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	107.54	-----	-----	88.67	34.56	10.73	36.42	10.00	100 77 AVERAGE																																																																																								



Mode	69																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																																								
ANT	TXBF1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10640.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>57.93</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10640.00	44.43	74.00	-29.57	57.93	37.60	15.71	66.81	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10640.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>57.84</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10640.00	44.34	74.00	-29.66	57.84	37.60	15.71	66.81	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10640.00	44.43	74.00	-29.57	57.93	37.60	15.71	66.81	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10640.00	44.34	74.00	-29.66	57.84	37.60	15.71	66.81	0.00	---	---	PEAK																																																																																														







Mode	70																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5059.40</td><td>62.43</td><td>74.00</td><td>-11.57</td><td>44.38</td><td>34.32</td><td>10.51</td><td>36.78</td><td>10.00</td><td>100</td><td>141 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5059.40	62.43	74.00	-11.57	44.38	34.32	10.51	36.78	10.00	100	141 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5059.40	62.43	74.00	-11.57	44.38	34.32	10.51	36.78	10.00	100	141 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5270.00</td><td>117.68</td><td>-----</td><td>-----</td><td>98.97</td><td>34.51</td><td>10.70</td><td>36.50</td><td>10.00</td><td>100</td><td>141 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00	117.68	-----	-----	98.97	34.51	10.70	36.50	10.00	100	141 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5270.00	117.68	-----	-----	98.97	34.51	10.70	36.50	10.00	100	141 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5135.27</td><td>50.54</td><td>54.00</td><td>-3.46</td><td>32.23</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>100</td><td>141 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5135.27	50.54	54.00	-3.46	32.23	34.39	10.59	36.67	10.00	100	141 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5135.27	50.54	54.00	-3.46	32.23	34.39	10.59	36.67	10.00	100	141 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5270.00</td><td>107.50</td><td>-----</td><td>-----</td><td>88.79</td><td>34.51</td><td>10.70</td><td>36.50</td><td>10.00</td><td>100</td><td>141 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00	107.50	-----	-----	88.79	34.51	10.70	36.50	10.00	100	141 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5270.00	107.50	-----	-----	88.79	34.51	10.70	36.50	10.00	100	141 AVERAGE																																													





Mode	70																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.21</td><td>61.91</td><td>74.00</td><td>-12.09</td><td>42.68</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>100</td><td>141</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.21	61.91	74.00	-12.09	42.68	34.67	10.81	36.25	10.00	100	141	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5433.21	61.91	74.00	-12.09	42.68	34.67	10.81	36.25	10.00	100	141	PEAK																																												
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.84</td><td>49.92</td><td>54.00</td><td>-4.08</td><td>30.94</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>141</td><td>AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.84	49.92	54.00	-4.08	30.94	34.60	10.75	36.37	10.00	100	141	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.84	49.92	54.00	-4.08	30.94	34.60	10.75	36.37	10.00	100	141	AVERAGE																																												





Mode	70																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5053.46</td><td>62.44</td><td>74.00</td><td>-11.56</td><td>44.41</td><td>34.31</td><td>10.51</td><td>36.79</td><td>10.00</td><td>127</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5053.46	62.44	74.00	-11.56	44.41	34.31	10.51	36.79	10.00	127	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>115.73</td><td>-----</td><td>-----</td><td>96.95</td><td>34.53</td><td>10.71</td><td>36.46</td><td>10.00</td><td>127</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	115.73	-----	-----	96.95	34.53	10.71	36.46	10.00	127	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5053.46	62.44	74.00	-11.56	44.41	34.31	10.51	36.79	10.00	127	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	115.73	-----	-----	96.95	34.53	10.71	36.46	10.00	127	360	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5089.37</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>32.16</td><td>34.35</td><td>10.54</td><td>36.74</td><td>10.00</td><td>127</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5089.37	50.31	54.00	-3.69	32.16	34.35	10.54	36.74	10.00	127	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>105.62</td><td>-----</td><td>-----</td><td>86.84</td><td>34.53</td><td>10.71</td><td>36.46</td><td>10.00</td><td>127</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	105.62	-----	-----	86.84	34.53	10.71	36.46	10.00	127	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5089.37	50.31	54.00	-3.69	32.16	34.35	10.54	36.74	10.00	127	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	105.62	-----	-----	86.84	34.53	10.71	36.46	10.00	127	360	AVERAGE																																																																																							







Mode	70																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																
ANT	TXBF1S4T																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.32</td><td>64.28</td><td>74.00</td><td>-9.72</td><td>45.31</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>127</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.32	64.28	74.00	-9.72	45.31
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5351.32	64.28	74.00	-9.72	45.31	34.59	10.75	36.37	10.00	127	360	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.66</td><td>49.67</td><td>54.00</td><td>-4.33</td><td>30.41</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>127</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.66	49.67	54.00	-4.33	30.41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5443.66	49.67	54.00	-4.33	30.41	34.68	10.82	36.24	10.00	127	360	AVERAGE																																					





Mode	70																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																																								
ANT	TXBF1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10540.00</td><td>44.83</td><td>68.20</td><td>-23.37</td><td>58.53</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10540.00	44.83	68.20	-23.37	58.53	37.54	15.62	66.86	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10540.00</td><td>44.88</td><td>68.20</td><td>-23.32</td><td>58.58</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10540.00	44.88	68.20	-23.32	58.58	37.54	15.62	66.86	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10540.00	44.83	68.20	-23.37	58.53	37.54	15.62	66.86	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10540.00	44.88	68.20	-23.32	58.58	37.54	15.62	66.86	0.00	---	---	PEAK																																																																																														







Mode	71																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.00</td><td>62.71</td><td>74.00</td><td>-11.29</td><td>44.42</td><td>34.38</td><td>10.59</td><td>36.68</td><td>10.00</td><td>126</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.00	62.71	74.00	-11.29	44.42	34.38	10.59	36.68	10.00	126	92 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5128.00	62.71	74.00	-11.29	44.42	34.38	10.59	36.68	10.00	126	92 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>118.59</td><td>-----</td><td>-----</td><td>99.75</td><td>34.55</td><td>10.72</td><td>36.43</td><td>10.00</td><td>126</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	118.59	-----	-----	99.75	34.55	10.72	36.43	10.00	126	92 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5310.00	118.59	-----	-----	99.75	34.55	10.72	36.43	10.00	126	92 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.04</td><td>50.37</td><td>54.00</td><td>-3.63</td><td>32.13</td><td>34.37</td><td>10.57</td><td>36.70</td><td>10.00</td><td>126</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.04	50.37	54.00	-3.63	32.13	34.37	10.57	36.70	10.00	126	92 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5115.04	50.37	54.00	-3.63	32.13	34.37	10.57	36.70	10.00	126	92 AVERAGE																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>107.21</td><td>-----</td><td>-----</td><td>88.31</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>126</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	107.21	-----	-----	88.31	34.57	10.73	36.40	10.00	126	92 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5310.00	107.21	-----	-----	88.31	34.57	10.73	36.40	10.00	126	92 AVERAGE																																											





Mode	71																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>65.37</td><td>74.00</td><td>-8.63</td><td>46.40</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>126</td><td>92 PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	65.37	74.00	-8.63	46.40	34.59	10.75	36.37	10.00	126	92 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.40	65.37	74.00	-8.63	46.40	34.59	10.75	36.37	10.00	126	92 PEAK																																											
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.50</td><td>54.00</td><td>-1.50</td><td>33.53</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>126</td><td>92 AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.50	54.00	-1.50	33.53	34.59	10.75	36.37	10.00	126	92 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	52.50	54.00	-1.50	33.53	34.59	10.75	36.37	10.00	126	92 AVERAGE																																											





Mode	71																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.04</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>43.01</td><td>34.37</td><td>10.58</td><td>36.70</td><td>10.00</td><td>125</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.04	61.26	74.00	-12.74	43.01	34.37	10.58	36.70	10.00	125	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>115.52</td><td>-----</td><td>-----</td><td>96.73</td><td>34.54</td><td>10.71</td><td>36.46</td><td>10.00</td><td>125</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	115.52	-----	-----	96.73	34.54	10.71	36.46	10.00	125	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5119.04	61.26	74.00	-12.74	43.01	34.37	10.58	36.70	10.00	125	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	115.52	-----	-----	96.73	34.54	10.71	36.46	10.00	125	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.00</td><td>50.17</td><td>54.00</td><td>-3.83</td><td>31.88</td><td>34.38</td><td>10.59</td><td>36.68</td><td>10.00</td><td>125</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.00	50.17	54.00	-3.83	31.88	34.38	10.59	36.68	10.00	125	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>104.95</td><td>-----</td><td>-----</td><td>86.16</td><td>34.54</td><td>10.71</td><td>36.46</td><td>10.00</td><td>125</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.95	-----	-----	86.16	34.54	10.71	36.46	10.00	125	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5128.00	50.17	54.00	-3.83	31.88	34.38	10.59	36.68	10.00	125	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	104.95	-----	-----	86.16	34.54	10.71	36.46	10.00	125	360	AVERAGE																																																																																																			





Mode	71																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.60</td><td>66.56</td><td>74.00</td><td>-7.44</td><td>47.57</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>125</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.60	66.56	74.00	-7.44	47.57	34.60	10.75	36.36	10.00	125	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.60	66.56	74.00	-7.44	47.57	34.60	10.75	36.36	10.00	125	360	PEAK																																											
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.70</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>31.82</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>125</td><td>360</td><td>AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.70	50.79	54.00	-3.21	31.82	34.59	10.75	36.37	10.00	125	360	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.70	50.79	54.00	-3.21	31.82	34.59	10.75	36.37	10.00	125	360	AVERAGE																																											



		71																																									
Mode		Harmonic																																									
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																									
ANT		TXBF1S4T																																									
Pol.		Horizontal																																									
Peak Avg																																											
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10620.00	44.29	74.00	-29.71	57.82	37.60	15.69	66.82	0.00	---	---
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 10620.00	44.29	74.00	-29.71	57.82	37.60	15.69	66.82	0.00	---	---	PEAK																																
		Vertical																																									
Peak Avg																																											
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10620.00	44.33	74.00	-29.67	57.86	37.60	15.69	66.82	0.00	---	---
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 10620.00	44.33	74.00	-29.67	57.86	37.60	15.69	66.82	0.00	---	---	PEAK																																







Mode	72																																																				
	Band Edge - L																																																				
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal																																																				
Peak	Fundamental																																																				
																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>64.11</td><td>74.00</td><td>-9.89</td><td>45.75</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>116</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	64.11	74.00	-9.89	45.75	34.40	10.61	36.65	10.00	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5149.60	64.11	74.00	-9.89	45.75	34.40	10.61	36.65	10.00	116	92 PEAK																																										
Avg	Fundamental																																																				
																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.68</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>32.42</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>116</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.68	50.73	54.00	-3.27	32.42	34.39	10.59	36.67	10.00	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5135.68	50.73	54.00	-3.27	32.42	34.39	10.59	36.67	10.00	116	92 AVERAGE																																										



Mode	72																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5389.20</td><td>69.40</td><td>74.00</td><td>-4.60</td><td>50.32</td><td>34.63</td><td>10.77</td><td>36.32</td><td>10.00</td><td>116</td><td>92 PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5389.20	69.40	74.00	-4.60	50.32	34.63	10.77	36.32	10.00	116	92 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5389.20	69.40	74.00	-4.60	50.32	34.63	10.77	36.32	10.00	116	92 PEAK																																											
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.90</td><td>53.21</td><td>54.00</td><td>-0.79</td><td>34.24</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>116</td><td>92 AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.90	53.21	54.00	-0.79	34.24	34.59	10.75	36.37	10.00	116	92 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.90	53.21	54.00	-0.79	34.24	34.59	10.75	36.37	10.00	116	92 AVERAGE																																											





Mode	72																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.32</td><td>61.95</td><td>74.00</td><td>-12.05</td><td>43.66</td><td>34.38</td><td>10.59</td><td>36.68</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.32	61.95	74.00	-12.05	43.66	34.38	10.59	36.68	10.00	132	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>109.79</td><td>-----</td><td>-----</td><td>91.05</td><td>34.52</td><td>10.70</td><td>36.48</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	109.79	-----	-----	91.05	34.52	10.70	36.48	10.00	132	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5128.32	61.95	74.00	-12.05	43.66	34.38	10.59	36.68	10.00	132	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	109.79	-----	-----	91.05	34.52	10.70	36.48	10.00	132	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5109.12</td><td>50.28</td><td>54.00</td><td>-3.72</td><td>32.05</td><td>34.37</td><td>10.57</td><td>36.71</td><td>10.00</td><td>132</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.12	50.28	54.00	-3.72	32.05	34.37	10.57	36.71	10.00	132	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.90</td><td>-----</td><td>-----</td><td>81.14</td><td>34.52</td><td>10.71</td><td>36.47</td><td>10.00</td><td>132</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.90	-----	-----	81.14	34.52	10.71	36.47	10.00	132	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5109.12	50.28	54.00	-3.72	32.05	34.37	10.57	36.71	10.00	132	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	99.90	-----	-----	81.14	34.52	10.71	36.47	10.00	132	360	AVERAGE																																																																																																			







	72																																																							
Mode	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.20</td><td>68.17</td><td>74.00</td><td>-5.83</td><td>49.18</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.20	68.17	74.00	-5.83	49.18	34.60	10.75	36.36	10.00	132	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.20	68.17	74.00	-5.83	49.18	34.60	10.75	36.36	10.00	132	360	PEAK																																												
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.20</td><td>50.78</td><td>54.00</td><td>-3.22</td><td>31.81</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>132</td><td>360</td><td>AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	50.78	54.00	-3.22	31.81	34.59	10.75	36.37	10.00	132	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.20	50.78	54.00	-3.22	31.81	34.59	10.75	36.37	10.00	132	360	AVERAGE																																												





Mode	72																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>58.53</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.92	68.20	-23.28	58.53	37.58	15.65	66.84	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.11</td><td>68.20</td><td>-24.09</td><td>57.72</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.11	68.20	-24.09	57.72	37.58	15.65	66.84	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	44.92	68.20	-23.28	58.53	37.58	15.65	66.84	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	44.11	68.20	-24.09	57.72	37.58	15.65	66.84	0.00	---	---	PEAK																																																																																							






	73																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.50</td><td>72.59</td><td>74.00</td><td>-1.41</td><td>54.24</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>95</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.50	72.59	74.00	-1.41	54.24	34.40	10.61	36.66	10.00	95	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>113.71</td><td>68.20</td><td>45.51</td><td>94.84</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>95 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	113.71	68.20	45.51	94.84	34.56	10.73	36.42	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5147.50	72.59	74.00	-1.41	54.24	34.40	10.61	36.66	10.00	95	Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	113.71	68.20	45.51	94.84	34.56	10.73	36.42	10.00	100	95 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.00</td><td>53.36</td><td>54.00</td><td>-0.64</td><td>35.02</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>100</td><td>95 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.00	53.36	54.00	-0.64	35.02	34.40	10.60	36.66	10.00	100	95 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>102.28</td><td>68.20</td><td>34.08</td><td>83.65</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>100</td><td>95 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	102.28	68.20	34.08	83.65	34.48	10.68	36.53	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5143.00	53.36	54.00	-0.64	35.02	34.40	10.60	36.66	10.00	100	95 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	102.28	68.20	34.08	83.65	34.48	10.68	36.53	10.00	100	95 AVERAGE																																																																																																		





Mode	73																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.37</td><td>71.63</td><td>74.00</td><td>-2.37</td><td>52.64</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>95 PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.37	71.63	74.00	-2.37	52.64	34.60	10.75	36.36	10.00	95 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5354.37	71.63	74.00	-2.37	52.64	34.60	10.75	36.36	10.00	95 PEAK																																											
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>53.70</td><td>54.00</td><td>-0.30</td><td>34.73</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>95 AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	53.70	54.00	-0.30	34.73	34.59	10.75	36.37	10.00	95 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.00	53.70	54.00	-0.30	34.73	34.59	10.75	36.37	10.00	95 AVERAGE																																											





Mode	73																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.50</td><td>63.30</td><td>74.00</td><td>-10.70</td><td>44.99</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>119</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.50	63.30	74.00	-10.70	44.99	34.39	10.59	36.67	10.00	119	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>111.27</td><td>68.20</td><td>43.07</td><td>92.44</td><td>34.55</td><td>10.72</td><td>36.44</td><td>10.00</td><td>119</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	111.27	68.20	43.07	92.44	34.55	10.72	36.44	10.00	119	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5135.50	63.30	74.00	-10.70	44.99	34.39	10.59	36.67	10.00	119	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	111.27	68.20	43.07	92.44	34.55	10.72	36.44	10.00	119	360	PEAK																																																																																							
Avg							Blank																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.75</td><td>51.47</td><td>54.00</td><td>-2.53</td><td>33.16</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>119</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.75	51.47	54.00	-2.53	33.16	34.39	10.59	36.67	10.00	119	360	AVERAGE																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5135.75	51.47	54.00	-2.53	33.16	34.39	10.59	36.67	10.00	119	360	AVERAGE																																																																																							







Mode	73																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.24</td><td>65.72</td><td>74.00</td><td>-8.28</td><td>46.64</td><td>34.63</td><td>10.77</td><td>36.32</td><td>10.00</td><td>119</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.24	65.72	74.00	-8.28	46.64	34.63	10.77	36.32	10.00	119	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5385.24	65.72	74.00	-8.28	46.64	34.63	10.77	36.32	10.00	119	360	PEAK																																											
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.74</td><td>68.20</td><td>31.54</td><td>81.09</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>119</td><td>360</td><td>AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.74	68.20	31.54	81.09	34.49	10.68	36.52	10.00	119	360	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	99.74	68.20	31.54	81.09	34.49	10.68	36.52	10.00	119	360	AVERAGE																																											







		73																																																							
Mode		Harmonic																																																							
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.57</td><td>68.20</td><td>-23.63</td><td>58.37</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10500.00	44.57	68.20	-23.63	58.37	37.50	15.58	66.88	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																															
1	10500.00	44.57	68.20	-23.63	58.37	37.50	15.58	66.88	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.38</td><td>68.20</td><td>-22.82</td><td>59.18</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10500.00	45.38	68.20	-22.82	59.18	37.50	15.58	66.88	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																															
1	10500.00	45.38	68.20	-22.82	59.18	37.50	15.58	66.88	0.00	---	---	PEAK																																													





Mode	74																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.52</td><td>64.39</td><td>74.00</td><td>-9.61</td><td>45.10</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>145</td><td>94 PEAK</td></tr><tr><td>2</td><td>5463.12</td><td>65.16</td><td>68.20</td><td>-3.04</td><td>45.83</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>145</td><td>94 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.52	64.39	74.00	-9.61	45.10	34.69	10.83	36.23	10.00	145	94 PEAK	2	5463.12	65.16	68.20	-3.04	45.83	34.70	10.84	36.21	10.00	145	94 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>121.19</td><td>-----</td><td>-----</td><td>101.75</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>145</td><td>94 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	121.19	-----	-----	101.75	34.73	10.88	36.17	10.00	145	94 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5449.52	64.39	74.00	-9.61	45.10	34.69	10.83	36.23	10.00	145	94 PEAK																																																																																																		
2	5463.12	65.16	68.20	-3.04	45.83	34.70	10.84	36.21	10.00	145	94 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	121.19	-----	-----	101.75	34.73	10.88	36.17	10.00	145	94 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>50.00</td><td>54.00</td><td>-3.20</td><td>31.48</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>145</td><td>94 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	50.00	54.00	-3.20	31.48	34.70	10.84	36.22	10.00	145	94 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.68</td><td>-----</td><td>-----</td><td>91.24</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>145</td><td>94 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.68	-----	-----	91.24	34.73	10.88	36.17	10.00	145	94 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.28	50.00	54.00	-3.20	31.48	34.70	10.84	36.22	10.00	145	94 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	110.68	-----	-----	91.24	34.73	10.88	36.17	10.00	145	94 AVERAGE																																																																																																		







		74																																																																																																																									
Mode		Band Edge																																																																																																																									
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																																									
ANT		TXBF1S4T																																																																																																																									
Pol.		Vertical											Fundamental																																																																																																														
Peak																																																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.88</td><td>61.63</td><td>74.00</td><td>-12.37</td><td>42.34</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>106</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5465.04</td><td>60.83</td><td>68.20</td><td>-7.37</td><td>41.49</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>106</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.88	61.63	74.00	-12.37	42.34	34.69	10.83	36.23	10.00	106	360	PEAK	2	5465.04	60.83	68.20	-7.37	41.49	34.70	10.85	36.21	10.00	106	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.76</td><td>-----</td><td>-----</td><td>91.30</td><td>34.73</td><td>10.89</td><td>36.16</td><td>10.00</td><td>106</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.76	-----	-----	91.30	34.73	10.89	36.16	10.00	106	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5448.88	61.63	74.00	-12.37	42.34	34.69	10.83	36.23	10.00	106	360	PEAK																																																																																																															
2	5465.04	60.83	68.20	-7.37	41.49	34.70	10.85	36.21	10.00	106	360	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5500.00	110.76	-----	-----	91.30	34.73	10.89	36.16	10.00	106	360	PEAK																																																																																																															
Avg																																																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>50.00</td><td>54.00</td><td>-4.00</td><td>30.68</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>106</td><td>360</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	50.00	54.00	-4.00	30.68	34.70	10.84	36.22	10.00	106	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.35</td><td>-----</td><td>-----</td><td>82.91</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>106</td><td>360</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.35	-----	-----	82.91	34.73	10.88	36.17	10.00	106	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5459.44	50.00	54.00	-4.00	30.68	34.70	10.84	36.22	10.00	106	360	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5500.00	102.35	-----	-----	82.91	34.73	10.88	36.17	10.00	106	360	AVERAGE																																																																																																															




Mode	74																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																			
ANT	TXBF1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>57.65</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	44.98	74.00	-29.02	57.65	37.90	16.04	66.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>58.71</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.04	74.00	-27.96	58.71	37.90	16.04	66.61	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11000.00	44.98	74.00	-29.02	57.65	37.90	16.04	66.61	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11000.00	46.04	74.00	-27.96	58.71	37.90	16.04	66.61	0.00	---	---	PEAK																																																																																								







		75																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																																		
ANT		TXBF1S4T																																																																																																		
Pol.		Fundamental																																																																																																		
Peak	Horizontal	Fundamental																																																																																																		
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.68</td><td>60.48</td><td>74.00</td><td>-13.52</td><td>41.45</td><td>34.61</td><td>10.76</td><td>36.34</td><td>10.00</td><td>112</td><td>75 PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>40.48</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>112</td><td>75 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.68	60.48	74.00	-13.52	41.45	34.61	10.76	36.34	10.00	112	75 PEAK	2	5468.72	59.81	68.20	-8.39	40.48	34.70	10.84	36.21	10.00	112	75 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>121.76</td><td>-----</td><td>-----</td><td>102.01</td><td>34.81</td><td>10.98</td><td>36.04</td><td>10.00</td><td>112</td><td>75 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	121.76	-----	-----	102.01	34.81	10.98	36.04	10.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5369.68	60.48	74.00	-13.52	41.45	34.61	10.76	36.34	10.00	112	75 PEAK																																																																																									
2	5468.72	59.81	68.20	-8.39	40.48	34.70	10.84	36.21	10.00	112	75 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5580.00	121.76	-----	-----	102.01	34.81	10.98	36.04	10.00	112	75 PEAK																																																																																									
Avg	Horizontal	Fundamental																																																																																																		
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.36</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>29.07</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>112</td><td>75 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5453.36	48.37	54.00	-5.63	29.07	34.69	10.83	36.22	10.00	112	75 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>112.49</td><td>-----</td><td>-----</td><td>92.71</td><td>34.82</td><td>10.99</td><td>36.03</td><td>10.00</td><td>112</td><td>75 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	112.49	-----	-----	92.71	34.82	10.99	36.03	10.00	112	75 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5453.36	48.37	54.00	-5.63	29.07	34.69	10.83	36.22	10.00	112	75 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5580.00	112.49	-----	-----	92.71	34.82	10.99	36.03	10.00	112	75 AVERAGE																																																																																									



Mode	75																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.00</td><td>60.55</td><td>68.20</td><td>-7.65</td><td>42.01</td><td>34.97</td><td>11.21</td><td>37.64</td><td>10.00</td><td>112</td><td>75</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.00	60.55	68.20	-7.65	42.01	34.97	11.21	37.64	10.00	112	75	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5747.00	60.55	68.20	-7.65	42.01	34.97	11.21	37.64	10.00	112	75	PEAK																																												



Mode	75																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.20</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>40.55</td><td>34.66</td><td>10.79</td><td>36.28</td><td>10.00</td><td>139</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>59.89</td><td>68.20</td><td>-8.31</td><td>40.53</td><td>34.71</td><td>10.85</td><td>36.20</td><td>10.00</td><td>139</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.20	59.72	74.00	-14.28	40.55	34.66	10.79	36.28	10.00	139	360	PEAK	2	5469.68	59.89	68.20	-8.31	40.53	34.71	10.85	36.20	10.00	139	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>118.59</td><td>-----</td><td>-----</td><td>98.81</td><td>34.82</td><td>10.99</td><td>36.03</td><td>10.00</td><td>139</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	118.59	-----	-----	98.81	34.82	10.99	36.03	10.00	139	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5417.20	59.72	74.00	-14.28	40.55	34.66	10.79	36.28	10.00	139	360	PEAK																																																																																																				
2	5469.68	59.89	68.20	-8.31	40.53	34.71	10.85	36.20	10.00	139	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	118.59	-----	-----	98.81	34.82	10.99	36.03	10.00	139	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5397.04</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>28.95</td><td>34.64</td><td>10.77</td><td>36.30</td><td>10.00</td><td>139</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.04	48.06	54.00	-5.94	28.95	34.64	10.77	36.30	10.00	139	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>108.72</td><td>-----</td><td>-----</td><td>88.94</td><td>34.82</td><td>10.99</td><td>36.03</td><td>10.00</td><td>139</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	108.72	-----	-----	88.94	34.82	10.99	36.03	10.00	139	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5397.04	48.06	54.00	-5.94	28.95	34.64	10.77	36.30	10.00	139	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	108.72	-----	-----	88.94	34.82	10.99	36.03	10.00	139	360	AVERAGE																																																																																																				






Mode	75																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.72</td><td>59.89</td><td>68.20</td><td>-8.31</td><td>41.39</td><td>34.97</td><td>11.21</td><td>37.68</td><td>10.00</td><td>139</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5749.72	59.89	68.20	-8.31	41.39	34.97	11.21	37.68	10.00	139	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5749.72	59.89	68.20	-8.31	41.39	34.97	11.21	37.68	10.00	139	360	PEAK																																												







		75																																																														
Mode		Harmonic																																																														
		U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																														
ANT		TXBF1S4T																																																														
Pol.		Horizontal						Vertical																																																								
Peak Avg																																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11160.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>57.95</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11160.00	45.44	74.00	-28.56	57.95	37.86	16.15	66.52	0.00	---	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 11160.00	45.44	74.00	-28.56	57.95	37.86	16.15	66.52	0.00	---	---	---	PEAK																																																				
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11160.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>58.71</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11160.00	46.20	74.00	-27.80	58.71	37.86	16.15	66.52	0.00	---	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 11160.00	46.20	74.00	-27.80	58.71	37.86	16.15	66.52	0.00	---	---	---	PEAK																																																				





	76																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																									
ANT	TXBF1S4T																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<div><p>Level (dBuV/m)</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5733.16</td><td>66.88</td><td>68.20</td><td>-1.32</td><td>48.16</td><td>34.95</td><td>11.19</td><td>37.42</td><td>10.00</td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5733.16	66.88	68.20	-1.32	48.16	34.95	11.19	37.42	10.00	<div><p>Level (dBuV/m)</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5700.00</td><td>120.29</td><td>68.20</td><td>52.09</td><td>101.02</td><td>34.92</td><td>11.13</td><td>36.78</td><td>10.00</td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	120.29	68.20	52.09	101.02	34.92	11.13	36.78	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5733.16	66.88	68.20	-1.32	48.16	34.95	11.19	37.42	10.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5700.00	120.29	68.20	52.09	101.02	34.92	11.13	36.78	10.00																																																																		
Avg	Blank	<div><p>Level (dBuV/m)</p><p>Frequency (MHz)</p><table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5700.00</td><td>110.30</td><td>68.20</td><td>42.10</td><td>91.03</td><td>34.92</td><td>11.13</td><td>36.78</td><td>10.00</td></tr></table></div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	110.30	68.20	42.10	91.03	34.92	11.13	36.78	10.00																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5700.00	110.30	68.20	42.10	91.03	34.92	11.13	36.78	10.00																																																																		







Mode	76																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.36</td><td>64.96</td><td>68.20</td><td>-3.24</td><td>46.28</td><td>34.96</td><td>11.19</td><td>37.47</td><td>10.00</td><td>154</td><td>360</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5736.36	64.96	68.20	-3.24	46.28	34.96	11.19	37.47	10.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5736.36	64.96	68.20	-3.24	46.28	34.96	11.19	37.47	10.00	154	360	Peak																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>115.98</td><td>68.20</td><td>47.78</td><td>96.95</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td>154</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	115.98	68.20	47.78	96.95	34.93	11.16	37.06	10.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	115.98	68.20	47.78	96.95	34.93	11.16	37.06	10.00	154	360	PEAK																																											
Blank																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.37</td><td>68.20</td><td>38.17</td><td>87.34</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td>154</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.37	68.20	38.17	87.34	34.93	11.16	37.06	10.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	106.37	68.20	38.17	87.34	34.93	11.16	37.06	10.00	154	360	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.37</td><td>68.20</td><td>38.17</td><td>87.34</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td>154</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.37	68.20	38.17	87.34	34.93	11.16	37.06	10.00	154	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	106.37	68.20	38.17	87.34	34.93	11.16	37.06	10.00	154	360	AVERAGE																																											




Mode	76																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>57.44</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.35	74.00	-28.65	57.44	38.00	16.30	66.39	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>58.00</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.91	74.00	-28.09	58.00	38.00	16.30	66.39	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11400.00	45.35	74.00	-28.65	57.44	38.00	16.30	66.39	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11400.00	45.91	74.00	-28.09	58.00	38.00	16.30	66.39	0.00	---	---	PEAK																																																																																							







	77																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.52</td><td>62.06</td><td>74.00</td><td>-11.94</td><td>42.76</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>91 PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>67.31</td><td>68.20</td><td>-0.89</td><td>47.97</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>91 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.52	62.06	74.00	-11.94	42.76	34.69	10.83	36.22	10.00	91 PEAK	2	5465.68	67.31	68.20	-0.89	47.97	34.70	10.85	36.21	10.00	91 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>116.58</td><td>-----</td><td>-----</td><td>97.03</td><td>34.76</td><td>10.91</td><td>36.12</td><td>10.00</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	116.58	-----	-----	97.03	34.76	10.91	36.12	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5453.52	62.06	74.00	-11.94	42.76	34.69	10.83	36.22	10.00	91 PEAK																																																																																																			
2	5465.68	67.31	68.20	-0.89	47.97	34.70	10.85	36.21	10.00	91 Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	116.58	-----	-----	97.03	34.76	10.91	36.12	10.00	91 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.28</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>31.17</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	50.49	54.00	-3.51	31.17	34.70	10.84	36.22	10.00	91 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.89</td><td>-----</td><td>-----</td><td>86.34</td><td>34.76</td><td>10.91</td><td>36.12</td><td>10.00</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.89	-----	-----	86.34	34.76	10.91	36.12	10.00	91 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.28	50.49	54.00	-3.51	31.17	34.70	10.84	36.22	10.00	91 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	105.89	-----	-----	86.34	34.76	10.91	36.12	10.00	91 AVERAGE																																																																																																			




Mode	77																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.32</td><td>61.33</td><td>68.20</td><td>-6.87</td><td>42.61</td><td>34.95</td><td>11.19</td><td>37.42</td><td>10.00</td><td>300</td><td>91</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.32	61.33	68.20	-6.87	42.61	34.95	11.19	37.42	10.00	300	91	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.32	61.33	68.20	-6.87	42.61	34.95	11.19	37.42	10.00	300	91	PEAK																																												





	77																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.96</td><td>61.59</td><td>74.00</td><td>-12.41</td><td>42.31</td><td>34.68</td><td>10.83</td><td>36.23</td><td>10.00</td><td>348 PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>63.16</td><td>68.20</td><td>-5.04</td><td>43.81</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>348 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.96	61.59	74.00	-12.41	42.31	34.68	10.83	36.23	10.00	348 PEAK	2	5466.96	63.16	68.20	-5.04	43.81	34.70	10.85	36.20	10.00	348 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>113.68</td><td>-----</td><td>-----</td><td>94.24</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>348 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	113.68	-----	-----	94.24	34.73	10.88	36.17	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5446.96	61.59	74.00	-12.41	42.31	34.68	10.83	36.23	10.00	348 PEAK																																																																																																			
2	5466.96	63.16	68.20	-5.04	43.81	34.70	10.85	36.20	10.00	348 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	113.68	-----	-----	94.24	34.73	10.88	36.17	10.00	348 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.88</td><td>49.82</td><td>54.00</td><td>-4.18</td><td>30.51</td><td>34.69</td><td>10.84</td><td>36.22</td><td>10.00</td><td>348 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	49.82	54.00	-4.18	30.51	34.69	10.84	36.22	10.00	348 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.07</td><td>-----</td><td>-----</td><td>84.63</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>348 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.07	-----	-----	84.63	34.73	10.88	36.17	10.00	348 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.88	49.82	54.00	-4.18	30.51	34.69	10.84	36.22	10.00	348 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	104.07	-----	-----	84.63	34.73	10.88	36.17	10.00	348 AVERAGE																																																																																																			







Mode	77																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.48</td><td>62.37</td><td>68.20</td><td>-5.83</td><td>43.73</td><td>34.96</td><td>11.20</td><td>37.52</td><td>10.00</td><td>100</td><td>348</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.48	62.37	68.20	-5.83	43.73	34.96	11.20	37.52	10.00	100	348	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.48	62.37	68.20	-5.83	43.73	34.96	11.20	37.52	10.00	100	348	PEAK																																												




		77																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>58.00</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.34	74.00	-28.66	58.00	37.88	16.06	66.60	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11020.00	45.34	74.00	-28.66	58.00	37.88	16.06	66.60	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>57.89</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.23	74.00	-28.77	57.89	37.88	16.06	66.60	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11020.00	45.23	74.00	-28.77	57.89	37.88	16.06	66.60	0.00	---	---	PEAK																																													







		78																																																																																																										
Mode	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																											
ANT	TXBF1S4T																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.40</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>41.99</td><td>34.68</td><td>10.82</td><td>36.23</td><td>10.00</td><td>124</td><td>76 PEAK</td></tr><tr><td>2</td><td>5464.60</td><td>63.10</td><td>68.20</td><td>-5.10</td><td>43.76</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>124</td><td>76 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.40	61.26	74.00	-12.74	41.99	34.68	10.82	36.23	10.00	124	76 PEAK	2	5464.60	63.10	68.20	-5.10	43.76	34.70	10.85	36.21	10.00	124	76 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>118.98</td><td>-----</td><td>-----</td><td>99.28</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>124</td><td>76 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	118.98	-----	-----	99.28	34.80	10.96	36.06	10.00	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5446.40	61.26	74.00	-12.74	41.99	34.68	10.82	36.23	10.00	124	76 PEAK																																																																																																	
2	5464.60	63.10	68.20	-5.10	43.76	34.70	10.85	36.21	10.00	124	76 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5550.00	118.98	-----	-----	99.28	34.80	10.96	36.06	10.00	124	76 PEAK																																																																																																	
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.00</td><td>50.33</td><td>54.00</td><td>-3.67</td><td>31.02</td><td>34.69</td><td>10.84</td><td>36.22</td><td>10.00</td><td>124</td><td>76 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.00	50.33	54.00	-3.67	31.02	34.69	10.84	36.22	10.00	124	76 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>108.59</td><td>-----</td><td>-----</td><td>88.89</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>124</td><td>76 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	108.59	-----	-----	88.89	34.80	10.96	36.06	10.00	124	76 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5457.00	50.33	54.00	-3.67	31.02	34.69	10.84	36.22	10.00	124	76 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5550.00	108.59	-----	-----	88.89	34.80	10.96	36.06	10.00	124	76 AVERAGE																																																																																																	




Mode	78																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.26</td><td>61.52</td><td>68.20</td><td>-6.68</td><td>43.12</td><td>34.98</td><td>11.22</td><td>37.80</td><td>10.00</td><td>124</td><td>76</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.26	61.52	68.20	-6.68	43.12	34.98	11.22	37.80	10.00	124	76	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5757.26	61.52	68.20	-6.68	43.12	34.98	11.22	37.80	10.00	124	76	PEAK																																												





		78																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																			
ANT		TXBF1S4T																																																																																																			
Pol.	Vertical											Fundamental																																																																																									
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.40	61.36	74.00	-12.64	42.11	34.68	10.82	36.25	10.00	137	360	PEAK	2	5464.60	61.97	68.20	-6.23	42.63	34.70	10.85	36.21	10.00	137	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>113.18</td><td>-----</td><td>-----</td><td>93.50</td><td>34.79</td><td>10.96</td><td>36.07</td><td>10.00</td><td>137</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	113.18	-----	-----	93.50	34.79	10.96	36.07	10.00	137	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5438.40	61.36	74.00	-12.64	42.11	34.68	10.82	36.25	10.00	137	360	PEAK																																																																																									
2	5464.60	61.97	68.20	-6.23	42.63	34.70	10.85	36.21	10.00	137	360	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	113.18	-----	-----	93.50	34.79	10.96	36.07	10.00	137	360	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	49.79	54.00	-4.21	30.47	34.70	10.84	36.22	10.00	137	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>103.34</td><td>-----</td><td>-----</td><td>83.69</td><td>34.78</td><td>10.95</td><td>36.08</td><td>10.00</td><td>137</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	103.34	-----	-----	83.69	34.78	10.95	36.08	10.00	137	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.20	49.79	54.00	-4.21	30.47	34.70	10.84	36.22	10.00	137	360	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	103.34	-----	-----	83.69	34.78	10.95	36.08	10.00	137	360	AVERAGE																																																																																									







Mode	78																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.19</td><td>61.05</td><td>68.20</td><td>-7.15</td><td>42.37</td><td>34.96</td><td>11.19</td><td>37.47</td><td>10.00</td><td>137</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5736.19	61.05	68.20	-7.15	42.37	34.96	11.19	37.47	10.00	137	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5736.19	61.05	68.20	-7.15	42.37	34.96	11.19	37.47	10.00	137	360	PEAK																																												




		78																																																																				
Mode		Harmonic																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																				
ANT		TXBF1S4T																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>58.10</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.46	74.00	-28.54	58.10	37.80	16.11	66.55	0.00	---	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11100.00	45.46	74.00	-28.54	58.10	37.80	16.11	66.55	0.00	---	---	PEAK																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8879.53</td><td>44.90</td><td>68.20</td><td>-23.30</td><td>61.89</td><td>36.10</td><td>14.22</td><td>67.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>57.74</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8879.53	44.90	68.20	-23.30	61.89	36.10	14.22	67.31	0.00	---	---	Peak	2	11100.00	45.10	74.00	-28.90	57.74	37.80	16.11	66.55	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	8879.53	44.90	68.20	-23.30	61.89	36.10	14.22	67.31	0.00	---	---	Peak																																																										
2	11100.00	45.10	74.00	-28.90	57.74	37.80	16.11	66.55	0.00	---	---	PEAK																																																										







		79																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																								
ANT		TXBF1S4T																																																																																																																								
Pol.	Horizontal											Fundamental																																																																																																														
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5429.20</td><td>61.87</td><td>74.00</td><td>-12.13</td><td>42.66</td><td>34.67</td><td>10.80</td><td>36.26</td><td>10.00</td><td>168</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>60.80</td><td>68.20</td><td>-7.40</td><td>41.45</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>168</td><td>77</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.20	61.87	74.00	-12.13	42.66	34.67	10.80	36.26	10.00	168	77	PEAK	2	5469.20	60.80	68.20	-7.40	41.45	34.70	10.85	36.20	10.00	168	77	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>117.74</td><td>-----</td><td>-----</td><td>98.32</td><td>34.90</td><td>11.11</td><td>36.59</td><td>10.00</td><td>168</td><td>77</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	117.74	-----	-----	98.32	34.90	11.11	36.59	10.00	168	77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5429.20	61.87	74.00	-12.13	42.66	34.67	10.80	36.26	10.00	168	77	PEAK																																																																																																														
2	5469.20	60.80	68.20	-7.40	41.45	34.70	10.85	36.20	10.00	168	77	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5670.00	117.74	-----	-----	98.32	34.90	11.11	36.59	10.00	168	77	PEAK																																																																																																														
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.12</td><td>50.06</td><td>54.00</td><td>-3.94</td><td>30.97</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>168</td><td>77</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.12	50.06	54.00	-3.94	30.97	34.63	10.77	36.31	10.00	168	77	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>108.43</td><td>-----</td><td>-----</td><td>89.01</td><td>34.90</td><td>11.11</td><td>36.59</td><td>10.00</td><td>168</td><td>77</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.43	-----	-----	89.01	34.90	11.11	36.59	10.00	168	77	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5391.12	50.06	54.00	-3.94	30.97	34.63	10.77	36.31	10.00	168	77	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5670.00	108.43	-----	-----	89.01	34.90	11.11	36.59	10.00	168	77	AVERAGE																																																																																																														




Mode	79																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.32</td><td>63.59</td><td>68.20</td><td>-4.61</td><td>44.87</td><td>34.95</td><td>11.19</td><td>37.42</td><td>10.00</td><td>168</td><td>77</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.32	63.59	68.20	-4.61	44.87	34.95	11.19	37.42	10.00	168	77	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.32	63.59	68.20	-4.61	44.87	34.95	11.19	37.42	10.00	168	77	PEAK																																												





	79																																																																																																											
Mode	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																											
ANT	TXBF1S4T																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5371.60</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>42.23</td><td>34.61</td><td>10.76</td><td>36.34</td><td>10.00</td><td>117</td><td>91 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>60.74</td><td>68.20</td><td>-7.46</td><td>41.38</td><td>34.71</td><td>10.85</td><td>36.20</td><td>10.00</td><td>117</td><td>91 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.60	61.26	74.00	-12.74	42.23	34.61	10.76	36.34	10.00	117	91 PEAK	2	5469.52	60.74	68.20	-7.46	41.38	34.71	10.85	36.20	10.00	117	91 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>117.12</td><td>-----</td><td>-----</td><td>97.45</td><td>34.89</td><td>11.09</td><td>36.31</td><td>10.00</td><td>117</td><td>91 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	117.12	-----	-----	97.45	34.89	11.09	36.31	10.00	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5371.60	61.26	74.00	-12.74	42.23	34.61	10.76	36.34	10.00	117	91 PEAK																																																																																																	
2	5469.52	60.74	68.20	-7.46	41.38	34.71	10.85	36.20	10.00	117	91 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5670.00	117.12	-----	-----	97.45	34.89	11.09	36.31	10.00	117	91 PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.60</td><td>49.87</td><td>54.00</td><td>-4.13</td><td>30.86</td><td>34.61</td><td>10.75</td><td>36.35</td><td>10.00</td><td>117</td><td>91 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.60	49.87	54.00	-4.13	30.86	34.61	10.75	36.35	10.00	117	91 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.26</td><td>-----</td><td>-----</td><td>87.43</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>117</td><td>91 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.26	-----	-----	87.43	34.88	11.07	36.12	10.00	117	91 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5363.60	49.87	54.00	-4.13	30.86	34.61	10.75	36.35	10.00	117	91 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5670.00	107.26	-----	-----	87.43	34.88	11.07	36.12	10.00	117	91 AVERAGE																																																																																																	







Mode	79																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																													
ANT	TXBF1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.80</td><td>62.37</td><td>68.20</td><td>-5.83</td><td>43.74</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>117</td><td>91</td><td>PEAK</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5739.80	62.37	68.20	-5.83	43.74	34.96	11.20	37.53	10.00	117	91	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5739.80	62.37	68.20	-5.83	43.74	34.96	11.20	37.53	10.00	117	91	PEAK																																		




		79																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>57.41</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	45.19	74.00	-28.81	57.41	37.94	16.26	66.42	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11340.00	45.19	74.00	-28.81	57.41	37.94	16.26	66.42	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>56.95</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	44.73	74.00	-29.27	56.95	37.94	16.26	66.42	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11340.00	44.73	74.00	-29.27	56.95	37.94	16.26	66.42	0.00	---	---	PEAK																																													







Mode	80																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																								
ANT	TXBF1S4T																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.36</td><td>63.61</td><td>74.00</td><td>-10.39</td><td>44.32</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>174</td><td>79 PEAK</td></tr><tr><td>2</td><td>5463.12</td><td>65.00</td><td>68.20</td><td>-3.20</td><td>45.67</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>174</td><td>79 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.36	63.61	74.00	-10.39	44.32	34.69	10.83	36.23	10.00	174	79 PEAK	2	5463.12	65.00	68.20	-3.20	45.67	34.70	10.84	36.21	10.00	174	79 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>114.50</td><td>-----</td><td>-----</td><td>94.80</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>174</td><td>79 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	114.50	-----	-----	94.80	34.80	10.96	36.06	10.00	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5449.36	63.61	74.00	-10.39	44.32	34.69	10.83	36.23	10.00	174	79 PEAK																																																																																																														
2	5463.12	65.00	68.20	-3.20	45.67	34.70	10.84	36.21	10.00	174	79 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5530.00	114.50	-----	-----	94.80	34.80	10.96	36.06	10.00	174	79 PEAK																																																																																																														
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>51.07</td><td>54.00</td><td>-2.93</td><td>31.75</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>174</td><td>79 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	51.07	54.00	-2.93	31.75	34.70	10.84	36.22	10.00	174	79 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>103.87</td><td>-----</td><td>-----</td><td>84.17</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>174</td><td>79 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.87	-----	-----	84.17	34.80	10.96	36.06	10.00	174	79 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5459.28	51.07	54.00	-2.93	31.75	34.70	10.84	36.22	10.00	174	79 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5530.00	103.87	-----	-----	84.17	34.80	10.96	36.06	10.00	174	79 AVERAGE																																																																																																														




Mode	80																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.36</td><td>62.02</td><td>68.20</td><td>-6.18</td><td>43.56</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>174</td><td>79</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.36	62.02	68.20	-6.18	43.56	34.97	11.21	37.72	10.00	174	79	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5752.36	62.02	68.20	-6.18	43.56	34.97	11.21	37.72	10.00	174	79	PEAK																																												





Mode	80																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5406.96</td><td>63.73</td><td>74.00</td><td>-10.27</td><td>44.59</td><td>34.65</td><td>10.78</td><td>36.29</td><td>10.00</td><td>101</td><td>96 PEAK</td></tr><tr><td>2</td><td>5464.24</td><td>62.74</td><td>68.20</td><td>-5.46</td><td>43.40</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>101</td><td>96 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.96	63.73	74.00	-10.27	44.59	34.65	10.78	36.29	10.00	101	96 PEAK	2	5464.24	62.74	68.20	-5.46	43.40	34.70	10.85	36.21	10.00	101	96 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>112.27</td><td>-----</td><td>-----</td><td>92.81</td><td>34.73</td><td>10.89</td><td>36.16</td><td>10.00</td><td>101</td><td>96 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	112.27	-----	-----	92.81	34.73	10.89	36.16	10.00	101	96 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5406.96	63.73	74.00	-10.27	44.59	34.65	10.78	36.29	10.00	101	96 PEAK																																																																																																		
2	5464.24	62.74	68.20	-5.46	43.40	34.70	10.85	36.21	10.00	101	96 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	112.27	-----	-----	92.81	34.73	10.89	36.16	10.00	101	96 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>31.27</td><td>34.69</td><td>10.84</td><td>36.22</td><td>10.00</td><td>101</td><td>96 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	50.58	54.00	-3.42	31.27	34.69	10.84	36.22	10.00	101	96 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>102.57</td><td>-----</td><td>-----</td><td>83.13</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>101</td><td>96 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.57	-----	-----	83.13	34.73	10.88	36.17	10.00	101	96 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5457.84	50.58	54.00	-3.42	31.27	34.69	10.84	36.22	10.00	101	96 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	102.57	-----	-----	83.13	34.73	10.88	36.17	10.00	101	96 AVERAGE																																																																																																		







Mode	80																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.16</td><td>61.95</td><td>68.20</td><td>-6.25</td><td>43.31</td><td>34.96</td><td>11.20</td><td>37.52</td><td>10.00</td><td>101</td><td>96</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.16	61.95	68.20	-6.25	43.31	34.96	11.20	37.52	10.00	101	96	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.16	61.95	68.20	-6.25	43.31	34.96	11.20	37.52	10.00	101	96	PEAK																																												



		80																																																																					
Mode		Harmonic																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																					
ANT		TXBF1S4T																																																																					
Pol.		Horizontal					Vertical																																																																
Peak Avg																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 11060.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>57.99</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11060.00	45.34	74.00	-28.66	57.99	37.84	16.08	66.57	0.00	--- PEAK																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																														
1 11060.00	45.34	74.00	-28.66	57.99	37.84	16.08	66.57	0.00	--- PEAK																																																														
																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7891.00</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>62.16</td><td>36.38</td><td>13.27</td><td>66.97</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2 8848.00</td><td>43.66</td><td>68.20</td><td>-24.54</td><td>60.70</td><td>36.10</td><td>14.19</td><td>67.33</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>3 11060.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>58.35</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7891.00	44.84	68.20	-23.36	62.16	36.38	13.27	66.97	0.00	--- PEAK	2 8848.00	43.66	68.20	-24.54	60.70	36.10	14.19	67.33	0.00	--- PEAK	3 11060.00	45.70	74.00	-28.30	58.35	37.84	16.08	66.57	0.00	--- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																														
1 7891.00	44.84	68.20	-23.36	62.16	36.38	13.27	66.97	0.00	--- PEAK																																																														
2 8848.00	43.66	68.20	-24.54	60.70	36.10	14.19	67.33	0.00	--- PEAK																																																														
3 11060.00	45.70	74.00	-28.30	58.35	37.84	16.08	66.57	0.00	--- PEAK																																																														







Mode	81																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																								
ANT	TXBF1S4T																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.04</td><td>61.42</td><td>74.00</td><td>-12.58</td><td>42.13</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>158</td><td>77 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>62.44</td><td>68.20</td><td>-5.76</td><td>43.10</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>158</td><td>77 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.04	61.42	74.00	-12.58	42.13	34.69	10.83	36.23	10.00	158	77 PEAK	2	5466.80	62.44	68.20	-5.76	43.10	34.70	10.85	36.21	10.00	158	77 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>115.55</td><td>-----</td><td>-----</td><td>95.75</td><td>34.82</td><td>11.00</td><td>36.02</td><td>10.00</td><td>158</td><td>77 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	115.55	-----	-----	95.75	34.82	11.00	36.02	10.00	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5449.04	61.42	74.00	-12.58	42.13	34.69	10.83	36.23	10.00	158	77 PEAK																																																																																																														
2	5466.80	62.44	68.20	-5.76	43.10	34.70	10.85	36.21	10.00	158	77 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5610.00	115.55	-----	-----	95.75	34.82	11.00	36.02	10.00	158	77 PEAK																																																																																																														
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>30.72</td><td>34.69</td><td>10.84</td><td>36.22</td><td>10.00</td><td>158</td><td>77 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	50.03	54.00	-3.97	30.72	34.69	10.84	36.22	10.00	158	77 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.49</td><td>-----</td><td>-----</td><td>85.69</td><td>34.82</td><td>11.00</td><td>36.02</td><td>10.00</td><td>158</td><td>77 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.49	-----	-----	85.69	34.82	11.00	36.02	10.00	158	77 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5456.40	50.03	54.00	-3.97	30.72	34.69	10.84	36.22	10.00	158	77 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5610.00	105.49	-----	-----	85.69	34.82	11.00	36.02	10.00	158	77 AVERAGE																																																																																																														




Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.24</td><td>61.43</td><td>68.20</td><td>-6.77</td><td>42.63</td><td>34.95</td><td>11.18</td><td>37.33</td><td>10.00</td><td>158</td><td>77</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.24	61.43	68.20	-6.77	42.63	34.95	11.18	37.33	10.00	158	77	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.24	61.43	68.20	-6.77	42.63	34.95	11.18	37.33	10.00	158	77	PEAK																																												









Mode	81																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5441.84</td><td>61.41</td><td>74.00</td><td>-12.59</td><td>42.15</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>124</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>62.08</td><td>68.20</td><td>-6.12</td><td>42.74</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>124</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.84	61.41	74.00	-12.59	42.15	34.68	10.82	36.24	10.00	124	360	PEAK	2	5465.36	62.08	68.20	-6.12	42.74	34.70	10.85	36.21	10.00	124	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>112.16</td><td>-----</td><td>-----</td><td>92.38</td><td>34.82</td><td>10.99</td><td>36.03</td><td>10.00</td><td>124</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	112.16	-----	-----	92.38	34.82	10.99	36.03	10.00	124	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5441.84	61.41	74.00	-12.59	42.15	34.68	10.82	36.24	10.00	124	360	PEAK																																																																																																				
2	5465.36	62.08	68.20	-6.12	42.74	34.70	10.85	36.21	10.00	124	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	112.16	-----	-----	92.38	34.82	10.99	36.03	10.00	124	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.88</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>30.46</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>124</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.88	49.76	54.00	-4.24	30.46	34.69	10.83	36.22	10.00	124	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.09</td><td>-----</td><td>-----</td><td>82.34</td><td>34.81</td><td>10.98</td><td>36.04</td><td>10.00</td><td>124</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.09	-----	-----	82.34	34.81	10.98	36.04	10.00	124	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5452.88	49.76	54.00	-4.24	30.46	34.69	10.83	36.22	10.00	124	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	102.09	-----	-----	82.34	34.81	10.98	36.04	10.00	124	360	AVERAGE																																																																																																				




Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.92</td><td>60.96</td><td>68.20</td><td>-7.24</td><td>42.24</td><td>34.95</td><td>11.19</td><td>37.42</td><td>10.00</td><td>124</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.92	60.96	68.20	-7.24	42.24	34.95	11.19	37.42	10.00	124	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.92	60.96	68.20	-7.24	42.24	34.95	11.19	37.42	10.00	124	360	PEAK																																												







		81																																																																			
Mode		Harmonic																																																																			
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																			
ANT		TXBF1S4T																																																																			
Pol.		Horizontal						Vertical																																																													
Peak Avg																																																																					
																																																																					
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11228.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>57.10</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11228.00	44.70	74.00	-29.30	57.10	37.90	16.18	66.48	0.00	---	PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	11228.00	44.70	74.00	-29.30	57.10	37.90	16.18	66.48	0.00	---	PEAK																																																										
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8976.33</td><td>46.33</td><td>68.20</td><td>-21.87</td><td>63.15</td><td>36.10</td><td>14.33</td><td>67.25</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11228.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.19</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8976.33	46.33	68.20	-21.87	63.15	36.10	14.33	67.25	0.00	---	Peak	2	11228.00	44.79	74.00	-29.21	57.19	37.90	16.18	66.48	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	8976.33	46.33	68.20	-21.87	63.15	36.10	14.33	67.25	0.00	---	Peak																																																										
2	11228.00	44.79	74.00	-29.21	57.19	37.90	16.18	66.48	0.00	---	PEAK																																																										

	82																																																																																																		
Mode	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5389.60</td><td>66.61</td><td>74.00</td><td>-7.39</td><td>47.52</td><td>34.63</td><td>10.77</td><td>36.31</td><td>100</td></tr><tr><td>2</td><td>5463.96</td><td>67.35</td><td>68.20</td><td>-0.85</td><td>48.02</td><td>34.70</td><td>10.84</td><td>36.21</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5389.60	66.61	74.00	-7.39	47.52	34.63	10.77	36.31	100	2	5463.96	67.35	68.20	-0.85	48.02	34.70	10.84	36.21	100	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>112.55</td><td>-----</td><td>-----</td><td>92.85</td><td>34.80</td><td>10.96</td><td>36.06</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5570.00	112.55	-----	-----	92.85	34.80	10.96	36.06
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5389.60	66.61	74.00	-7.39	47.52	34.63	10.77	36.31	100																																																																																										
2	5463.96	67.35	68.20	-0.85	48.02	34.70	10.84	36.21	100																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5570.00	112.55	-----	-----	92.85	34.80	10.96	36.06	100																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>52.01</td><td>54.00</td><td>-1.99</td><td>32.68</td><td>34.70</td><td>10.84</td><td>36.21</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	52.01	54.00	-1.99	32.68	34.70	10.84	36.21	100	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>102.15</td><td>-----</td><td>-----</td><td>82.35</td><td>34.82</td><td>11.00</td><td>36.02</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5570.00	102.15	-----	-----	82.35	34.82	11.00	36.02	100									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5460.00	52.01	54.00	-1.99	32.68	34.70	10.84	36.21	100																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5570.00	102.15	-----	-----	82.35	34.82	11.00	36.02	100																																																																																										




Mode	82																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.23</td><td>64.37</td><td>68.20</td><td>-3.83</td><td>45.95</td><td>34.98</td><td>11.22</td><td>37.78</td><td>10.00</td><td>100</td><td>84</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.23	64.37	68.20	-3.83	45.95	34.98	11.22	37.78	10.00	100	84	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5756.23	64.37	68.20	-3.83	45.95	34.98	11.22	37.78	10.00	100	84	PEAK																																												





	82																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.78</td><td>65.40</td><td>74.00</td><td>-8.60</td><td>46.00</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>122</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>5465.72</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>42.50</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>122</td><td>98</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.78	65.40	74.00	-8.60	46.00	34.70	10.84	36.22	10.00	122	98	PEAK	2	5465.72	61.84	68.20	-6.36	42.50	34.70	10.85	36.21	10.00	122	98	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>110.99</td><td>-----</td><td>-----</td><td>91.16</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>122</td><td>98</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	110.99	-----	-----	91.16	34.83	11.01	36.01	10.00	122	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.78	65.40	74.00	-8.60	46.00	34.70	10.84	36.22	10.00	122	98	PEAK																																																																																																				
2	5465.72	61.84	68.20	-6.36	42.50	34.70	10.85	36.21	10.00	122	98	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	110.99	-----	-----	91.16	34.83	11.01	36.01	10.00	122	98	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.78</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>30.27</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>122</td><td>98</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.78	49.59	54.00	-4.41	30.27	34.70	10.84	36.22	10.00	122	98	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>98.19</td><td>-----</td><td>-----</td><td>78.36</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>122</td><td>98</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.19	-----	-----	78.36	34.83	11.01	36.01	10.00	122	98	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.78	49.59	54.00	-4.41	30.27	34.70	10.84	36.22	10.00	122	98	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	98.19	-----	-----	78.36	34.83	11.01	36.01	10.00	122	98	AVERAGE																																																																																																				





Mode	82																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.37</td><td>62.47</td><td>68.20</td><td>-5.73</td><td>43.67</td><td>34.95</td><td>11.18</td><td>37.33</td><td>10.00</td><td>122</td><td>98</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.37	62.47	68.20	-5.73	43.67	34.95	11.18	37.33	10.00	122	98	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.37	62.47	68.20	-5.73	43.67	34.95	11.18	37.33	10.00	122	98	PEAK																																												





Mode	82																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																				
ANT	TXBF1S4T																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>57.72</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	45.16	74.00	-28.84	57.72	37.84	16.13	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>57.61</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	45.05	74.00	-28.95	57.61	37.84	16.13	66.53	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11140.00	45.16	74.00	-28.84	57.72	37.84	16.13	66.53	0.00	---	---	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11140.00	45.05	74.00	-28.95	57.61	37.84	16.13	66.53	0.00	---	---	PEAK																																																																																									





Mode	83																																																							
	Harmonic																																																							
	U-NII-2C_5.725-5.85_802.11be EHT20_CH144_Full_5720MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>56.97</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.01	74.00	-28.99	56.97	38.08	16.32	66.36	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11440.00	45.01	74.00	-28.99	56.97	38.08	16.32	66.36	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>57.52</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.56	74.00	-28.44	57.52	38.08	16.32	66.36	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11440.00	45.56	74.00	-28.44	57.52	38.08	16.32	66.36	0.00	---	---	PEAK																																												






		84																																																																					
Mode		Harmonic																																																																					
		U-NII-2C_5.725-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																					
ANT		TXBF1S4T																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>56.79</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	44.77	74.00	-29.23	56.79	38.04	16.31	66.37	0.00	---	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11420.00	44.77	74.00	-29.23	56.79	38.04	16.31	66.37	0.00	---	---	PEAK																																																											
																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9136.00</td><td>43.28</td><td>74.00</td><td>-30.72</td><td>59.77</td><td>36.27</td><td>14.42</td><td>67.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>56.48</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9136.00	43.28	74.00	-30.72	59.77	36.27	14.42	67.18	0.00	---	---	PEAK	2	11420.00	44.46	74.00	-29.54	56.48	38.04	16.31	66.37	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	9136.00	43.28	74.00	-30.72	59.77	36.27	14.42	67.18	0.00	---	---	PEAK																																																											
2	11420.00	44.46	74.00	-29.54	56.48	38.04	16.31	66.37	0.00	---	---	PEAK																																																											






		85																																																																					
Mode		Harmonic																																																																					
		U-NII-2C_5.725-5.85_802.11be EHT80_CH138_Full_5690MHz																																																																					
ANT		TXBF1S4T																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>57.32</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.19	74.00	-28.81	57.32	37.98	16.29	66.40	0.00	---	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11380.00	45.19	74.00	-28.81	57.32	37.98	16.29	66.40	0.00	---	---	PEAK																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9104.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>60.59</td><td>36.21</td><td>14.40</td><td>67.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>57.18</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9104.00	44.00	74.00	-30.00	60.59	36.21	14.40	67.20	0.00	---	---	PEAK	2	11380.00	45.05	74.00	-28.95	57.18	37.98	16.29	66.40	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	9104.00	44.00	74.00	-30.00	60.59	36.21	14.40	67.20	0.00	---	---	PEAK																																																											
2	11380.00	45.05	74.00	-28.95	57.18	37.98	16.29	66.40	0.00	---	---	PEAK																																																											





	86																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																		
ANT	TXBF1S4T																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5645.20</td><td>64.88</td><td>68.20</td><td>-3.32</td><td>44.98</td><td>34.87</td><td>11.07</td><td>36.04</td><td>10.00</td><td>300</td><td>110 PEAK</td></tr><tr><td>2 5652.80</td><td>67.26</td><td>70.29</td><td>-3.03</td><td>47.46</td><td>34.88</td><td>11.08</td><td>36.16</td><td>10.00</td><td>300</td><td>110 PEAK</td></tr><tr><td>3 5720.00</td><td>87.33</td><td>110.90</td><td>-23.57</td><td>68.44</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>300</td><td>110 PEAK</td></tr><tr><td>4 5721.60</td><td>92.85</td><td>114.55</td><td>-21.70</td><td>73.98</td><td>34.94</td><td>11.17</td><td>37.24</td><td>10.00</td><td>300</td><td>110 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5645.20	64.88	68.20	-3.32	44.98	34.87	11.07	36.04	10.00	300	110 PEAK	2 5652.80	67.26	70.29	-3.03	47.46	34.88	11.08	36.16	10.00	300	110 PEAK	3 5720.00	87.33	110.90	-23.57	68.44	34.94	11.17	37.22	10.00	300	110 PEAK	4 5721.60	92.85	114.55	-21.70	73.98	34.94	11.17	37.24	10.00	300	110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>125.41</td><td>-----</td><td>-----</td><td>106.70</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>300</td><td>110 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	125.41	-----	-----	106.70	34.95	11.19	37.43	10.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5645.20	64.88	68.20	-3.32	44.98	34.87	11.07	36.04	10.00	300	110 PEAK																																																																																																																									
2 5652.80	67.26	70.29	-3.03	47.46	34.88	11.08	36.16	10.00	300	110 PEAK																																																																																																																									
3 5720.00	87.33	110.90	-23.57	68.44	34.94	11.17	37.22	10.00	300	110 PEAK																																																																																																																									
4 5721.60	92.85	114.55	-21.70	73.98	34.94	11.17	37.24	10.00	300	110 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	125.41	-----	-----	106.70	34.95	11.19	37.43	10.00	300	110 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>115.39</td><td>-----</td><td>-----</td><td>96.76</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>300</td><td>110 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	115.39	-----	-----	96.76	34.96	11.20	37.53	10.00	300	110 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	115.39	-----	-----	96.76	34.96	11.20	37.53	10.00	300	110 AVERAGE																																																																																																																									






Mode	86																																																																																																												
	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.40</td><td>63.41</td><td>68.20</td><td>-4.79</td><td>43.53</td><td>34.84</td><td>11.03</td><td>35.99</td><td>10.00</td><td>14 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>64.92</td><td>69.39</td><td>-4.47</td><td>45.11</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>14 PEAK</td></tr><tr><td>3</td><td>5708.00</td><td>75.26</td><td>107.54</td><td>-32.28</td><td>56.21</td><td>34.93</td><td>11.15</td><td>37.03</td><td>10.00</td><td>14 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>82.14</td><td>113.64</td><td>-31.50</td><td>63.26</td><td>34.94</td><td>11.17</td><td>37.23</td><td>10.00</td><td>14 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5616.40	63.41	68.20	-4.79	43.53	34.84	11.03	35.99	10.00	14 PEAK	2	5651.60	64.92	69.39	-4.47	45.11	34.88	11.07	36.14	10.00	14 PEAK	3	5708.00	75.26	107.54	-32.28	56.21	34.93	11.15	37.03	10.00	14 PEAK	4	5721.20	82.14	113.64	-31.50	63.26	34.94	11.17	37.23	10.00	14 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>120.56</td><td>-----</td><td>-----</td><td>101.93</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>14 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	120.56	-----	-----	101.93	34.96	11.20	37.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1	5616.40	63.41	68.20	-4.79	43.53	34.84	11.03	35.99	10.00	14 PEAK																																																																																																			
2	5651.60	64.92	69.39	-4.47	45.11	34.88	11.07	36.14	10.00	14 PEAK																																																																																																			
3	5708.00	75.26	107.54	-32.28	56.21	34.93	11.15	37.03	10.00	14 PEAK																																																																																																			
4	5721.20	82.14	113.64	-31.50	63.26	34.94	11.17	37.23	10.00	14 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1	5745.00	120.56	-----	-----	101.93	34.96	11.20	37.53	10.00	14 PEAK																																																																																																			
Avg	Blank																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.43</td><td>-----</td><td>-----</td><td>93.72</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>14 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	112.43	-----	-----	93.72	34.95	11.19	37.43	10.00	14 AVERAGE																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1	5745.00	112.43	-----	-----	93.72	34.95	11.19	37.43	10.00	14 AVERAGE																																																																																																			




Mode	86																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>56.53</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.73	74.00	-29.27	56.53	38.18	16.36	66.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>56.92</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.12	74.00	-28.88	56.92	38.18	16.36	66.34	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	44.73	74.00	-29.27	56.53	38.18	16.36	66.34	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	45.12	74.00	-28.88	56.92	38.18	16.36	66.34	0.00	---	---	PEAK																																																																																							






	87																																																																																																																																				
Mode	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																				
ANT	TXBF1S4T																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5617.20</td><td>64.43</td><td>68.20</td><td>-3.77</td><td>44.55</td><td>34.84</td><td>11.03</td><td>35.99</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>62.67</td><td>69.09</td><td>-6.42</td><td>42.86</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>63.76</td><td>105.41</td><td>-41.65</td><td>44.61</td><td>34.92</td><td>11.14</td><td>36.91</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>69.44</td><td>111.81</td><td>-42.37</td><td>50.55</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5617.20	64.43	68.20	-3.77	44.55	34.84	11.03	35.99	10.00	101	75 PEAK	2	5651.20	62.67	69.09	-6.42	42.86	34.88	11.07	36.14	10.00	101	75 PEAK	3	5700.40	63.76	105.41	-41.65	44.61	34.92	11.14	36.91	10.00	101	75 PEAK	4	5720.40	69.44	111.81	-42.37	50.55	34.94	11.17	37.22	10.00	101	75 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>124.28</td><td>-----</td><td>-----</td><td>106.13</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	124.28	-----	-----	106.13	34.99	11.25	38.09	10.00	101	75 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5617.20	64.43	68.20	-3.77	44.55	34.84	11.03	35.99	10.00	101	75 PEAK																																																																																																																										
2	5651.20	62.67	69.09	-6.42	42.86	34.88	11.07	36.14	10.00	101	75 PEAK																																																																																																																										
3	5700.40	63.76	105.41	-41.65	44.61	34.92	11.14	36.91	10.00	101	75 PEAK																																																																																																																										
4	5720.40	69.44	111.81	-42.37	50.55	34.94	11.17	37.22	10.00	101	75 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5785.00	124.28	-----	-----	106.13	34.99	11.25	38.09	10.00	101	75 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>113.45</td><td>-----</td><td>-----</td><td>95.30</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>101</td><td>75 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	113.45	-----	-----	95.30	34.99	11.25	38.09	10.00	101	75 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5785.00	113.45	-----	-----	95.30	34.99	11.25	38.09	10.00	101	75 AVERAGE																																																																																																																										



Mode	87																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																
ANT	TXBF1S4T																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>63.16</td><td>112.27</td><td>-49.11</td><td>46.08</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>62.90</td><td>107.37</td><td>-44.47</td><td>45.78</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>61.72</td><td>69.23</td><td>-7.51</td><td>44.41</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr><tr><td>4</td><td>5935.20</td><td>61.95</td><td>68.20</td><td>-6.25</td><td>44.60</td><td>35.14</td><td>11.41</td><td>39.20</td><td>10.00</td><td>101</td><td>75 PEAK</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	63.16	112.27	-49.11	46.08	35.07	11.33	39.32	10.00	101	75 PEAK	2	5867.60	62.90	107.37	-44.47	45.78	35.08	11.35	39.31	10.00	101	75 PEAK	3	5923.60	61.72	69.23	-7.51	44.41	35.13	11.40	39.22	10.00	101	75 PEAK	4	5935.20	61.95	68.20	-6.25	44.60	35.14	11.41	39.20	10.00	101	75 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.40	63.16	112.27	-49.11	46.08	35.07	11.33	39.32	10.00	101	75 PEAK																																																																						
2	5867.60	62.90	107.37	-44.47	45.78	35.08	11.35	39.31	10.00	101	75 PEAK																																																																						
3	5923.60	61.72	69.23	-7.51	44.41	35.13	11.40	39.22	10.00	101	75 PEAK																																																																						
4	5935.20	61.95	68.20	-6.25	44.60	35.14	11.41	39.20	10.00	101	75 PEAK																																																																						





Mode	87																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>63.62</td><td>68.20</td><td>-4.58</td><td>43.65</td><td>34.87</td><td>11.06</td><td>35.96</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>63.29</td><td>69.09</td><td>-5.80</td><td>43.48</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5785.60</td><td>63.18</td><td>106.87</td><td>-43.69</td><td>44.09</td><td>34.93</td><td>11.15</td><td>36.99</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.74</td><td>110.90</td><td>-46.16</td><td>45.85</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.60	63.62	68.20	-4.58	43.65	34.87	11.06	35.96	10.00	156	360	PEAK	2	5651.20	63.29	69.09	-5.80	43.48	34.88	11.07	36.14	10.00	156	360	PEAK	3	5785.60	63.18	106.87	-43.69	44.09	34.93	11.15	36.99	10.00	156	360	PEAK	4	5720.00	64.74	110.90	-46.16	45.85	34.94	11.17	37.22	10.00	156	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>119.73</td><td>-----</td><td>-----</td><td>101.83</td><td>35.01</td><td>11.27</td><td>38.38</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	119.73	-----	-----	101.83	35.01	11.27	38.38	10.00	156	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5639.60	63.62	68.20	-4.58	43.65	34.87	11.06	35.96	10.00	156	360	PEAK																																																																																																																															
2	5651.20	63.29	69.09	-5.80	43.48	34.88	11.07	36.14	10.00	156	360	PEAK																																																																																																																															
3	5785.60	63.18	106.87	-43.69	44.09	34.93	11.15	36.99	10.00	156	360	PEAK																																																																																																																															
4	5720.00	64.74	110.90	-46.16	45.85	34.94	11.17	37.22	10.00	156	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	119.73	-----	-----	101.83	35.01	11.27	38.38	10.00	156	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5410.00</td><td>53.39</td><td>54.00</td><td>-0.61</td><td>34.25</td><td>34.65</td><td>10.78</td><td>36.29</td><td>10.00</td><td>156</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5785.00</td><td>108.99</td><td>-----</td><td>-----</td><td>91.09</td><td>35.01</td><td>11.27</td><td>38.38</td><td>10.00</td><td>156</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5410.00	53.39	54.00	-0.61	34.25	34.65	10.78	36.29	10.00	156	360	Average	2	5785.00	108.99	-----	-----	91.09	35.01	11.27	38.38	10.00	156	360	AVERAGE																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5410.00	53.39	54.00	-0.61	34.25	34.65	10.78	36.29	10.00	156	360	Average																																																																																																																															
2	5785.00	108.99	-----	-----	91.09	35.01	11.27	38.38	10.00	156	360	AVERAGE																																																																																																																															






Mode	87																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.09</td><td>111.36</td><td>-52.27</td><td>42.01</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>60.62</td><td>105.36</td><td>-44.74</td><td>43.48</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>60.27</td><td>68.35</td><td>-8.08</td><td>42.96</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>61.11</td><td>68.20</td><td>-7.09</td><td>43.72</td><td>35.15</td><td>11.42</td><td>39.18</td><td>10.00</td><td>156</td><td>360</td><td>PEAK</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	59.09	111.36	-52.27	42.01	35.07	11.34	39.33	10.00	156	360	PEAK	2	5874.80	60.62	105.36	-44.74	43.48	35.09	11.35	39.30	10.00	156	360	PEAK	3	5924.80	60.27	68.35	-8.08	42.96	35.13	11.40	39.22	10.00	156	360	PEAK	4	5945.60	61.11	68.20	-7.09	43.72	35.15	11.42	39.18	10.00	156	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	59.09	111.36	-52.27	42.01	35.07	11.34	39.33	10.00	156	360	PEAK																																																																									
2	5874.80	60.62	105.36	-44.74	43.48	35.09	11.35	39.30	10.00	156	360	PEAK																																																																									
3	5924.80	60.27	68.35	-8.08	42.96	35.13	11.40	39.22	10.00	156	360	PEAK																																																																									
4	5945.60	61.11	68.20	-7.09	43.72	35.15	11.42	39.18	10.00	156	360	PEAK																																																																									






Mode	87																																																																																																														
	Harmonic																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>56.46</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	44.74	74.00	-29.26	56.46	38.20	16.41	66.33	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 9255.73</td><td>46.78</td><td>68.20</td><td>-21.42</td><td>62.99</td><td>36.41</td><td>14.51</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 11570.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>56.84</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 9255.73	46.78	68.20	-21.42	62.99	36.41	14.51	67.13	0.00	---	---	Peak	2 11570.00	45.12	74.00	-28.88	56.84	38.20	16.41	66.33	0.00	---	---
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 11570.00	44.74	74.00	-29.26	56.46	38.20	16.41	66.33	0.00	---	---	PEAK																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 9255.73	46.78	68.20	-21.42	62.99	36.41	14.51	67.13	0.00	---	---	Peak																																																																																																				
2 11570.00	45.12	74.00	-28.88	56.84	38.20	16.41	66.33	0.00	---	---	PEAK																																																																																																				





	88																																																																																																																						
Mode	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																						
ANT	TXBF1S4T																																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5854.40</td><td>60.69</td><td>112.27</td><td>-51.58</td><td>43.61</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>117 73 PEAK</td></tr><tr><td>2 5870.80</td><td>61.00</td><td>106.47</td><td>-45.47</td><td>43.87</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>117 73 PEAK</td></tr><tr><td>3 5924.00</td><td>57.92</td><td>68.94</td><td>-11.02</td><td>40.61</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>117 73 PEAK</td></tr><tr><td>4 5943.20</td><td>59.83</td><td>68.20</td><td>-8.37</td><td>42.45</td><td>35.15</td><td>11.42</td><td>39.19</td><td>10.00</td><td>117 73 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5854.40	60.69	112.27	-51.58	43.61	35.07	11.33	39.32	10.00	117 73 PEAK	2 5870.80	61.00	106.47	-45.47	43.87	35.08	11.35	39.30	10.00	117 73 PEAK	3 5924.00	57.92	68.94	-11.02	40.61	35.13	11.40	39.22	10.00	117 73 PEAK	4 5943.20	59.83	68.20	-8.37	42.45	35.15	11.42	39.19	10.00	117 73 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5825.00</td><td>118.74</td><td>-----</td><td>-----</td><td>101.16</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>117 73 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5825.00	118.74	-----	-----	101.16	35.03	11.30	38.75	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5854.40	60.69	112.27	-51.58	43.61	35.07	11.33	39.32	10.00	117 73 PEAK																																																																																																														
2 5870.80	61.00	106.47	-45.47	43.87	35.08	11.35	39.30	10.00	117 73 PEAK																																																																																																														
3 5924.00	57.92	68.94	-11.02	40.61	35.13	11.40	39.22	10.00	117 73 PEAK																																																																																																														
4 5943.20	59.83	68.20	-8.37	42.45	35.15	11.42	39.19	10.00	117 73 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5825.00	118.74	-----	-----	101.16	35.03	11.30	38.75	10.00	117 73 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5825.00</td><td>110.68</td><td>-----</td><td>-----</td><td>93.10</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>117 73 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5825.00	110.68	-----	-----	93.10	35.03	11.30	38.75	10.00	117 73 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5825.00	110.68	-----	-----	93.10	35.03	11.30	38.75	10.00	117 73 AVERAGE																																																																																																														






Mode	88																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																			
ANT	TXBF1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>58.38</td><td>111.36</td><td>-52.98</td><td>41.30</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>100</td><td>357 PEAK</td></tr><tr><td>2 5870.00</td><td>59.77</td><td>106.47</td><td>-46.70</td><td>42.64</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>100</td><td>357 PEAK</td></tr><tr><td>3 5924.00</td><td>58.26</td><td>68.35</td><td>-10.09</td><td>40.95</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>357 PEAK</td></tr><tr><td>4 5985.20</td><td>60.40</td><td>68.20</td><td>-7.80</td><td>42.87</td><td>35.19</td><td>11.46</td><td>39.12</td><td>10.00</td><td>100</td><td>357 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	58.38	111.36	-52.98	41.30	35.07	11.34	39.33	10.00	100	357 PEAK	2 5870.00	59.77	106.47	-46.70	42.64	35.08	11.35	39.30	10.00	100	357 PEAK	3 5924.00	58.26	68.35	-10.09	40.95	35.13	11.40	39.22	10.00	100	357 PEAK	4 5985.20	60.40	68.20	-7.80	42.87	35.19	11.46	39.12	10.00	100	357 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>116.33</td><td>-----</td><td>-----</td><td>98.75</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>100</td><td>357 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	116.33	-----	-----	98.75	35.03	11.30	38.75	10.00	100	357 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	58.38	111.36	-52.98	41.30	35.07	11.34	39.33	10.00	100	357 PEAK																																																																																																																										
2 5870.00	59.77	106.47	-46.70	42.64	35.08	11.35	39.30	10.00	100	357 PEAK																																																																																																																										
3 5924.00	58.26	68.35	-10.09	40.95	35.13	11.40	39.22	10.00	100	357 PEAK																																																																																																																										
4 5985.20	60.40	68.20	-7.80	42.87	35.19	11.46	39.12	10.00	100	357 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	116.33	-----	-----	98.75	35.03	11.30	38.75	10.00	100	357 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5434.00</td><td>53.30</td><td>54.00</td><td>-0.70</td><td>34.07</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>100</td><td>357 Average</td></tr><tr><td>2 5825.00</td><td>107.60</td><td>-----</td><td>-----</td><td>90.02</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>100</td><td>357 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5434.00	53.30	54.00	-0.70	34.07	34.67	10.81	36.25	10.00	100	357 Average	2 5825.00	107.60	-----	-----	90.02	35.03	11.30	38.75	10.00	100	357 AVERAGE																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5434.00	53.30	54.00	-0.70	34.07	34.67	10.81	36.25	10.00	100	357 Average																																																																																																																										
2 5825.00	107.60	-----	-----	90.02	35.03	11.30	38.75	10.00	100	357 AVERAGE																																																																																																																										




		88																																																																		
Mode		Harmonic																																																																		
		U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																		
ANT		TXBF1S4T																																																																		
Pol.		Horizontal						Vertical																																																												
Peak Avg																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>62.69</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>301</td><td>83</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>38.92</td><td>54.00</td><td>-15.08</td><td>50.54</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>301</td><td>83</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	51.07	74.00	-22.93	62.69	38.25	16.46	66.33	0.00	301	83	PEAK	2	11650.00	38.92	54.00	-15.08	50.54	38.25	16.46	66.33	0.00	301	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11650.00	51.07	74.00	-22.93	62.69	38.25	16.46	66.33	0.00	301	83	PEAK																																																								
2	11650.00	38.92	54.00	-15.08	50.54	38.25	16.46	66.33	0.00	301	83	AVERAGE																																																								
																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>57.96</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.34	74.00	-27.66	57.96	38.25	16.46	66.33	0.00	---	---	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11650.00	46.34	74.00	-27.66	57.96	38.25	16.46	66.33	0.00	---	---	PEAK																																																								






Mode	89																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																							
ANT	TXBF1S4T																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5643.25</td><td>65.50</td><td>68.20</td><td>-2.70</td><td>45.58</td><td>34.87</td><td>11.06</td><td>36.01</td><td>10.00</td><td>142</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>63.95</td><td>68.71</td><td>-4.76</td><td>44.13</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>142</td><td>76</td><td>PEAK</td></tr><tr><td>3</td><td>5707.11</td><td>84.36</td><td>107.29</td><td>-22.93</td><td>65.29</td><td>34.93</td><td>11.15</td><td>37.01</td><td>10.00</td><td>142</td><td>76</td><td>PEAK</td></tr><tr><td>4</td><td>5721.52</td><td>83.13</td><td>114.37</td><td>-31.24</td><td>64.26</td><td>34.94</td><td>11.17</td><td>37.24</td><td>10.00</td><td>142</td><td>76</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5643.25	65.50	68.20	-2.70	45.58	34.87	11.06	36.01	10.00	142	76	PEAK	2	5650.69	63.95	68.71	-4.76	44.13	34.88	11.07	36.13	10.00	142	76	PEAK	3	5707.11	84.36	107.29	-22.93	65.29	34.93	11.15	37.01	10.00	142	76	PEAK	4	5721.52	83.13	114.37	-31.24	64.26	34.94	11.17	37.24	10.00	142	76	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>120.71</td><td>-----</td><td>-----</td><td>102.41</td><td>34.98</td><td>11.23</td><td>37.91</td><td>10.00</td><td>142</td><td>76</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5755.00	120.71	-----	-----	102.41	34.98	11.23	37.91	10.00	142	76	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5643.25	65.50	68.20	-2.70	45.58	34.87	11.06	36.01	10.00	142	76	PEAK																																																																																																																												
2	5650.69	63.95	68.71	-4.76	44.13	34.88	11.07	36.13	10.00	142	76	PEAK																																																																																																																												
3	5707.11	84.36	107.29	-22.93	65.29	34.93	11.15	37.01	10.00	142	76	PEAK																																																																																																																												
4	5721.52	83.13	114.37	-31.24	64.26	34.94	11.17	37.24	10.00	142	76	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5755.00	120.71	-----	-----	102.41	34.98	11.23	37.91	10.00	142	76	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>108.38</td><td>-----</td><td>-----</td><td>90.15</td><td>34.99</td><td>11.24</td><td>38.00</td><td>10.00</td><td>142</td><td>76</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5755.00	108.38	-----	-----	90.15	34.99	11.24	38.00	10.00	142	76	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5755.00	108.38	-----	-----	90.15	34.99	11.24	38.00	10.00	142	76	AVERAGE																																																																																																																												




Mode	89																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																									
ANT	TXBF1S4T																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>59.99</td><td>112.15</td><td>-52.16</td><td>42.91</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>142</td><td>76 PEAK</td></tr><tr><td>2</td><td>5872.98</td><td>61.85</td><td>105.87</td><td>-44.02</td><td>44.71</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>142</td><td>76 PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>61.21</td><td>68.89</td><td>-7.68</td><td>43.90</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>142</td><td>76 PEAK</td></tr><tr><td>4</td><td>5925.43</td><td>61.95</td><td>68.20</td><td>-6.25</td><td>44.62</td><td>35.14</td><td>11.40</td><td>39.21</td><td>10.00</td><td>142</td><td>76 PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	59.99	112.15	-52.16	42.91	35.07	11.33	39.32	10.00	142	76 PEAK	2	5872.98	61.85	105.87	-44.02	44.71	35.09	11.35	39.30	10.00	142	76 PEAK	3	5924.07	61.21	68.89	-7.68	43.90	35.13	11.40	39.22	10.00	142	76 PEAK	4	5925.43	61.95	68.20	-6.25	44.62	35.14	11.40	39.21	10.00	142	76 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.45	59.99	112.15	-52.16	42.91	35.07	11.33	39.32	10.00	142	76 PEAK																																																																															
2	5872.98	61.85	105.87	-44.02	44.71	35.09	11.35	39.30	10.00	142	76 PEAK																																																																															
3	5924.07	61.21	68.89	-7.68	43.90	35.13	11.40	39.22	10.00	142	76 PEAK																																																																															
4	5925.43	61.95	68.20	-6.25	44.62	35.14	11.40	39.21	10.00	142	76 PEAK																																																																															





Mode	89																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.55</td><td>64.76</td><td>68.20</td><td>-3.44</td><td>44.87</td><td>34.85</td><td>11.03</td><td>35.99</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5652.08</td><td>63.23</td><td>69.75</td><td>-6.52</td><td>43.42</td><td>34.88</td><td>11.08</td><td>36.15</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>5715.32</td><td>75.55</td><td>109.59</td><td>-34.04</td><td>56.59</td><td>34.94</td><td>11.16</td><td>37.14</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>4</td><td>5721.83</td><td>78.97</td><td>115.07</td><td>-36.10</td><td>60.10</td><td>34.94</td><td>11.17</td><td>37.24</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.55	64.76	68.20	-3.44	44.87	34.85	11.03	35.99	10.00	100	104	PEAK	2	5652.08	63.23	69.75	-6.52	43.42	34.88	11.08	36.15	10.00	100	104	PEAK	3	5715.32	75.55	109.59	-34.04	56.59	34.94	11.16	37.14	10.00	100	104	PEAK	4	5721.83	78.97	115.07	-36.10	60.10	34.94	11.17	37.24	10.00	100	104	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>117.71</td><td>-----</td><td>-----</td><td>99.25</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	117.71	-----	-----	99.25	34.97	11.21	37.72	10.00	100	104
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5621.55	64.76	68.20	-3.44	44.87	34.85	11.03	35.99	10.00	100	104	PEAK																																																																																																																														
2	5652.08	63.23	69.75	-6.52	43.42	34.88	11.08	36.15	10.00	100	104	PEAK																																																																																																																														
3	5715.32	75.55	109.59	-34.04	56.59	34.94	11.16	37.14	10.00	100	104	PEAK																																																																																																																														
4	5721.83	78.97	115.07	-36.10	60.10	34.94	11.17	37.24	10.00	100	104	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	117.71	-----	-----	99.25	34.97	11.21	37.72	10.00	100	104	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.65</td><td>-----</td><td>-----</td><td>89.19</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>100</td><td>104</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	107.65	-----	-----	89.19	34.97	11.21	37.72	10.00	100	104	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	107.65	-----	-----	89.19	34.97	11.21	37.72	10.00	100	104	AVERAGE																																																																																																																														






Mode	89																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																														
ANT	TXBF1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>59.39</td><td>111.26</td><td>-51.87</td><td>42.31</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5870.44</td><td>61.80</td><td>106.58</td><td>-44.78</td><td>44.67</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>60.51</td><td>68.60</td><td>-8.09</td><td>43.20</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>4</td><td>5938.11</td><td>61.58</td><td>68.20</td><td>-6.62</td><td>44.21</td><td>35.15</td><td>11.41</td><td>39.19</td><td>10.00</td><td>100</td><td>104</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	59.39	111.26	-51.87	42.31	35.07	11.34	39.33	10.00	100	104	PEAK	2	5870.44	61.80	106.58	-44.78	44.67	35.08	11.35	39.30	10.00	100	104	PEAK	3	5924.46	60.51	68.60	-8.09	43.20	35.13	11.40	39.22	10.00	100	104	PEAK	4	5938.11	61.58	68.20	-6.62	44.21	35.15	11.41	39.19	10.00	100	104	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.84	59.39	111.26	-51.87	42.31	35.07	11.34	39.33	10.00	100	104	PEAK																																																																																			
2	5870.44	61.80	106.58	-44.78	44.67	35.08	11.35	39.30	10.00	100	104	PEAK																																																																																			
3	5924.46	60.51	68.60	-8.09	43.20	35.13	11.40	39.22	10.00	100	104	PEAK																																																																																			
4	5938.11	61.58	68.20	-6.62	44.21	35.15	11.41	39.19	10.00	100	104	PEAK																																																																																			




Mode	89																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9208.00</td><td>43.59</td><td>68.20</td><td>-24.61</td><td>59.97</td><td>36.32</td><td>14.45</td><td>67.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>57.22</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9208.00	43.59	68.20	-24.61	59.97	36.32	14.45	67.15	0.00	---	PEAK	2	11510.00	45.46	74.00	-28.54	57.22	38.20	16.37	66.33	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9208.00</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>59.89</td><td>36.32</td><td>14.45</td><td>67.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>57.65</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9208.00	43.51	68.20	-24.69	59.89	36.32	14.45	67.15	0.00	---	PEAK	2	11510.00	45.89	74.00	-28.11	57.65	38.20	16.37	66.33	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9208.00	43.59	68.20	-24.61	59.97	36.32	14.45	67.15	0.00	---	PEAK																																																																																																															
2	11510.00	45.46	74.00	-28.54	57.22	38.20	16.37	66.33	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9208.00	43.51	68.20	-24.69	59.89	36.32	14.45	67.15	0.00	---	PEAK																																																																																																															
2	11510.00	45.89	74.00	-28.11	57.65	38.20	16.37	66.33	0.00	---	PEAK																																																																																																															






Mode	90																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																														
ANT	TXBF1S4T																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.60</td><td>67.79</td><td>68.20</td><td>-0.41</td><td>47.95</td><td>34.88</td><td>11.07</td><td>36.11</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>5660.00</td><td>70.00</td><td>75.65</td><td>-5.65</td><td>50.30</td><td>34.88</td><td>11.09</td><td>36.27</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>71.71</td><td>107.43</td><td>-35.72</td><td>52.65</td><td>34.93</td><td>11.15</td><td>37.02</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>81.30</td><td>120.02</td><td>-38.72</td><td>62.46</td><td>34.95</td><td>11.17</td><td>37.28</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.60	67.79	68.20	-0.41	47.95	34.88	11.07	36.11	10.00	152	76	PEAK	2	5660.00	70.00	75.65	-5.65	50.30	34.88	11.09	36.27	10.00	152	76	PEAK	3	5707.60	71.71	107.43	-35.72	52.65	34.93	11.15	37.02	10.00	152	76	PEAK	4	5724.00	81.30	120.02	-38.72	62.46	34.95	11.17	37.28	10.00	152	76	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>120.32</td><td>-----</td><td>-----</td><td>102.17</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	120.32	-----	-----	102.17	34.99	11.25	38.09	10.00	152	76	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5649.60	67.79	68.20	-0.41	47.95	34.88	11.07	36.11	10.00	152	76	PEAK																																																																																																																																			
2	5660.00	70.00	75.65	-5.65	50.30	34.88	11.09	36.27	10.00	152	76	PEAK																																																																																																																																			
3	5707.60	71.71	107.43	-35.72	52.65	34.93	11.15	37.02	10.00	152	76	PEAK																																																																																																																																			
4	5724.00	81.30	120.02	-38.72	62.46	34.95	11.17	37.28	10.00	152	76	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5795.00	120.32	-----	-----	102.17	34.99	11.25	38.09	10.00	152	76	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>112.02</td><td>-----</td><td>-----</td><td>93.87</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>152</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	112.02	-----	-----	93.87	34.99	11.25	38.09	10.00	152	76	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5795.00	112.02	-----	-----	93.87	34.99	11.25	38.09	10.00	152	76	AVERAGE																																																																																																																																			




Mode	90																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.02</td><td>113.18</td><td>-46.16</td><td>49.94</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>74.46</td><td>107.37</td><td>-32.91</td><td>57.34</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>62.21</td><td>69.53</td><td>-7.32</td><td>44.90</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr><tr><td>4</td><td>5931.20</td><td>64.28</td><td>68.20</td><td>-3.92</td><td>46.93</td><td>35.14</td><td>11.41</td><td>39.20</td><td>10.00</td><td>152</td><td>76</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	67.02	113.18	-46.16	49.94	35.07	11.33	39.32	10.00	152	76	PEAK	2	5867.60	74.46	107.37	-32.91	57.34	35.08	11.35	39.31	10.00	152	76	PEAK	3	5923.20	62.21	69.53	-7.32	44.90	35.13	11.40	39.22	10.00	152	76	PEAK	4	5931.20	64.28	68.20	-3.92	46.93	35.14	11.41	39.20	10.00	152	76	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	67.02	113.18	-46.16	49.94	35.07	11.33	39.32	10.00	152	76	PEAK																																																																																		
2	5867.60	74.46	107.37	-32.91	57.34	35.08	11.35	39.31	10.00	152	76	PEAK																																																																																		
3	5923.20	62.21	69.53	-7.32	44.90	35.13	11.40	39.22	10.00	152	76	PEAK																																																																																		
4	5931.20	64.28	68.20	-3.92	46.93	35.14	11.41	39.20	10.00	152	76	PEAK																																																																																		





Mode	90																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																														
ANT	TXBF1S4T																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>63.64</td><td>68.20</td><td>-4.56</td><td>43.70</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>62.95</td><td>68.80</td><td>-5.85</td><td>43.13</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5786.80</td><td>65.21</td><td>107.21</td><td>-42.00</td><td>46.14</td><td>34.93</td><td>11.15</td><td>37.01</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>68.25</td><td>117.28</td><td>-49.03</td><td>49.40</td><td>34.94</td><td>11.17</td><td>37.26</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.20	63.64	68.20	-4.56	43.70	34.86	11.05	35.97	10.00	146	360	PEAK	2	5650.80	62.95	68.80	-5.85	43.13	34.88	11.07	36.13	10.00	146	360	PEAK	3	5786.80	65.21	107.21	-42.00	46.14	34.93	11.15	37.01	10.00	146	360	PEAK	4	5722.80	68.25	117.28	-49.03	49.40	34.94	11.17	37.26	10.00	146	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>114.30</td><td>-----</td><td>-----</td><td>96.64</td><td>35.83</td><td>11.29</td><td>38.66</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	114.30	-----	-----	96.64	35.83	11.29	38.66	10.00	146	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5631.20	63.64	68.20	-4.56	43.70	34.86	11.05	35.97	10.00	146	360	PEAK																																																																																																																																			
2	5650.80	62.95	68.80	-5.85	43.13	34.88	11.07	36.13	10.00	146	360	PEAK																																																																																																																																			
3	5786.80	65.21	107.21	-42.00	46.14	34.93	11.15	37.01	10.00	146	360	PEAK																																																																																																																																			
4	5722.80	68.25	117.28	-49.03	49.40	34.94	11.17	37.26	10.00	146	360	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	114.30	-----	-----	96.64	35.83	11.29	38.66	10.00	146	360	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.92</td><td>-----</td><td>-----</td><td>88.26</td><td>35.83</td><td>11.29</td><td>38.66</td><td>10.00</td><td>146</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	105.92	-----	-----	88.26	35.83	11.29	38.66	10.00	146	360	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	105.92	-----	-----	88.26	35.83	11.29	38.66	10.00	146	360	AVERAGE																																																																																																																																			






Mode	90																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>67.85</td><td>112.27</td><td>-44.42</td><td>50.77</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>69.36</td><td>110.73</td><td>-41.37</td><td>52.28</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>59.52</td><td>68.64</td><td>-9.12</td><td>42.21</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5976.40</td><td>61.67</td><td>68.20</td><td>-6.53</td><td>44.17</td><td>35.18</td><td>11.45</td><td>39.13</td><td>10.00</td><td>146</td><td>360</td><td>PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	67.85	112.27	-44.42	50.77	35.07	11.33	39.32	10.00	146	360	PEAK	2	5855.60	69.36	110.73	-41.37	52.28	35.07	11.34	39.33	10.00	146	360	PEAK	3	5924.40	59.52	68.64	-9.12	42.21	35.13	11.40	39.22	10.00	146	360	PEAK	4	5976.40	61.67	68.20	-6.53	44.17	35.18	11.45	39.13	10.00	146	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.40	67.85	112.27	-44.42	50.77	35.07	11.33	39.32	10.00	146	360	PEAK																																																																																		
2	5855.60	69.36	110.73	-41.37	52.28	35.07	11.34	39.33	10.00	146	360	PEAK																																																																																		
3	5924.40	59.52	68.64	-9.12	42.21	35.13	11.40	39.22	10.00	146	360	PEAK																																																																																		
4	5976.40	61.67	68.20	-6.53	44.17	35.18	11.45	39.13	10.00	146	360	PEAK																																																																																		




Mode	90																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9272.00</td><td>43.74</td><td>68.20</td><td>-24.46</td><td>59.90</td><td>36.44</td><td>14.53</td><td>67.13</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>57.31</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9272.00	43.74	68.20	-24.46	59.90	36.44	14.53	67.13	0.00	---	PEAK	2	11590.00	45.60	74.00	-28.40	57.31	38.20	16.42	66.33	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9272.00</td><td>42.99</td><td>68.20</td><td>-25.21</td><td>59.15</td><td>36.44</td><td>14.53</td><td>67.13</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>57.23</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9272.00	42.99	68.20	-25.21	59.15	36.44	14.53	67.13	0.00	---	PEAK	2	11590.00	45.52	74.00	-28.48	57.23	38.20	16.42	66.33	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9272.00	43.74	68.20	-24.46	59.90	36.44	14.53	67.13	0.00	---	PEAK																																																																																																															
2	11590.00	45.60	74.00	-28.40	57.31	38.20	16.42	66.33	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9272.00	42.99	68.20	-25.21	59.15	36.44	14.53	67.13	0.00	---	PEAK																																																																																																															
2	11590.00	45.52	74.00	-28.48	57.23	38.20	16.42	66.33	0.00	---	PEAK																																																																																																															






Mode	91																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																								
ANT	TXBF1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.40</td><td>67.56</td><td>68.20</td><td>-0.64</td><td>47.62</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>153</td><td>71 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>64.55</td><td>68.20</td><td>-3.65</td><td>44.72</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>153</td><td>71 PEAK</td></tr><tr><td>3</td><td>5713.20</td><td>82.68</td><td>109.00</td><td>-26.32</td><td>63.69</td><td>34.94</td><td>11.16</td><td>37.11</td><td>10.00</td><td>153</td><td>71 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>78.04</td><td>110.90</td><td>-32.86</td><td>59.15</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>153</td><td>71 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.40	67.56	68.20	-0.64	47.62	34.86	11.05	35.97	10.00	153	71 PEAK	2	5650.00	64.55	68.20	-3.65	44.72	34.88	11.07	36.12	10.00	153	71 PEAK	3	5713.20	82.68	109.00	-26.32	63.69	34.94	11.16	37.11	10.00	153	71 PEAK	4	5720.00	78.04	110.90	-32.86	59.15	34.94	11.17	37.22	10.00	153	71 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>118.16</td><td>-----</td><td>-----</td><td>99.70</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>153</td><td>71 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	118.16	-----	-----	99.70	34.97	11.21	37.72	10.00	153	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5636.40	67.56	68.20	-0.64	47.62	34.86	11.05	35.97	10.00	153	71 PEAK																																																																																																																														
2	5650.00	64.55	68.20	-3.65	44.72	34.88	11.07	36.12	10.00	153	71 PEAK																																																																																																																														
3	5713.20	82.68	109.00	-26.32	63.69	34.94	11.16	37.11	10.00	153	71 PEAK																																																																																																																														
4	5720.00	78.04	110.90	-32.86	59.15	34.94	11.17	37.22	10.00	153	71 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	118.16	-----	-----	99.70	34.97	11.21	37.72	10.00	153	71 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>109.15</td><td>-----</td><td>-----</td><td>90.69</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>153</td><td>71 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	109.15	-----	-----	90.69	34.97	11.21	37.72	10.00	153	71 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	109.15	-----	-----	90.69	34.97	11.21	37.72	10.00	153	71 AVERAGE																																																																																																																														




Mode	91																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>70.26</td><td>112.27</td><td>-42.01</td><td>53.18</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>153</td><td>71</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>67.91</td><td>105.58</td><td>-37.67</td><td>50.77</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>153</td><td>71</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>59.95</td><td>69.83</td><td>-9.88</td><td>42.64</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>153</td><td>71</td><td>PEAK</td></tr><tr><td>4</td><td>5941.60</td><td>61.25</td><td>68.20</td><td>-6.95</td><td>43.87</td><td>35.15</td><td>11.42</td><td>39.19</td><td>10.00</td><td>153</td><td>71</td><td>PEAK</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	70.26	112.27	-42.01	53.18	35.07	11.33	39.32	10.00	153	71	PEAK	2	5874.00	67.91	105.58	-37.67	50.77	35.09	11.35	39.30	10.00	153	71	PEAK	3	5922.80	59.95	69.83	-9.88	42.64	35.13	11.40	39.22	10.00	153	71	PEAK	4	5941.60	61.25	68.20	-6.95	43.87	35.15	11.42	39.19	10.00	153	71	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	70.26	112.27	-42.01	53.18	35.07	11.33	39.32	10.00	153	71	PEAK																																																																									
2	5874.00	67.91	105.58	-37.67	50.77	35.09	11.35	39.30	10.00	153	71	PEAK																																																																									
3	5922.80	59.95	69.83	-9.88	42.64	35.13	11.40	39.22	10.00	153	71	PEAK																																																																									
4	5941.60	61.25	68.20	-6.95	43.87	35.15	11.42	39.19	10.00	153	71	PEAK																																																																									





Mode	91																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																		
ANT	TXBF1S4T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5642.00</td><td>64.12</td><td>68.20</td><td>-4.08</td><td>44.18</td><td>34.87</td><td>11.06</td><td>35.99</td><td>10.00</td><td>100</td><td>102 PEAK</td></tr><tr><td>2 5650.00</td><td>62.51</td><td>68.80</td><td>-6.29</td><td>42.69</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>100</td><td>102 PEAK</td></tr><tr><td>3 5715.20</td><td>82.41</td><td>109.56</td><td>-27.15</td><td>63.45</td><td>34.94</td><td>11.16</td><td>37.14</td><td>10.00</td><td>100</td><td>102 PEAK</td></tr><tr><td>4 5720.00</td><td>73.37</td><td>110.90</td><td>-37.53</td><td>54.48</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>102 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5642.00	64.12	68.20	-4.08	44.18	34.87	11.06	35.99	10.00	100	102 PEAK	2 5650.00	62.51	68.80	-6.29	42.69	34.88	11.07	36.13	10.00	100	102 PEAK	3 5715.20	82.41	109.56	-27.15	63.45	34.94	11.16	37.14	10.00	100	102 PEAK	4 5720.00	73.37	110.90	-37.53	54.48	34.94	11.17	37.22	10.00	100	102 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>115.50</td><td>-----</td><td>-----</td><td>97.11</td><td>34.98</td><td>11.22</td><td>37.81</td><td>10.00</td><td>100</td><td>102 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	115.50	-----	-----	97.11	34.98	11.22	37.81	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5642.00	64.12	68.20	-4.08	44.18	34.87	11.06	35.99	10.00	100	102 PEAK																																																																																																																									
2 5650.00	62.51	68.80	-6.29	42.69	34.88	11.07	36.13	10.00	100	102 PEAK																																																																																																																									
3 5715.20	82.41	109.56	-27.15	63.45	34.94	11.16	37.14	10.00	100	102 PEAK																																																																																																																									
4 5720.00	73.37	110.90	-37.53	54.48	34.94	11.17	37.22	10.00	100	102 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	115.50	-----	-----	97.11	34.98	11.22	37.81	10.00	100	102 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>104.83</td><td>-----</td><td>-----</td><td>86.37</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>100</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	104.83	-----	-----	86.37	34.97	11.21	37.72	10.00	100	102 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	104.83	-----	-----	86.37	34.97	11.21	37.72	10.00	100	102 AVERAGE																																																																																																																									





Mode	91																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																			
ANT	TXBF1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>72.25</td><td>113.18</td><td>-40.93</td><td>55.17</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>100</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>64.24</td><td>105.47</td><td>-41.23</td><td>47.10</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>100</td><td>102</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.72</td><td>68.35</td><td>-8.63</td><td>42.41</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>102</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>61.23</td><td>68.20</td><td>-6.97</td><td>43.84</td><td>35.15</td><td>11.42</td><td>39.18</td><td>10.00</td><td>100</td><td>102</td><td>PEAK</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	72.25	113.18	-40.93	55.17	35.07	11.33	39.32	10.00	100	102	PEAK	2	5874.40	64.24	105.47	-41.23	47.10	35.09	11.35	39.30	10.00	100	102	PEAK	3	5924.00	59.72	68.35	-8.63	42.41	35.13	11.40	39.22	10.00	100	102	PEAK	4	5945.20	61.23	68.20	-6.97	43.84	35.15	11.42	39.18	10.00	100	102	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	72.25	113.18	-40.93	55.17	35.07	11.33	39.32	10.00	100	102	PEAK																																																																								
2	5874.40	64.24	105.47	-41.23	47.10	35.09	11.35	39.30	10.00	100	102	PEAK																																																																								
3	5924.00	59.72	68.35	-8.63	42.41	35.13	11.40	39.22	10.00	100	102	PEAK																																																																								
4	5945.20	61.23	68.20	-6.97	43.84	35.15	11.42	39.18	10.00	100	102	PEAK																																																																								



Mode	91																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																			
ANT	TXBF1S4T																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11590.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>56.81</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11590.00	45.10	74.00	-28.90	56.81	38.20	16.42	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9240.33</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>61.53</td><td>36.38</td><td>14.49</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11590.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>57.25</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9240.33	45.26	68.20	-22.94	61.53	36.38	14.49	67.14	0.00	---	---	Peak	2	11590.00	45.54	74.00	-28.46	57.25	38.20	16.42	66.33	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11590.00	45.10	74.00	-28.90	56.81	38.20	16.42	66.33	0.00	---	---	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	9240.33	45.26	68.20	-22.94	61.53	36.38	14.49	67.14	0.00	---	---	Peak																																																																																																								
2	11590.00	45.54	74.00	-28.46	57.25	38.20	16.42	66.33	0.00	---	---	PEAK																																																																																																								







Mode	53	
	18G-40G	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	53																																																																																																																																																																																																																			
	30-1G																																																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																													
Peak	<div><div>Data: 5</div><div><div>Level (dBuV/m)</div><div></div><div>U-NII-3</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>50.37</td><td>27.42</td><td>40.00</td><td>-12.58</td><td>44.94</td><td>14.33</td><td>1.06</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.09</td><td>31.19</td><td>43.50</td><td>-12.31</td><td>45.62</td><td>16.75</td><td>1.67</td><td>32.85</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>187.14</td><td>27.27</td><td>43.50</td><td>-16.23</td><td>42.36</td><td>15.67</td><td>2.07</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>254.07</td><td>28.00</td><td>46.00</td><td>-18.00</td><td>39.84</td><td>18.49</td><td>2.44</td><td>32.77</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>457.77</td><td>25.20</td><td>46.00</td><td>-20.80</td><td>32.27</td><td>22.70</td><td>3.27</td><td>33.04</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>846.74</td><td>28.91</td><td>46.00</td><td>-17.09</td><td>30.30</td><td>26.57</td><td>4.44</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr></table></div>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	50.37	27.42	40.00	-12.58	44.94	14.33	1.06	32.91	0.00	---	Peak	2	124.09	31.19	43.50	-12.31	45.62	16.75	1.67	32.85	0.00	---	Peak	3	187.14	27.27	43.50	-16.23	42.36	15.67	2.07	32.83	0.00	---	Peak	4	254.07	28.00	46.00	-18.00	39.84	18.49	2.44	32.77	0.00	---	Peak	5	457.77	25.20	46.00	-20.80	32.27	22.70	3.27	33.04	0.00	---	Peak	6	846.74	28.91	46.00	-17.09	30.30	26.57	4.44	32.40	0.00	---	Peak	<div><div>Data: 6</div><div><div>Level (dBuV/m)</div><div></div><div>U-NII-1-U-NII-2A-U-N</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>51.34</td><td>33.24</td><td>40.00</td><td>-6.76</td><td>50.93</td><td>14.15</td><td>1.07</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>96.93</td><td>31.83</td><td>43.50</td><td>-11.67</td><td>46.73</td><td>16.49</td><td>1.48</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>190.05</td><td>24.96</td><td>43.50</td><td>-18.54</td><td>40.10</td><td>15.61</td><td>2.09</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>525.67</td><td>25.74</td><td>46.00</td><td>-20.26</td><td>30.89</td><td>24.37</td><td>3.50</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>773.02</td><td>27.72</td><td>46.00</td><td>-18.28</td><td>30.21</td><td>26.03</td><td>4.25</td><td>32.77</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>902.03</td><td>27.85</td><td>46.00</td><td>-18.15</td><td>28.36</td><td>26.70</td><td>4.59</td><td>31.80</td><td>0.00</td><td>---</td><td>Peak</td></tr></table></div>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	51.34	33.24	40.00	-6.76	50.93	14.15	1.07	32.91	0.00	---	Peak	2	96.93	31.83	43.50	-11.67	46.73	16.49	1.48	32.87	0.00	---	Peak	3	190.05	24.96	43.50	-18.54	40.10	15.61	2.09	32.84	0.00	---	Peak	4	525.67	25.74	46.00	-20.26	30.89	24.37	3.50	33.02	0.00	---	Peak	5	773.02	27.72	46.00	-18.28	30.21	26.03	4.25	32.77	0.00	---	Peak	6	902.03	27.85	46.00	-18.15	28.36	26.70	4.59	31.80	0.00	---	Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																									
	1	50.37	27.42	40.00	-12.58	44.94	14.33	1.06	32.91	0.00	---	Peak																																																																																																																																																																																																								
	2	124.09	31.19	43.50	-12.31	45.62	16.75	1.67	32.85	0.00	---	Peak																																																																																																																																																																																																								
	3	187.14	27.27	43.50	-16.23	42.36	15.67	2.07	32.83	0.00	---	Peak																																																																																																																																																																																																								
	4	254.07	28.00	46.00	-18.00	39.84	18.49	2.44	32.77	0.00	---	Peak																																																																																																																																																																																																								
	5	457.77	25.20	46.00	-20.80	32.27	22.70	3.27	33.04	0.00	---	Peak																																																																																																																																																																																																								
	6	846.74	28.91	46.00	-17.09	30.30	26.57	4.44	32.40	0.00	---	Peak																																																																																																																																																																																																								
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																										
1	51.34	33.24	40.00	-6.76	50.93	14.15	1.07	32.91	0.00	---	Peak																																																																																																																																																																																																									
2	96.93	31.83	43.50	-11.67	46.73	16.49	1.48	32.87	0.00	---	Peak																																																																																																																																																																																																									
3	190.05	24.96	43.50	-18.54	40.10	15.61	2.09	32.84	0.00	---	Peak																																																																																																																																																																																																									
4	525.67	25.74	46.00	-20.26	30.89	24.37	3.50	33.02	0.00	---	Peak																																																																																																																																																																																																									
5	773.02	27.72	46.00	-18.28	30.21	26.03	4.25	32.77	0.00	---	Peak																																																																																																																																																																																																									
6	902.03	27.85	46.00	-18.15	28.36	26.70	4.59	31.80	0.00	---	Peak																																																																																																																																																																																																									







Mode	92																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH40_Full RU_5200MHz																																																																																																				
ANT	TXBF1S4T																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.54</td><td>63.79</td><td>74.00</td><td>-10.21</td><td>45.45</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>144</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.54	63.79	74.00	-10.21	45.45	34.40	10.60	36.66	10.00	144	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>122.41</td><td>-----</td><td>-----</td><td>103.86</td><td>34.46</td><td>10.66</td><td>36.57</td><td>10.00</td><td>144</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	122.41	-----	-----	103.86	34.46	10.66	36.57	10.00	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5144.54	63.79	74.00	-10.21	45.45	34.40	10.60	36.66	10.00	144	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5200.00	122.41	-----	-----	103.86	34.46	10.66	36.57	10.00	144	PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.72</td><td>51.97</td><td>54.00</td><td>-2.03</td><td>33.62</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>144</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.72	51.97	54.00	-2.03	33.62	34.40	10.61	36.66	10.00	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>112.94</td><td>-----</td><td>-----</td><td>94.39</td><td>34.46</td><td>10.66</td><td>36.57</td><td>10.00</td><td>144</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	112.94	-----	-----	94.39	34.46	10.66	36.57	10.00	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5148.72	51.97	54.00	-2.03	33.62	34.40	10.61	36.66	10.00	144	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5200.00	112.94	-----	-----	94.39	34.46	10.66	36.57	10.00	144	AVERAGE																																																																																										



Mode	92																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH40_Full RU_5200MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.96</td><td>62.08</td><td>74.00</td><td>-11.92</td><td>42.85</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>144 PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.96	62.08	74.00	-11.92	42.85	34.67	10.81	36.25	10.00	144 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5436.96	62.08	74.00	-11.92	42.85	34.67	10.81	36.25	10.00	144 PEAK																																													
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.00</td><td>50.16</td><td>54.00</td><td>-3.84</td><td>30.90</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>144 AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.00	50.16	54.00	-3.84	30.90	34.68	10.82	36.24	10.00	144 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5442.00	50.16	54.00	-3.84	30.90	34.68	10.82	36.24	10.00	144 AVERAGE																																													





	92																																																					
Mode	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH40_Full RU_5200MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>64.24</td><td>74.00</td><td>-9.76</td><td>45.88</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>76 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	64.24	74.00	-9.76	45.88	34.40	10.61	36.65	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.60	64.24	74.00	-9.76	45.88	34.40	10.61	36.65	10.00	76 PEAK																																												
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>120.54</td><td>-----</td><td>-----</td><td>101.99</td><td>34.46</td><td>10.66</td><td>36.57</td><td>10.00</td><td>76 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	120.54	-----	-----	101.99	34.46	10.66	36.57	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5200.00	120.54	-----	-----	101.99	34.46	10.66	36.57	10.00	76 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.64</td><td>51.34</td><td>54.00</td><td>-2.66</td><td>33.00</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>76 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.64	51.34	54.00	-2.66	33.00	34.40	10.60	36.66	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5145.64	51.34	54.00	-2.66	33.00	34.40	10.60	36.66	10.00	76 AVERAGE																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>110.85</td><td>-----</td><td>-----</td><td>92.30</td><td>34.46</td><td>10.66</td><td>36.57</td><td>10.00</td><td>76 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	110.85	-----	-----	92.30	34.46	10.66	36.57	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5200.00	110.85	-----	-----	92.30	34.46	10.66	36.57	10.00	76 AVERAGE																																												





Mode	92																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH40_Full RU_5200MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Vertical						Fundamental																																														
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.12</td><td>62.34</td><td>74.00</td><td>-11.66</td><td>43.25</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>76 PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.12	62.34	74.00	-11.66	43.25	34.63	10.77	36.31	10.00	76 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5391.12	62.34	74.00	-11.66	43.25	34.63	10.77	36.31	10.00	76 PEAK																																											
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.00</td><td>49.93</td><td>54.00</td><td>-4.07</td><td>30.85</td><td>34.63</td><td>10.77</td><td>36.32</td><td>10.00</td><td>76 AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.00	49.93	54.00	-4.07	30.85	34.63	10.77	36.32	10.00	76 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5388.00	49.93	54.00	-4.07	30.85	34.63	10.77	36.32	10.00	76 AVERAGE																																											





		92																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11be EHT20_CH40_Full RU_5200MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>44.85</td><td>68.20</td><td>-23.35</td><td>58.90</td><td>37.40</td><td>15.49</td><td>66.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	44.85	68.20	-23.35	58.90	37.40	15.49	66.94	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10400.00	44.85	68.20	-23.35	58.90	37.40	15.49	66.94	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>45.14</td><td>68.20</td><td>-23.06</td><td>59.19</td><td>37.40</td><td>15.49</td><td>66.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	45.14	68.20	-23.06	59.19	37.40	15.49	66.94	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10400.00	45.14	68.20	-23.06	59.19	37.40	15.49	66.94	0.00	---	---	PEAK																																													



Mode	73	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz	
ANT	TXBF1S4T	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	73																																																																																																																																																																																										
	30-1G																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak	<div><div>Data: 3</div><div><div>Level (dBuV/m)</div><div></div><div>Frequency (MHz)</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>114.39</td><td>31.57</td><td>43.50</td><td>-11.93</td><td>45.94</td><td>16.88</td><td>1.61</td><td>32.86</td><td>0.00</td><td>Peak</td></tr><tr><td>2</td><td>187.14</td><td>27.23</td><td>43.50</td><td>-16.27</td><td>42.32</td><td>15.67</td><td>2.07</td><td>32.83</td><td>0.00</td><td>Peak</td></tr><tr><td>3</td><td>251.16</td><td>28.15</td><td>46.00</td><td>-17.85</td><td>40.06</td><td>18.44</td><td>2.42</td><td>32.77</td><td>0.00</td><td>Peak</td></tr><tr><td>4</td><td>488.30</td><td>25.22</td><td>46.00</td><td>-20.78</td><td>33.19</td><td>21.82</td><td>3.08</td><td>32.87</td><td>0.00</td><td>Peak</td></tr><tr><td>5</td><td>704.15</td><td>27.91</td><td>46.00</td><td>-18.09</td><td>31.63</td><td>25.28</td><td>4.06</td><td>33.06</td><td>0.00</td><td>Peak</td></tr><tr><td>6</td><td>845.77</td><td>29.02</td><td>46.00</td><td>-16.98</td><td>30.43</td><td>26.56</td><td>4.44</td><td>32.41</td><td>0.00</td><td>Peak</td></tr></table></div> <div><div>Data: 4</div><div><div>Level (dBuV/m)</div><div></div><div>Frequency (MHz)</div></div><table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>51.34</td><td>33.49</td><td>40.00</td><td>-6.51</td><td>51.18</td><td>14.15</td><td>1.07</td><td>32.91</td><td>0.00</td><td>Peak</td></tr><tr><td>2</td><td>96.93</td><td>30.49</td><td>43.50</td><td>-13.01</td><td>45.39</td><td>16.49</td><td>1.48</td><td>32.87</td><td>0.00</td><td>Peak</td></tr><tr><td>3</td><td>186.17</td><td>24.74</td><td>43.50</td><td>-18.76</td><td>39.81</td><td>15.69</td><td>2.07</td><td>32.83</td><td>0.00</td><td>Peak</td></tr><tr><td>4</td><td>528.58</td><td>26.75</td><td>46.00</td><td>-19.25</td><td>31.81</td><td>24.46</td><td>3.51</td><td>33.03</td><td>0.00</td><td>Peak</td></tr><tr><td>5</td><td>754.59</td><td>28.26</td><td>46.00</td><td>-17.74</td><td>30.98</td><td>25.87</td><td>4.20</td><td>32.79</td><td>0.00</td><td>Peak</td></tr><tr><td>6</td><td>926.28</td><td>29.07</td><td>46.00</td><td>-16.93</td><td>29.01</td><td>27.14</td><td>4.65</td><td>31.73</td><td>0.00</td><td>Peak</td></tr></table></div>											Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	114.39	31.57	43.50	-11.93	45.94	16.88	1.61	32.86	0.00	Peak	2	187.14	27.23	43.50	-16.27	42.32	15.67	2.07	32.83	0.00	Peak	3	251.16	28.15	46.00	-17.85	40.06	18.44	2.42	32.77	0.00	Peak	4	488.30	25.22	46.00	-20.78	33.19	21.82	3.08	32.87	0.00	Peak	5	704.15	27.91	46.00	-18.09	31.63	25.28	4.06	33.06	0.00	Peak	6	845.77	29.02	46.00	-16.98	30.43	26.56	4.44	32.41	0.00	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	51.34	33.49	40.00	-6.51	51.18	14.15	1.07	32.91	0.00	Peak	2	96.93	30.49	43.50	-13.01	45.39	16.49	1.48	32.87	0.00	Peak	3	186.17	24.74	43.50	-18.76	39.81	15.69	2.07	32.83	0.00	Peak	4	528.58	26.75	46.00	-19.25	31.81	24.46	3.51	33.03	0.00	Peak	5	754.59	28.26	46.00	-17.74	30.98	25.87	4.20	32.79	0.00	Peak	6	926.28	29.07	46.00	-16.93	29.01	27.14	4.65	31.73	0.00	Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	114.39	31.57	43.50	-11.93	45.94	16.88	1.61	32.86	0.00	Peak																																																																																																																																																																																	
2	187.14	27.23	43.50	-16.27	42.32	15.67	2.07	32.83	0.00	Peak																																																																																																																																																																																	
3	251.16	28.15	46.00	-17.85	40.06	18.44	2.42	32.77	0.00	Peak																																																																																																																																																																																	
4	488.30	25.22	46.00	-20.78	33.19	21.82	3.08	32.87	0.00	Peak																																																																																																																																																																																	
5	704.15	27.91	46.00	-18.09	31.63	25.28	4.06	33.06	0.00	Peak																																																																																																																																																																																	
6	845.77	29.02	46.00	-16.98	30.43	26.56	4.44	32.41	0.00	Peak																																																																																																																																																																																	
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	51.34	33.49	40.00	-6.51	51.18	14.15	1.07	32.91	0.00	Peak																																																																																																																																																																																	
2	96.93	30.49	43.50	-13.01	45.39	16.49	1.48	32.87	0.00	Peak																																																																																																																																																																																	
3	186.17	24.74	43.50	-18.76	39.81	15.69	2.07	32.83	0.00	Peak																																																																																																																																																																																	
4	528.58	26.75	46.00	-19.25	31.81	24.46	3.51	33.03	0.00	Peak																																																																																																																																																																																	
5	754.59	28.26	46.00	-17.74	30.98	25.87	4.20	32.79	0.00	Peak																																																																																																																																																																																	
6	926.28	29.07	46.00	-16.93	29.01	27.14	4.65	31.73	0.00	Peak																																																																																																																																																																																	







Co-Location

Mode	93																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																	
ANT	TxBF 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2339.90</td><td>62.12</td><td>74.00</td><td>-11.88</td><td>50.46</td><td>31.70</td><td>7.03</td><td>37.07</td><td>10.00</td><td>100 102 PEAK</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2339.90	62.12	74.00	-11.88	50.46	31.70	7.03	37.07	10.00	100 102 PEAK	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2452.00</td><td>117.34</td><td>-----</td><td>-----</td><td>104.55</td><td>32.44</td><td>7.23</td><td>36.88</td><td>10.00</td><td>100 102 PEAK</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	117.34	-----	-----	104.55	32.44	7.23	36.88	10.00	100 102 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2339.90	62.12	74.00	-11.88	50.46	31.70	7.03	37.07	10.00	100 102 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2452.00	117.34	-----	-----	104.55	32.44	7.23	36.88	10.00	100 102 PEAK																																																																									
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.95</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>36.46</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>100 102 AVERAGE</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.95	48.72	54.00	-5.28	36.46	32.20	7.11	37.05	10.00	100 102 AVERAGE	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2452.00</td><td>105.36</td><td>-----</td><td>-----</td><td>92.57</td><td>32.44</td><td>7.23</td><td>36.88</td><td>10.00</td><td>100 102 AVERAGE</td></tr></table></div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	105.36	-----	-----	92.57	32.44	7.23	36.88	10.00	100 102 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.95	48.72	54.00	-5.28	36.46	32.20	7.11	37.05	10.00	100 102 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2452.00	105.36	-----	-----	92.57	32.44	7.23	36.88	10.00	100 102 AVERAGE																																																																									



	93																																																					
Mode	Band Edge - R																																																					
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																					
ANT	TxBF 1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<div></div> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2489.68</td><td>62.48</td><td>74.00</td><td>-11.52</td><td>49.56</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>100</td><td>102 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.68	62.48	74.00	-11.52	49.56	32.48	7.27	36.83	10.00	100	102 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2489.68	62.48	74.00	-11.52	49.56	32.48	7.27	36.83	10.00	100	102 PEAK																																											
Avg	<div></div> <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.04</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>37.31</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>100</td><td>102 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	50.19	54.00	-3.81	37.31	32.47	7.26	36.85	10.00	100	102 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.04	50.19	54.00	-3.81	37.31	32.47	7.26	36.85	10.00	100	102 AVERAGE																																											





	93																																																						
Mode	Band Edge - L																																																						
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																						
ANT	TxBF 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.00</td><td>61.67</td><td>74.00</td><td>-12.33</td><td>49.59</td><td>32.05</td><td>7.08</td><td>37.05</td><td>10.00</td><td>130</td><td>59</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.00	61.67	74.00	-12.33	49.59	32.05	7.08	37.05	10.00	130	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2375.00	61.67	74.00	-12.33	49.59	32.05	7.08	37.05	10.00	130	59	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>120.20</td><td>-----</td><td>-----</td><td>107.50</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>130</td><td>59</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	120.20	-----	-----	107.50	32.41	7.21	36.92	10.00	130	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	120.20	-----	-----	107.50	32.41	7.21	36.92	10.00	130	59	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.93</td><td>54.00</td><td>-5.07</td><td>36.67</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>130</td><td>59</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.93	54.00	-5.07	36.67	32.20	7.11	37.05	10.00	130	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	48.93	54.00	-5.07	36.67	32.20	7.11	37.05	10.00	130	59	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>107.50</td><td>-----</td><td>-----</td><td>94.84</td><td>32.39</td><td>7.20</td><td>36.93</td><td>10.00</td><td>130</td><td>59</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	107.50	-----	-----	94.84	32.39	7.20	36.93	10.00	130	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	107.50	-----	-----	94.84	32.39	7.20	36.93	10.00	130	59	AVERAGE																																											






Mode	93																																																						
	Band Edge - R																																																						
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																						
ANT	TxBF 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.90</td><td>66.84</td><td>74.00</td><td>-7.16</td><td>53.93</td><td>32.48</td><td>7.27</td><td>36.84</td><td>10.00</td><td>130</td><td>59 PEAK</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2488.90	66.84	74.00	-7.16	53.93	32.48	7.27	36.84	10.00	130	59 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.90	66.84	74.00	-7.16	53.93	32.48	7.27	36.84	10.00	130	59 PEAK																																												
Avg	<div><table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>53.26</td><td>54.00</td><td>-0.74</td><td>40.38</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>130</td><td>59 AVERAGE</td></tr></table></div>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.50	53.26	54.00	-0.74	40.38	32.47	7.26	36.85	10.00	130	59 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	53.26	54.00	-0.74	40.38	32.47	7.26	36.85	10.00	130	59 AVERAGE																																												






Mode	93																																																																				
	Harmonic																																																																				
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																				
ANT	TxBF 1S4T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>39.66</td><td>74.00</td><td>-34.34</td><td>60.71</td><td>34.17</td><td>10.33</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5825.00</td><td>60.51</td><td>74.00</td><td>-13.49</td><td>79.60</td><td>35.04</td><td>11.31</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	39.66	74.00	-34.34	60.71	34.17	10.33	65.55	0.00	---	---	PEAK	2	5825.00	60.51	74.00	-13.49	79.60	35.04	11.31	65.44	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4904.00	39.66	74.00	-34.34	60.71	34.17	10.33	65.55	0.00	---	---	PEAK																																																									
2	5825.00	60.51	74.00	-13.49	79.60	35.04	11.31	65.44	0.00	---	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>60.90</td><td>34.17</td><td>10.33</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5825.00</td><td>61.57</td><td>74.00</td><td>-12.43</td><td>80.66</td><td>35.04</td><td>11.31</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	39.85	74.00	-34.15	60.90	34.17	10.33	65.55	0.00	---	---	PEAK	2	5825.00	61.57	74.00	-12.43	80.66	35.04	11.31	65.44	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4904.00	39.85	74.00	-34.15	60.90	34.17	10.33	65.55	0.00	---	---	PEAK																																																									
2	5825.00	61.57	74.00	-12.43	80.66	35.04	11.31	65.44	0.00	---	---	PEAK																																																									





Mode	93																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>88.44</td><td>112.27</td><td>-23.83</td><td>71.36</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>86.47</td><td>106.14</td><td>-19.67</td><td>69.34</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>97</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>66.56</td><td>69.53</td><td>-2.97</td><td>49.25</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>97</td><td>PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>64.16</td><td>68.20</td><td>-4.04</td><td>46.82</td><td>35.14</td><td>11.41</td><td>39.21</td><td>10.00</td><td>97</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	88.44	112.27	-23.83	71.36	35.07	11.33	39.32	10.00	97	PEAK	2	5872.00	86.47	106.14	-19.67	69.34	35.08	11.35	39.30	10.00	97	PEAK	3	5923.20	66.56	69.53	-2.97	49.25	35.13	11.40	39.22	10.00	97	PEAK	4	5929.60	64.16	68.20	-4.04	46.82	35.14	11.41	39.21	10.00	97	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.40	88.44	112.27	-23.83	71.36	35.07	11.33	39.32	10.00	97	PEAK																																																																																	
2	5872.00	86.47	106.14	-19.67	69.34	35.08	11.35	39.30	10.00	97	PEAK																																																																																	
3	5923.20	66.56	69.53	-2.97	49.25	35.13	11.40	39.22	10.00	97	PEAK																																																																																	
4	5929.60	64.16	68.20	-4.04	46.82	35.14	11.41	39.21	10.00	97	PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>110.06</td><td>-----</td><td>-----</td><td>97.37</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>97</td><td>Peak</td></tr><tr><td>2</td><td>5825.00</td><td>121.71</td><td>-----</td><td>-----</td><td>104.13</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>97</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	110.06	-----	-----	97.37	32.40	7.21	36.92	10.00	97	Peak	2	5825.00	121.71	-----	-----	104.13	35.03	11.30	38.75	10.00	97	PEAK																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2452.00	110.06	-----	-----	97.37	32.40	7.21	36.92	10.00	97	Peak																																																																																	
2	5825.00	121.71	-----	-----	104.13	35.03	11.30	38.75	10.00	97	PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>100.54</td><td>-----</td><td>-----</td><td>87.85</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>97</td><td>Average</td></tr><tr><td>2</td><td>5434.00</td><td>53.15</td><td>54.00</td><td>-0.85</td><td>33.92</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>240</td><td>84</td><td>Average</td></tr><tr><td>3</td><td>5825.00</td><td>112.55</td><td>-----</td><td>-----</td><td>94.97</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>97</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	100.54	-----	-----	87.85	32.40	7.21	36.92	10.00	97	Average	2	5434.00	53.15	54.00	-0.85	33.92	34.67	10.81	36.25	10.00	240	84	Average	3	5825.00	112.55	-----	-----	94.97	35.03	11.30	38.75	10.00	97	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2452.00	100.54	-----	-----	87.85	32.40	7.21	36.92	10.00	97	Average																																																																																	
2	5434.00	53.15	54.00	-0.85	33.92	34.67	10.81	36.25	10.00	240	84	Average																																																																																
3	5825.00	112.55	-----	-----	94.97	35.03	11.30	38.75	10.00	97	AVERAGE																																																																																	



Mode	93																																																																																																																																																	
	Band Edge - L																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																																	
ANT	CDD 1S4T																																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																																											
Peak																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>84.32</td><td>111.36</td><td>-27.04</td><td>67.24</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>154</td><td>79 PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>87.42</td><td>106.70</td><td>-19.28</td><td>70.30</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>154</td><td>79 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>61.64</td><td>68.64</td><td>-7.00</td><td>44.33</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>154</td><td>79 PEAK</td></tr><tr><td>4</td><td>5926.80</td><td>63.42</td><td>68.20</td><td>-4.78</td><td>46.09</td><td>35.14</td><td>11.40</td><td>39.21</td><td>10.00</td><td>154</td><td>79 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	84.32	111.36	-27.04	67.24	35.07	11.34	39.33	10.00	154	79 PEAK	2	5870.00	87.42	106.70	-19.28	70.30	35.08	11.35	39.31	10.00	154	79 PEAK	3	5924.40	61.64	68.64	-7.00	44.33	35.13	11.40	39.22	10.00	154	79 PEAK	4	5926.80	63.42	68.20	-4.78	46.09	35.14	11.40	39.21	10.00	154	79 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>104.52</td><td>68.20</td><td>-----</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>154</td><td>79 Peak</td></tr><tr><td>2</td><td>5825.00</td><td>119.90</td><td>122.30</td><td>-----</td><td>35.04</td><td>11.31</td><td>38.86</td><td>10.00</td><td>154</td><td>79 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	104.52	68.20	-----	32.40	7.21	36.92	10.00	154	79 Peak	2	5825.00	119.90	122.30	-----	35.04	11.31	38.86	10.00	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5854.00	84.32	111.36	-27.04	67.24	35.07	11.34	39.33	10.00	154	79 PEAK																																																																																																																																							
2	5870.00	87.42	106.70	-19.28	70.30	35.08	11.35	39.31	10.00	154	79 PEAK																																																																																																																																							
3	5924.40	61.64	68.64	-7.00	44.33	35.13	11.40	39.22	10.00	154	79 PEAK																																																																																																																																							
4	5926.80	63.42	68.20	-4.78	46.09	35.14	11.40	39.21	10.00	154	79 PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	2452.00	104.52	68.20	-----	32.40	7.21	36.92	10.00	154	79 Peak																																																																																																																																								
2	5825.00	119.90	122.30	-----	35.04	11.31	38.86	10.00	154	79 PEAK																																																																																																																																								
Avg	Blank																																																																																																																																																	
						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>92.58</td><td>-----</td><td>-----</td><td>79.89</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>154</td><td>79 Average</td></tr><tr><td>2</td><td>5452.00</td><td>53.70</td><td>54.00</td><td>-0.30</td><td>34.41</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>129</td><td>80 Average</td></tr><tr><td>3</td><td>5825.00</td><td>110.52</td><td>-----</td><td>-----</td><td>93.10</td><td>35.05</td><td>11.31</td><td>38.94</td><td>10.00</td><td>154</td><td>79 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	92.58	-----	-----	79.89	32.40	7.21	36.92	10.00	154	79 Average	2	5452.00	53.70	54.00	-0.30	34.41	34.69	10.83	36.23	10.00	129	80 Average	3	5825.00	110.52	-----	-----	93.10	35.05	11.31	38.94	10.00	154	79 AVERAGE																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	2452.00	92.58	-----	-----	79.89	32.40	7.21	36.92	10.00	154	79 Average																																																																																																																																							
2	5452.00	53.70	54.00	-0.30	34.41	34.69	10.83	36.23	10.00	129	80 Average																																																																																																																																							
3	5825.00	110.52	-----	-----	93.10	35.05	11.31	38.94	10.00	154	79 AVERAGE																																																																																																																																							



Mode	93																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>58.40</td><td>74.00</td><td>-15.60</td><td>70.02</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>58.58</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	58.40	74.00	-15.60	70.02	38.25	16.46	66.33	0.00	100	84 PEAK	2	11650.00	46.96	54.00	-7.04	58.58	38.25	16.46	66.33	0.00	100	84 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>57.71</td><td>74.00</td><td>-16.29</td><td>69.33</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>119</td><td>77 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>55.82</td><td>38.26</td><td>16.47</td><td>66.33</td><td>0.00</td><td>119</td><td>77 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	57.71	74.00	-16.29	69.33	38.25	16.46	66.33	0.00	119	77 PEAK	2	11650.00	44.22	54.00	-9.78	55.82	38.26	16.47	66.33	0.00	119	77 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11650.00	58.40	74.00	-15.60	70.02	38.25	16.46	66.33	0.00	100	84 PEAK																																																																																																															
2	11650.00	46.96	54.00	-7.04	58.58	38.25	16.46	66.33	0.00	100	84 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11650.00	57.71	74.00	-16.29	69.33	38.25	16.46	66.33	0.00	119	77 PEAK																																																																																																															
2	11650.00	44.22	54.00	-9.78	55.82	38.26	16.47	66.33	0.00	119	77 AVERAGE																																																																																																															

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2+3+4	802.11a	99.00	-	-	10Hz
1+2+3+4	802.11be EHT20	98.02	-	-	10Hz
1+2+3+4	802.11be EHT40	99.09	-	-	10Hz
1+2+3+4	802.11be EHT80	98.73	-	-	10Hz
1+2+3+4	802.11be EHT160	98.91	-	-	10Hz
1+2+3+4	802.11be EHT20 RU 52	90.78	5.020	0.199	0.2kHz
1+2+3+4	802.11be EHT80 Puncturing 20M, Loc 4	98.91	-	-	10Hz
1+2+3+4	802.11be EHT160 Puncturing 20M, Loc 8	97.85	5.450	0.183	0.2kHz
1+2+3+4	802.11be EHT160 Puncturing 40M, Loc 1	97.33	5.460	0.183	0.2KHz
1+2+3+4	802.11be EHT160 Puncturing 40M, Loc 4	99.09	-	-	10Hz
1+2+3+4	802.11be EHT20-TXBF	95.75	2.930	0.341	0.36KHz
1+2+3+4	802.11be EHT40-TXBF	95.55	3.650	0.274	0.3KHz
1+2+3+4	802.11be EHT80-TXBF	94.33	3.830	0.261	0.27kHz
1+2+3+4	802.11be EHT160-TXBF	95.75	3.830	0.261	0.27kHz


Note: Loc: Puncture Location.



802.11a




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT20 RU 52






802.11be EHT80 Puncturing 20M, Loc 4




802.11be EHT160 Puncturing 20M, Loc 8






802.11be EHT160 Puncturing 40M, Loc 1




802.11be EHT160 Puncturing 40M, Loc 4






802.11be EHT20-TXBF




802.11be EHT40-TXBF





802.11be EHT80-TXBF



802.11be EHT160-TXBF

