





Test Mode : 802.11ac40

Test Channel : 03


100kHz PSD reference Level




Channel 03 Plot




Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz








Test Mode : 802.11ac40


Test Channel : 09

100kHz PSD reference Level




09:50:19 PM 05/14/2026

Channel 09 Plot




09:52:19 PM 05/14/2026

Spurious Emission 30MHz~1GHz



09:50:41 PM 05/14/2026

Spurious Emission 1GHz~26.5GHz




09:51:48 PM 05/14/2026




Test Mode : 802.11be20

Test Channel : 01


100kHz PSD reference Level




Channel 01 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz









Test Mode : 802.11be20

Test Channel : 11


100kHz PSD reference Level




Channel 11 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be40

Test Channel : 03


100kHz PSD reference Level




Channel 03 Plot




Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz









Test Mode : 802.11be40

Test Channel : 09


100kHz PSD reference Level




Channel 09 Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Brian Chen	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 612627
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	32.46	55.88	23.42	L1	ON	19.9
0.152250	47.84	---	65.88	18.04	L1	ON	19.9
0.165750	---	28.26	55.17	26.91	L1	ON	19.9
0.165750	45.00	---	65.17	20.17	L1	ON	19.9
0.204000	---	24.87	53.45	28.58	L1	ON	19.9
0.204000	38.01	---	63.45	25.44	L1	ON	19.9
0.305250	---	19.22	50.10	30.88	L1	ON	19.9
0.305250	29.11	---	60.10	30.99	L1	ON	19.9
0.541500	---	20.05	46.00	25.95	L1	ON	19.9
0.541500	26.86	---	56.00	29.14	L1	ON	19.9
21.662250	---	21.28	50.00	28.72	L1	ON	20.2
21.662250	24.84	---	60.00	35.16	L1	ON	20.2

EUT Information

Report NO : 612627
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	32.09	56.00	23.91	N	ON	20.0
0.150000	47.21	---	66.00	18.79	N	ON	20.0
0.161250	---	27.70	55.40	27.70	N	ON	19.9
0.161250	45.63	---	65.40	19.77	N	ON	19.9
0.177000	---	27.49	54.63	27.14	N	ON	19.9
0.177000	42.65	---	64.63	21.98	N	ON	19.9
0.453750	---	16.87	46.81	29.94	N	ON	19.9
0.453750	23.90	---	56.81	32.91	N	ON	19.9
0.541500	---	17.59	46.00	28.41	N	ON	19.9
0.541500	23.51	---	56.00	32.49	N	ON	19.9
21.642000	---	20.23	50.00	29.77	N	ON	20.2
21.642000	24.32	---	60.00	35.68	N	ON	20.2



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo and York Huang	Temperature :	23.8~24.5°C
		Relative Humidity :	55.7~61.3%

Note symbol

-L	Low channel location
-R	High channel location

**<CDD Mode>****C1-1. Radiated Spurious Emission Test Modes**

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	DB 1+2+3+4 (CDD)	802.11b	1	2412	1Mbps	-	-
Mode 2	2400-2483.5	DB 1+2+3+4 (CDD)	802.11b	2	2417	1Mbps	-	-
Mode 3	2400-2483.5	DB 1+2+3+4 (CDD)	802.11b	6	2437	1Mbps	-	-
Mode 4	2400-2483.5	DB 1+2+3+4 (CDD)	802.11b	10	2457	1Mbps	-	-
Mode 5	2400-2483.5	DB 1+2+3+4 (CDD)	802.11b	11	2462	1Mbps	-	-
Mode 6	2400-2483.5	DB 1+2+3+4 (CDD)	802.11g	1	2412	6Mbps	-	-
Mode 7	2400-2483.5	DB 1+2+3+4 (CDD)	802.11g	2	2417	6Mbps	-	-
Mode 8	2400-2483.5	DB 1+2+3+4 (CDD)	802.11g	6	2437	6Mbps	-	-
Mode 9	2400-2483.5	DB 1+2+3+4 (CDD)	802.11g	10	2457	6Mbps	-	-
Mode 10	2400-2483.5	DB 1+2+3+4 (CDD)	802.11g	11	2462	6Mbps	-	-
Mode 11	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT20	1	2412	MCS0	Full RU	-



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT20	2	2417	MCS0	Full RU	-
Mode 13	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT20	6	2437	MCS0	Full RU	-
Mode 14	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT20	10	2457	MCS0	Full RU	-
Mode 15	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT20	11	2462	MCS0	Full RU	-
Mode 16	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT40	3	2422	MCS0	Full RU	-
Mode 17	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT40	4	2427	MCS0	Full RU	-
Mode 18	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT40	6	2437	MCS0	Full RU	-
Mode 19	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT40	8	2447	MCS0	Full RU	-
Mode 20	2400-2483.5	DB 1+2+3+4 (CDD)	802.11be EHT40	9	2452	MCS0	Full RU	-

C1-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11b	1	2389.56	52.79	54.00	-1.21	V	Avg.	Pass	-	Band Edge
	802.11b	1	4824.00	46.58	74.00	-27.42	H	Peak	Pass	-	Harmonic
2	802.11b	2	2387.47	50.54	54.00	-3.46	V	Avg.	Pass	-	Band Edge
	802.11b	2	-	-	-	-	-	-	-	-	Harmonic
3	802.11b	6	2312.67	44.95	54.00	-9.05	V	Avg.	Pass	-	Band Edge
	802.11b	6	7311.00	45.78	54.00	-8.22	H	Avg.	Pass	-	Harmonic
4	802.11b	10	2486.63	52.18	54.00	-1.82	V	Avg.	Pass	-	Band Edge
	802.11b	10	-	-	-	-	-	-	-	-	Harmonic
5	802.11b	11	2483.51	49.39	54.00	-4.61	V	Avg.	Pass	-	Band Edge
	802.11b	11	7386.00	39.91	54.00	-14.09	V	Avg.	Pass	-	Harmonic
6	802.11g	1	2389.95	53.68	54.00	-0.32	H	Avg.	Pass	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11g	1	4824.00	45.71	74.00	-28.29	V	Peak	Pass	-	Harmonic
7	802.11g	2	2389.72	51.87	54.00	-2.13	H	Avg.	Pass	-	Band Edge
	802.11g	2	-	-	-	-	-	-	-	-	Harmonic
8	802.11g	6	2483.56	52.17	54.00	-1.83	H	Avg.	Pass	-	Band Edge
	802.11g	6	7311.00	44.21	54.00	-9.79	V	Avg.	Pass	-	Harmonic
9	802.11g	10	2483.53	51.62	54.00	-2.38	H	Avg.	Pass	-	Band Edge
	802.11g	10	-	-	-	-	-	-	-	-	Harmonic
10	802.11g	11	2483.51	53.83	54.00	-0.17	H	Avg.	Pass	-	Band Edge
	802.11g	11	7386.00	39.38	54.00	-14.62	H	Avg.	Pass	-	Harmonic
11	802.11be EHT20	1	2389.95	51.89	54.00	-2.11	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	4824.00	45.66	74.00	-28.34	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11be EHT20	2	2389.93	52.47	54.00	-1.53	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	2	-	-	-	-	-	-	-	Full RU	Harmonic
13	802.11be EHT20	6	2489.79	71.03	74.00	-2.97	H	Peak	Pass	Full RU	Band Edge
	802.11be EHT20	6	7311.00	41.92	54.00	-12.08	H	Avg.	Pass	Full RU	Harmonic
14	802.11be EHT20	10	2483.53	52.51	54.00	-1.49	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	10	-	-	-	-	-	-	-	Full RU	Harmonic
15	802.11be EHT20	11	2483.51	52.70	54.00	-1.30	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	11	7386.00	39.74	54.00	-14.26	H	Avg.	Pass	Full RU	Harmonic
16	802.11be EHT40	3	2389.41	53.71	54.00	-0.29	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	7266.00	40.95	54.00	-13.05	V	Avg.	Pass	Full RU	Harmonic
17	802.11be EHT40	4	2389.91	53.76	54.00	-0.24	V	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11be EHT40	4	-	-	-	-	-	-	-	Full RU	Harmonic
18	802.11be EHT40	6	2484.63	52.47	54.00	-1.53	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	6	7311.00	40.87	54.00	-13.13	V	Avg.	Pass	Full RU	Harmonic
19	802.11be EHT40	8	2484.31	53.54	54.00	-0.46	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	8	-	-	-	-	-	-	-	Full RU	Harmonic
20	802.11be EHT40	9	2485.79	52.28	54.00	-1.72	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	9	7356.00	39.65	54.00	-14.35	H	Avg.	Pass	Full RU	Harmonic