







Mode	30																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																																																																																																																																					
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2026-04-19 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13650.00</td><td>56.56</td><td>88.20 -31.64</td><td>52.53</td><td>40.15</td><td>21.13</td><td>57.64</td><td>0.39</td><td>258</td><td>20 Peak</td></tr><tr><td>2 13650.00</td><td>48.84</td><td>68.20 -19.36</td><td>44.81</td><td>40.15</td><td>21.13</td><td>57.64</td><td>0.39</td><td>258</td><td>20 Average</td></tr><tr><td>3 20475.00</td><td>53.21</td><td>74.00 -20.79</td><td>74.23</td><td>37.90</td><td>5.81</td><td>55.19</td><td>-9.54</td><td>150</td><td>52 Peak</td></tr><tr><td>4 20475.00</td><td>45.76</td><td>54.00 -8.24</td><td>66.08</td><td>37.90</td><td>5.79</td><td>55.27</td><td>-9.54</td><td>150</td><td>52 Average</td></tr><tr><td>5 27300.00</td><td>48.57</td><td>68.20 -19.63</td><td>65.45</td><td>39.60</td><td>6.81</td><td>53.75</td><td>-9.54</td><td>150</td><td>19 Peak</td></tr><tr><td>6 34125.00</td><td>44.90</td><td>68.20 -23.30</td><td>60.58</td><td>44.52</td><td>7.80</td><td>58.46</td><td>-9.54</td><td>150</td><td>221 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13650.00	56.56	88.20 -31.64	52.53	40.15	21.13	57.64	0.39	258	20 Peak	2 13650.00	48.84	68.20 -19.36	44.81	40.15	21.13	57.64	0.39	258	20 Average	3 20475.00	53.21	74.00 -20.79	74.23	37.90	5.81	55.19	-9.54	150	52 Peak	4 20475.00	45.76	54.00 -8.24	66.08	37.90	5.79	55.27	-9.54	150	52 Average	5 27300.00	48.57	68.20 -19.63	65.45	39.60	6.81	53.75	-9.54	150	19 Peak	6 34125.00	44.90	68.20 -23.30	60.58	44.52	7.80	58.46	-9.54	150	221 Peak	Level (dBuV/m) Date: 2026-04-19 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13650.00</td><td>54.70</td><td>88.20 -33.50</td><td>50.67</td><td>40.15</td><td>21.13</td><td>57.64</td><td>0.39</td><td>333</td><td>58 Peak</td></tr><tr><td>2 13650.00</td><td>47.70</td><td>68.20 -20.50</td><td>43.67</td><td>40.15</td><td>21.13</td><td>57.64</td><td>0.39</td><td>333</td><td>58 Average</td></tr><tr><td>3 20475.00</td><td>47.59</td><td>74.00 -26.41</td><td>68.57</td><td>37.88</td><td>5.82</td><td>55.14</td><td>-9.54</td><td>150</td><td>120 Peak</td></tr><tr><td>4 20475.00</td><td>34.87</td><td>54.00 -19.13</td><td>55.99</td><td>37.90</td><td>5.79</td><td>55.27</td><td>-9.54</td><td>150</td><td>120 Average</td></tr><tr><td>5 27300.00</td><td>43.92</td><td>68.20 -24.28</td><td>60.81</td><td>39.60</td><td>6.81</td><td>53.76</td><td>-9.54</td><td>150</td><td>84 Peak</td></tr><tr><td>6 34125.00</td><td>44.27</td><td>68.20 -23.93</td><td>60.50</td><td>43.95</td><td>7.81</td><td>58.45</td><td>-9.54</td><td>150</td><td>349 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13650.00	54.70	88.20 -33.50	50.67	40.15	21.13	57.64	0.39	333	58 Peak	2 13650.00	47.70	68.20 -20.50	43.67	40.15	21.13	57.64	0.39	333	58 Average	3 20475.00	47.59	74.00 -26.41	68.57	37.88	5.82	55.14	-9.54	150	120 Peak	4 20475.00	34.87	54.00 -19.13	55.99	37.90	5.79	55.27	-9.54	150	120 Average	5 27300.00	43.92	68.20 -24.28	60.81	39.60	6.81	53.76	-9.54	150	84 Peak	6 34125.00	44.27	68.20 -23.93	60.50	43.95	7.81	58.45	-9.54	150	349 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																														
1 13650.00	56.56	88.20 -31.64	52.53	40.15	21.13	57.64	0.39	258	20 Peak																																																																																																																																																																													
2 13650.00	48.84	68.20 -19.36	44.81	40.15	21.13	57.64	0.39	258	20 Average																																																																																																																																																																													
3 20475.00	53.21	74.00 -20.79	74.23	37.90	5.81	55.19	-9.54	150	52 Peak																																																																																																																																																																													
4 20475.00	45.76	54.00 -8.24	66.08	37.90	5.79	55.27	-9.54	150	52 Average																																																																																																																																																																													
5 27300.00	48.57	68.20 -19.63	65.45	39.60	6.81	53.75	-9.54	150	19 Peak																																																																																																																																																																													
6 34125.00	44.90	68.20 -23.30	60.58	44.52	7.80	58.46	-9.54	150	221 Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																														
1 13650.00	54.70	88.20 -33.50	50.67	40.15	21.13	57.64	0.39	333	58 Peak																																																																																																																																																																													
2 13650.00	47.70	68.20 -20.50	43.67	40.15	21.13	57.64	0.39	333	58 Average																																																																																																																																																																													
3 20475.00	47.59	74.00 -26.41	68.57	37.88	5.82	55.14	-9.54	150	120 Peak																																																																																																																																																																													
4 20475.00	34.87	54.00 -19.13	55.99	37.90	5.79	55.27	-9.54	150	120 Average																																																																																																																																																																													
5 27300.00	43.92	68.20 -24.28	60.81	39.60	6.81	53.76	-9.54	150	84 Peak																																																																																																																																																																													
6 34125.00	44.27	68.20 -23.93	60.50	43.95	7.81	58.45	-9.54	150	349 Peak																																																																																																																																																																													



Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-19  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-19  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-19  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-19  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



		31																																																																																								
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																									
ANT	6G 1+2+3+4(TXBF)																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-04-18 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7126.00</td><td>76.67</td><td>88.20</td><td>-11.53</td><td>61.99</td><td>36.56</td><td>15.04</td><td>36.92</td><td>0.00</td><td>300</td><td>222</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7126.00	76.67	88.20	-11.53	61.99	36.56	15.04	36.92	0.00	300	222	Peak	Level (dBuV/m) Date: 2026-04-18 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>119.60</td><td>-----</td><td>-----</td><td>105.21</td><td>36.32</td><td>15.00</td><td>36.93</td><td>0.00</td><td>300</td><td>222</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	119.60	-----	-----	105.21	36.32	15.00	36.93	0.00	300	222	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7126.00	76.67	88.20	-11.53	61.99	36.56	15.04	36.92	0.00	300	222	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7095.00	119.60	-----	-----	105.21	36.32	15.00	36.93	0.00	300	222	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-04-18 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7126.12</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>49.22</td><td>36.56</td><td>15.04</td><td>36.92</td><td>0.00</td><td>300</td><td>222</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7126.12	63.90	68.20	-4.30	49.22	36.56	15.04	36.92	0.00	300	222	Average	Level (dBuV/m) Date: 2026-04-18 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>113.01</td><td>-----</td><td>-----</td><td>98.51</td><td>36.42</td><td>15.01</td><td>36.93</td><td>0.00</td><td>300</td><td>222</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	113.01	-----	-----	98.51	36.42	15.01	36.93	0.00	300	222	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7126.12	63.90	68.20	-4.30	49.22	36.56	15.04	36.92	0.00	300	222	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7095.00	113.01	-----	-----	98.51	36.42	15.01	36.93	0.00	300	222	Average																																																																														



	31																																																																																									
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																									
ANT	6G 1+2+3+4(TXBF)																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.16</td><td>75.14</td><td>88.20</td><td>-13.06</td><td>60.47</td><td>36.55</td><td>15.04</td><td>36.92</td><td>0.00 115 95 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1	7125.16	75.14	88.20	-13.06	60.47	36.55	15.04	36.92	0.00 115 95 Peak	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7095.00</td><td>119.17</td><td>-----</td><td>-----</td><td>104.78</td><td>36.32</td><td>15.00</td><td>36.93</td><td>0.00 115 95 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1	7095.00	119.17	-----	-----	104.78	36.32	15.00	36.93	0.00 115 95 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1	7125.16	75.14	88.20	-13.06	60.47	36.55	15.04	36.92	0.00 115 95 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1	7095.00	119.17	-----	-----	104.78	36.32	15.00	36.93	0.00 115 95 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7125.32</td><td>63.67</td><td>68.20</td><td>-4.53</td><td>49.00</td><td>36.55</td><td>15.04</td><td>36.92</td><td>0.00 115 95 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1	7125.32	63.67	68.20	-4.53	49.00	36.55	15.04	36.92	0.00 115 95 Average	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7095.00</td><td>110.77</td><td>-----</td><td>-----</td><td>96.38</td><td>36.32</td><td>15.00</td><td>36.93</td><td>0.00 115 95 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg	1	7095.00	110.77	-----	-----	96.38	36.32	15.00	36.93	0.00 115 95 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1	7125.32	63.67	68.20	-4.53	49.00	36.55	15.04	36.92	0.00 115 95 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm deg																																																																																	
1	7095.00	110.77	-----	-----	96.38	36.32	15.00	36.93	0.00 115 95 Average																																																																																	



Mode	32																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																
ANT	6G 1+2+3+4(TXBF)																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.04</td><td>78.17</td><td>88.20</td><td>-10.03</td><td>63.49</td><td>36.56</td><td>15.04</td><td>36.92</td><td>0.00</td><td>300</td><td>226 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.04	78.17	88.20	-10.03	63.49	36.56	15.04	36.92	0.00	300	226 Peak	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>113.71</td><td>-----</td><td>-----</td><td>99.39</td><td>36.26</td><td>14.99</td><td>36.93</td><td>0.00</td><td>300</td><td>226 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	113.71	-----	-----	99.39	36.26	14.99	36.93	0.00	300	226 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7125.04	78.17	88.20	-10.03	63.49	36.56	15.04	36.92	0.00	300	226 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7085.00	113.71	-----	-----	99.39	36.26	14.99	36.93	0.00	300	226 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.12</td><td>64.79</td><td>68.20</td><td>-3.41</td><td>50.12</td><td>36.55</td><td>15.04</td><td>36.92</td><td>0.00</td><td>300</td><td>226 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.12	64.79	68.20	-3.41	50.12	36.55	15.04	36.92	0.00	300	226 Average	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>104.57</td><td>-----</td><td>-----</td><td>90.18</td><td>36.32</td><td>15.00</td><td>36.93</td><td>0.00</td><td>300</td><td>226 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	104.57	-----	-----	90.18	36.32	15.00	36.93	0.00	300	226 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7125.12	64.79	68.20	-3.41	50.12	36.55	15.04	36.92	0.00	300	226 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7085.00	104.57	-----	-----	90.18	36.32	15.00	36.93	0.00	300	226 Average																																																																																						



	32																																																																									
Mode	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																									
ANT	6G 1+2+3+4(TXBF)																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-04-18 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91280-92294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.38 82.62 88.20 -5.58 67.94 36.56 15.04 36.92 0.00 100 94 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 7126.38 82.62 88.20 -5.58 67.94 36.56 15.04 36.92 0.00 100 94 Peak									Level (dBuV/m) Date: 2026-04-18 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-92294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 115.71 ----- 101.45 36.21 14.98 36.93 0.00 100 94 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 7085.00 115.71 ----- 101.45 36.21 14.98 36.93 0.00 100 94 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 7126.38 82.62 88.20 -5.58 67.94 36.56 15.04 36.92 0.00 100 94 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 7085.00 115.71 ----- 101.45 36.21 14.98 36.93 0.00 100 94 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-04-18 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91280-92294_250606 VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7126.02 66.98 68.20 -1.22 52.30 36.56 15.04 36.92 0.00 100 94 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 7126.02 66.98 68.20 -1.22 52.30 36.56 15.04 36.92 0.00 100 94 Average									Level (dBuV/m) Date: 2026-04-18 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th>Freq Level</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 107.45 ----- 93.06 36.32 15.00 36.93 0.00 100 94 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level								MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg									1 7085.00 107.45 ----- 93.06 36.32 15.00 36.93 0.00 100 94 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 7126.02 66.98 68.20 -1.22 52.30 36.56 15.04 36.92 0.00 100 94 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor	Freq Level																																																																									
MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg																																																																										
1 7085.00 107.45 ----- 93.06 36.32 15.00 36.93 0.00 100 94 Average																																																																										



	33																																																																									
Mode	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																									
ANT	6G 1+2+3+4(TXBF)																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-04-18 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.40 72.21 88.20 -15.99 57.54 36.55 15.04 36.92 0.00 300 225 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7125.40 72.21 88.20 -15.99 57.54 36.55 15.04 36.92 0.00 300 225 Peak									Level (dBuV/m) Date: 2026-04-18 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 115.65 ----- 101.74 35.91 14.93 36.93 0.00 300 225 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7025.00 115.65 ----- 101.74 35.91 14.93 36.93 0.00 300 225 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 7125.40 72.21 88.20 -15.99 57.54 36.55 15.04 36.92 0.00 300 225 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 7025.00 115.65 ----- 101.74 35.91 14.93 36.93 0.00 300 225 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-04-18 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7125.14 64.00 68.20 -4.20 49.33 36.55 15.04 36.92 0.00 300 225 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7125.14 64.00 68.20 -4.20 49.33 36.55 15.04 36.92 0.00 300 225 Average									Level (dBuV/m) Date: 2026-04-18 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 107.08 ----- 93.17 35.91 14.93 36.93 0.00 300 225 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 7025.00 107.08 ----- 93.17 35.91 14.93 36.93 0.00 300 225 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 7125.14 64.00 68.20 -4.20 49.33 36.55 15.04 36.92 0.00 300 225 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 7025.00 107.08 ----- 93.17 35.91 14.93 36.93 0.00 300 225 Average																																																																										



Mode	33																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																	
ANT	6G 1+2+3+4(TXBF)																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.76</td><td>74.92</td><td>88.20</td><td>-13.28</td><td>60.18</td><td>36.61</td><td>15.05</td><td>36.92</td><td>0.00 257 199 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7134.76	74.92	88.20	-13.28	60.18	36.61	15.05	36.92	0.00 257 199 Peak	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>113.75</td><td>-----</td><td>-----</td><td>99.96</td><td>35.83</td><td>14.88</td><td>36.92</td><td>0.00 257 199 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7025.00	113.75	-----	-----	99.96	35.83	14.88	36.92	0.00 257 199 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1	7134.76	74.92	88.20	-13.28	60.18	36.61	15.05	36.92	0.00 257 199 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1	7025.00	113.75	-----	-----	99.96	35.83	14.88	36.92	0.00 257 199 Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.66</td><td>65.47</td><td>68.20</td><td>-2.73</td><td>50.00</td><td>36.55</td><td>15.04</td><td>36.92</td><td>0.00 257 199 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7125.66	65.47	68.20	-2.73	50.00	36.55	15.04	36.92	0.00 257 199 Average	Level (dBuV/m) Date: 2026-04-18 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>105.37</td><td>-----</td><td>-----</td><td>91.58</td><td>35.83</td><td>14.88</td><td>36.92</td><td>0.00 257 199 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7025.00	105.37	-----	-----	91.58	35.83	14.88	36.92	0.00 257 199 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1	7125.66	65.47	68.20	-2.73	50.00	36.55	15.04	36.92	0.00 257 199 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																									
1	7025.00	105.37	-----	-----	91.58	35.83	14.88	36.92	0.00 257 199 Average																																																																									



	34																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																													
ANT	6G 1+2+3+4(TXBF)																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-04-19 PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91280-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7145.90</td><td>70.90</td><td>88.20 -17.30</td><td>56.08</td><td>36.68</td><td>15.06</td><td>36.92</td><td>0.00</td><td>300 101 Peak</td></tr><tr><td>2</td><td>7256.50</td><td>61.78</td><td>74.00 -12.22</td><td>46.61</td><td>36.90</td><td>15.19</td><td>36.92</td><td>0.00</td><td>300 101 Peak</td></tr><tr><td>3</td><td>7973.72</td><td>58.19</td><td>88.20 -30.01</td><td>42.37</td><td>37.10</td><td>15.93</td><td>37.21</td><td>0.00</td><td>300 101 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7145.90	70.90	88.20 -17.30	56.08	36.68	15.06	36.92	0.00	300 101 Peak	2	7256.50	61.78	74.00 -12.22	46.61	36.90	15.19	36.92	0.00	300 101 Peak	3	7973.72	58.19	88.20 -30.01	42.37	37.10	15.93	37.21	0.00	300 101 Peak	Level (dBuV/m) Date: 2026-04-19 PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>110.96</td><td>-----</td><td>97.10</td><td>35.90</td><td>14.85</td><td>36.89</td><td>0.00</td><td>300 101 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	110.96	-----	97.10	35.90	14.85	36.89	0.00	300 101 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7145.90	70.90	88.20 -17.30	56.08	36.68	15.06	36.92	0.00	300 101 Peak																																																																																																					
2	7256.50	61.78	74.00 -12.22	46.61	36.90	15.19	36.92	0.00	300 101 Peak																																																																																																					
3	7973.72	58.19	88.20 -30.01	42.37	37.10	15.93	37.21	0.00	300 101 Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	110.96	-----	97.10	35.90	14.85	36.89	0.00	300 101 Peak																																																																																																					
Avg	Level (dBuV/m) Date: 2026-04-19 AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91280-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7148.09</td><td>59.97</td><td>68.20 -8.23</td><td>45.14</td><td>36.69</td><td>15.06</td><td>36.92</td><td>0.00</td><td>300 101 Average</td></tr><tr><td>2</td><td>7251.02</td><td>52.01</td><td>54.00 -1.99</td><td>36.85</td><td>36.90</td><td>15.18</td><td>36.92</td><td>0.00</td><td>300 101 Average</td></tr><tr><td>3</td><td>7954.01</td><td>47.82</td><td>68.20 -20.38</td><td>32.01</td><td>37.10</td><td>15.91</td><td>37.20</td><td>0.00</td><td>300 101 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7148.09	59.97	68.20 -8.23	45.14	36.69	15.06	36.92	0.00	300 101 Average	2	7251.02	52.01	54.00 -1.99	36.85	36.90	15.18	36.92	0.00	300 101 Average	3	7954.01	47.82	68.20 -20.38	32.01	37.10	15.91	37.20	0.00	300 101 Average	Level (dBuV/m) Date: 2026-04-19 AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>102.77</td><td>-----</td><td>88.91</td><td>35.90</td><td>14.85</td><td>36.89</td><td>0.00</td><td>300 101 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	102.77	-----	88.91	35.90	14.85	36.89	0.00	300 101 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7148.09	59.97	68.20 -8.23	45.14	36.69	15.06	36.92	0.00	300 101 Average																																																																																																					
2	7251.02	52.01	54.00 -1.99	36.85	36.90	15.18	36.92	0.00	300 101 Average																																																																																																					
3	7954.01	47.82	68.20 -20.38	32.01	37.10	15.91	37.20	0.00	300 101 Average																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	102.77	-----	88.91	35.90	14.85	36.89	0.00	300 101 Average																																																																																																					







		34										
Mode	Band Edge											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz											
ANT	6G 1+2+3+4(TXBF)											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m)											



	34																																																																																																																																																							
Mode	Harmonic																																																																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																																																							
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-04-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13970.00</td><td>55.12</td><td>88.20</td><td>-33.08</td><td>50.86</td><td>40.20</td><td>21.39</td><td>57.70</td><td>0.37</td><td>200 30 Peak</td></tr><tr><td>2 13970.00</td><td>45.48</td><td>68.20</td><td>-22.72</td><td>41.22</td><td>40.20</td><td>21.39</td><td>57.70</td><td>0.37</td><td>200 30 Average</td></tr><tr><td>3 20955.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>67.35</td><td>38.00</td><td>5.93</td><td>54.76</td><td>-9.54</td><td>150 0 Peak</td></tr><tr><td>4 20955.00</td><td>49.05</td><td>54.00</td><td>-4.95</td><td>69.41</td><td>38.00</td><td>5.93</td><td>54.75</td><td>-9.54</td><td>150 0 Average</td></tr><tr><td>5 27931.00</td><td>45.72</td><td>68.20</td><td>-22.48</td><td>62.33</td><td>39.66</td><td>6.81</td><td>53.54</td><td>-9.54</td><td>150 300 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13970.00	55.12	88.20	-33.08	50.86	40.20	21.39	57.70	0.37	200 30 Peak	2 13970.00	45.48	68.20	-22.72	41.22	40.20	21.39	57.70	0.37	200 30 Average	3 20955.00	46.98	74.00	-27.02	67.35	38.00	5.93	54.76	-9.54	150 0 Peak	4 20955.00	49.05	54.00	-4.95	69.41	38.00	5.93	54.75	-9.54	150 0 Average	5 27931.00	45.72	68.20	-22.48	62.33	39.66	6.81	53.54	-9.54	150 300 Peak	Level (dBuV/m) Date: 2026-04-20 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13970.00</td><td>57.44</td><td>88.20</td><td>-30.76</td><td>53.18</td><td>40.20</td><td>21.39</td><td>57.70</td><td>0.37</td><td>400 71 Peak</td></tr><tr><td>2 13970.00</td><td>47.37</td><td>68.20</td><td>-20.83</td><td>43.11</td><td>40.20</td><td>21.39</td><td>57.70</td><td>0.37</td><td>400 71 Average</td></tr><tr><td>3 20955.00</td><td>37.99</td><td>74.00</td><td>-36.01</td><td>58.34</td><td>38.00</td><td>5.94</td><td>54.75</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 27940.00</td><td>38.22</td><td>68.20</td><td>-29.98</td><td>54.79</td><td>39.69</td><td>6.81</td><td>53.53</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13970.00	57.44	88.20	-30.76	53.18	40.20	21.39	57.70	0.37	400 71 Peak	2 13970.00	47.37	68.20	-20.83	43.11	40.20	21.39	57.70	0.37	400 71 Average	3 20955.00	37.99	74.00	-36.01	58.34	38.00	5.94	54.75	-9.54	-- -- Peak	4 27940.00	38.22	68.20	-29.98	54.79	39.69	6.81	53.53	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																															
1 13970.00	55.12	88.20	-33.08	50.86	40.20	21.39	57.70	0.37	200 30 Peak																																																																																																																																															
2 13970.00	45.48	68.20	-22.72	41.22	40.20	21.39	57.70	0.37	200 30 Average																																																																																																																																															
3 20955.00	46.98	74.00	-27.02	67.35	38.00	5.93	54.76	-9.54	150 0 Peak																																																																																																																																															
4 20955.00	49.05	54.00	-4.95	69.41	38.00	5.93	54.75	-9.54	150 0 Average																																																																																																																																															
5 27931.00	45.72	68.20	-22.48	62.33	39.66	6.81	53.54	-9.54	150 300 Peak																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																															
1 13970.00	57.44	88.20	-30.76	53.18	40.20	21.39	57.70	0.37	400 71 Peak																																																																																																																																															
2 13970.00	47.37	68.20	-20.83	43.11	40.20	21.39	57.70	0.37	400 71 Average																																																																																																																																															
3 20955.00	37.99	74.00	-36.01	58.34	38.00	5.94	54.75	-9.54	-- -- Peak																																																																																																																																															
4 27940.00	38.22	68.20	-29.98	54.79	39.69	6.81	53.53	-9.54	-- -- Peak																																																																																																																																															



Mode	34	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL





		35																																																																																
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																	
ANT	6G 1+2+3+4(TXBF)																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-04-19 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5905.08 75.48 88.20 -12.72 64.36 34.29 13.66 36.83 0.00 200 42 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 5905.08 75.48 88.20 -12.72 64.36 34.29 13.66 36.83 0.00 200 42 Peak									Level (dBuV/m) Date: 2026-04-19 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 107.33 ----- 96.11 34.19 13.84 36.81 0.00 200 42 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6105.00 107.33 ----- 96.11 34.19 13.84 36.81 0.00 200 42 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 5905.08 75.48 88.20 -12.72 64.36 34.29 13.66 36.83 0.00 200 42 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 6105.00 107.33 ----- 96.11 34.19 13.84 36.81 0.00 200 42 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2026-04-19 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.00 66.25 68.20 -1.95 55.12 34.25 13.70 36.82 0.00 200 42 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 5924.00 66.25 68.20 -1.95 55.12 34.25 13.70 36.82 0.00 200 42 Average									Level (dBuV/m) Date: 2026-04-19 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6105.00 97.93 ----- 86.70 34.18 13.85 36.80 0.00 200 42 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg									1 6105.00 97.93 ----- 86.70 34.18 13.85 36.80 0.00 200 42 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 5924.00 66.25 68.20 -1.95 55.12 34.25 13.70 36.82 0.00 200 42 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB/m dB dB dB dB cm deg																																																																																		
1 6105.00 97.93 ----- 86.70 34.18 13.85 36.80 0.00 200 42 Average																																																																																		







		35																																													
Mode	Band Edge																																														
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																														
ANT	6G 1+2+3+4(TXBF)																																														
Pol.																																															
Peak	Vertical																																														
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																														
Peak	Fundamental																																														
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																														
Avg	Vertical																																														
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto																																														
Avg	Fundamental																																														
	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto																																														
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th rowspan="2">MHz</th><th rowspan="2">dBuV/m</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.72</td><td>74.56</td><td>88.20</td><td>-13.64</td><td>63.43</td><td>34.26</td><td>13.69</td><td>36.82</td><td>0.00</td><td>200</td><td>104</td><td>Peak</td></tr></table>													Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5918.72	74.56	88.20	-13.64	63.43	34.26	13.69	36.82	0.00	200	104	Peak
	Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Remark																															
				Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																		
1	5918.72	74.56	88.20	-13.64	63.43	34.26	13.69	36.82	0.00	200	104	Peak																																			
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th rowspan="2">MHz</th><th rowspan="2">dBuV/m</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>110.36</td><td>-----</td><td>-----</td><td>99.07</td><td>34.10</td><td>13.94</td><td>36.75</td><td>0.00</td><td>200</td><td>104</td><td>Peak</td></tr></table>													Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	6105.00	110.36	-----	-----	99.07	34.10	13.94	36.75	0.00	200	104	Peak
	Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Remark																															
				Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																		
1	6105.00	110.36	-----	-----	99.07	34.10	13.94	36.75	0.00	200	104	Peak																																			
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th rowspan="2">MHz</th><th rowspan="2">dBuV/m</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.12</td><td>64.68</td><td>68.20</td><td>-3.52</td><td>53.55</td><td>34.25</td><td>13.70</td><td>36.82</td><td>0.00</td><td>200</td><td>104</td><td>Average</td></tr></table>													Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5923.12	64.68	68.20	-3.52	53.55	34.25	13.70	36.82	0.00	200	104	Average
	Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Remark																															
				Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																		
1	5923.12	64.68	68.20	-3.52	53.55	34.25	13.70	36.82	0.00	200	104	Average																																			
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th rowspan="2">MHz</th><th rowspan="2">dBuV/m</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>100.13</td><td>-----</td><td>-----</td><td>88.77</td><td>34.15</td><td>13.95</td><td>36.74</td><td>0.00</td><td>200</td><td>104</td><td>Average</td></tr></table>													Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	6105.00	100.13	-----	-----	88.77	34.15	13.95	36.74	0.00	200	104	Average
	Freq	MHz	dBuV/m	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Remark																															
				Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																		
1	6105.00	100.13	-----	-----	88.77	34.15	13.95	36.74	0.00	200	104	Average																																			



Mode	35																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																																																																																								
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																									
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL					Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL																																																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 12210.00</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>48.37</td><td>39.48</td><td>19.97</td><td>57.65</td><td>0.48</td><td>200 17 Peak</td></tr><tr><td>2 12210.00</td><td>47.74</td><td>54.00</td><td>-6.26</td><td>45.46</td><td>39.48</td><td>19.97</td><td>57.65</td><td>0.48</td><td>200 17 Average</td></tr><tr><td>3 18315.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>70.61</td><td>37.90</td><td>5.72</td><td>56.12</td><td>-9.54</td><td>150 13 Peak</td></tr><tr><td>4 18315.00</td><td>40.71</td><td>54.00</td><td>-13.29</td><td>62.79</td><td>37.83</td><td>5.72</td><td>56.09</td><td>-9.54</td><td>150 13 Average</td></tr><tr><td>5 24420.00</td><td>44.81</td><td>68.20</td><td>-23.39</td><td>62.11</td><td>39.24</td><td>6.40</td><td>53.40</td><td>-9.54</td><td>150 146 Peak</td></tr><tr><td>6 30525.00</td><td>44.16</td><td>68.20</td><td>-24.04</td><td>61.90</td><td>40.45</td><td>7.27</td><td>55.92</td><td>-9.54</td><td>150 300 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12210.00	50.65	74.00	-23.35	48.37	39.48	19.97	57.65	0.48	200 17 Peak	2 12210.00	47.74	54.00	-6.26	45.46	39.48	19.97	57.65	0.48	200 17 Average	3 18315.00	48.57	74.00	-25.43	70.61	37.90	5.72	56.12	-9.54	150 13 Peak	4 18315.00	40.71	54.00	-13.29	62.79	37.83	5.72	56.09	-9.54	150 13 Average	5 24420.00	44.81	68.20	-23.39	62.11	39.24	6.40	53.40	-9.54	150 146 Peak	6 30525.00	44.16	68.20	-24.04	61.90	40.45	7.27	55.92	-9.54	150 300 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 12210.00</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>48.05</td><td>39.48</td><td>19.97</td><td>57.65</td><td>0.48</td><td>300 106 Peak</td></tr><tr><td>2 12210.00</td><td>40.80</td><td>54.00</td><td>-13.20</td><td>38.52</td><td>39.48</td><td>19.97</td><td>57.65</td><td>0.48</td><td>300 106 Average</td></tr><tr><td>3 18315.00</td><td>40.69</td><td>74.00</td><td>-33.31</td><td>62.72</td><td>37.90</td><td>5.72</td><td>56.11</td><td>-9.54</td><td>150 62 Peak</td></tr><tr><td>4 18315.00</td><td>29.84</td><td>54.00</td><td>-24.16</td><td>51.92</td><td>37.83</td><td>5.72</td><td>56.09</td><td>-9.54</td><td>150 62 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12210.00	50.33	74.00	-23.67	48.05	39.48	19.97	57.65	0.48	300 106 Peak	2 12210.00	40.80	54.00	-13.20	38.52	39.48	19.97	57.65	0.48	300 106 Average	3 18315.00	40.69	74.00	-33.31	62.72	37.90	5.72	56.11	-9.54	150 62 Peak	4 18315.00	29.84	54.00	-24.16	51.92	37.83	5.72	56.09	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																
1 12210.00	50.65	74.00	-23.35	48.37	39.48	19.97	57.65	0.48	200 17 Peak																																																																																																																																																																
2 12210.00	47.74	54.00	-6.26	45.46	39.48	19.97	57.65	0.48	200 17 Average																																																																																																																																																																
3 18315.00	48.57	74.00	-25.43	70.61	37.90	5.72	56.12	-9.54	150 13 Peak																																																																																																																																																																
4 18315.00	40.71	54.00	-13.29	62.79	37.83	5.72	56.09	-9.54	150 13 Average																																																																																																																																																																
5 24420.00	44.81	68.20	-23.39	62.11	39.24	6.40	53.40	-9.54	150 146 Peak																																																																																																																																																																
6 30525.00	44.16	68.20	-24.04	61.90	40.45	7.27	55.92	-9.54	150 300 Peak																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																
1 12210.00	50.33	74.00	-23.67	48.05	39.48	19.97	57.65	0.48	300 106 Peak																																																																																																																																																																
2 12210.00	40.80	54.00	-13.20	38.52	39.48	19.97	57.65	0.48	300 106 Average																																																																																																																																																																
3 18315.00	40.69	74.00	-33.31	62.72	37.90	5.72	56.11	-9.54	150 62 Peak																																																																																																																																																																
4 18315.00	29.84	54.00	-24.16	51.92	37.83	5.72	56.09	-9.54	150 62 Average																																																																																																																																																																







Mode	35	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL





Mode	36																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																				
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																																																																																																																				
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																														
Peak Avg	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12850.00</td><td>52.56</td><td>88.20</td><td>-35.64</td><td>49.35</td><td>39.80</td><td>20.49</td><td>57.52</td><td>0.44</td><td>300</td><td>18 Peak</td></tr><tr><td>2</td><td>12850.00</td><td>43.11</td><td>68.20</td><td>-25.09</td><td>39.90</td><td>39.80</td><td>20.49</td><td>57.52</td><td>0.44</td><td>300</td><td>18 Average</td></tr><tr><td>3</td><td>19275.00</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>72.29</td><td>38.05</td><td>5.84</td><td>55.35</td><td>-9.54</td><td>150</td><td>17 Peak</td></tr><tr><td>4</td><td>19275.00</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>66.49</td><td>38.05</td><td>5.84</td><td>55.35</td><td>-9.54</td><td>150</td><td>17 Average</td></tr><tr><td>5</td><td>25700.00</td><td>50.08</td><td>68.20</td><td>-18.12</td><td>66.91</td><td>39.50</td><td>6.53</td><td>53.32</td><td>-9.54</td><td>150</td><td>355 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	52.56	88.20	-35.64	49.35	39.80	20.49	57.52	0.44	300	18 Peak	2	12850.00	43.11	68.20	-25.09	39.90	39.80	20.49	57.52	0.44	300	18 Average	3	19275.00	51.29	74.00	-22.71	72.29	38.05	5.84	55.35	-9.54	150	17 Peak	4	19275.00	45.49	54.00	-8.51	66.49	38.05	5.84	55.35	-9.54	150	17 Average	5	25700.00	50.08	68.20	-18.12	66.91	39.50	6.53	53.32	-9.54	150	355 Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12850.00</td><td>51.99</td><td>88.20</td><td>-36.21</td><td>48.78</td><td>39.80</td><td>20.49</td><td>57.52</td><td>0.44</td><td>400</td><td>89 Peak</td></tr><tr><td>2</td><td>12850.00</td><td>41.30</td><td>68.20</td><td>-26.90</td><td>38.09</td><td>39.80</td><td>20.49</td><td>57.52</td><td>0.44</td><td>400</td><td>89 Average</td></tr><tr><td>3</td><td>19275.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>66.85</td><td>38.05</td><td>5.82</td><td>55.38</td><td>-9.54</td><td>150</td><td>81 Peak</td></tr><tr><td>4</td><td>19275.00</td><td>35.15</td><td>54.00</td><td>-18.85</td><td>56.15</td><td>38.05</td><td>5.84</td><td>55.35</td><td>-9.54</td><td>150</td><td>81 Average</td></tr><tr><td>5</td><td>25700.00</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>62.53</td><td>39.50</td><td>6.52</td><td>53.33</td><td>-9.54</td><td>150</td><td>28 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	51.99	88.20	-36.21	48.78	39.80	20.49	57.52	0.44	400	89 Peak	2	12850.00	41.30	68.20	-26.90	38.09	39.80	20.49	57.52	0.44	400	89 Average	3	19275.00	45.75	74.00	-28.25	66.85	38.05	5.82	55.38	-9.54	150	81 Peak	4	19275.00	35.15	54.00	-18.85	56.15	38.05	5.84	55.35	-9.54	150	81 Average	5	25700.00	45.68	68.20	-22.52	62.53	39.50	6.52	53.33	-9.54	150	28 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	12850.00	52.56	88.20	-35.64	49.35	39.80	20.49	57.52	0.44	300	18 Peak																																																																																																																																																																																										
2	12850.00	43.11	68.20	-25.09	39.90	39.80	20.49	57.52	0.44	300	18 Average																																																																																																																																																																																										
3	19275.00	51.29	74.00	-22.71	72.29	38.05	5.84	55.35	-9.54	150	17 Peak																																																																																																																																																																																										
4	19275.00	45.49	54.00	-8.51	66.49	38.05	5.84	55.35	-9.54	150	17 Average																																																																																																																																																																																										
5	25700.00	50.08	68.20	-18.12	66.91	39.50	6.53	53.32	-9.54	150	355 Peak																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	12850.00	51.99	88.20	-36.21	48.78	39.80	20.49	57.52	0.44	400	89 Peak																																																																																																																																																																																										
2	12850.00	41.30	68.20	-26.90	38.09	39.80	20.49	57.52	0.44	400	89 Average																																																																																																																																																																																										
3	19275.00	45.75	74.00	-28.25	66.85	38.05	5.82	55.38	-9.54	150	81 Peak																																																																																																																																																																																										
4	19275.00	35.15	54.00	-18.85	56.15	38.05	5.84	55.35	-9.54	150	81 Average																																																																																																																																																																																										
5	25700.00	45.68	68.20	-22.52	62.53	39.50	6.52	53.33	-9.54	150	28 Peak																																																																																																																																																																																										







Mode	36	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL







Mode	37																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																																																																																																																
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>48.55</td><td>40.28</td><td>21.00</td><td>57.62</td><td>0.40</td><td>300</td><td>20 Peak</td></tr><tr><td>2</td><td>13490.00</td><td>43.24</td><td>68.20</td><td>-24.96</td><td>39.18</td><td>40.28</td><td>21.00</td><td>57.62</td><td>0.40</td><td>300</td><td>20 Average</td></tr><tr><td>3</td><td>20235.00</td><td>49.92</td><td>74.00</td><td>-24.08</td><td>70.79</td><td>37.85</td><td>5.85</td><td>55.03</td><td>-9.54</td><td>150</td><td>61 Peak</td></tr><tr><td>4</td><td>20235.00</td><td>40.53</td><td>54.00</td><td>-13.47</td><td>61.43</td><td>37.83</td><td>5.84</td><td>55.03</td><td>-9.54</td><td>150</td><td>61 Average</td></tr><tr><td>5</td><td>26980.00</td><td>47.76</td><td>68.20</td><td>-20.44</td><td>64.37</td><td>39.85</td><td>6.78</td><td>53.70</td><td>-9.54</td><td>150</td><td>30 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	52.61	88.20	-35.59	48.55	40.28	21.00	57.62	0.40	300	20 Peak	2	13490.00	43.24	68.20	-24.96	39.18	40.28	21.00	57.62	0.40	300	20 Average	3	20235.00	49.92	74.00	-24.08	70.79	37.85	5.85	55.03	-9.54	150	61 Peak	4	20235.00	40.53	54.00	-13.47	61.43	37.83	5.84	55.03	-9.54	150	61 Average	5	26980.00	47.76	68.20	-20.44	64.37	39.85	6.78	53.70	-9.54	150	30 Peak	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>53.49</td><td>88.20</td><td>-34.71</td><td>49.43</td><td>40.28</td><td>21.00</td><td>57.62</td><td>0.40</td><td>400</td><td>88 Peak</td></tr><tr><td>2</td><td>13490.00</td><td>42.35</td><td>68.20</td><td>-25.85</td><td>38.29</td><td>40.28</td><td>21.00</td><td>57.62</td><td>0.40</td><td>400</td><td>88 Average</td></tr><tr><td>3</td><td>20235.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>66.37</td><td>37.90</td><td>5.88</td><td>54.87</td><td>-9.54</td><td>150</td><td>84 Peak</td></tr><tr><td>4</td><td>20235.00</td><td>36.25</td><td>54.00</td><td>-17.75</td><td>56.88</td><td>37.90</td><td>5.88</td><td>54.87</td><td>-9.54</td><td>150</td><td>84 Average</td></tr><tr><td>5</td><td>26980.00</td><td>42.86</td><td>68.20</td><td>-25.34</td><td>59.47</td><td>39.85</td><td>6.78</td><td>53.70</td><td>-9.54</td><td>150</td><td>360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	53.49	88.20	-34.71	49.43	40.28	21.00	57.62	0.40	400	88 Peak	2	13490.00	42.35	68.20	-25.85	38.29	40.28	21.00	57.62	0.40	400	88 Average	3	20235.00	45.74	74.00	-28.26	66.37	37.90	5.88	54.87	-9.54	150	84 Peak	4	20235.00	36.25	54.00	-17.75	56.88	37.90	5.88	54.87	-9.54	150	84 Average	5	26980.00	42.86	68.20	-25.34	59.47	39.85	6.78	53.70	-9.54	150	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	13490.00	52.61	88.20	-35.59	48.55	40.28	21.00	57.62	0.40	300	20 Peak																																																																																																																																																																																						
2	13490.00	43.24	68.20	-24.96	39.18	40.28	21.00	57.62	0.40	300	20 Average																																																																																																																																																																																						
3	20235.00	49.92	74.00	-24.08	70.79	37.85	5.85	55.03	-9.54	150	61 Peak																																																																																																																																																																																						
4	20235.00	40.53	54.00	-13.47	61.43	37.83	5.84	55.03	-9.54	150	61 Average																																																																																																																																																																																						
5	26980.00	47.76	68.20	-20.44	64.37	39.85	6.78	53.70	-9.54	150	30 Peak																																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	13490.00	53.49	88.20	-34.71	49.43	40.28	21.00	57.62	0.40	400	88 Peak																																																																																																																																																																																						
2	13490.00	42.35	68.20	-25.85	38.29	40.28	21.00	57.62	0.40	400	88 Average																																																																																																																																																																																						
3	20235.00	45.74	74.00	-28.26	66.37	37.90	5.88	54.87	-9.54	150	84 Peak																																																																																																																																																																																						
4	20235.00	36.25	54.00	-17.75	56.88	37.90	5.88	54.87	-9.54	150	84 Average																																																																																																																																																																																						
5	26980.00	42.86	68.20	-25.34	59.47	39.85	6.78	53.70	-9.54	150	360 Peak																																																																																																																																																																																						



Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-20  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL





Mode	38																																																																																						
	Band Edge																																																																																						
	U-NII-5_6.425-6.525_802.11be EHT320_CH63_Full RU_6265MHz																																																																																						
ANT	6G 1+2+3+4(TXBF)																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2026-04-21 					Level (dBuV/m) Date: 2026-04-21 																																																																																	
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.48</td><td>75.79</td><td>88.20</td><td>-12.41</td><td>64.67</td><td>34.28</td><td>13.67</td><td>36.83</td><td>0.00</td><td>200</td><td>87</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5909.48	75.79	88.20	-12.41	64.67	34.28	13.67	36.83	0.00	200	87	Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>107.74</td><td>-----</td><td>-----</td><td>96.01</td><td>34.30</td><td>14.09</td><td>36.66</td><td>0.00</td><td>200</td><td>87</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6265.00	107.74	-----	-----	96.01	34.30	14.09	36.66	0.00	200	87
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	5909.48	75.79	88.20	-12.41	64.67	34.28	13.67	36.83	0.00	200	87	Peak																																																																											
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	6265.00	107.74	-----	-----	96.01	34.30	14.09	36.66	0.00	200	87	Peak																																																																											
Avg	Level (dBuV/m) Date: 2026-04-21 					Level (dBuV/m) Date: 2026-04-21 																																																																																	
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.88</td><td>67.85</td><td>68.20</td><td>-0.35</td><td>56.72</td><td>34.25</td><td>13.70</td><td>36.82</td><td>0.00</td><td>200</td><td>87</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5924.88	67.85	68.20	-0.35	56.72	34.25	13.70	36.82	0.00	200	87	Average	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>99.40</td><td>-----</td><td>-----</td><td>87.36</td><td>34.52</td><td>14.15</td><td>36.63</td><td>0.00</td><td>200</td><td>87</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6265.00	99.40	-----	-----	87.36	34.52	14.15	36.63	0.00	200	87
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	5924.88	67.85	68.20	-0.35	56.72	34.25	13.70	36.82	0.00	200	87	Average																																																																											
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																											
1	6265.00	99.40	-----	-----	87.36	34.52	14.15	36.63	0.00	200	87	Average																																																																											







	38																																																																									
Mode	Band Edge																																																																									
	U-NII-5_6.425-6.525_802.11be EHT320_CH63_Full RU_6265MHz																																																																									
ANT	6G 1+2+3+4(TXBF)																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.00 75.25 88.20 -12.95</td><td>64.12</td><td>34.25</td><td>13.70</td><td>36.82</td><td>0.00</td><td>200</td><td>112</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5924.00 75.25 88.20 -12.95	64.12	34.25	13.70	36.82	0.00	200	112	Peak	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6265.00 108.95 -----</td><td>97.51</td><td>34.20</td><td>13.97</td><td>36.73</td><td>0.00</td><td>200</td><td>112</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6265.00 108.95 -----	97.51	34.20	13.97	36.73	0.00	200	112	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 5924.00 75.25 88.20 -12.95	64.12	34.25	13.70	36.82	0.00	200	112	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6265.00 108.95 -----	97.51	34.20	13.97	36.73	0.00	200	112	Peak																																																																		
Avg	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5924.88 65.95 68.20 -2.25</td><td>54.82</td><td>34.25</td><td>13.70</td><td>36.82</td><td>0.00</td><td>200</td><td>112</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 5924.88 65.95 68.20 -2.25	54.82	34.25	13.70	36.82	0.00	200	112	Average	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6265.00 99.90 -----</td><td>88.09</td><td>34.35</td><td>14.11</td><td>36.65</td><td>0.00</td><td>200</td><td>112</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 6265.00 99.90 -----	88.09	34.35	14.11	36.65	0.00	200	112	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 5924.88 65.95 68.20 -2.25	54.82	34.25	13.70	36.82	0.00	200	112	Average																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																										
1 6265.00 99.90 -----	88.09	34.35	14.11	36.65	0.00	200	112	Average																																																																		





	38																																																																																																																																																																													
Mode	Harmonic																																																																																																																																																																													
	U-NII-5_6.425-6.525_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																																																																													
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12530.00</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>49.43</td><td>39.33</td><td>20.23</td><td>57.58</td><td>0.46</td><td>303</td><td>12 Peak</td></tr><tr><td>2 12530.00</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>40.79</td><td>39.33</td><td>20.23</td><td>57.58</td><td>0.46</td><td>303</td><td>12 Average</td></tr><tr><td>3 18795.00</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>71.06</td><td>38.20</td><td>5.81</td><td>55.74</td><td>-9.54</td><td>150</td><td>59 Peak</td></tr><tr><td>4 18795.00</td><td>42.58</td><td>54.00</td><td>-11.42</td><td>63.77</td><td>38.20</td><td>5.82</td><td>55.67</td><td>-9.54</td><td>150</td><td>59 Average</td></tr><tr><td>5 25060.00</td><td>43.47</td><td>68.20</td><td>-24.73</td><td>60.20</td><td>39.69</td><td>6.43</td><td>53.31</td><td>-9.54</td><td>150</td><td>92 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12530.00	51.87	74.00	-22.13	49.43	39.33	20.23	57.58	0.46	303	12 Peak	2 12530.00	43.23	54.00	-10.77	40.79	39.33	20.23	57.58	0.46	303	12 Average	3 18795.00	49.79	74.00	-24.21	71.06	38.20	5.81	55.74	-9.54	150	59 Peak	4 18795.00	42.58	54.00	-11.42	63.77	38.20	5.82	55.67	-9.54	150	59 Average	5 25060.00	43.47	68.20	-24.73	60.20	39.69	6.43	53.31	-9.54	150	92 Peak	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12530.00</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>49.02</td><td>39.33</td><td>20.23</td><td>57.58</td><td>0.46</td><td>400</td><td>112 Peak</td></tr><tr><td>2 12530.00</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>40.15</td><td>39.33</td><td>20.23</td><td>57.58</td><td>0.46</td><td>400</td><td>112 Average</td></tr><tr><td>3 18795.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>67.53</td><td>38.20</td><td>5.82</td><td>55.65</td><td>-9.54</td><td>150</td><td>86 Peak</td></tr><tr><td>4 18795.00</td><td>38.18</td><td>54.00</td><td>-15.82</td><td>59.37</td><td>38.20</td><td>5.82</td><td>55.67</td><td>-9.54</td><td>150</td><td>86 Average</td></tr><tr><td>5 25060.00</td><td>43.07</td><td>68.20</td><td>-25.13</td><td>59.86</td><td>39.63</td><td>6.44</td><td>53.32</td><td>-9.54</td><td>150</td><td>73 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12530.00	51.46	74.00	-22.54	49.02	39.33	20.23	57.58	0.46	400	112 Peak	2 12530.00	42.59	54.00	-11.41	40.15	39.33	20.23	57.58	0.46	400	112 Average	3 18795.00	46.36	74.00	-27.64	67.53	38.20	5.82	55.65	-9.54	150	86 Peak	4 18795.00	38.18	54.00	-15.82	59.37	38.20	5.82	55.67	-9.54	150	86 Average	5 25060.00	43.07	68.20	-25.13	59.86	39.63	6.44	53.32	-9.54	150	73 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1 12530.00	51.87	74.00	-22.13	49.43	39.33	20.23	57.58	0.46	303	12 Peak																																																																																																																																																																				
2 12530.00	43.23	54.00	-10.77	40.79	39.33	20.23	57.58	0.46	303	12 Average																																																																																																																																																																				
3 18795.00	49.79	74.00	-24.21	71.06	38.20	5.81	55.74	-9.54	150	59 Peak																																																																																																																																																																				
4 18795.00	42.58	54.00	-11.42	63.77	38.20	5.82	55.67	-9.54	150	59 Average																																																																																																																																																																				
5 25060.00	43.47	68.20	-24.73	60.20	39.69	6.43	53.31	-9.54	150	92 Peak																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1 12530.00	51.46	74.00	-22.54	49.02	39.33	20.23	57.58	0.46	400	112 Peak																																																																																																																																																																				
2 12530.00	42.59	54.00	-11.41	40.15	39.33	20.23	57.58	0.46	400	112 Average																																																																																																																																																																				
3 18795.00	46.36	74.00	-27.64	67.53	38.20	5.82	55.65	-9.54	150	86 Peak																																																																																																																																																																				
4 18795.00	38.18	54.00	-15.82	59.37	38.20	5.82	55.67	-9.54	150	86 Average																																																																																																																																																																				
5 25060.00	43.07	68.20	-25.13	59.86	39.63	6.44	53.32	-9.54	150	73 Peak																																																																																																																																																																				



Mode	38	
	Harmonic	
	U-NII-5_6.425-6.525_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL







Mode	39																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz																																																																																																																																																												
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>50.37</td><td>88.20</td><td>-37.83</td><td>46.93</td><td>39.80</td><td>20.75</td><td>57.53</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>51.08</td><td>74.00</td><td>-22.92</td><td>71.09</td><td>37.82</td><td>5.88</td><td>54.97</td><td>-9.54</td><td>150</td><td>32 Peak</td></tr><tr><td>3</td><td>19755.00</td><td>47.30</td><td>54.00</td><td>-6.70</td><td>68.26</td><td>37.81</td><td>5.86</td><td>55.09</td><td>-9.54</td><td>150</td><td>32 Average</td></tr><tr><td>4</td><td>26340.00</td><td>46.44</td><td>68.20</td><td>-21.76</td><td>63.14</td><td>39.55</td><td>6.62</td><td>53.33</td><td>-9.54</td><td>150</td><td>27 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	50.37	88.20	-37.83	46.93	39.80	20.75	57.53	0.42	--	Peak	2	19755.00	51.08	74.00	-22.92	71.09	37.82	5.88	54.97	-9.54	150	32 Peak	3	19755.00	47.30	54.00	-6.70	68.26	37.81	5.86	55.09	-9.54	150	32 Average	4	26340.00	46.44	68.20	-21.76	63.14	39.55	6.62	53.33	-9.54	150	27 Peak	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91280-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>51.28</td><td>88.20</td><td>-36.92</td><td>47.84</td><td>39.80</td><td>20.75</td><td>57.53</td><td>0.42</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>71.26</td><td>37.90</td><td>5.84</td><td>55.22</td><td>-9.54</td><td>150</td><td>87 Peak</td></tr><tr><td>3</td><td>19755.00</td><td>41.46</td><td>54.00</td><td>-12.54</td><td>62.42</td><td>37.81</td><td>5.86</td><td>55.09</td><td>-9.54</td><td>150</td><td>87 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	51.28	88.20	-36.92	47.84	39.80	20.75	57.53	0.42	--	Peak	2	19755.00	50.24	74.00	-23.76	71.26	37.90	5.84	55.22	-9.54	150	87 Peak	3	19755.00	41.46	54.00	-12.54	62.42	37.81	5.86	55.09	-9.54	150	87 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	13170.00	50.37	88.20	-37.83	46.93	39.80	20.75	57.53	0.42	--	Peak																																																																																																																																																		
2	19755.00	51.08	74.00	-22.92	71.09	37.82	5.88	54.97	-9.54	150	32 Peak																																																																																																																																																		
3	19755.00	47.30	54.00	-6.70	68.26	37.81	5.86	55.09	-9.54	150	32 Average																																																																																																																																																		
4	26340.00	46.44	68.20	-21.76	63.14	39.55	6.62	53.33	-9.54	150	27 Peak																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	13170.00	51.28	88.20	-36.92	47.84	39.80	20.75	57.53	0.42	--	Peak																																																																																																																																																		
2	19755.00	50.24	74.00	-23.76	71.26	37.90	5.84	55.22	-9.54	150	87 Peak																																																																																																																																																		
3	19755.00	41.46	54.00	-12.54	62.42	37.81	5.86	55.09	-9.54	150	87 Average																																																																																																																																																		



Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-21 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 VERTICAL



		40																																																																																																																																																																																																																																																							
Mode			Band Edge																																																																																																																																																																																																																																																						
			U-NII-8_6.425-6.525_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																																																																																																																						
ANT			6G 1+2+3+4(TXBF)																																																																																																																																																																																																																																																						
Pol.	Horizontal										Fundamental																																																																																																																																																																																																																																														
Peak	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7154.13</td><td>64.56</td><td>88.20 -23.64</td><td>49.70</td><td>36.71</td><td>15.07</td><td>36.92</td><td>0.00</td><td>367</td><td>99 Peak</td></tr><tr><td>2</td><td>7298.93</td><td>61.77</td><td>74.00 -12.23</td><td>46.56</td><td>36.90</td><td>15.23</td><td>36.92</td><td>0.00</td><td>367</td><td>99 Peak</td></tr><tr><td>3</td><td>7823.05</td><td>57.82</td><td>88.20 -30.38</td><td>42.21</td><td>36.95</td><td>15.78</td><td>37.12</td><td>0.00</td><td>367</td><td>99 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>107.05</td><td>-----</td><td>93.19</td><td>35.90</td><td>14.85</td><td>36.89</td><td>0.00</td><td>367</td><td>99 Peak</td></tr></tbody></table>																					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7154.13	64.56	88.20 -23.64	49.70	36.71	15.07	36.92	0.00	367	99 Peak	2	7298.93	61.77	74.00 -12.23	46.56	36.90	15.23	36.92	0.00	367	99 Peak	3	7823.05	57.82	88.20 -30.38	42.21	36.95	15.78	37.12	0.00	367	99 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	107.05	-----	93.19	35.90	14.85	36.89	0.00	367	99 Peak	Avg	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.54</td><td>55.04</td><td>68.20 -13.16</td><td>40.33</td><td>36.59</td><td>15.04</td><td>36.92</td><td>0.00</td><td>367</td><td>99 Average</td></tr><tr><td>2</td><td>7298.93</td><td>51.83</td><td>54.00 -2.17</td><td>36.62</td><td>36.90</td><td>15.23</td><td>36.92</td><td>0.00</td><td>367</td><td>99 Average</td></tr><tr><td>3</td><td>7953.57</td><td>47.58</td><td>68.20 -20.62</td><td>31.77</td><td>37.10</td><td>15.91</td><td>37.20</td><td>0.00</td><td>367</td><td>99 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:0.220kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>98.81</td><td>-----</td><td>84.96</td><td>35.90</td><td>14.84</td><td>36.89</td><td>0.00</td><td>367</td><td>99 Average</td></tr></tbody></table>																					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.54	55.04	68.20 -13.16	40.33	36.59	15.04	36.92	0.00	367	99 Average	2	7298.93	51.83	54.00 -2.17	36.62	36.90	15.23	36.92	0.00	367	99 Average	3	7953.57	47.58	68.20 -20.62	31.77	37.10	15.91	37.20	0.00	367	99 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	98.81	-----	84.96	35.90	14.84	36.89	0.00	367	99 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																
1	7154.13	64.56	88.20 -23.64	49.70	36.71	15.07	36.92	0.00	367	99 Peak																																																																																																																																																																																																																																															
2	7298.93	61.77	74.00 -12.23	46.56	36.90	15.23	36.92	0.00	367	99 Peak																																																																																																																																																																																																																																															
3	7823.05	57.82	88.20 -30.38	42.21	36.95	15.78	37.12	0.00	367	99 Peak																																																																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																
1	6905.00	107.05	-----	93.19	35.90	14.85	36.89	0.00	367	99 Peak																																																																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																
1	7131.54	55.04	68.20 -13.16	40.33	36.59	15.04	36.92	0.00	367	99 Average																																																																																																																																																																																																																																															
2	7298.93	51.83	54.00 -2.17	36.62	36.90	15.23	36.92	0.00	367	99 Average																																																																																																																																																																																																																																															
3	7953.57	47.58	68.20 -20.62	31.77	37.10	15.91	37.20	0.00	367	99 Average																																																																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																
1	6905.00	98.81	-----	84.96	35.90	14.84	36.89	0.00	367	99 Average																																																																																																																																																																																																																																															







		40									
Mode		Band Edge									
		U-NII-8_6.425-6.525_802.11be EHT320_CH191_Full RU_6905MHz									
ANT		6G 1+2+3+4(TXBF)									
Pol.		Vertical					Fundamental				
Peak											



Mode	40																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-8_6.425-6.525_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-04-21 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>50.53</td><td>88.20</td><td>-37.67</td><td>46.63</td><td>39.93</td><td>21.26</td><td>57.67</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20715.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>70.94</td><td>37.92</td><td>5.85</td><td>55.05</td><td>-9.54</td><td>150</td><td>129 Peak</td></tr><tr><td>3</td><td>20715.00</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>69.60</td><td>37.93</td><td>5.85</td><td>55.04</td><td>-9.54</td><td>150</td><td>129 Average</td></tr><tr><td>4</td><td>27620.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>63.16</td><td>39.56</td><td>6.83</td><td>53.73</td><td>-9.54</td><td>150</td><td>334 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	50.53	88.20	-37.67	46.63	39.93	21.26	57.67	0.38	--	Peak	2	20715.00	50.12	74.00	-23.88	70.94	37.92	5.85	55.05	-9.54	150	129 Peak	3	20715.00	48.80	54.00	-5.20	69.60	37.93	5.85	55.04	-9.54	150	129 Average	4	27620.00	46.28	68.20	-21.92	63.16	39.56	6.83	53.73	-9.54	150	334 Peak	Level (dBuV/m) Date: 2026-04-21 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m 91200-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>50.27</td><td>88.20</td><td>-37.93</td><td>46.37</td><td>39.93</td><td>21.26</td><td>57.67</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20715.00</td><td>36.17</td><td>74.00</td><td>-37.83</td><td>56.99</td><td>37.92</td><td>5.85</td><td>55.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	50.27	88.20	-37.93	46.37	39.93	21.26	57.67	0.38	--	Peak	2	20715.00	36.17	74.00	-37.83	56.99	37.92	5.85	55.05	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13810.00	50.53	88.20	-37.67	46.63	39.93	21.26	57.67	0.38	--	Peak																																																																																																																																						
2	20715.00	50.12	74.00	-23.88	70.94	37.92	5.85	55.05	-9.54	150	129 Peak																																																																																																																																						
3	20715.00	48.80	54.00	-5.20	69.60	37.93	5.85	55.04	-9.54	150	129 Average																																																																																																																																						
4	27620.00	46.28	68.20	-21.92	63.16	39.56	6.83	53.73	-9.54	150	334 Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13810.00	50.27	88.20	-37.93	46.37	39.93	21.26	57.67	0.38	--	Peak																																																																																																																																						
2	20715.00	36.17	74.00	-37.83	56.99	37.92	5.85	55.05	-9.54	--	Peak																																																																																																																																						



Mode	40	
	Harmonic	
	U-NII-8_6.425-6.525_802.11be EHT320_CH191_Full RU_6905MHz	
ANT	6G 1+2+3+4(TXBF)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL
	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 HORIZONTAL	Level (dBuV/m) Date: 2026-04-21  Site : 03CH15-HY Condition: AVG(UNII)_6E 3m 91280-92294_250606 VERTICAL



Mode	41																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	U-NII-5_6.425-6.525_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																																																																																					
ANT	6G 1+2+3+4(TXBF)																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QP/ Peak	Level (dBuV/m) Date: 2026-04-23 Site : 03CH15-HY Condition: QP 3m Bilog_41912 & 05_260318 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>78.50</td><td>33.40</td><td>40.00</td><td>-6.60</td><td>50.77</td><td>13.39</td><td>1.54</td><td>32.41</td><td>0.11 -- -- Peak</td></tr><tr><td>2</td><td>145.43</td><td>32.48</td><td>43.50</td><td>-11.02</td><td>45.27</td><td>17.29</td><td>2.13</td><td>32.36</td><td>0.15 -- -- Peak</td></tr><tr><td>3</td><td>240.49</td><td>22.40</td><td>46.00</td><td>-23.60</td><td>34.79</td><td>17.16</td><td>2.71</td><td>32.36</td><td>0.10 -- -- Peak</td></tr><tr><td>4</td><td>458.74</td><td>39.05</td><td>46.00</td><td>-6.95</td><td>44.46</td><td>23.09</td><td>3.75</td><td>32.35</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>745.86</td><td>38.75</td><td>46.00</td><td>-7.25</td><td>37.79</td><td>28.26</td><td>4.79</td><td>32.26</td><td>0.17 -- -- Peak</td></tr><tr><td>6</td><td>903.97</td><td>39.40</td><td>46.00</td><td>-6.60</td><td>36.50</td><td>28.94</td><td>5.22</td><td>31.45</td><td>0.19 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	78.50	33.40	40.00	-6.60	50.77	13.39	1.54	32.41	0.11 -- -- Peak	2	145.43	32.48	43.50	-11.02	45.27	17.29	2.13	32.36	0.15 -- -- Peak	3	240.49	22.40	46.00	-23.60	34.79	17.16	2.71	32.36	0.10 -- -- Peak	4	458.74	39.05	46.00	-6.95	44.46	23.09	3.75	32.35	0.10 -- -- Peak	5	745.86	38.75	46.00	-7.25	37.79	28.26	4.79	32.26	0.17 -- -- Peak	6	903.97	39.40	46.00	-6.60	36.50	28.94	5.22	31.45	0.19 -- -- Peak	Level (dBuV/m) Date: 2026-04-23 Site : 03CH15-HY Condition: QP 3m Bilog_41912 & 05_260318 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>35.82</td><td>34.48</td><td>40.00</td><td>-5.52</td><td>44.16</td><td>21.70</td><td>0.98</td><td>32.44</td><td>0.08 100 57 QP</td></tr><tr><td>2</td><td>91.11</td><td>32.16</td><td>43.50</td><td>-11.34</td><td>40.05</td><td>14.75</td><td>1.67</td><td>32.39</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>256.01</td><td>24.33</td><td>46.00</td><td>-21.67</td><td>34.61</td><td>19.18</td><td>2.79</td><td>32.36</td><td>0.11 -- -- Peak</td></tr><tr><td>4</td><td>458.74</td><td>36.27</td><td>46.00</td><td>-9.73</td><td>41.68</td><td>23.09</td><td>3.75</td><td>32.35</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>741.01</td><td>37.98</td><td>46.00</td><td>-8.02</td><td>37.19</td><td>28.12</td><td>4.77</td><td>32.27</td><td>0.17 -- -- Peak</td></tr><tr><td>6</td><td>899.12</td><td>37.76</td><td>46.00</td><td>-8.24</td><td>35.04</td><td>28.81</td><td>5.21</td><td>31.48</td><td>0.18 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	35.82	34.48	40.00	-5.52	44.16	21.70	0.98	32.44	0.08 100 57 QP	2	91.11	32.16	43.50	-11.34	40.05	14.75	1.67	32.39	0.08 -- -- Peak	3	256.01	24.33	46.00	-21.67	34.61	19.18	2.79	32.36	0.11 -- -- Peak	4	458.74	36.27	46.00	-9.73	41.68	23.09	3.75	32.35	0.10 -- -- Peak	5	741.01	37.98	46.00	-8.02	37.19	28.12	4.77	32.27	0.17 -- -- Peak	6	899.12	37.76	46.00	-8.24	35.04	28.81	5.21	31.48	0.18 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	78.50	33.40	40.00	-6.60	50.77	13.39	1.54	32.41	0.11 -- -- Peak																																																																																																																																																																													
2	145.43	32.48	43.50	-11.02	45.27	17.29	2.13	32.36	0.15 -- -- Peak																																																																																																																																																																													
3	240.49	22.40	46.00	-23.60	34.79	17.16	2.71	32.36	0.10 -- -- Peak																																																																																																																																																																													
4	458.74	39.05	46.00	-6.95	44.46	23.09	3.75	32.35	0.10 -- -- Peak																																																																																																																																																																													
5	745.86	38.75	46.00	-7.25	37.79	28.26	4.79	32.26	0.17 -- -- Peak																																																																																																																																																																													
6	903.97	39.40	46.00	-6.60	36.50	28.94	5.22	31.45	0.19 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	35.82	34.48	40.00	-5.52	44.16	21.70	0.98	32.44	0.08 100 57 QP																																																																																																																																																																													
2	91.11	32.16	43.50	-11.34	40.05	14.75	1.67	32.39	0.08 -- -- Peak																																																																																																																																																																													
3	256.01	24.33	46.00	-21.67	34.61	19.18	2.79	32.36	0.11 -- -- Peak																																																																																																																																																																													
4	458.74	36.27	46.00	-9.73	41.68	23.09	3.75	32.35	0.10 -- -- Peak																																																																																																																																																																													
5	741.01	37.98	46.00	-8.02	37.19	28.12	4.77	32.27	0.17 -- -- Peak																																																																																																																																																																													
6	899.12	37.76	46.00	-8.24	35.04	28.81	5.21	31.48	0.18 -- -- Peak																																																																																																																																																																													



Appendix D. Duty Cycle Plots


<SDM Mode>

<Nss=4>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6G 1+2+3+4	6GHz 802.11a	94.50	2060	0.49	510Hz
6G 1+2+3+4	6GHz 802.11be EHT20 Full RU	92.89	444	2.25	2.4kHz
6G 1+2+3+4	6GHz 802.11be EHT40 Full RU	88.67	266	3.76	3.9kHz
6G 1+2+3+4	6GHz 802.11be EHT80 Full RU	86.55	251	3.98	4.3kHz
6G 1+2+3+4	6GHz 802.11be EHT160 Full RU	87.83	231	4.33	4.7kHz
6G 1+2+3+4	6GHz 802.11be EHT320 Full RU	87.83	231	4.33	4.7kHz

MIMO <Ant. 6G 1+2+3+4>







<TXBF Mode>

<Nss=1>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6G 1+2+3+4	6GHz 802.11be EHT20 Full RU	90.06	3080	0.32	330Hz
6G 1+2+3+4	6GHz 802.11be EHT40 Full RU	97.76	4575	0.22	220Hz
6G 1+2+3+4	6GHz 802.11be EHT80 Full RU	97.58	4356	0.23	240Hz
6G 1+2+3+4	6GHz 802.11be EHT160 Full RU	98.06	5060	0.20	220Hz
6G 1+2+3+4	6GHz 802.11be EHT320 Full RU	92.67	5060	0.20	220Hz

