











Mode	29																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE40_CH07_2442MHz																																																																																																	
ANT	CDD 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2387.34</td><td>60.48</td><td>74.00</td><td>-13.52</td><td>48.72</td><td>32.02</td><td>6.60</td><td>32.86</td><td>6.00</td><td>294</td><td>360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2387.34	60.48	74.00	-13.52	48.72	32.02	6.60	32.86	6.00	294	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2442.00</td><td>119.12</td><td>-----</td><td>-----</td><td>106.62</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>294</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2442.00	119.12	-----	-----	106.62	32.52	6.69	32.71	6.00	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2387.34	60.48	74.00	-13.52	48.72	32.02	6.60	32.86	6.00	294	360 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2442.00	119.12	-----	-----	106.62	32.52	6.69	32.71	6.00	294	360 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.38</td><td>47.95</td><td>54.00</td><td>-6.05</td><td>36.16</td><td>32.05</td><td>6.60</td><td>32.86</td><td>6.00</td><td>294</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.38	47.95	54.00	-6.05	36.16	32.05	6.60	32.86	6.00	294	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2442.00</td><td>109.10</td><td>-----</td><td>-----</td><td>96.66</td><td>32.48</td><td>6.68</td><td>32.72</td><td>6.00</td><td>294</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2442.00	109.10	-----	-----	96.66	32.48	6.68	32.72	6.00	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2389.38	47.95	54.00	-6.05	36.16	32.05	6.60	32.86	6.00	294	360 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2442.00	109.10	-----	-----	96.66	32.48	6.68	32.72	6.00	294	360 AVERAGE																																																																																								





Mode	29																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH07_2442MHz																																																
ANT	CDD 1S4T																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.15</td><td>65.55</td><td>74.00</td><td>-8.45</td><td>52.63</td><td>32.80</td><td>6.74</td><td>32.62</td><td>6.00</td><td>294</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.15	65.55	74.00	-8.45	52.63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2487.15	65.55	74.00	-8.45	52.63	32.80	6.74	32.62	6.00	294	360	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.08</td><td>51.85</td><td>54.00</td><td>-2.15</td><td>38.94</td><td>32.79</td><td>6.74</td><td>32.62</td><td>6.00</td><td>294</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.08	51.85	54.00	-2.15	38.94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2486.08	51.85	54.00	-2.15	38.94	32.79	6.74	32.62	6.00	294	360	AVERAGE																																					







Mode	29																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	2400-2483.5_802.11ax HE40_CH07_2442MHz																																																																																																																																																																																																																													
ANT	CDD 1S4T																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4884.00</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>59.72</td><td>34.20</td><td>9.53</td><td>60.86</td><td>0.00 --- --- PEAK</td></tr><tr><td>2</td><td>7326.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>57.67</td><td>35.70</td><td>11.70</td><td>60.36</td><td>0.00 --- --- PEAK</td></tr><tr><td>3</td><td>8145.00</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>64.60</td><td>35.90</td><td>12.45</td><td>60.08</td><td>0.00 110 147 Peak</td></tr><tr><td>4</td><td>8145.00</td><td>50.57</td><td>54.00</td><td>-3.43</td><td>62.30</td><td>35.90</td><td>12.45</td><td>60.08</td><td>0.00 110 147 Average</td></tr><tr><td>5</td><td>8670.00</td><td>48.51</td><td>90.78</td><td>-42.27</td><td>60.23</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00 --- --- Peak</td></tr><tr><td>6</td><td>9330.00</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>61.99</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00 300 234 Peak</td></tr><tr><td>7</td><td>9330.00</td><td>47.14</td><td>54.00</td><td>-6.86</td><td>57.99</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00 300 234 Average</td></tr><tr><td>8</td><td>9990.00</td><td>48.13</td><td>90.78</td><td>-42.65</td><td>57.68</td><td>37.48</td><td>13.88</td><td>60.91</td><td>0.00 --- --- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4884.00	42.59	74.00	-31.41	59.72	34.20	9.53	60.86	0.00 --- --- PEAK	2	7326.00	44.71	74.00	-29.29	57.67	35.70	11.70	60.36	0.00 --- --- PEAK	3	8145.00	52.87	74.00	-21.13	64.60	35.90	12.45	60.08	0.00 110 147 Peak	4	8145.00	50.57	54.00	-3.43	62.30	35.90	12.45	60.08	0.00 110 147 Average	5	8670.00	48.51	90.78	-42.27	60.23	36.04	12.95	60.71	0.00 --- --- Peak	6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00 300 234 Peak	7	9330.00	47.14	54.00	-6.86	57.99	36.60	13.32	60.77	0.00 300 234 Average	8	9990.00	48.13	90.78	-42.65	57.68	37.48	13.88	60.91	0.00 --- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4884.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>59.61</td><td>34.20</td><td>9.53</td><td>60.86</td><td>0.00 --- --- PEAK</td></tr><tr><td>2</td><td>7326.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>58.17</td><td>35.70</td><td>11.70</td><td>60.36</td><td>0.00 --- --- PEAK</td></tr><tr><td>3</td><td>8145.00</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>65.54</td><td>35.90</td><td>12.45</td><td>60.08</td><td>0.00 110 147 Peak</td></tr><tr><td>4</td><td>8145.00</td><td>51.27</td><td>54.00</td><td>-2.73</td><td>63.00</td><td>35.90</td><td>12.45</td><td>60.08</td><td>0.00 110 147 Average</td></tr><tr><td>5</td><td>8670.00</td><td>49.81</td><td>92.88</td><td>-43.07</td><td>61.53</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00 --- --- Peak</td></tr><tr><td>6</td><td>9330.00</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>61.99</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00 100 129 Peak</td></tr><tr><td>7</td><td>9330.00</td><td>47.54</td><td>54.00</td><td>-6.46</td><td>58.39</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00 100 129 Average</td></tr><tr><td>8</td><td>10005.00</td><td>49.24</td><td>92.88</td><td>-43.64</td><td>58.77</td><td>37.49</td><td>13.89</td><td>60.91</td><td>0.00 --- --- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4884.00	42.48	74.00	-31.52	59.61	34.20	9.53	60.86	0.00 --- --- PEAK	2	7326.00	45.21	74.00	-28.79	58.17	35.70	11.70	60.36	0.00 --- --- PEAK	3	8145.00	53.81	74.00	-20.19	65.54	35.90	12.45	60.08	0.00 110 147 Peak	4	8145.00	51.27	54.00	-2.73	63.00	35.90	12.45	60.08	0.00 110 147 Average	5	8670.00	49.81	92.88	-43.07	61.53	36.04	12.95	60.71	0.00 --- --- Peak	6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00 100 129 Peak	7	9330.00	47.54	54.00	-6.46	58.39	36.60	13.32	60.77	0.00 100 129 Average	8	10005.00	49.24	92.88	-43.64	58.77	37.49	13.89	60.91	0.00 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																																																						
1	4884.00	42.59	74.00	-31.41	59.72	34.20	9.53	60.86	0.00 --- --- PEAK																																																																																																																																																																																																																					
2	7326.00	44.71	74.00	-29.29	57.67	35.70	11.70	60.36	0.00 --- --- PEAK																																																																																																																																																																																																																					
3	8145.00	52.87	74.00	-21.13	64.60	35.90	12.45	60.08	0.00 110 147 Peak																																																																																																																																																																																																																					
4	8145.00	50.57	54.00	-3.43	62.30	35.90	12.45	60.08	0.00 110 147 Average																																																																																																																																																																																																																					
5	8670.00	48.51	90.78	-42.27	60.23	36.04	12.95	60.71	0.00 --- --- Peak																																																																																																																																																																																																																					
6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00 300 234 Peak																																																																																																																																																																																																																					
7	9330.00	47.14	54.00	-6.86	57.99	36.60	13.32	60.77	0.00 300 234 Average																																																																																																																																																																																																																					
8	9990.00	48.13	90.78	-42.65	57.68	37.48	13.88	60.91	0.00 --- --- Peak																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																																																						
1	4884.00	42.48	74.00	-31.52	59.61	34.20	9.53	60.86	0.00 --- --- PEAK																																																																																																																																																																																																																					
2	7326.00	45.21	74.00	-28.79	58.17	35.70	11.70	60.36	0.00 --- --- PEAK																																																																																																																																																																																																																					
3	8145.00	53.81	74.00	-20.19	65.54	35.90	12.45	60.08	0.00 110 147 Peak																																																																																																																																																																																																																					
4	8145.00	51.27	54.00	-2.73	63.00	35.90	12.45	60.08	0.00 110 147 Average																																																																																																																																																																																																																					
5	8670.00	49.81	92.88	-43.07	61.53	36.04	12.95	60.71	0.00 --- --- Peak																																																																																																																																																																																																																					
6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00 100 129 Peak																																																																																																																																																																																																																					
7	9330.00	47.54	54.00	-6.46	58.39	36.60	13.32	60.77	0.00 100 129 Average																																																																																																																																																																																																																					
8	10005.00	49.24	92.88	-43.64	58.77	37.49	13.89	60.91	0.00 --- --- Peak																																																																																																																																																																																																																					







Mode	10																																																																																																						
	LF																																																																																																						
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																						
ANT	CDD 1S4T																																																																																																						
Pol.	Horizontal																																																																																																						
Peak QP																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>21.53</td><td>-18.47</td><td>40.00</td><td>28.80</td><td>24.57</td><td>0.46</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>216.24</td><td>21.31</td><td>-24.69</td><td>46.00</td><td>36.23</td><td>15.26</td><td>1.99</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>262.80</td><td>22.87</td><td>-23.13</td><td>46.00</td><td>32.66</td><td>20.20</td><td>2.18</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>399.57</td><td>31.23</td><td>-14.77</td><td>46.00</td><td>38.88</td><td>21.90</td><td>2.70</td><td>32.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>549.92</td><td>27.60</td><td>-18.40</td><td>46.00</td><td>31.53</td><td>25.40</td><td>3.16</td><td>32.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6 p</td><td>833.16</td><td>37.09</td><td>-8.91</td><td>46.00</td><td>36.16</td><td>28.93</td><td>3.89</td><td>31.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.97	21.53	-18.47	40.00	28.80	24.57	0.46	32.30	---	---	Peak	2	216.24	21.31	-24.69	46.00	36.23	15.26	1.99	32.17	---	---	Peak	3	262.80	22.87	-23.13	46.00	32.66	20.20	2.18	32.17	---	---	Peak	4	399.57	31.23	-14.77	46.00	38.88	21.90	2.70	32.25	---	---	Peak	5	549.92	27.60	-18.40	46.00	31.53	25.40	3.16	32.49	---	---	Peak	6 p	833.16	37.09	-8.91	46.00	36.16	28.93	3.89	31.89	---	---
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	30.97	21.53	-18.47	40.00	28.80	24.57	0.46	32.30	---	---	Peak																																																																																												
2	216.24	21.31	-24.69	46.00	36.23	15.26	1.99	32.17	---	---	Peak																																																																																												
3	262.80	22.87	-23.13	46.00	32.66	20.20	2.18	32.17	---	---	Peak																																																																																												
4	399.57	31.23	-14.77	46.00	38.88	21.90	2.70	32.25	---	---	Peak																																																																																												
5	549.92	27.60	-18.40	46.00	31.53	25.40	3.16	32.49	---	---	Peak																																																																																												
6 p	833.16	37.09	-8.91	46.00	36.16	28.93	3.89	31.89	---	---	Peak																																																																																												
Peak QP																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>22.10</td><td>-17.90</td><td>40.00</td><td>29.89</td><td>24.04</td><td>0.48</td><td>32.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>184.23</td><td>19.56</td><td>-23.94</td><td>43.50</td><td>34.92</td><td>14.98</td><td>1.83</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>250.19</td><td>22.61</td><td>-23.39</td><td>46.00</td><td>33.63</td><td>19.02</td><td>2.13</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>499.48</td><td>26.95</td><td>-19.05</td><td>46.00</td><td>32.56</td><td>23.98</td><td>3.02</td><td>32.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5 p</td><td>600.36</td><td>28.44</td><td>-17.56</td><td>46.00</td><td>31.71</td><td>25.80</td><td>3.31</td><td>32.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>963.14</td><td>32.62</td><td>-21.38</td><td>54.00</td><td>28.40</td><td>30.89</td><td>4.18</td><td>30.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	31.94	22.10	-17.90	40.00	29.89	24.04	0.48	32.31	---	---	Peak	2	184.23	19.56	-23.94	43.50	34.92	14.98	1.83	32.17	---	---	Peak	3	250.19	22.61	-23.39	46.00	33.63	19.02	2.13	32.17	---	---	Peak	4	499.48	26.95	-19.05	46.00	32.56	23.98	3.02	32.61	---	---	Peak	5 p	600.36	28.44	-17.56	46.00	31.71	25.80	3.31	32.38	---	---	Peak	6	963.14	32.62	-21.38	54.00	28.40	30.89	4.18	30.85	---	---
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	31.94	22.10	-17.90	40.00	29.89	24.04	0.48	32.31	---	---	Peak																																																																																												
2	184.23	19.56	-23.94	43.50	34.92	14.98	1.83	32.17	---	---	Peak																																																																																												
3	250.19	22.61	-23.39	46.00	33.63	19.02	2.13	32.17	---	---	Peak																																																																																												
4	499.48	26.95	-19.05	46.00	32.56	23.98	3.02	32.61	---	---	Peak																																																																																												
5 p	600.36	28.44	-17.56	46.00	31.71	25.80	3.31	32.38	---	---	Peak																																																																																												
6	963.14	32.62	-21.38	54.00	28.40	30.89	4.18	30.85	---	---	Peak																																																																																												





Mode	13																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																			
ANT	BF 1S4T																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>69.06</td><td>74.00</td><td>-4.94</td><td>57.29</td><td>32.03</td><td>6.00</td><td>32.06</td><td>6.00</td><td>277</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	69.06	74.00	-4.94	57.29	32.03	6.00	32.06	6.00	277	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>124.62</td><td>-----</td><td>-----</td><td>112.44</td><td>32.32</td><td>6.65</td><td>32.79</td><td>6.00</td><td>277</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	124.62	-----	-----	112.44	32.32	6.65	32.79	6.00	277
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.00	69.06	74.00	-4.94	57.29	32.03	6.00	32.06	6.00	277	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	124.62	-----	-----	112.44	32.32	6.65	32.79	6.00	277	0 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>53.50</td><td>54.00</td><td>-0.50</td><td>41.70</td><td>32.06</td><td>6.00</td><td>32.06</td><td>6.00</td><td>277</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.50	54.00	-0.50	41.70	32.06	6.00	32.06	6.00	277	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.07</td><td>-----</td><td>-----</td><td>99.89</td><td>32.32</td><td>6.65</td><td>32.79</td><td>6.00</td><td>277</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.07	-----	-----	99.89	32.32	6.65	32.79	6.00	277
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	53.50	54.00	-0.50	41.70	32.06	6.00	32.06	6.00	277	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	112.07	-----	-----	99.89	32.32	6.65	32.79	6.00	277	0 AVERAGE																																																																																									





	13																																																																																																		
Mode	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																		
ANT	BF 1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>67.95</td><td>74.00</td><td>-6.05</td><td>56.17</td><td>32.04</td><td>6.00</td><td>32.06</td><td>6.00</td><td>363 16 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	67.95	74.00	-6.05	56.17	32.04	6.00	32.06	6.00	363 16 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>123.69</td><td>-----</td><td>-----</td><td>111.54</td><td>32.31</td><td>6.64</td><td>32.80</td><td>6.00</td><td>363 16 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	123.69	-----	-----	111.54	32.31	6.64	32.80	6.00	363 16 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.91	67.95	74.00	-6.05	56.17	32.04	6.00	32.06	6.00	363 16 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	123.69	-----	-----	111.54	32.31	6.64	32.80	6.00	363 16 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>51.81</td><td>54.00</td><td>-2.19</td><td>40.01</td><td>32.06</td><td>6.00</td><td>32.06</td><td>6.00</td><td>363 16 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.81	54.00	-2.19	40.01	32.06	6.00	32.06	6.00	363 16 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>112.50</td><td>-----</td><td>-----</td><td>100.32</td><td>32.32</td><td>6.65</td><td>32.79</td><td>6.00</td><td>363 16 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.50	-----	-----	100.32	32.32	6.65	32.79	6.00	363 16 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	51.81	54.00	-2.19	40.01	32.06	6.00	32.06	6.00	363 16 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	112.50	-----	-----	100.32	32.32	6.65	32.79	6.00	363 16 AVERAGE																																																																																									







Mode	13																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																																									
ANT	BF 1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>68.12</td><td>34.20</td><td>9.47</td><td>61.69</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>8040.00</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>65.30</td><td>35.88</td><td>12.44</td><td>60.51</td><td>0.00</td><td>100</td><td>246 Peak</td></tr><tr><td>3</td><td>8040.00</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>62.90</td><td>35.88</td><td>12.44</td><td>60.51</td><td>0.00</td><td>100</td><td>246 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	42.10	74.00	-31.90	68.12	34.20	9.47	61.69	0.00	--	-- Peak	2	8040.00	53.11	74.00	-20.89	65.30	35.88	12.44	60.51	0.00	100	246 Peak	3	8040.00	50.71	54.00	-3.29	62.90	35.88	12.44	60.51	0.00	100	246 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>59.12</td><td>34.20</td><td>9.47</td><td>61.69</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.10	74.00	-32.90	59.12	34.20	9.47	61.69	0.00	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4824.00	42.10	74.00	-31.90	68.12	34.20	9.47	61.69	0.00	--	-- Peak																																																																																																															
2	8040.00	53.11	74.00	-20.89	65.30	35.88	12.44	60.51	0.00	100	246 Peak																																																																																																															
3	8040.00	50.71	54.00	-3.29	62.90	35.88	12.44	60.51	0.00	100	246 Average																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4824.00	41.10	74.00	-32.90	59.12	34.20	9.47	61.69	0.00	--	-- Peak																																																																																																															







Mode	14																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																																																																																																																						
ANT	BF 1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>62.01</td><td>34.20</td><td>9.52</td><td>61.64</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>56.97</td><td>35.64</td><td>11.69</td><td>60.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>8122.52</td><td>53.75</td><td>74.00</td><td>-20.25</td><td>65.94</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>128</td><td>235</td><td>PEAK</td></tr><tr><td>4</td><td>8122.52</td><td>51.41</td><td>54.00</td><td>-2.59</td><td>63.60</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>128</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	44.09	74.00	-29.91	62.01	34.20	9.52	61.64	0.00	--	--	Peak	2	7311.00	43.83	74.00	-30.17	56.97	35.64	11.69	60.47	0.00	--	--	Peak	3	8122.52	53.75	74.00	-20.25	65.94	35.90	12.45	60.54	0.00	128	235	PEAK	4	8122.52	51.41	54.00	-2.59	63.60	35.90	12.45	60.54	0.00	128	235	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.02</td><td>74.00</td><td>-31.98</td><td>59.94</td><td>34.20</td><td>9.52</td><td>61.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>58.37</td><td>35.64</td><td>11.69</td><td>60.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	42.02	74.00	-31.98	59.94	34.20	9.52	61.64	0.00	--	--	PEAK	2	7311.00	45.23	74.00	-28.77	58.37	35.64	11.69	60.47	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	44.09	74.00	-29.91	62.01	34.20	9.52	61.64	0.00	--	--	Peak																																																																																																																																											
2	7311.00	43.83	74.00	-30.17	56.97	35.64	11.69	60.47	0.00	--	--	Peak																																																																																																																																											
3	8122.52	53.75	74.00	-20.25	65.94	35.90	12.45	60.54	0.00	128	235	PEAK																																																																																																																																											
4	8122.52	51.41	54.00	-2.59	63.60	35.90	12.45	60.54	0.00	128	235	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	42.02	74.00	-31.98	59.94	34.20	9.52	61.64	0.00	--	--	PEAK																																																																																																																																											
2	7311.00	45.23	74.00	-28.77	58.37	35.64	11.69	60.47	0.00	--	--	PEAK																																																																																																																																											





		15																																																						
Mode	Band Edge																																																							
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Horizontal					Fundamental																																																		
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.42</td><td>71.95</td><td>74.00</td><td>-2.05</td><td>59.06</td><td>32.78</td><td>6.73</td><td>32.62</td><td>6.00</td><td>298</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.42	71.95	74.00	-2.05	59.06	32.78	6.73	32.62	6.00	298	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.42	71.95	74.00	-2.05	59.06	32.78	6.73	32.62	6.00	298	0 PEAK																																													
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>126.43</td><td>-----</td><td>-----</td><td>113.88</td><td>32.55</td><td>6.70</td><td>32.70</td><td>6.00</td><td>298</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	126.43	-----	-----	113.88	32.55	6.70	32.70	6.00	298	0 PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	126.43	-----	-----	113.88	32.55	6.70	32.70	6.00	298	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.81</td><td>53.06</td><td>54.00</td><td>-0.94</td><td>40.18</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>298</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	53.06	54.00	-0.94	40.18	32.77	6.73	32.62	6.00	298	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.81	53.06	54.00	-0.94	40.18	32.77	6.73	32.62	6.00	298	0 AVERAGE																																													
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>115.01</td><td>-----</td><td>-----</td><td>102.49</td><td>32.53</td><td>6.69</td><td>32.70</td><td>6.00</td><td>298</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	115.01	-----	-----	102.49	32.53	6.69	32.70	6.00	298	0 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	115.01	-----	-----	102.49	32.53	6.69	32.70	6.00	298	0 AVERAGE																																													







		15																																																																																																			
Mode	Band Edge																																																																																																				
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																				
ANT	BF 1S4T																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>70.27</td><td>74.00</td><td>-3.73</td><td>57.39</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>300</td><td>34 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	70.27	74.00	-3.73	57.39	32.77	6.73	32.62	6.00	300	34 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>125.52</td><td>-----</td><td>-----</td><td>112.81</td><td>32.66</td><td>6.71</td><td>32.66</td><td>6.00</td><td>300</td><td>34 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	125.52	-----	-----	112.81	32.66	6.71	32.66	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.74	70.27	74.00	-3.73	57.39	32.77	6.73	32.62	6.00	300	34 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	125.52	-----	-----	112.81	32.66	6.71	32.66	6.00	300	34 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>52.51</td><td>54.00</td><td>-1.49</td><td>39.64</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>300</td><td>34 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	52.51	54.00	-1.49	39.64	32.77	6.73	32.63	6.00	300	34 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.25</td><td>-----</td><td>-----</td><td>100.54</td><td>32.66</td><td>6.71</td><td>32.66</td><td>6.00</td><td>300</td><td>34 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.25	-----	-----	100.54	32.66	6.71	32.66	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.51	52.51	54.00	-1.49	39.64	32.77	6.73	32.63	6.00	300	34 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	113.25	-----	-----	100.54	32.66	6.71	32.66	6.00	300	34 AVERAGE																																																																																										





Mode	15																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																													
ANT	BF 1S4T																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	45.73	74.00	-28.27	63.55	34.20	9.57	61.59	0.00	--	-- Peak	2	7386.00	43.81	74.00	-30.19	56.94	35.73	11.72	60.58	0.00	--	-- Peak	3	8205.85	53.67	74.00	-20.33	65.88	35.90	12.46	60.57	0.00	124	236 PEAK	4	8205.85	52.03	54.00	-1.97	64.24	35.90	12.46	60.57	0.00	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4924.00	45.73	74.00	-28.27	63.55	34.20	9.57	61.59	0.00	--	-- Peak																																																																			
2	7386.00	43.81	74.00	-30.19	56.94	35.73	11.72	60.58	0.00	--	-- Peak																																																																			
3	8205.85	53.67	74.00	-20.33	65.88	35.90	12.46	60.57	0.00	124	236 PEAK																																																																			
4	8205.85	52.03	54.00	-1.97	64.24	35.90	12.46	60.57	0.00	124	236 AVERAGE																																																																			
Peak Avg																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	42.69	74.00	-31.31	60.51	34.20	9.57	61.59	0.00	--	-- PEAK	2	7386.00	43.47	74.00	-30.53	56.60	35.73	11.72	60.58	0.00	--	-- PEAK																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4924.00	42.69	74.00	-31.31	60.51	34.20	9.57	61.59	0.00	--	-- PEAK																																																																			
2	7386.00	43.47	74.00	-30.53	56.60	35.73	11.72	60.58	0.00	--	-- PEAK																																																																			







Mode	16																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																		
ANT	BF 1S4T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.95</td><td>67.30</td><td>74.00</td><td>-6.70</td><td>55.53</td><td>32.03</td><td>6.60</td><td>32.86</td><td>6.00</td><td>121</td><td>312</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.95	67.30	74.00	-6.70	55.53	32.03	6.60	32.86	6.00	121	312	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>121.97</td><td>-----</td><td>-----</td><td>109.67</td><td>32.40</td><td>6.66</td><td>32.76</td><td>6.00</td><td>121</td><td>312</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	121.97	-----	-----	109.67	32.40	6.66	32.76	6.00	121	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.95	67.30	74.00	-6.70	55.53	32.03	6.60	32.86	6.00	121	312	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	121.97	-----	-----	109.67	32.40	6.66	32.76	6.00	121	312	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.63</td><td>53.54</td><td>54.00</td><td>-0.46</td><td>41.75</td><td>32.05</td><td>6.60</td><td>32.86</td><td>6.00</td><td>121</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.63	53.54	54.00	-0.46	41.75	32.05	6.60	32.86	6.00	121	312	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>109.65</td><td>-----</td><td>-----</td><td>97.42</td><td>32.36</td><td>6.65</td><td>32.78</td><td>6.00</td><td>121</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	109.65	-----	-----	97.42	32.36	6.65	32.78	6.00	121	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.63	53.54	54.00	-0.46	41.75	32.05	6.60	32.86	6.00	121	312	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	109.65	-----	-----	97.42	32.36	6.65	32.78	6.00	121	312	AVERAGE																																																																																							



Mode	16																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																						
ANT	BF 1S4T																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.43</td><td>62.14</td><td>74.00</td><td>-11.86</td><td>49.10</td><td>32.88</td><td>6.75</td><td>32.59</td><td>6.00</td><td>121</td><td>312</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.43	62.14	74.00	-11.86	49.10	32.88	6.75	32.59	6.00	121	312	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2497.43	62.14	74.00	-11.86	49.10	32.88	6.75	32.59	6.00	121	312	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.38</td><td>49.44</td><td>54.00</td><td>-4.56</td><td>36.37</td><td>32.90</td><td>6.75</td><td>32.58</td><td>6.00</td><td>121</td><td>312</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.38	49.44	54.00	-4.56	36.37	32.90	6.75	32.58	6.00	121	312	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2499.38	49.44	54.00	-4.56	36.37	32.90	6.75	32.58	6.00	121	312	AVERAGE																																											





Mode	16																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																		
ANT	BF 1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.40</td><td>63.55</td><td>74.00</td><td>-10.45</td><td>51.77</td><td>32.04</td><td>6.60</td><td>32.86</td><td>6.00</td><td>113</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.40	63.55	74.00	-10.45	51.77	32.04	6.60	32.86	6.00	113	340	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>121.25</td><td>-----</td><td>-----</td><td>108.95</td><td>32.40</td><td>6.66</td><td>32.76</td><td>6.00</td><td>113</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	121.25	-----	-----	108.95	32.40	6.66	32.76	6.00	113	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.40	63.55	74.00	-10.45	51.77	32.04	6.60	32.86	6.00	113	340	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	121.25	-----	-----	108.95	32.40	6.66	32.76	6.00	113	340	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.86</td><td>51.73</td><td>54.00</td><td>-2.27</td><td>39.93</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>113</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.86	51.73	54.00	-2.27	39.93	32.06	6.60	32.86	6.00	113	340	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>115.50</td><td>-----</td><td>-----</td><td>103.23</td><td>32.38</td><td>6.66</td><td>32.77</td><td>6.00</td><td>113</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	115.50	-----	-----	103.23	32.38	6.66	32.77	6.00	113	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.86	51.73	54.00	-2.27	39.93	32.06	6.60	32.86	6.00	113	340	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	115.50	-----	-----	103.23	32.38	6.66	32.77	6.00	113	340	AVERAGE																																																																																							







Mode	16																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.00</td><td>61.51</td><td>74.00</td><td>-12.49</td><td>48.57</td><td>32.81</td><td>6.74</td><td>32.61</td><td>6.00</td><td>113</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.00	61.51	74.00	-12.49	48.57	32.81	6.74	32.61	6.00	113	340	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2489.00	61.51	74.00	-12.49	48.57	32.81	6.74	32.61	6.00	113	340	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.58</td><td>49.23</td><td>54.00</td><td>-4.77</td><td>36.26</td><td>32.83</td><td>6.74</td><td>32.60</td><td>6.00</td><td>113</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.58	49.23	54.00	-4.77	36.26	32.83	6.74	32.60	6.00	113	340	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2491.58	49.23	54.00	-4.77	36.26	32.83	6.74	32.60	6.00	113	340	AVERAGE																																												





Mode	16																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																																																																						
ANT	BF 1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>63.54</td><td>34.20</td><td>9.49</td><td>61.67</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7266.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>57.20</td><td>35.74</td><td>11.67</td><td>60.40</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>8072.53</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>64.75</td><td>35.90</td><td>12.44</td><td>60.52</td><td>0.00</td><td>104</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>8072.53</td><td>51.70</td><td>54.00</td><td>-2.30</td><td>63.88</td><td>35.90</td><td>12.44</td><td>60.52</td><td>0.00</td><td>104</td><td>239</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	45.56	74.00	-28.44	63.54	34.20	9.49	61.67	0.00	--	--	Peak	2	7266.00	44.21	74.00	-29.79	57.20	35.74	11.67	60.40	0.00	--	--	Peak	3	8072.53	52.57	74.00	-21.43	64.75	35.90	12.44	60.52	0.00	104	239	PEAK	4	8072.53	51.70	54.00	-2.30	63.88	35.90	12.44	60.52	0.00	104	239	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>41.93</td><td>74.00</td><td>-32.07</td><td>59.91</td><td>34.20</td><td>9.49</td><td>61.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>57.11</td><td>35.74</td><td>11.67</td><td>60.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	41.93	74.00	-32.07	59.91	34.20	9.49	61.67	0.00	--	--	PEAK	2	7266.00	44.12	74.00	-29.88	57.11	35.74	11.67	60.40	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4844.00	45.56	74.00	-28.44	63.54	34.20	9.49	61.67	0.00	--	--	Peak																																																																																																																																											
2	7266.00	44.21	74.00	-29.79	57.20	35.74	11.67	60.40	0.00	--	--	Peak																																																																																																																																											
3	8072.53	52.57	74.00	-21.43	64.75	35.90	12.44	60.52	0.00	104	239	PEAK																																																																																																																																											
4	8072.53	51.70	54.00	-2.30	63.88	35.90	12.44	60.52	0.00	104	239	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4844.00	41.93	74.00	-32.07	59.91	34.20	9.49	61.67	0.00	--	--	PEAK																																																																																																																																											
2	7266.00	44.12	74.00	-29.88	57.11	35.74	11.67	60.40	0.00	--	--	PEAK																																																																																																																																											







		17																																																																																																																																			
Mode		Band Edge - L																																																																																																																																			
		2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																			
ANT		BF 1S4T																																																																																																																																			
Pol.	Horizontal											Fundamental																																																																																																																									
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.50</td><td>60.21</td><td>74.00</td><td>-13.79</td><td>48.42</td><td>32.05</td><td>6.60</td><td>32.86</td><td>6.00</td><td>298</td><td>308</td><td>PEAK</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.50	60.21	74.00	-13.79	48.42	32.05	6.60	32.86	6.00	298	308	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>119.84</td><td>-----</td><td>-----</td><td>107.49</td><td>32.43</td><td>6.67</td><td>32.75</td><td>6.00</td><td>298</td><td>308</td><td>PEAK</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	119.84	-----	-----	107.49	32.43	6.67	32.75	6.00	298	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2389.50	60.21	74.00	-13.79	48.42	32.05	6.60	32.86	6.00	298	308	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2437.00	119.84	-----	-----	107.49	32.43	6.67	32.75	6.00	298	308	PEAK																																																																																																																									
Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.49</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>36.32</td><td>32.04</td><td>6.60</td><td>32.86</td><td>6.00</td><td>298</td><td>308</td><td>AVERAGE</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.49	48.10	54.00	-5.90	36.32	32.04	6.60	32.86	6.00	298	308	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>109.57</td><td>-----</td><td>-----</td><td>97.07</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>298</td><td>308</td><td>AVERAGE</td></tr></table>																								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	109.57	-----	-----	97.07	32.52	6.69	32.71	6.00	298	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2388.49	48.10	54.00	-5.90	36.32	32.04	6.60	32.86	6.00	298	308	AVERAGE																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2437.00	109.57	-----	-----	97.07	32.52	6.69	32.71	6.00	298	308	AVERAGE																																																																																																																									



Mode	17																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>66.18</td><td>74.00</td><td>-7.82</td><td>53.31</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>298</td><td>308</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	66.18	74.00	-7.82	53.31	32.77	6.73	32.63	6.00	298	308	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.56	66.18	74.00	-7.82	53.31	32.77	6.73	32.63	6.00	298	308	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.31</td><td>50.70</td><td>54.00</td><td>-3.30</td><td>37.82</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>298</td><td>308</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.31	50.70	54.00	-3.30	37.82	32.77	6.73	32.62	6.00	298	308	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.31	50.70	54.00	-3.30	37.82	32.77	6.73	32.62	6.00	298	308	AVERAGE																																												





Mode	17																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																		
ANT	BF 1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.47</td><td>61.34</td><td>74.00</td><td>-12.66</td><td>49.58</td><td>32.02</td><td>6.60</td><td>32.86</td><td>6.00</td><td>100</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.47	61.34	74.00	-12.66	49.58	32.02	6.60	32.86	6.00	100	343	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>122.69</td><td>-----</td><td>-----</td><td>110.25</td><td>32.48</td><td>6.68</td><td>32.72</td><td>6.00</td><td>100</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	122.69	-----	-----	110.25	32.48	6.68	32.72	6.00	100	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.47	61.34	74.00	-12.66	49.58	32.02	6.60	32.86	6.00	100	343	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	122.69	-----	-----	110.25	32.48	6.68	32.72	6.00	100	343	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.63</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>36.33</td><td>32.05</td><td>6.60</td><td>32.86</td><td>6.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.63	48.12	54.00	-5.88	36.33	32.05	6.60	32.86	6.00	100	343	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>108.39</td><td>-----</td><td>-----</td><td>95.94</td><td>32.49</td><td>6.68</td><td>32.72</td><td>6.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	108.39	-----	-----	95.94	32.49	6.68	32.72	6.00	100	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.63	48.12	54.00	-5.88	36.33	32.05	6.60	32.86	6.00	100	343	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	108.39	-----	-----	95.94	32.49	6.68	32.72	6.00	100	343	AVERAGE																																																																																							







Mode	17																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.82</td><td>67.37</td><td>74.00</td><td>-6.63</td><td>54.48</td><td>32.78</td><td>6.73</td><td>32.62</td><td>6.00</td><td>100</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	67.37	74.00	-6.63	54.48	32.78	6.73	32.62	6.00	100	343	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.82	67.37	74.00	-6.63	54.48	32.78	6.73	32.62	6.00	100	343	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.81</td><td>52.71</td><td>54.00</td><td>-1.29</td><td>39.83</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	52.71	54.00	-1.29	39.83	32.77	6.73	32.62	6.00	100	343	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.81	52.71	54.00	-1.29	39.83	32.77	6.73	32.62	6.00	100	343	AVERAGE																																												



Mode	17																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																																						
ANT	BF 1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.60</td><td>74.00</td><td>-32.40</td><td>59.52</td><td>34.20</td><td>9.52</td><td>61.64</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>56.96</td><td>35.64</td><td>11.69</td><td>60.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>8122.52</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>64.90</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>8122.52</td><td>52.08</td><td>54.00</td><td>-1.92</td><td>64.27</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	41.60	74.00	-32.40	59.52	34.20	9.52	61.64	0.00	--	--	Peak	2	7311.00	43.82	74.00	-30.18	56.96	35.64	11.69	60.47	0.00	--	--	Peak	3	8122.52	52.71	74.00	-21.29	64.90	35.90	12.45	60.54	0.00	100	239	PEAK	4	8122.52	52.08	54.00	-1.92	64.27	35.90	12.45	60.54	0.00	100	239	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>42.46</td><td>74.00</td><td>-31.54</td><td>60.38</td><td>34.20</td><td>9.52</td><td>61.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>56.71</td><td>35.64</td><td>11.69</td><td>60.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	42.46	74.00	-31.54	60.38	34.20	9.52	61.64	0.00	--	--	PEAK	2	7311.00	43.57	74.00	-30.43	56.71	35.64	11.69	60.47	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	41.60	74.00	-32.40	59.52	34.20	9.52	61.64	0.00	--	--	Peak																																																																																																																																											
2	7311.00	43.82	74.00	-30.18	56.96	35.64	11.69	60.47	0.00	--	--	Peak																																																																																																																																											
3	8122.52	52.71	74.00	-21.29	64.90	35.90	12.45	60.54	0.00	100	239	PEAK																																																																																																																																											
4	8122.52	52.08	54.00	-1.92	64.27	35.90	12.45	60.54	0.00	100	239	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4874.00	42.46	74.00	-31.54	60.38	34.20	9.52	61.64	0.00	--	--	PEAK																																																																																																																																											
2	7311.00	43.57	74.00	-30.43	56.71	35.64	11.69	60.47	0.00	--	--	PEAK																																																																																																																																											







Mode	18																																																							
	Band Edge - L																																																							
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.34</td><td>58.26</td><td>74.00</td><td>-15.74</td><td>46.76</td><td>31.81</td><td>6.58</td><td>32.89</td><td>6.00</td><td>324</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2372.34	58.26	74.00	-15.74	46.76	31.81	6.58	32.89	6.00	324	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2372.34	58.26	74.00	-15.74	46.76	31.81	6.58	32.89	6.00	324	0	PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.68</td><td>45.99</td><td>54.00</td><td>-8.01</td><td>34.25</td><td>32.01</td><td>6.60</td><td>32.87</td><td>6.00</td><td>324</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.68	45.99	54.00	-8.01	34.25	32.01	6.60	32.87	6.00	324	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2386.68	45.99	54.00	-8.01	34.25	32.01	6.60	32.87	6.00	324	0	AVERAGE																																												
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>119.37</td><td>-----</td><td>-----</td><td>106.78</td><td>32.58</td><td>6.70</td><td>32.69</td><td>6.00</td><td>324</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	119.37	-----	-----	106.78	32.58	6.70	32.69	6.00	324	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2452.00	119.37	-----	-----	106.78	32.58	6.70	32.69	6.00	324	0	PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>114.23</td><td>-----</td><td>-----</td><td>101.59</td><td>32.61</td><td>6.71</td><td>32.68</td><td>6.00</td><td>324</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	114.23	-----	-----	101.59	32.61	6.71	32.68	6.00	324	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2452.00	114.23	-----	-----	101.59	32.61	6.71	32.68	6.00	324	0	AVERAGE																																												





Mode	18																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.09</td><td>67.88</td><td>74.00</td><td>-6.12</td><td>54.96</td><td>32.80</td><td>6.74</td><td>32.62</td><td>6.00</td><td>324</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.09	67.88	74.00	-6.12	54.96	32.80	6.74	32.62	6.00	324	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.09	67.88	74.00	-6.12	54.96	32.80	6.74	32.62	6.00	324	0 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.65</td><td>53.10</td><td>54.00</td><td>-0.90</td><td>40.19</td><td>32.79</td><td>6.74</td><td>32.62</td><td>6.00</td><td>324</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.65	53.10	54.00	-0.90	40.19	32.79	6.74	32.62	6.00	324	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.65	53.10	54.00	-0.90	40.19	32.79	6.74	32.62	6.00	324	0 AVERAGE																																													





Mode	18																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																		
ANT	BF 1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.83</td><td>57.86</td><td>74.00</td><td>-16.14</td><td>46.13</td><td>32.00</td><td>6.60</td><td>32.87</td><td>6.00</td><td>109</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.83	57.86	74.00	-16.14	46.13	32.00	6.60	32.87	6.00	109	338	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>117.18</td><td>-----</td><td>-----</td><td>104.56</td><td>32.60</td><td>6.70</td><td>32.68</td><td>6.00</td><td>109</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	117.18	-----	-----	104.56	32.60	6.70	32.68	6.00	109	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2385.83	57.86	74.00	-16.14	46.13	32.00	6.60	32.87	6.00	109	338	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	117.18	-----	-----	104.56	32.60	6.70	32.68	6.00	109	338	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.13</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>34.28</td><td>31.96</td><td>6.59</td><td>32.87</td><td>6.00</td><td>109</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.13	45.96	54.00	-8.04	34.28	31.96	6.59	32.87	6.00	109	338	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>112.02</td><td>-----</td><td>-----</td><td>99.38</td><td>32.61</td><td>6.71</td><td>32.68</td><td>6.00</td><td>109</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	112.02	-----	-----	99.38	32.61	6.71	32.68	6.00	109	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2383.13	45.96	54.00	-8.04	34.28	31.96	6.59	32.87	6.00	109	338	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	112.02	-----	-----	99.38	32.61	6.71	32.68	6.00	109	338	AVERAGE																																																																																							







Mode	18																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.82</td><td>63.08</td><td>74.00</td><td>-10.92</td><td>50.20</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>109</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.82	63.08	74.00	-10.92	50.20	32.77	6.73	32.62	6.00	109	338	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.82	63.08	74.00	-10.92	50.20	32.77	6.73	32.62	6.00	109	338	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.03</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>36.14</td><td>32.78</td><td>6.73</td><td>32.62</td><td>6.00</td><td>109</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.03	49.03	54.00	-4.97	36.14	32.78	6.73	32.62	6.00	109	338	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.03	49.03	54.00	-4.97	36.14	32.78	6.73	32.62	6.00	109	338	AVERAGE																																												



Mode	18																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																																																						
ANT	BF 1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4984.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>62.26</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>58.38</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>8172.52</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>64.96</td><td>35.90</td><td>12.45</td><td>60.56</td><td>0.00</td><td>125</td><td>236</td><td>PEAK</td></tr><tr><td>4</td><td>8172.52</td><td>51.78</td><td>54.00</td><td>-2.22</td><td>63.99</td><td>35.90</td><td>12.45</td><td>60.56</td><td>0.00</td><td>125</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4984.00	44.40	74.00	-29.60	62.26	34.20	9.55	61.61	0.00	--	--	Peak	2	7356.00	45.35	74.00	-28.65	58.38	35.79	11.71	60.53	0.00	--	--	Peak	3	8172.52	52.75	74.00	-21.25	64.96	35.90	12.45	60.56	0.00	125	236	PEAK	4	8172.52	51.78	54.00	-2.22	63.99	35.90	12.45	60.56	0.00	125	236	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4984.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>60.67</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>57.06</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4984.00	42.81	74.00	-31.19	60.67	34.20	9.55	61.61	0.00	--	--	PEAK	2	7356.00	44.03	74.00	-29.97	57.06	35.79	11.71	60.53	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4984.00	44.40	74.00	-29.60	62.26	34.20	9.55	61.61	0.00	--	--	Peak																																																																																																																																											
2	7356.00	45.35	74.00	-28.65	58.38	35.79	11.71	60.53	0.00	--	--	Peak																																																																																																																																											
3	8172.52	52.75	74.00	-21.25	64.96	35.90	12.45	60.56	0.00	125	236	PEAK																																																																																																																																											
4	8172.52	51.78	54.00	-2.22	63.99	35.90	12.45	60.56	0.00	125	236	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4984.00	42.81	74.00	-31.19	60.67	34.20	9.55	61.61	0.00	--	--	PEAK																																																																																																																																											
2	7356.00	44.03	74.00	-29.97	57.06	35.79	11.71	60.53	0.00	--	--	PEAK																																																																																																																																											







Mode	30																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																																																				
ANT	BF 1S4T																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2374.39</td><td>58.66</td><td>74.00</td><td>-15.34</td><td>47.13</td><td>31.84</td><td>6.58</td><td>32.89</td><td>6.00</td><td>268</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2374.39	58.66	74.00	-15.34	47.13	31.84	6.58	32.89	6.00	268	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>121.01</td><td>-----</td><td>-----</td><td>108.46</td><td>32.55</td><td>6.70</td><td>32.70</td><td>6.00</td><td>268</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	121.01	-----	-----	108.46	32.55	6.70	32.70	6.00	268	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2374.39	58.66	74.00	-15.34	47.13	31.84	6.58	32.89	6.00	268	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2447.00	121.01	-----	-----	108.46	32.55	6.70	32.70	6.00	268	0 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>34.48</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>268</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	46.28	54.00	-7.72	34.48	32.06	6.60	32.86	6.00	268	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>107.91</td><td>-----</td><td>-----</td><td>95.24</td><td>32.63</td><td>6.71</td><td>32.67</td><td>6.00</td><td>268</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	107.91	-----	-----	95.24	32.63	6.71	32.67	6.00	268	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.88	46.28	54.00	-7.72	34.48	32.06	6.60	32.86	6.00	268	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2447.00	107.91	-----	-----	95.24	32.63	6.71	32.67	6.00	268	0 AVERAGE																																																																																										





Mode	30																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																							
ANT	BF 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.57</td><td>70.52</td><td>74.00</td><td>-3.48</td><td>57.52</td><td>32.85</td><td>6.75</td><td>32.60</td><td>6.00</td><td>268</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.57	70.52	74.00	-3.48	57.52	32.85	6.75	32.60	6.00	268	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.57	70.52	74.00	-3.48	57.52	32.85	6.75	32.60	6.00	268	0 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.87</td><td>53.24</td><td>54.00</td><td>-0.76</td><td>40.36</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>268</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	53.24	54.00	-0.76	40.36	32.77	6.73	32.62	6.00	268	0 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.87	53.24	54.00	-0.76	40.36	32.77	6.73	32.62	6.00	268	0 AVERAGE																																													





Mode	30																																																																																																						
	Band Edge - L																																																																																																						
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																																																						
ANT	BF 1S4T																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.18</td><td>58.35</td><td>74.00</td><td>-15.65</td><td>46.77</td><td>31.88</td><td>6.58</td><td>32.88</td><td>6.00</td><td>178</td><td>343</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.18	58.35	74.00	-15.65	46.77	31.88	6.58	32.88	6.00	178	343	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>118.80</td><td>-----</td><td>-----</td><td>106.25</td><td>32.55</td><td>6.70</td><td>32.70</td><td>6.00</td><td>178</td><td>343</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	118.80	-----	-----	106.25	32.55	6.70	32.70	6.00	178	343
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2377.18	58.35	74.00	-15.65	46.77	31.88	6.58	32.88	6.00	178	343	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2447.00	118.80	-----	-----	106.25	32.55	6.70	32.70	6.00	178	343	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>34.48</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>178</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	46.28	54.00	-7.72	34.48	32.06	6.60	32.86	6.00	178	343	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>106.14</td><td>-----</td><td>-----</td><td>93.64</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>178</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	106.14	-----	-----	93.64	32.52	6.69	32.71	6.00	178	343
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2389.88	46.28	54.00	-7.72	34.48	32.06	6.60	32.86	6.00	178	343	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2447.00	106.14	-----	-----	93.64	32.52	6.69	32.71	6.00	178	343	AVERAGE																																																																																											







Mode	30																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																					
ANT	BF 1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.09</td><td>66.03</td><td>74.00</td><td>-7.97</td><td>53.11</td><td>32.00</td><td>6.74</td><td>32.62</td><td>6.00</td><td>178 343 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.09	66.03	74.00	-7.97	53.11	32.00	6.74	32.62	6.00	178 343 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2487.09	66.03	74.00	-7.97	53.11	32.00	6.74	32.62	6.00	178 343 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>50.29</td><td>54.00</td><td>-3.71</td><td>37.42</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>178 343 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.29	54.00	-3.71	37.42	32.77	6.73	32.63	6.00	178 343 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.56	50.29	54.00	-3.71	37.42	32.77	6.73	32.63	6.00	178 343 AVERAGE																																												





Mode	30																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																																																																																															
ANT	BF 1S4T																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4894.00</td><td>42.77</td><td>74.00</td><td>-31.23</td><td>60.65</td><td>34.20</td><td>9.54</td><td>61.62</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 7341.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>57.37</td><td>35.76</td><td>11.70</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 8160.00</td><td>53.58</td><td>74.00</td><td>-20.42</td><td>65.78</td><td>35.90</td><td>12.45</td><td>60.55</td><td>0.00</td><td>100</td><td>231</td><td>Peak</td></tr><tr><td>4 8160.00</td><td>52.76</td><td>54.00</td><td>-1.24</td><td>64.96</td><td>35.90</td><td>12.45</td><td>60.55</td><td>0.00</td><td>100</td><td>231</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4894.00	42.77	74.00	-31.23	60.65	34.20	9.54	61.62	0.00	--	--	PEAK	2 7341.00	44.32	74.00	-29.68	57.37	35.76	11.70	60.51	0.00	--	--	PEAK	3 8160.00	53.58	74.00	-20.42	65.78	35.90	12.45	60.55	0.00	100	231	Peak	4 8160.00	52.76	54.00	-1.24	64.96	35.90	12.45	60.55	0.00	100	231	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4894.00</td><td>42.46</td><td>74.00</td><td>-31.54</td><td>60.34</td><td>34.20</td><td>9.54</td><td>61.62</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 7341.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>57.49</td><td>35.76</td><td>11.70</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4894.00	42.46	74.00	-31.54	60.34	34.20	9.54	61.62	0.00	--	--	PEAK	2 7341.00	44.44	74.00	-29.56	57.49	35.76	11.70	60.51	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 4894.00	42.77	74.00	-31.23	60.65	34.20	9.54	61.62	0.00	--	--	PEAK																																																																																																																																					
2 7341.00	44.32	74.00	-29.68	57.37	35.76	11.70	60.51	0.00	--	--	PEAK																																																																																																																																					
3 8160.00	53.58	74.00	-20.42	65.78	35.90	12.45	60.55	0.00	100	231	Peak																																																																																																																																					
4 8160.00	52.76	54.00	-1.24	64.96	35.90	12.45	60.55	0.00	100	231	Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 4894.00	42.46	74.00	-31.54	60.34	34.20	9.54	61.62	0.00	--	--	PEAK																																																																																																																																					
2 7341.00	44.44	74.00	-29.56	57.49	35.76	11.70	60.51	0.00	--	--	PEAK																																																																																																																																					







		31																																																																																																											
Mode		Band Edge - L																																																																																																											
		2400-2483.5_802.11ax HE40_CH07_2447MHz																																																																																																											
ANT		BF 1S4T																																																																																																											
Pol.	Horizontal										Fundamental																																																																																																		
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2317.37</td><td>58.55</td><td>74.00</td><td>-15.45</td><td>47.28</td><td>31.76</td><td>6.49</td><td>32.98</td><td>6.00</td><td>369</td><td>0 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2317.37	58.55	74.00	-15.45	47.28	31.76	6.49	32.98	6.00	369	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>121.25</td><td>-----</td><td>-----</td><td>108.77</td><td>32.50</td><td>6.69</td><td>32.71</td><td>6.00</td><td>369</td><td>0 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	121.25	-----	-----	108.77	32.50	6.69	32.71	6.00	369
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2317.37	58.55	74.00	-15.45	47.28	31.76	6.49	32.98	6.00	369	0 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2447.00	121.25	-----	-----	108.77	32.50	6.69	32.71	6.00	369	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.76</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>34.86</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>369</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	46.66	54.00	-7.34	34.86	32.06	6.60	32.86	6.00	369	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>108.97</td><td>-----</td><td>-----</td><td>96.45</td><td>32.53</td><td>6.69</td><td>32.70</td><td>6.00</td><td>369</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	108.97	-----	-----	96.45	32.53	6.69	32.70	6.00	369
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.76	46.66	54.00	-7.34	34.86	32.06	6.60	32.86	6.00	369	0 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2447.00	108.97	-----	-----	96.45	32.53	6.69	32.70	6.00	369	0 AVERAGE																																																																																																		





Mode	31																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH07_2447MHz																																																
ANT	BF 1S4T																																																
Pol.	Horizontal					Fundamental																																											
Peak						Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.57</td><td>69.34</td><td>74.00</td><td>-4.66</td><td>56.45</td><td>32.78</td><td>6.73</td><td>32.62</td><td>6.00</td><td>369</td><td>0 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.57	69.34	74.00	-4.66	56.45
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.57	69.34	74.00	-4.66	56.45	32.78	6.73	32.62	6.00	369	0 PEAK																																						
Avg						Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.81</td><td>53.39</td><td>54.00</td><td>-0.61</td><td>40.51</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>369</td><td>0 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	53.39	54.00	-0.61	40.51
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.81	53.39	54.00	-0.61	40.51	32.77	6.73	32.62	6.00	369	0 AVERAGE																																						





Mode	31																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_802.11ax HE40_CH07_2447MHz																																																																																																																						
ANT	BF 1S4T																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2385.06</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>47.63</td><td>31.99</td><td>6.60</td><td>32.87</td><td>6.00</td><td>128</td><td>346 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	2385.06	59.35	74.00	-14.65	47.63	31.99	6.60	32.87	6.00	128	346 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2447.00</td><td>119.14</td><td>-----</td><td>-----</td><td>106.66</td><td>32.50</td><td>6.69</td><td>32.71</td><td>6.00</td><td>128</td><td>346 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	2447.00	119.14	-----	-----	106.66	32.50	6.69	32.71	6.00	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	2385.06	59.35	74.00	-14.65	47.63	31.99	6.60	32.87	6.00	128	346 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	2447.00	119.14	-----	-----	106.66	32.50	6.69	32.71	6.00	128	346 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2380.36</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>34.39</td><td>31.93</td><td>6.59</td><td>32.88</td><td>6.00</td><td>128</td><td>346 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	2380.36	46.03	54.00	-7.97	34.39	31.93	6.59	32.88	6.00	128	346 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2447.00</td><td>107.24</td><td>-----</td><td>-----</td><td>94.00</td><td>32.48</td><td>6.68</td><td>32.72</td><td>6.00</td><td>128</td><td>346 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	2447.00	107.24	-----	-----	94.00	32.48	6.68	32.72	6.00	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	2380.36	46.03	54.00	-7.97	34.39	31.93	6.59	32.88	6.00	128	346 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	2447.00	107.24	-----	-----	94.00	32.48	6.68	32.72	6.00	128	346 AVERAGE																																																																																																												



Mode	31																																																									
	Band Edge - R																																																									
	2400-2483.5_802.11ax HE40_CH07_2447MHz																																																									
ANT	BF 1S4T																																																									
Pol.	Vertical										Fundamental																																															
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.09</td><td>60.67</td><td>74.00</td><td>-13.33</td><td>47.74</td><td>32.80</td><td>6.74</td><td>32.61</td><td>6.00</td><td>128</td><td>346</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.09	60.67	74.00	-13.33	47.74	32.80	6.74	32.61	6.00	128	346	PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2488.09	60.67	74.00	-13.33	47.74	32.80	6.74	32.61	6.00	128	346	PEAK																																														
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>48.48</td><td>54.00</td><td>-5.52</td><td>35.61</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>128</td><td>346</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	48.48	54.00	-5.52	35.61	32.77	6.73	32.63	6.00	128	346	AVERAGE	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2483.62	48.48	54.00	-5.52	35.61	32.77	6.73	32.63	6.00	128	346	AVERAGE																																														




Mode	31																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11ax HE40_CH07_2447MHz																																																																																																																																																						
ANT	BF 1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4894.00</td><td>40.66</td><td>74.00</td><td>-33.34</td><td>58.54</td><td>34.20</td><td>9.54</td><td>61.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7341.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>57.36</td><td>35.76</td><td>11.70</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>8145.00</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>66.39</td><td>35.90</td><td>12.45</td><td>60.55</td><td>0.00</td><td>100</td><td>235</td><td>Peak</td></tr><tr><td>4</td><td>8145.00</td><td>52.79</td><td>54.00</td><td>-1.21</td><td>64.99</td><td>35.90</td><td>12.45</td><td>60.55</td><td>0.00</td><td>100</td><td>235</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	40.66	74.00	-33.34	58.54	34.20	9.54	61.62	0.00	--	--	Peak	2	7341.00	44.31	74.00	-29.69	57.36	35.76	11.70	60.51	0.00	--	--	Peak	3	8145.00	54.19	74.00	-19.81	66.39	35.90	12.45	60.55	0.00	100	235	Peak	4	8145.00	52.79	54.00	-1.21	64.99	35.90	12.45	60.55	0.00	100	235	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4894.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>59.23</td><td>34.20</td><td>9.54</td><td>61.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7341.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>56.59</td><td>35.76</td><td>11.70</td><td>60.51</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	41.35	74.00	-32.65	59.23	34.20	9.54	61.62	0.00	--	--	Peak	2	7341.00	43.54	74.00	-30.46	56.59	35.76	11.70	60.51	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4894.00	40.66	74.00	-33.34	58.54	34.20	9.54	61.62	0.00	--	--	Peak																																																																																																																																											
2	7341.00	44.31	74.00	-29.69	57.36	35.76	11.70	60.51	0.00	--	--	Peak																																																																																																																																											
3	8145.00	54.19	74.00	-19.81	66.39	35.90	12.45	60.55	0.00	100	235	Peak																																																																																																																																											
4	8145.00	52.79	54.00	-1.21	64.99	35.90	12.45	60.55	0.00	100	235	Average																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4894.00	41.35	74.00	-32.65	59.23	34.20	9.54	61.62	0.00	--	--	Peak																																																																																																																																											
2	7341.00	43.54	74.00	-30.46	56.59	35.76	11.70	60.51	0.00	--	--	Peak																																																																																																																																											

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2+3+4	802.11b	95.56	12.464	0.080	0.9kHz
1+2+3+4	802.11g	95.34	2.073	0.483	0.51kHz
1+2+3+4	802.11ax HE20	98.09	1.493	0.670	0.71Hz
1+2+3+4	802.11ax HE40	96.46	0.790	1.266	1.31kHz

802.11b






802.11g



802.11ax HE20





802.11ax HE40

