




EUT Mode


802.11be EHT320 Puncture120 7

Plot on 6105 MHz




05:23:58 PM 09/05/2025

Plot on 6425 MHz




12:01:39 PM 09/12/2025

Plot on 6585 MHz



04:16:26 PM 09/12/2025

Plot on 6905 MHz




10:02:34 AM 09/15/2025




EUT Mode

802.11be EHT320 Puncture120 12


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz






MIMO <Ant. 4+3+2+1(1)>

EUT Mode


802.11be EHT320 Puncture40 1

Plot on 6105 MHz




12:18:40 PM 09/05/2025

Plot on 6425 MHz




10:17:12 AM 09/12/2025

Plot on 6585 MHz



02:25:37 PM 09/12/2025

Plot on 6905 MHz




04:45:14 PM 09/12/2025



EUT Mode


802.11be EHT320 Puncture40 4

Plot on 6105 MHz




12:31:17 PM 09/05/2025

Plot on 6425 MHz




10:25:19 AM 09/12/2025

Plot on 6585 MHz



02:34:17 PM 09/12/2025

Plot on 6905 MHz




05:06:19 PM 09/12/2025




EUT Mode

802.11be EHT320 Puncture40 8


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz







EUT Mode

802.11be EHT320 Puncture80 1


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz







EUT Mode

802.11be EHT320 Puncture80 2


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz







EUT Mode

802.11be EHT320 Puncture80 4


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz







EUT Mode

802.11be EHT320 Puncture120 1


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz







EUT Mode

802.11be EHT320 Puncture120 6


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz







EUT Mode

802.11be EHT320 Puncture120 7


Plot on 6105 MHz




Plot on 6425 MHz



Plot on 6585 MHz



Plot on 6905 MHz






EUT Mode


802.11be EHT320 Puncture120 12

Plot on 6105 MHz




05:36:18 PM 09/05/2025

Plot on 6425 MHz




12:15:16 PM 09/12/2025

Plot on 6585 MHz



04:32:14 PM 09/12/2025

Plot on 6905 MHz



10:49:32 AM 09/15/2025





Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	John Chuang, David Dai, and Sam Chou	Temperature :	19.9 ~ 21.6°C
		Relative Humidity :	65.3 ~ 69.7%

Note symbol

-L	Low channel location
-R	High channel location

C1.Radiated Spurious Emission Test Modes

<CDD Mode>

<Nss=1>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT80	7	5985	MCS0	Test 20MHz Channel Puncture Location 4	-
Mode 2	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT80	215	7025	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 3	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Test 20MHz Channel Puncture Location 8	-
Mode 4	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 5	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Test 40MHz Channel Puncture Location 4	-
Mode 6	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 7	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Test 40MHz Channel Puncture Location 8	-
Mode 8	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Test 80MHz Channel Puncture Location 4	-
Mode 9	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Test 80+40MHz Channel Puncture Location 6	-

**FCC RADIO TEST REPORT**

Report No. : FR4O1125-02B

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 10	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 11	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Test 80MHz Channel Puncture Location 1	-
Mode 12	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Test 80+40MHz Channel Puncture Location 7	-

<CDD Mode>

<Nss=2>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 13	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT80	7	5985	MCS0	Test 20MHz Channel Puncture Location 4	-
Mode 14	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT80	215	7025	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 15	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Test 20MHz Channel Puncture Location 8	-
Mode 16	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Test 20MHz Channel Puncture Location 1	-
Mode 17	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Test 40MHz Channel Puncture Location 4	-
Mode 18	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 19	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Test 40MHz Channel Puncture Location 8	-

**FCC RADIO TEST REPORT****Report No. : FR4O1125-02B**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 20	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Test 80MHz Channel Puncture Location 4	-
Mode 21	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Test 80+40MHz Channel Puncture Location 6	-
Mode 22	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Test 40MHz Channel Puncture Location 1	-
Mode 23	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Test 80MHz Channel Puncture Location 1	-
Mode 24	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Test 80+40MHz Channel Puncture Location 7	-



C2.Summary of each worse mode

<CDD Mode>

<Nss=1>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11be EHT80	7	5924.36	46.74	68.20	-21.46	H	Avg.	Pass	-	Band Edge
2	802.11be EHT80	215	7184.94	47.90	68.20	-20.30	V	Avg.	Pass	-	Band Edge
3	802.11be EHT160	15	5924.20	47.94	68.20	-20.26	V	Avg.	Pass	-	Band Edge
4	802.11be EHT160	207	7142.12	52.80	68.20	-15.40	V	Avg.	Pass	-	Band Edge
5	802.11be EHT160	15	5918.80	49.79	68.20	-18.41	V	Avg.	Pass	-	Band Edge
6	802.11be EHT160	207	7138.92	52.81	68.20	-15.39	V	Avg.	Pass	-	Band Edge
7	802.11be EHT320	31	5922.16	56.75	68.20	-11.45	H	Avg.	Pass	-	Band Edge
8	802.11be EHT320	31	5921.32	56.97	68.20	-11.23	V	Avg.	Pass	-	Band Edge



FCC RADIO TEST REPORT

Report No. : FR4O1125-02B

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
9	802.11be EHT320	31	5922.44	59.29	68.20	-8.91	V	Avg.	Pass	-	Band Edge
10	802.11be EHT320	191	7162.30	58.43	68.20	-9.77	V	Avg.	Pass	-	Band Edge
11	802.11be EHT320	191	7142.17	59.87	68.20	-8.33	V	Avg.	Pass	-	Band Edge
12	802.11be EHT320	191	7146.79	58.60	68.20	-9.60	V	Avg.	Pass	-	Band Edge



<CDD Mode>

<Nss=2>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
13	802.11be EHT80	7	5922.92	51.97	68.20	-16.23	V	Avg.	Pass	-	Band Edge
14	802.11be EHT80	215	7125.10	61.84	68.20	-6.36	V	Avg.	Pass	-	Band Edge
15	802.11be EHT160	15	5919.20	51.96	68.20	-16.24	V	Avg.	Pass	-	Band Edge
16	802.11be EHT160	207	7131.88	67.66	68.20	-0.54	V	Avg.	Pass	-	Band Edge
17	802.11be EHT160	15	5917.40	51.21	68.20	-16.99	V	Avg.	Pass	-	Band Edge
18	802.11be EHT160	207	7126.12	67.82	68.20	-0.38	V	Avg.	Pass	-	Band Edge
19	802.11be EHT320	31	5919.92	56.89	68.20	-11.31	V	Avg.	Pass	-	Band Edge
20	802.11be EHT320	31	5914.04	56.75	68.20	-11.45	V	Avg.	Pass	-	Band Edge
21	802.11be EHT320	31	5908.44	58.75	68.20	-9.45	V	Avg.	Pass	-	Band Edge



FCC RADIO TEST REPORT

Report No. : FR4O1125-02B

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
22	802.11be EHT320	191	7163.29	67.72	68.20	-0.48	V	Avg.	Pass	-	Band Edge
23	802.11be EHT320	191	7179.79	66.79	68.20	-1.41	V	Avg.	Pass	-	Band Edge
24	802.11be EHT320	191	7125.01	67.26	68.20	-0.94	V	Avg.	Pass	-	Band Edge



<CDD Mode>

<Nss=1>

		1																																																																																															
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_5985MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.28</td><td>56.75</td><td>88.20</td><td>-31.45</td><td>46.60</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>240</td><td>279 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	56.75	88.20	-31.45	46.60	34.30	13.78	37.93	0.00	240	279 Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>108.06</td><td>-----</td><td>-----</td><td>98.00</td><td>34.11</td><td>13.88</td><td>37.93</td><td>0.00</td><td>240</td><td>279 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	108.06	-----	-----	98.00	34.11	13.88	37.93	0.00	240	279 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5922.28	56.75	88.20	-31.45	46.60	34.30	13.78	37.93	0.00	240	279 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	108.06	-----	-----	98.00	34.11	13.88	37.93	0.00	240	279 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.36</td><td>46.74</td><td>68.20</td><td>-21.46</td><td>36.59</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>240</td><td>279 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	46.74	68.20	-21.46	36.59	34.30	13.78	37.93	0.00	240	279 Average	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:2.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>100.09</td><td>-----</td><td>-----</td><td>90.03</td><td>34.11</td><td>13.88</td><td>37.93</td><td>0.00</td><td>240</td><td>279 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.09	-----	-----	90.03	34.11	13.88	37.93	0.00	240	279 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.36	46.74	68.20	-21.46	36.59	34.30	13.78	37.93	0.00	240	279 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	100.09	-----	-----	90.03	34.11	13.88	37.93	0.00	240	279 Average																																																																																						



Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_5985MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.40</td><td>56.92</td><td>88.20</td><td>-31.28</td><td>46.78</td><td>34.30</td><td>13.77</td><td>37.93</td><td>0.00</td><td>119</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5919.40	56.92	88.20	-31.28	46.78	34.30	13.77	37.93	0.00	119	0	Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.12</td><td>-----</td><td>-----</td><td>97.03</td><td>34.16</td><td>13.86</td><td>37.93</td><td>0.00</td><td>119</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	107.12	-----	-----	97.03	34.16	13.86	37.93	0.00	119	0	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5919.40	56.92	88.20	-31.28	46.78	34.30	13.77	37.93	0.00	119	0	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	107.12	-----	-----	97.03	34.16	13.86	37.93	0.00	119	0	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.12</td><td>46.24</td><td>68.20</td><td>-21.96</td><td>36.10</td><td>34.30</td><td>13.77</td><td>37.93</td><td>0.00</td><td>119</td><td>0</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5922.12	46.24	68.20	-21.96	36.10	34.30	13.77	37.93	0.00	119	0	Average	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.88</td><td>-----</td><td>-----</td><td>89.76</td><td>34.21</td><td>13.84</td><td>37.93</td><td>0.00</td><td>119</td><td>0</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	99.88	-----	-----	89.76	34.21	13.84	37.93	0.00	119	0	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5922.12	46.24	68.20	-21.96	36.10	34.30	13.77	37.93	0.00	119	0	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	99.88	-----	-----	89.76	34.21	13.84	37.93	0.00	119	0	Average																																																																																						



Mode	2																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_7025MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.12</td><td>53.91</td><td>88.20</td><td>-34.29</td><td>40.51</td><td>36.57</td><td>15.15</td><td>38.32</td><td>0.00</td><td>252</td><td>276</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7134.12	53.91	88.20	-34.29	40.51	36.57	15.15	38.32	0.00	252	276	Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>105.57</td><td>-----</td><td>-----</td><td>92.76</td><td>36.03</td><td>15.00</td><td>38.22</td><td>0.00</td><td>252</td><td>276</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7025.00	105.57	-----	-----	92.76	36.03	15.00	38.22	0.00	252	276	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	7134.12	53.91	88.20	-34.29	40.51	36.57	15.15	38.32	0.00	252	276	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	7025.00	105.57	-----	-----	92.76	36.03	15.00	38.22	0.00	252	276	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7184.94</td><td>44.97</td><td>68.20</td><td>-23.23</td><td>31.29</td><td>36.84</td><td>15.21</td><td>38.37</td><td>0.00</td><td>252</td><td>276</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7184.94	44.97	68.20	-23.23	31.29	36.84	15.21	38.37	0.00	252	276	Average	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>98.47</td><td>-----</td><td>-----</td><td>85.51</td><td>36.16</td><td>15.04</td><td>38.24</td><td>0.00</td><td>252</td><td>276</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7025.00	98.47	-----	-----	85.51	36.16	15.04	38.24	0.00	252	276	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	7184.94	44.97	68.20	-23.23	31.29	36.84	15.21	38.37	0.00	252	276	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	7025.00	98.47	-----	-----	85.51	36.16	15.04	38.24	0.00	252	276	Average																																																																																						



	2																																																																																	
Mode	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_7025MHz																																																																																	
ANT	1+2+3+4																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7143.14 53.71 88.20 -34.49</td><td>40.23</td><td>36.65</td><td>15.16</td><td>38.33</td><td>0.00</td><td>200</td><td>256</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7143.14 53.71 88.20 -34.49	40.23	36.65	15.16	38.33	0.00	200	256	Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7025.00 106.94 -----</td><td>93.94</td><td>36.20</td><td>15.05</td><td>38.25</td><td>0.00</td><td>200</td><td>256</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7025.00 106.94 -----	93.94	36.20	15.05	38.25	0.00	200	256	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 7143.14 53.71 88.20 -34.49	40.23	36.65	15.16	38.33	0.00	200	256	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 7025.00 106.94 -----	93.94	36.20	15.05	38.25	0.00	200	256	Peak																																																																										
Avg	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7184.94 47.90 68.20 -20.30</td><td>34.22</td><td>36.84</td><td>15.21</td><td>38.37</td><td>0.00</td><td>200</td><td>256</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7184.94 47.90 68.20 -20.30	34.22	36.84	15.21	38.37	0.00	200	256	Average	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7025.00 99.27 -----</td><td>86.27</td><td>36.20</td><td>15.05</td><td>38.25</td><td>0.00</td><td>200</td><td>256</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor				MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7025.00 99.27 -----	86.27	36.20	15.05	38.25	0.00	200	256	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 7184.94 47.90 68.20 -20.30	34.22	36.84	15.21	38.37	0.00	200	256	Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 7025.00 99.27 -----	86.27	36.20	15.05	38.25	0.00	200	256	Average																																																																										







Mode	3																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_6025MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.00</td><td>56.45</td><td>88.20</td><td>-31.75</td><td>46.31</td><td>34.30</td><td>13.77</td><td>37.93</td><td>0.00</td><td>231</td><td>276</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.00	56.45	88.20	-31.75	46.31	34.30	13.77	37.93	0.00	231	276	Peak	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.19</td><td>-----</td><td>-----</td><td>90.06</td><td>34.10</td><td>13.96</td><td>37.93</td><td>0.00</td><td>231</td><td>276</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.19	-----	-----	90.06	34.10	13.96	37.93	0.00	231	276	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5919.00	56.45	88.20	-31.75	46.31	34.30	13.77	37.93	0.00	231	276	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	100.19	-----	-----	90.06	34.10	13.96	37.93	0.00	231	276	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>47.92</td><td>68.20</td><td>-20.28</td><td>37.77</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>231</td><td>276</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	47.92	68.20	-20.28	37.77	34.30	13.78	37.93	0.00	231	276	Average	Level (dBuV/m) Date: 2025-09-01 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.32</td><td>-----</td><td>-----</td><td>90.22</td><td>34.10</td><td>13.93</td><td>37.93</td><td>0.00</td><td>231</td><td>276</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.32	-----	-----	90.22	34.10	13.93	37.93	0.00	231	276	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.40	47.92	68.20	-20.28	37.77	34.30	13.78	37.93	0.00	231	276	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	100.32	-----	-----	90.22	34.10	13.93	37.93	0.00	231	276	Average																																																																																								



Mode	3																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_6025MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.20</td><td>56.55</td><td>88.20</td><td>-31.65</td><td>46.40</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>103</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	56.55	88.20	-31.65	46.40	34.30	13.78	37.93	0.00	103	360	Peak	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.88</td><td>-----</td><td>-----</td><td>98.77</td><td>34.10</td><td>13.94</td><td>37.93</td><td>0.00</td><td>103</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.88	-----	-----	98.77	34.10	13.94	37.93	0.00	103	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.20	56.55	88.20	-31.65	46.40	34.30	13.78	37.93	0.00	103	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	100.88	-----	-----	98.77	34.10	13.94	37.93	0.00	103	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.20</td><td>47.94</td><td>68.20</td><td>-20.26</td><td>37.79</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>103</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	47.94	68.20	-20.26	37.79	34.30	13.78	37.93	0.00	103	360	Average	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>99.27</td><td>-----</td><td>-----</td><td>89.21</td><td>34.11</td><td>13.88</td><td>37.93</td><td>0.00</td><td>103</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.27	-----	-----	89.21	34.11	13.88	37.93	0.00	103	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.20	47.94	68.20	-20.26	37.79	34.30	13.78	37.93	0.00	103	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	99.27	-----	-----	89.21	34.11	13.88	37.93	0.00	103	360	Average																																																																																								



Mode	4																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_6985MHz																																																																																																															
ANT	1+2+3+4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2025-09-02  PEAK_BE(UNII)_6E Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.20</td><td>57.18</td><td>88.20</td><td>-31.02</td><td>43.79</td><td>36.56</td><td>15.15</td><td>38.32</td><td>0.00</td><td>200</td><td>112</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.20	57.18	88.20	-31.02	43.79	36.56	15.15	38.32	0.00	200	112	Peak	Level (dBuV/m) Date: 2025-09-02  PEAK(UNII)_6E Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>105.04</td><td>-----</td><td>-----</td><td>92.46</td><td>35.83</td><td>14.94</td><td>38.19</td><td>0.00</td><td>200</td><td>112</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	105.04	-----	-----	92.46	35.83	14.94	38.19	0.00	200	112	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7132.20	57.18	88.20	-31.02	43.79	36.56	15.15	38.32	0.00	200	112	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6985.00	105.04	-----	-----	92.46	35.83	14.94	38.19	0.00	200	112	Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2025-09-02  AVG_BE(UNII)_6E Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7143.40</td><td>49.99</td><td>68.20</td><td>-18.21</td><td>36.51</td><td>36.65</td><td>15.16</td><td>38.33</td><td>0.00</td><td>200</td><td>112</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7143.40	49.99	68.20	-18.21	36.51	36.65	15.16	38.33	0.00	200	112	Average	Level (dBuV/m) Date: 2025-09-02  AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.35</td><td>-----</td><td>-----</td><td>84.77</td><td>35.83</td><td>14.94</td><td>38.19</td><td>0.00</td><td>200</td><td>112</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.35	-----	-----	84.77	35.83	14.94	38.19	0.00	200	112	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7143.40	49.99	68.20	-18.21	36.51	36.65	15.16	38.33	0.00	200	112	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6985.00	97.35	-----	-----	84.77	35.83	14.94	38.19	0.00	200	112	Average																																																																																																				



Mode	4																																																																																							
	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_6985MHz																																																																																							
ANT	1+2+3+4																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-09-02 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.00</td><td>60.71</td><td>88.20</td><td>-27.49</td><td>47.37</td><td>36.52</td><td>15.14</td><td>38.32</td><td>0.00</td><td>125</td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.00	60.71	88.20	-27.49	47.37	36.52	15.14	38.32	0.00	125	0 Peak	Level (dBuV/m) Date: 2025-09-02 PEAK(UNII)_6E Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>109.78</td><td>-----</td><td>-----</td><td>97.00</td><td>36.00</td><td>14.99</td><td>38.21</td><td>0.00</td><td>125</td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	109.78	-----	-----	97.00	36.00	14.99	38.21	0.00	125	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7127.00	60.71	88.20	-27.49	47.37	36.52	15.14	38.32	0.00	125	0 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6985.00	109.78	-----	-----	97.00	36.00	14.99	38.21	0.00	125	0 Peak																																																																													
Avg	Level (dBuV/m) Date: 2025-09-02 AVG_BE(UNII)_6E Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7142.12</td><td>52.80</td><td>68.20</td><td>-15.40</td><td>39.33</td><td>36.64</td><td>15.16</td><td>38.33</td><td>0.00</td><td>125</td><td>0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7142.12	52.80	68.20	-15.40	39.33	36.64	15.16	38.33	0.00	125	0 Average	Level (dBuV/m) Date: 2025-09-02 AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3.900kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>101.01</td><td>-----</td><td>-----</td><td>88.43</td><td>35.83</td><td>14.94</td><td>38.19</td><td>0.00</td><td>125</td><td>0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	101.01	-----	-----	88.43	35.83	14.94	38.19	0.00	125	0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7142.12	52.80	68.20	-15.40	39.33	36.64	15.16	38.33	0.00	125	0 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6985.00	101.01	-----	-----	88.43	35.83	14.94	38.19	0.00	125	0 Average																																																																													



Mode	5																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_6025MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.60</td><td>61.85</td><td>88.20</td><td>-26.35</td><td>51.70</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>239</td><td>275</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.60	61.85	88.20	-26.35	51.70	34.30	13.78	37.93	0.00	239	275	Peak	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.53</td><td>-----</td><td>-----</td><td>98.43</td><td>34.10</td><td>13.93</td><td>37.93</td><td>0.00</td><td>239</td><td>275</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.53	-----	-----	98.43	34.10	13.93	37.93	0.00	239	275	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.60	61.85	88.20	-26.35	51.70	34.30	13.78	37.93	0.00	239	275	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	100.53	-----	-----	98.43	34.10	13.93	37.93	0.00	239	275	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>49.07</td><td>68.20</td><td>-19.13</td><td>38.92</td><td>34.30</td><td>13.78</td><td>37.93</td><td>0.00</td><td>239</td><td>275</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	49.07	68.20	-19.13	38.92	34.30	13.78	37.93	0.00	239	275	Average	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>101.18</td><td>-----</td><td>-----</td><td>91.00</td><td>34.10</td><td>13.93</td><td>37.93</td><td>0.00</td><td>239</td><td>275</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.18	-----	-----	91.00	34.10	13.93	37.93	0.00	239	275	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.40	49.07	68.20	-19.13	38.92	34.30	13.78	37.93	0.00	239	275	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	101.18	-----	-----	91.00	34.10	13.93	37.93	0.00	239	275	Average																																																																																								



Mode	5																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_6025MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.00</td><td>62.01</td><td>88.20</td><td>-26.19</td><td>51.87</td><td>34.30</td><td>13.77</td><td>37.93</td><td>0.00</td><td>136</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.00	62.01	88.20	-26.19	51.87	34.30	13.77	37.93	0.00	136	360	Peak	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>109.20</td><td>-----</td><td>-----</td><td>99.11</td><td>34.10</td><td>13.92</td><td>37.93</td><td>0.00</td><td>136</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	109.20	-----	-----	99.11	34.10	13.92	37.93	0.00	136	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5918.00	62.01	88.20	-26.19	51.87	34.30	13.77	37.93	0.00	136	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	109.20	-----	-----	99.11	34.10	13.92	37.93	0.00	136	360	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.00</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>39.65</td><td>34.30</td><td>13.77</td><td>37.93</td><td>0.00</td><td>136</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.00	49.79	68.20	-18.41	39.65	34.30	13.77	37.93	0.00	136	360	Average	Level (dBuV/m) Date: 2025-09-02 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>101.34</td><td>-----</td><td>-----</td><td>91.24</td><td>34.10</td><td>13.93</td><td>37.93</td><td>0.00</td><td>136</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.34	-----	-----	91.24	34.10	13.93	37.93	0.00	136	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5918.00	49.79	68.20	-18.41	39.65	34.30	13.77	37.93	0.00	136	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	101.34	-----	-----	91.24	34.10	13.93	37.93	0.00	136	360	Average																																																																																								