





Plot on Channel 6485 MHz




03:46:00 PM 01/06/2025

Plot on Channel 6525 MHz




04:02:16 PM 01/06/2025

Plot on Channel 6565 MHz




04:17:40 PM 01/06/2025

Plot on Channel 6685 MHz




04:31:16 PM 01/06/2025

Plot on Channel 6845 MHz



05:16:07 PM 01/06/2025


Plot on Channel 6885 MHz




05:27:33 PM 01/06/2025




Plot on Channel 6925 MHz



Plot on Channel 7005 MHz



Plot on Channel 7085 MHz







EUT Mode

802.11be EHT80 Full RU


Plot on Channel 5985 MHz




Plot on Channel 6225 MHz



Plot on Channel 6385 MHz




Plot on Channel 6465 MHz







Plot on Channel 6545 MHz




Plot on Channel 6625 MHz




Plot on Channel 6705 MHz




Plot on Channel 6785 MHz



Plot on Channel 6865 MHz




Plot on Channel 6945 MHz





Plot on Channel 7025 MHz







EUT Mode

802.11be EHT160 Full RU


Plot on Channel 6025 MHz




Plot on Channel 6185 MHz



Plot on Channel 6345 MHz




Plot on Channel 6505 MHz







Plot on Channel 6665 MHz



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz







EUT Mode

802.11be EHT320 Full RU


Plot on Channel 6105 MHz




Plot on Channel 6265 MHz



Plot on Channel 6425 MHz




Plot on Channel 6585 MHz






Plot on Channel 6745 MHz



Plot on Channel 6905 MHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O1125
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.168000	---	28.31	55.06	26.75	L1	OFF	19.8
0.168000	44.44	---	65.06	20.62	L1	OFF	19.8
0.188250	---	32.96	54.11	21.15	L1	OFF	19.8
0.188250	43.77	---	64.11	20.34	L1	OFF	19.8
0.208500	---	26.85	53.27	26.42	L1	OFF	19.8
0.208500	39.99	---	63.27	23.28	L1	OFF	19.8
0.289500	---	24.26	50.54	26.28	L1	OFF	19.8
0.289500	28.11	---	60.54	32.43	L1	OFF	19.8
0.458250	---	29.06	46.72	17.66	L1	OFF	19.8
0.458250	34.61	---	56.72	22.11	L1	OFF	19.8
7.163250	---	26.14	50.00	23.86	L1	OFF	20.1
7.163250	27.92	---	60.00	32.08	L1	OFF	20.1

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O1125
Mode 1
120Vac/60Hz
Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.159000	---	34.02	55.52	21.50	N	OFF	19.8
0.159000	46.89	---	65.52	18.63	N	OFF	19.8
0.172500	---	26.91	54.84	27.93	N	OFF	19.8
0.172500	38.71	---	64.84	26.13	N	OFF	19.8
0.192750	---	31.55	53.92	22.37	N	OFF	19.8
0.192750	43.56	---	63.92	20.36	N	OFF	19.8
0.251250	---	25.34	51.72	26.38	N	OFF	19.8
0.251250	31.56	---	61.72	30.16	N	OFF	19.8
0.453750	---	29.67	46.81	17.14	N	OFF	19.8
0.453750	35.61	---	56.81	21.20	N	OFF	19.8
7.597500	---	26.26	50.00	23.74	N	OFF	20.2
7.597500	28.07	---	60.00	31.93	N	OFF	20.2



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	John Chuang, David Dai, and Sam Chou	Temperature :	19.2~21.7°C
		Relative Humidity :	64.9~71.1%

Note symbol

-L	Low channel location
-R	High channel location

**C1. Radiated Spurious Emission Test Modes**

<CDD Mode>

<Nss=1>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1+2+3+4	802.11a	1	5955	MCS0	-	-
Mode 2	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 3	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 4	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 8	U-NII-6	6.425-6.525	1+2+3+4	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 9	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 10	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 11	U-NII-8	6.875-7.125	1+2+3+4	802.11a	229	7095	MCS0	-	-
Mode 12	U-NII-8	6.875-7.125	1+2+3+4	802.11a	233	7115	MCS0	-	-
Mode 13	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 14	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 15	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 16	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 17	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 19	U-NII-6	6.425-6.525	1+2+3+4	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 20	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 21	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 22	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 23	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 68	U-NII-8	6.875-7.125	1+2+3+4	802.11a	233	7115	MCS0	-	LF



<Nss=2>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 24	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 28	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 29	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 30	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 31	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 32	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 33	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 34	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 35	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Full RU	-



<TXBF Mode>

<Nss=1>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 36	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 37	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 38	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 39	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 40	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 41	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 42	U-NII-6	6.425-6.525	1+2+3+4	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 45	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 46	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 47	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 48	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 51	U-NII-6	6.425-6.525	1+2+3+4	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 52	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 53	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 54	U-NII-7	6.525-6.875	1+2+3+4	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 69	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT20	233	7115	MCS0	Full RU	LF



<Nss=2>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 57	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 58	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 59	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 60	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 61	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 62	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 63	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 64	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 65	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 66	U-NII-5	5.925-6.425	1+2+3+4	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 67	U-NII-8	6.875-7.125	1+2+3+4	802.11be EHT320	191	6905	MCS0	Full RU	-

**C2. Summary of each worse mode**

<CDD Mode>

<Nss=1>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.84	40.69	68.20	-27.51	H	Avg.	Pass	-	Band Edge
1	802.11a	1	-	-	-	-	-	-	-	-	Harmonic
2	802.11be EHT20	1	5924.32	44.65	68.20	-23.55	V	Avg.	Pass	Full RU	Band Edge
2	802.11be EHT20	1	-	-	-	-	-	-	-	Full RU	Harmonic
3	802.11be EHT40	3	5924.96	48.24	68.20	-19.96	H	Avg.	Pass	Full RU	Band Edge
3	802.11be EHT40	3	-	-	-	-	-	-	-	Full RU	Harmonic
4	802.11be EHT80	7	5924.52	53.24	68.20	-14.96	V	Avg.	Pass	Full RU	Band Edge
4	802.11be EHT80	7	-	-	-	-	-	-	-	Full RU	Harmonic
5	802.11be EHT160	15	5922.00	53.69	68.20	-14.51	H	Avg.	Pass	Full RU	Band Edge
5	802.11be EHT160	15	7531.25	52.90	54.00	-1.10	H	Avg.	Pass	Full RU	Harmonic
6	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
6	802.11be EHT160	47	7731.25	49.39	54.00	-4.61	H	Avg.	Pass	Full RU	Harmonic
7	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
7	802.11be EHT160	79	12690.00	45.58	54.00	-8.42	H	Avg.	Pass	Full RU	Harmonic
8	802.11be EHT160	111	-	-	-	-	-	-	-	Full RU	Band Edge
8	802.11be EHT160	111	19515.00	35.74	54.00	-18.26	H	Avg.	Pass	Full RU	Harmonic
9	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
9	802.11be EHT160	143	13330.00	49.72	54.00	-4.28	H	Avg.	Pass	Full RU	Harmonic
10	802.11be EHT160	175	-	-	-	-	-	-	-	Full RU	Band Edge
10	802.11be EHT160	175	20475.00	35.15	54.00	-18.85	H	Avg.	Pass	Full RU	Harmonic
11	802.11a	229	7238.70	42.79	68.20	-25.41	H	Avg.	Pass	-	Band Edge
11	802.11a	229	-	-	-	-	-	-	-	-	Harmonic
12	802.11a	233	7125.01	68.00	68.20	-0.20	H	Avg.	Pass	-	Band Edge
12	802.11a	233	-	-	-	-	-	-	-	-	Harmonic
13	802.11be EHT20	229	7125.75	43.07	68.20	-25.13	H	Avg.	Pass	Full RU	Band Edge
13	802.11be EHT20	229	-	-	-	-	-	-	-	Full RU	Harmonic
14	802.11be EHT20	233	7125.01	67.31	68.20	-0.89	V	Avg.	Pass	Full RU	Band Edge
14	802.11be EHT20	233	-	-	-	-	-	-	-	Full RU	Harmonic
15	802.11be EHT40	227	7127.40	47.78	68.20	-20.42	H	Avg.	Pass	Full RU	Band Edge
15	802.11be EHT40	227	-	-	-	-	-	-	-	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
16	802.11be EHT80	215	7127.08	46.75	68.20	-21.45	H	Avg.	Pass	Full RU	Band Edge
16	802.11be EHT80	215	-	-	-	-	-	-	-	Full RU	Harmonic
17	802.11be EHT160	207	7127.40	57.41	68.20	-10.79	H	Avg.	Pass	Full RU	Band Edge
17	802.11be EHT160	207	13970.00	50.83	68.20	-17.37	H	Avg.	Pass	Full RU	Harmonic
18	802.11be EHT320	31	5922.44	65.07	68.20	-3.13	H	Avg.	Pass	Full RU	Band Edge
18	802.11be EHT320	31	7631.00	52.02	54.00	-1.98	H	Avg.	Pass	Full RU	Harmonic
19	802.11be EHT320	95	-	-	-	-	-	-	-	Full RU	Band Edge
19	802.11be EHT320	95	19275.00	38.57	54.00	-15.43	H	Avg.	Pass	Full RU	Harmonic
20	802.11be EHT320	159	-	-	-	-	-	-	-	Full RU	Band Edge
20	802.11be EHT320	159	7356.80	47.58	54.00	-6.42	H	Avg.	Pass	Full RU	Harmonic
21	802.11be EHT320	63	5907.28	62.39	68.20	-5.81	H	Avg.	Pass	Full RU	Band Edge
21	802.11be EHT320	63	12530.00	46.00	54.00	-8.00	H	Avg.	Pass	Full RU	Harmonic
22	802.11be EHT320	127	-	-	-	-	-	-	-	Full RU	Band Edge
22	802.11be EHT320	127	19755.00	39.05	54.00	-14.95	H	Avg.	Pass	Full RU	Harmonic
23	802.11be EHT320	191	7207.51	56.97	68.20	-11.23	H	Avg.	Pass	Full RU	Band Edge
23	802.11be EHT320	191	7306.40	52.46	54.00	-1.54	H	Avg.	Pass	Full RU	Harmonic
68	-	233	790.48	43.31	46.00	-2.69	H	QP	Pass	-	LF



<Nss=2>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
24	802.11be EHT20	1	5924.32	42.46	68.20	-25.74	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Full RU	Harmonic
25	802.11be EHT40	3	5923.98	53.12	68.20	-15.08	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	-	-	-	-	-	-	-	Full RU	Harmonic
26	802.11be EHT80	7	5925.00	63.91	68.20	-4.29	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Full RU	Harmonic
27	802.11be EHT160	15	5914.00	56.22	68.20	-11.98	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Full RU	Harmonic
28	802.11be EHT20	229	7125.75	44.82	68.20	-23.38	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Full RU	Harmonic
29	802.11be EHT20	233	7125.01	67.92	68.20	-0.28	H	Avg.	Pass	Full RU	Band Edge
29	802.11be EHT20	233	-	-	-	-	-	-	-	Full RU	Harmonic
30	802.11be EHT40	227	7128.52	56.28	68.20	-11.92	H	Avg.	Pass	Full RU	Band Edge
30	802.11be EHT40	227	-	-	-	-	-	-	-	Full RU	Harmonic
31	802.11be EHT80	215	7128.84	58.76	68.20	-9.44	H	Avg.	Pass	Full RU	Band Edge
31	802.11be EHT80	215	-	-	-	-	-	-	-	Full RU	Harmonic
32	802.11be EHT160	207	7133.80	67.27	68.20	-0.93	H	Avg.	Pass	Full RU	Band Edge
32	802.11be EHT160	207	-	-	-	-	-	-	-	Full RU	Harmonic
33	802.11be EHT320	31	5895.00	67.46	68.20	-0.74	H	Avg.	Pass	Full RU	Band Edge
33	802.11be EHT320	31	-	-	-	-	-	-	-	Full RU	Harmonic
34	802.11be EHT320	63	5920.04	67.62	68.20	-0.58	H	Avg.	Pass	Full RU	Band Edge
34	802.11be EHT320	63	-	-	-	-	-	-	-	Full RU	Harmonic
35	802.11be EHT320	191	7159.33	66.96	68.20	-1.24	H	Avg.	Pass	Full RU	Band Edge
35	802.11be EHT320	191	-	-	-	-	-	-	-	Full RU	Harmonic



<TXBF Mode>

<Nss=1>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
36	802.11be EHT20	1	5924.45	43.62	68.20	-24.58	V	Avg.	Pass	Full RU	Band Edge
36	802.11be EHT20	1	-	-	-	-	-	-	-	Full RU	Harmonic
37	802.11be EHT40	3	5921.88	42.20	68.20	-26.00	V	Avg.	Pass	Full RU	Band Edge
37	802.11be EHT40	3	-	-	-	-	-	-	-	Full RU	Harmonic
38	802.11be EHT80	7	5923.88	48.02	68.20	-20.18	H	Avg.	Pass	Full RU	Band Edge
38	802.11be EHT80	7	-	-	-	-	-	-	-	Full RU	Harmonic
39	802.11be EHT160	15	5925.00	44.02	68.20	-24.18	H	Avg.	Pass	Full RU	Band Edge
39	802.11be EHT160	15	7531.25	52.80	54.00	-1.20	H	Avg.	Pass	Full RU	Harmonic
40	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
40	802.11be EHT160	47	7731.25	49.41	54.00	-4.59	V	Avg.	Pass	Full RU	Harmonic
41	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
41	802.11be EHT160	79	12690.00	42.97	54.00	-11.03	H	Avg.	Pass	Full RU	Harmonic
42	802.11be EHT160	111	-	-	-	-	-	-	-	Full RU	Band Edge
42	802.11be EHT160	111	13010.00	54.00	88.20	-34.20	V	Peak	Pass	Full RU	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
43	802.11be EHT160	143	13330.00	45.59	54.00	-8.41	H	Avg.	Pass	Full RU	Harmonic
44	802.11be EHT160	175	-	-	-	-	-	-	-	Full RU	Band Edge
44	802.11be EHT160	175	13650.00	46.56	68.20	-21.64	H	Avg.	Pass	Full RU	Harmonic
45	802.11be EHT20	229	7125.75	43.72	68.20	-24.48	H	Avg.	Pass	Full RU	Band Edge
45	802.11be EHT20	229	-	-	-	-	-	-	-	Full RU	Harmonic
46	802.11be EHT20	233	7125.01	67.51	68.20	-0.69	H	Avg.	Pass	Full RU	Band Edge
46	802.11be EHT20	233	-	-	-	-	-	-	-	Full RU	Harmonic
47	802.11be EHT40	227	7125.16	44.42	68.20	-23.78	V	Avg.	Pass	Full RU	Band Edge
47	802.11be EHT40	227	-	-	-	-	-	-	-	Full RU	Harmonic
48	802.11be EHT80	215	7146.88	43.70	68.20	-24.50	V	Avg.	Pass	Full RU	Band Edge
48	802.11be EHT80	215	-	-	-	-	-	-	-	Full RU	Harmonic
49	802.11be EHT160	207	7161.32	50.40	68.20	-17.80	H	Avg.	Pass	Full RU	Band Edge
49	802.11be EHT160	207	13970.00	46.89	68.20	-21.31	H	Avg.	Pass	Full RU	Harmonic
50	802.11be EHT320	31	5920.20	52.63	68.20	-15.57	V	Avg.	Pass	Full RU	Band Edge
50	802.11be EHT320	31	7634.00	52.12	54.00	-1.88	H	Avg.	Pass	Full RU	Harmonic
51	802.11be EHT320	95	-	-	-	-	-	-	-	Full RU	Band Edge
51	802.11be EHT320	95	25700.00	43.20	68.20	-25.00	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
52	802.11be EHT320	159	-	-	-	-	-	-	-	Full RU	Band Edge
52	802.11be EHT320	159	26980.00	41.70	68.20	-26.50	V	Peak	Pass	Full RU	Harmonic
53	802.11be EHT320	63	5923.56	50.46	68.20	-17.74	V	Avg.	Pass	Full RU	Band Edge
53	802.11be EHT320	63	12530.00	42.54	54.00	-11.46	H	Avg.	Pass	Full RU	Harmonic
54	802.11be EHT320	127	-	-	-	-	-	-	-	Full RU	Band Edge
54	802.11be EHT320	127	26340.00	42.84	68.20	-25.36	V	Peak	Pass	Full RU	Harmonic
55	802.11be EHT320	191	7137.22	56.97	68.20	-11.23	H	Avg.	Pass	Full RU	Band Edge
55	802.11be EHT320	191	7267.20	48.65	54.00	-5.35	H	Avg.	Pass	Full RU	Harmonic
69	-	233	788.54	43.75	46.00	-2.25	H	QP	Pass	-	LF







<Nss=2>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
56	802.11be EHT20	1	5924.45	42.19	68.20	-26.01	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Full RU	Harmonic
57	802.11be EHT40	3	5924.96	42.01	68.20	-26.19	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	-	-	-	-	-	-	-	Full RU	Harmonic
58	802.11be EHT80	7	5925.00	53.60	68.20	-14.60	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Full RU	Harmonic
59	802.11be EHT160	15	5925.00	50.51	68.20	-17.69	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Full RU	Harmonic
60	802.11be EHT20	229	7125.75	44.22	68.20	-23.98	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Full RU	Harmonic
61	802.11be EHT20	233	7125.01	67.73	68.20	-0.47	H	Avg.	Pass	Full RU	Band Edge
61	802.11be EHT20	233	-	-	-	-	-	-	-	Full RU	Harmonic
62	802.11be EHT40	227	7125.64	45.81	68.20	-22.39	V	Avg.	Pass	Full RU	Band Edge
62	802.11be EHT40	227	-	-	-	-	-	-	-	Full RU	Harmonic
63	802.11be EHT80	215	7125.10	46.01	68.20	-22.19	V	Avg.	Pass	Full RU	Band Edge
63	802.11be EHT80	215	-	-	-	-	-	-	-	Full RU	Harmonic
64	802.11be EHT160	207	7161.96	58.32	68.20	-9.88	H	Avg.	Pass	Full RU	Band Edge
64	802.11be EHT160	207	-	-	-	-	-	-	-	Full RU	Harmonic
65	802.11be EHT320	31	5919.92	53.85	68.20	-14.35	V	Avg.	Pass	Full RU	Band Edge
65	802.11be EHT320	31	-	-	-	-	-	-	-	Full RU	Harmonic
66	802.11be EHT320	63	5901.12	63.29	68.20	-4.91	V	Avg.	Pass	Full RU	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Full RU	Harmonic
67	802.11be EHT320	191	7162.30	67.86	68.20	-0.34	H	Avg.	Pass	Full RU	Band Edge
67	802.11be EHT320	191	-	-	-	-	-	-	-	Full RU	Harmonic







<CDD Mode>





<Nss=1>

		1																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																															
ANT	1+2+3+4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																									
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5892.47</td><td>50.38</td><td>88.20</td><td>-37.82</td><td>40.10</td><td>34.30</td><td>13.91</td><td>37.93</td><td>0.00</td><td></td><td>200</td><td>49 PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5892.47	50.38	88.20	-37.82	40.10	34.30	13.91	37.93	0.00		200	49 PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>105.59</td><td>-----</td><td>-----</td><td>95.24</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td></td><td>200</td><td>49 PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5955.00	105.59	-----	-----	95.24	34.26	14.02	37.93	0.00		200	49 PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																					
1 5892.47	50.38	88.20	-37.82	40.10	34.30	13.91	37.93	0.00		200	49 PEAK																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																					
1 5955.00	105.59	-----	-----	95.24	34.26	14.02	37.93	0.00		200	49 PEAK																																																																																																					
Avg.																																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto						Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto																																																																																																									
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.84</td><td>40.69</td><td>68.20</td><td>-27.51</td><td>30.36</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td></td><td>200</td><td>49 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5924.84	40.69	68.20	-27.51	30.36	34.30	13.96	37.93	0.00		200	49 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>99.25</td><td>-----</td><td>-----</td><td>88.89</td><td>34.28</td><td>14.01</td><td>37.93</td><td>0.00</td><td></td><td>200</td><td>49 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5955.00	99.25	-----	-----	88.89	34.28	14.01	37.93	0.00		200	49 AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																					
1 5924.84	40.69	68.20	-27.51	30.36	34.30	13.96	37.93	0.00		200	49 AVERAGE																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																					
1 5955.00	99.25	-----	-----	88.89	34.28	14.01	37.93	0.00		200	49 AVERAGE																																																																																																					







Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5922.11</td><td>49.70</td><td>88.20</td><td>-38.50</td><td>39.37</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5922.11	49.70	88.20	-38.50	39.37	34.30	13.96	37.93	0.00	100	62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.47</td><td>-----</td><td>-----</td><td>96.11</td><td>34.28</td><td>14.01</td><td>37.93</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	106.47	-----	-----	96.11	34.28	14.01	37.93	0.00	100	62 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5922.11	49.70	88.20	-38.50	39.37	34.30	13.96	37.93	0.00	100	62 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	106.47	-----	-----	96.11	34.28	14.01	37.93	0.00	100	62 PEAK																																																																																							
Avg.																																																																																																		
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto						Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>40.54</td><td>68.20</td><td>-27.66</td><td>30.21</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>62 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5924.71	40.54	68.20	-27.66	30.21	34.30	13.96	37.93	0.00	100	62 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.54</td><td>-----</td><td>-----</td><td>89.18</td><td>34.28</td><td>14.01</td><td>37.93</td><td>0.00</td><td>100</td><td>62 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	99.54	-----	-----	89.18	34.28	14.01	37.93	0.00	100	62 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.71	40.54	68.20	-27.66	30.21	34.30	13.96	37.93	0.00	100	62 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	99.54	-----	-----	89.18	34.28	14.01	37.93	0.00	100	62 AVERAGE																																																																																							



Mode	2																																																																																																													
	Band Edge																																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																													
ANT	1+2+3+4																																																																																																													
Pol.	Horizontal																																																																																																													
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5924.58</td><td>53.26</td><td>88.20</td><td>-34.94</td><td>42.93</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>241</td><td>20 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5924.58	53.26	88.20	-34.94	42.93	34.30	13.96	37.93	0.00	241	20 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>111.11</td><td>-----</td><td>-----</td><td>100.77</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>241</td><td>20 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	111.11	-----	-----	100.77	34.24	14.03	37.93	0.00	241	20 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5924.58	53.26	88.20	-34.94	42.93	34.30	13.96	37.93	0.00	241	20 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5955.00	111.11	-----	-----	100.77	34.24	14.03	37.93	0.00	241	20 PEAK																																																																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5924.45</td><td>44.58</td><td>68.20</td><td>-23.62</td><td>34.25</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>241</td><td>20 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5924.45	44.58	68.20	-23.62	34.25	34.30	13.96	37.93	0.00	241	20 AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>101.45</td><td>-----</td><td>-----</td><td>91.10</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>241</td><td>20 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	101.45	-----	-----	91.10	34.26	14.02	37.93	0.00	241	20 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5924.45	44.58	68.20	-23.62	34.25	34.30	13.96	37.93	0.00	241	20 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5955.00	101.45	-----	-----	91.10	34.26	14.02	37.93	0.00	241	20 AVERAGE																																																																																																			







Mode	2																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.19</td><td>52.29</td><td>88.20</td><td>-35.91</td><td>41.96</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>203</td><td>162 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	52.29	88.20	-35.91	41.96	34.30	13.96	37.93	0.00	203	162 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.79</td><td>-----</td><td>-----</td><td>100.42</td><td>34.30</td><td>14.00</td><td>37.93</td><td>0.00</td><td>203</td><td>162 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.79	-----	-----	100.42	34.30	14.00	37.93	0.00	203
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.19	52.29	88.20	-35.91	41.96	34.30	13.96	37.93	0.00	203	162 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	110.79	-----	-----	100.42	34.30	14.00	37.93	0.00	203	162 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>44.65</td><td>68.20</td><td>-23.55</td><td>34.32</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>203</td><td>162 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	44.65	68.20	-23.55	34.32	34.30	13.96	37.93	0.00	203	162 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.88</td><td>-----</td><td>-----</td><td>91.51</td><td>34.30</td><td>14.00</td><td>37.93</td><td>0.00</td><td>203</td><td>162 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.88	-----	-----	91.51	34.30	14.00	37.93	0.00	203
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.32	44.65	68.20	-23.55	34.32	34.30	13.96	37.93	0.00	203	162 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	101.88	-----	-----	91.51	34.30	14.00	37.93	0.00	203	162 AVERAGE																																																																																					







Mode	3																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																	
ANT	1+2+3+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.84</td><td>59.58</td><td>88.20 -28.62</td><td>49.25</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>49 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.84	59.58	88.20 -28.62	49.25	34.30	13.96	37.93	0.00	200	49 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>108.63</td><td>-----</td><td>98.31</td><td>34.21</td><td>14.04</td><td>37.93</td><td>0.00</td><td>200</td><td>49 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	108.63	-----	98.31	34.21	14.04	37.93	0.00	200	49 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5923.84	59.58	88.20 -28.62	49.25	34.30	13.96	37.93	0.00	200	49 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5965.00	108.63	-----	98.31	34.21	14.04	37.93	0.00	200	49 PEAK																																																																									
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>48.24</td><td>68.20 -19.96</td><td>37.91</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>49 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.96	48.24	68.20 -19.96	37.91	34.30	13.96	37.93	0.00	200	49 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>99.18</td><td>-----</td><td>88.84</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>200</td><td>49 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	99.18	-----	88.84	34.24	14.03	37.93	0.00	200	49 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5924.96	48.24	68.20 -19.96	37.91	34.30	13.96	37.93	0.00	200	49 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5965.00	99.18	-----	88.84	34.24	14.03	37.93	0.00	200	49 AVERAGE																																																																									







		3																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																	
ANT	1+2+3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.04</td><td>58.95</td><td>88.20</td><td>-29.25</td><td>48.62</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.04	58.95	88.20	-29.25	48.62	34.30	13.96	37.93	0.00	200	172	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>100.16</td><td>-----</td><td>-----</td><td>97.81</td><td>34.26</td><td>14.02</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.16	-----	-----	97.81	34.26	14.02	37.93	0.00	200	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.04	58.95	88.20	-29.25	48.62	34.30	13.96	37.93	0.00	200	172	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	100.16	-----	-----	97.81	34.26	14.02	37.93	0.00	200	172	PEAK																																																																																						
Avg.																																																																																																		
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.54</td><td>47.20</td><td>68.20</td><td>-21.00</td><td>36.87</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	47.20	68.20	-21.00	36.87	34.30	13.96	37.93	0.00	200	172	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>100.12</td><td>-----</td><td>-----</td><td>89.81</td><td>34.19</td><td>14.05</td><td>37.93</td><td>0.00</td><td>200</td><td>172</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.12	-----	-----	89.81	34.19	14.05	37.93	0.00	200	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.54	47.20	68.20	-21.00	36.87	34.30	13.96	37.93	0.00	200	172	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	100.12	-----	-----	89.81	34.19	14.05	37.93	0.00	200	172	AVERAGE																																																																																						







		4																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.68</td><td>63.04</td><td>88.20</td><td>-25.16</td><td>52.71</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	63.04	88.20	-25.16	52.71	34.30	13.96	37.93	0.00	102	123	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>105.59</td><td>-----</td><td>-----</td><td>95.34</td><td>34.10</td><td>14.00</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	105.59	-----	-----	95.34	34.10	14.00	37.93	0.00	102	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.68	63.04	88.20	-25.16	52.71	34.30	13.96	37.93	0.00	102	123	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	105.59	-----	-----	95.34	34.10	14.00	37.93	0.00	102	123	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.36</td><td>52.06</td><td>68.20</td><td>-16.14</td><td>41.73</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	52.06	68.20	-16.14	41.73	34.30	13.96	37.93	0.00	102	123	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>98.64</td><td>-----</td><td>-----</td><td>88.35</td><td>34.16</td><td>14.06</td><td>37.93</td><td>0.00</td><td>102</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	98.64	-----	-----	88.35	34.16	14.06	37.93	0.00	102	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.36	52.06	68.20	-16.14	41.73	34.30	13.96	37.93	0.00	102	123	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	98.64	-----	-----	88.35	34.16	14.06	37.93	0.00	102	123	AVERAGE																																																																																							



		4																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.04</td><td>63.31</td><td>88.20</td><td>-24.89</td><td>52.90</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.04	63.31	88.20	-24.89	52.90	34.30	13.96	37.93	0.00	216	168	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>107.02</td><td>-----</td><td>-----</td><td>96.70</td><td>34.21</td><td>14.04</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.02	-----	-----	96.70	34.21	14.04	37.93	0.00	216	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.04	63.31	88.20	-24.89	52.90	34.30	13.96	37.93	0.00	216	168	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	107.02	-----	-----	96.70	34.21	14.04	37.93	0.00	216	168	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.52</td><td>53.24</td><td>68.20</td><td>-14.96</td><td>42.91</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.52	53.24	68.20	-14.96	42.91	34.30	13.96	37.93	0.00	216	168	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:2.700kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>99.79</td><td>-----</td><td>-----</td><td>89.47</td><td>34.21</td><td>14.04</td><td>37.93</td><td>0.00</td><td>216</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.79	-----	-----	89.47	34.21	14.04	37.93	0.00	216	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.52	53.24	68.20	-14.96	42.91	34.30	13.96	37.93	0.00	216	168	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	99.79	-----	-----	89.47	34.21	14.04	37.93	0.00	216	168	AVERAGE																																																																																							





		5																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5902.00</td><td>63.80</td><td>88.20</td><td>-24.40</td><td>53.51</td><td>34.30</td><td>13.92</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.00	63.80	88.20	-24.40	53.51	34.30	13.92	37.93	0.00	100	122	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>107.67</td><td>-----</td><td>-----</td><td>97.36</td><td>34.10</td><td>14.14</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	107.67	-----	-----	97.36	34.10	14.14	37.93	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5902.00	63.80	88.20	-24.40	53.51	34.30	13.92	37.93	0.00	100	122	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	107.67	-----	-----	97.36	34.10	14.14	37.93	0.00	100	122	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.00</td><td>53.69</td><td>68.20</td><td>-14.51</td><td>43.36</td><td>34.30</td><td>13.96</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.00	53.69	68.20	-14.51	43.36	34.30	13.96	37.93	0.00	100	122	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>100.26</td><td>-----</td><td>-----</td><td>89.96</td><td>34.10</td><td>14.13</td><td>37.93</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.26	-----	-----	89.96	34.10	14.13	37.93	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.00	53.69	68.20	-14.51	43.36	34.30	13.96	37.93	0.00	100	122	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	100.26	-----	-----	89.96	34.10	14.13	37.93	0.00	100	122	AVERAGE																																																																																							





Mode	5																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																	
ANT	1+2+3+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5914.40</td><td>62.98</td><td>88.20 -25.22</td><td>52.67</td><td>34.30</td><td>13.94</td><td>37.93</td><td>0.00</td><td>266</td><td>121 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5914.40	62.98	88.20 -25.22	52.67	34.30	13.94	37.93	0.00	266	121 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>108.06</td><td>-----</td><td>97.72</td><td>34.24</td><td>14.03</td><td>37.93</td><td>0.00</td><td>266</td><td>121 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	108.06	-----	97.72	34.24	14.03	37.93	0.00	266	121 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5914.40	62.98	88.20 -25.22	52.67	34.30	13.94	37.93	0.00	266	121 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 6025.00	108.06	-----	97.72	34.24	14.03	37.93	0.00	266	121 PEAK																																																																									
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.20</td><td>52.00</td><td>68.20 -16.20</td><td>41.68</td><td>34.30</td><td>13.95</td><td>37.93</td><td>0.00</td><td>266</td><td>121 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5921.20	52.00	68.20 -16.20	41.68	34.30	13.95	37.93	0.00	266	121 AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:4.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>99.90</td><td>-----</td><td>89.64</td><td>34.11</td><td>14.08</td><td>37.93</td><td>0.00</td><td>266</td><td>121 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	99.90	-----	89.64	34.11	14.08	37.93	0.00	266	121 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5921.20	52.00	68.20 -16.20	41.68	34.30	13.95	37.93	0.00	266	121 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 6025.00	99.90	-----	89.64	34.11	14.08	37.93	0.00	266	121 AVERAGE																																																																									



Mode	5																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																																																																																																																																																									
ANT	1+2+3+4																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																								
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7531.25</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>42.04</td><td>36.34</td><td>15.71</td><td>38.66</td><td>0.91</td><td>135</td><td></td><td>43</td><td>Peak</td></tr><tr><td>2</td><td>7531.25</td><td>52.90</td><td>54.00</td><td>-1.10</td><td>38.60</td><td>36.34</td><td>15.71</td><td>38.66</td><td>0.91</td><td>135</td><td></td><td>43</td><td>Average</td></tr><tr><td>3</td><td>12050.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>36.31</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>200</td><td></td><td>69</td><td>PEAK</td></tr><tr><td>4</td><td>12050.00</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>29.20</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>200</td><td></td><td>69</td><td>Average</td></tr><tr><td>5</td><td>18075.00</td><td>41.12</td><td>74.00</td><td>-32.88</td><td>44.40</td><td>37.60</td><td>24.62</td><td>55.96</td><td>-9.54</td><td>150</td><td></td><td>90</td><td>PEAK</td></tr><tr><td>6</td><td>18075.00</td><td>30.04</td><td>54.00</td><td>-23.96</td><td>33.32</td><td>37.60</td><td>24.62</td><td>55.96</td><td>-9.54</td><td>150</td><td></td><td>90</td><td>Average</td></tr><tr><td>7</td><td>24100.00</td><td>40.62</td><td>88.20</td><td>-47.58</td><td>36.39</td><td>38.90</td><td>28.61</td><td>53.74</td><td>-9.54</td><td>150</td><td></td><td>120</td><td>PEAK</td></tr><tr><td>8</td><td>24100.00</td><td>33.81</td><td>68.20</td><td>-34.39</td><td>29.58</td><td>38.90</td><td>28.61</td><td>53.74</td><td>-9.54</td><td>150</td><td></td><td>120</td><td>Average</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	7531.25	56.34	74.00	-17.66	42.04	36.34	15.71	38.66	0.91	135		43	Peak	2	7531.25	52.90	54.00	-1.10	38.60	36.34	15.71	38.66	0.91	135		43	Average	3	12050.00	53.05	74.00	-20.95	36.31	39.10	19.94	42.88	0.58	200		69	PEAK	4	12050.00	45.94	54.00	-8.06	29.20	39.10	19.94	42.88	0.58	200		69	Average	5	18075.00	41.12	74.00	-32.88	44.40	37.60	24.62	55.96	-9.54	150		90	PEAK	6	18075.00	30.04	54.00	-23.96	33.32	37.60	24.62	55.96	-9.54	150		90	Average	7	24100.00	40.62	88.20	-47.58	36.39	38.90	28.61	53.74	-9.54	150		120	PEAK	8	24100.00	33.81	68.20	-34.39	29.58	38.90	28.61	53.74	-9.54	150		120	Average	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7531.25</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>41.00</td><td>36.34</td><td>15.71</td><td>38.66</td><td>0.91</td><td>189</td><td></td><td>172</td><td>Peak</td></tr><tr><td>2</td><td>7531.25</td><td>51.31</td><td>54.00</td><td>-2.69</td><td>37.01</td><td>36.34</td><td>15.71</td><td>38.66</td><td>0.91</td><td>189</td><td></td><td>172</td><td>Average</td></tr><tr><td>3</td><td>12050.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>35.99</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>200</td><td></td><td>306</td><td>PEAK</td></tr><tr><td>4</td><td>12050.00</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>27.44</td><td>39.10</td><td>19.94</td><td>42.88</td><td>0.58</td><td>200</td><td></td><td>306</td><td>Average</td></tr><tr><td>5</td><td>18075.00</td><td>34.96</td><td>74.00</td><td>-39.04</td><td>38.24</td><td>37.60</td><td>24.62</td><td>55.96</td><td>-9.54</td><td>150</td><td></td><td>96</td><td>PEAK</td></tr><tr><td>6</td><td>18075.00</td><td>28.70</td><td>54.00</td><td>-25.30</td><td>31.98</td><td>37.60</td><td>24.62</td><td>55.96</td><td>-9.54</td><td>150</td><td></td><td>96</td><td>Average</td></tr><tr><td>7</td><td>24100.00</td><td>40.84</td><td>88.20</td><td>-47.36</td><td>36.61</td><td>38.90</td><td>28.61</td><td>53.74</td><td>-9.54</td><td>150</td><td></td><td>99</td><td>PEAK</td></tr><tr><td>8</td><td>24100.00</td><td>31.90</td><td>68.20</td><td>-36.30</td><td>27.67</td><td>38.90</td><td>28.61</td><td>53.74</td><td>-9.54</td><td>150</td><td></td><td>99</td><td>Average</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	7531.25	55.38	74.00	-18.62	41.00	36.34	15.71	38.66	0.91	189		172	Peak	2	7531.25	51.31	54.00	-2.69	37.01	36.34	15.71	38.66	0.91	189		172	Average	3	12050.00	52.73	74.00	-21.27	35.99	39.10	19.94	42.88	0.58	200		306	PEAK	4	12050.00	44.18	54.00	-9.82	27.44	39.10	19.94	42.88	0.58	200		306	Average	5	18075.00	34.96	74.00	-39.04	38.24	37.60	24.62	55.96	-9.54	150		96	PEAK	6	18075.00	28.70	54.00	-25.30	31.98	37.60	24.62	55.96	-9.54	150		96	Average	7	24100.00	40.84	88.20	-47.36	36.61	38.90	28.61	53.74	-9.54	150		99	PEAK	8	24100.00	31.90	68.20	-36.30	27.67	38.90	28.61	53.74	-9.54	150		99	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	7531.25	56.34	74.00	-17.66	42.04	36.34	15.71	38.66	0.91	135		43	Peak																																																																																																																																																																																																																																																																													
2	7531.25	52.90	54.00	-1.10	38.60	36.34	15.71	38.66	0.91	135		43	Average																																																																																																																																																																																																																																																																													
3	12050.00	53.05	74.00	-20.95	36.31	39.10	19.94	42.88	0.58	200		69	PEAK																																																																																																																																																																																																																																																																													
4	12050.00	45.94	54.00	-8.06	29.20	39.10	19.94	42.88	0.58	200		69	Average																																																																																																																																																																																																																																																																													
5	18075.00	41.12	74.00	-32.88	44.40	37.60	24.62	55.96	-9.54	150		90	PEAK																																																																																																																																																																																																																																																																													
6	18075.00	30.04	54.00	-23.96	33.32	37.60	24.62	55.96	-9.54	150		90	Average																																																																																																																																																																																																																																																																													
7	24100.00	40.62	88.20	-47.58	36.39	38.90	28.61	53.74	-9.54	150		120	PEAK																																																																																																																																																																																																																																																																													
8	24100.00	33.81	68.20	-34.39	29.58	38.90	28.61	53.74	-9.54	150		120	Average																																																																																																																																																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	7531.25	55.38	74.00	-18.62	41.00	36.34	15.71	38.66	0.91	189		172	Peak																																																																																																																																																																																																																																																																													
2	7531.25	51.31	54.00	-2.69	37.01	36.34	15.71	38.66	0.91	189		172	Average																																																																																																																																																																																																																																																																													
3	12050.00	52.73	74.00	-21.27	35.99	39.10	19.94	42.88	0.58	200		306	PEAK																																																																																																																																																																																																																																																																													
4	12050.00	44.18	54.00	-9.82	27.44	39.10	19.94	42.88	0.58	200		306	Average																																																																																																																																																																																																																																																																													
5	18075.00	34.96	74.00	-39.04	38.24	37.60	24.62	55.96	-9.54	150		96	PEAK																																																																																																																																																																																																																																																																													
6	18075.00	28.70	54.00	-25.30	31.98	37.60	24.62	55.96	-9.54	150		96	Average																																																																																																																																																																																																																																																																													
7	24100.00	40.84	88.20	-47.36	36.61	38.90	28.61	53.74	-9.54	150		99	PEAK																																																																																																																																																																																																																																																																													
8	24100.00	31.90	68.20	-36.30	27.67	38.90	28.61	53.74	-9.54	150		99	Average																																																																																																																																																																																																																																																																													



Mode	5	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 5	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 5





Mode	6																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																																																																																																																																																																					
ANT	1+2+3+4																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg.	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 6 <table><tr><th></th><th>Freq</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7731.25</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>40.21</td><td>36.60</td><td>15.93</td><td>38.81</td><td>0.86</td><td>117</td><td>39</td><td>Peak</td></tr><tr><td>2</td><td>7731.25</td><td>49.39</td><td>54.00</td><td>-4.61</td><td>34.81</td><td>36.60</td><td>15.93</td><td>38.81</td><td>0.86</td><td>117</td><td>39</td><td>Average</td></tr><tr><td>3</td><td>12370.00</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>36.84</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>100</td><td>59</td><td>Peak</td></tr><tr><td>4</td><td>12370.00</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>28.37</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>100</td><td>59</td><td>Average</td></tr><tr><td>5</td><td>18555.00</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>45.06</td><td>37.93</td><td>24.96</td><td>55.66</td><td>-9.54</td><td>150</td><td>107</td><td>Peak</td></tr><tr><td>6</td><td>18555.00</td><td>31.75</td><td>54.00</td><td>-22.25</td><td>34.06</td><td>37.93</td><td>24.96</td><td>55.66</td><td>-9.54</td><td>150</td><td>107</td><td>Average</td></tr><tr><td>7</td><td>24740.00</td><td>44.44</td><td>88.20</td><td>-43.76</td><td>38.99</td><td>39.40</td><td>28.95</td><td>53.36</td><td>-9.54</td><td>150</td><td>93</td><td>Peak</td></tr><tr><td>8</td><td>24740.00</td><td>34.05</td><td>68.20</td><td>-34.15</td><td>28.60</td><td>39.40</td><td>28.95</td><td>53.36</td><td>-9.54</td><td>150</td><td>93</td><td>Average</td></tr></table>		Freq	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7731.25	54.79	74.00	-19.21	40.21	36.60	15.93	38.81	0.86	117	39	Peak	2	7731.25	49.39	54.00	-4.61	34.81	36.60	15.93	38.81	0.86	117	39	Average	3	12370.00	53.84	74.00	-20.16	36.84	39.02	20.23	42.92	0.67	100	59	Peak	4	12370.00	45.37	54.00	-8.63	28.37	39.02	20.23	42.92	0.67	100	59	Average	5	18555.00	42.75	74.00	-31.25	45.06	37.93	24.96	55.66	-9.54	150	107	Peak	6	18555.00	31.75	54.00	-22.25	34.06	37.93	24.96	55.66	-9.54	150	107	Average	7	24740.00	44.44	88.20	-43.76	38.99	39.40	28.95	53.36	-9.54	150	93	Peak	8	24740.00	34.05	68.20	-34.15	28.60	39.40	28.95	53.36	-9.54	150	93	Average	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 6 <table><tr><th></th><th>Freq</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7731.25</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>39.80</td><td>36.60</td><td>15.93</td><td>38.81</td><td>0.86</td><td>204</td><td>17</td><td>Peak</td></tr><tr><td>2</td><td>7731.25</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>34.69</td><td>36.60</td><td>15.93</td><td>38.81</td><td>0.86</td><td>204</td><td>17</td><td>Average</td></tr><tr><td>3</td><td>12370.00</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>35.65</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>200</td><td>134</td><td>Peak</td></tr><tr><td>4</td><td>12370.00</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>27.05</td><td>39.02</td><td>20.23</td><td>42.92</td><td>0.67</td><td>200</td><td>134</td><td>Average</td></tr><tr><td>5</td><td>18555.00</td><td>37.11</td><td>74.00</td><td>-36.89</td><td>39.42</td><td>37.93</td><td>24.96</td><td>55.66</td><td>-9.54</td><td>150</td><td>169</td><td>Peak</td></tr><tr><td>6</td><td>18555.00</td><td>29.27</td><td>54.00</td><td>-24.73</td><td>31.58</td><td>37.93</td><td>24.96</td><td>55.66</td><td>-9.54</td><td>150</td><td>169</td><td>Average</td></tr><tr><td>7</td><td>24740.00</td><td>41.72</td><td>88.20</td><td>-46.48</td><td>36.27</td><td>39.40</td><td>28.95</td><td>53.36</td><td>-9.54</td><td>150</td><td>110</td><td>Peak</td></tr><tr><td>8</td><td>24740.00</td><td>33.05</td><td>68.20</td><td>-35.15</td><td>27.60</td><td>39.40</td><td>28.95</td><td>53.36</td><td>-9.54</td><td>150</td><td>110</td><td>Average</td></tr></table>		Freq	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7731.25	54.38	74.00	-19.62	39.80	36.60	15.93	38.81	0.86	204	17	Peak	2	7731.25	49.27	54.00	-4.73	34.69	36.60	15.93	38.81	0.86	204	17	Average	3	12370.00	52.65	74.00	-21.35	35.65	39.02	20.23	42.92	0.67	200	134	Peak	4	12370.00	44.05	54.00	-9.95	27.05	39.02	20.23	42.92	0.67	200	134	Average	5	18555.00	37.11	74.00	-36.89	39.42	37.93	24.96	55.66	-9.54	150	169	Peak	6	18555.00	29.27	54.00	-24.73	31.58	37.93	24.96	55.66	-9.54	150	169	Average	7	24740.00	41.72	88.20	-46.48	36.27	39.40	28.95	53.36	-9.54	150	110	Peak	8	24740.00	33.05	68.20	-35.15	27.60	39.40	28.95	53.36	-9.54	150	110	Average
		Freq	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	7731.25	54.79	74.00	-19.21	40.21	36.60	15.93	38.81	0.86	117	39	Peak																																																																																																																																																																																																																																																										
2	7731.25	49.39	54.00	-4.61	34.81	36.60	15.93	38.81	0.86	117	39	Average																																																																																																																																																																																																																																																										
3	12370.00	53.84	74.00	-20.16	36.84	39.02	20.23	42.92	0.67	100	59	Peak																																																																																																																																																																																																																																																										
4	12370.00	45.37	54.00	-8.63	28.37	39.02	20.23	42.92	0.67	100	59	Average																																																																																																																																																																																																																																																										
5	18555.00	42.75	74.00	-31.25	45.06	37.93	24.96	55.66	-9.54	150	107	Peak																																																																																																																																																																																																																																																										
6	18555.00	31.75	54.00	-22.25	34.06	37.93	24.96	55.66	-9.54	150	107	Average																																																																																																																																																																																																																																																										
7	24740.00	44.44	88.20	-43.76	38.99	39.40	28.95	53.36	-9.54	150	93	Peak																																																																																																																																																																																																																																																										
8	24740.00	34.05	68.20	-34.15	28.60	39.40	28.95	53.36	-9.54	150	93	Average																																																																																																																																																																																																																																																										
	Freq	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	7731.25	54.38	74.00	-19.62	39.80	36.60	15.93	38.81	0.86	204	17	Peak																																																																																																																																																																																																																																																										
2	7731.25	49.27	54.00	-4.73	34.69	36.60	15.93	38.81	0.86	204	17	Average																																																																																																																																																																																																																																																										
3	12370.00	52.65	74.00	-21.35	35.65	39.02	20.23	42.92	0.67	200	134	Peak																																																																																																																																																																																																																																																										
4	12370.00	44.05	54.00	-9.95	27.05	39.02	20.23	42.92	0.67	200	134	Average																																																																																																																																																																																																																																																										
5	18555.00	37.11	74.00	-36.89	39.42	37.93	24.96	55.66	-9.54	150	169	Peak																																																																																																																																																																																																																																																										
6	18555.00	29.27	54.00	-24.73	31.58	37.93	24.96	55.66	-9.54	150	169	Average																																																																																																																																																																																																																																																										
7	24740.00	41.72	88.20	-46.48	36.27	39.40	28.95	53.36	-9.54	150	110	Peak																																																																																																																																																																																																																																																										
8	24740.00	33.05	68.20	-35.15	27.60	39.40	28.95	53.36	-9.54	150	110	Average																																																																																																																																																																																																																																																										





Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 6	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 6





		7																																																																																																		
Mode	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Horizontal																																																																																																			
Peak Avg.																																																																																																				
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 7 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 12690.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>36.52</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>200 60 PEAK</td></tr><tr><td>2 12690.00</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>27.81</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>200 60 Average</td></tr><tr><td>3 19035.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>47.30</td><td>38.23</td><td>25.29</td><td>55.29</td><td>-9.54</td><td>150 106 PEAK</td></tr><tr><td>4 19035.00</td><td>34.52</td><td>54.00</td><td>-19.48</td><td>35.83</td><td>38.23</td><td>25.29</td><td>55.29</td><td>-9.54</td><td>150 106 Average</td></tr><tr><td>5 25380.00</td><td>44.81</td><td>88.20</td><td>-43.39</td><td>39.11</td><td>39.04</td><td>29.32</td><td>53.12</td><td>-9.54</td><td>150 89 PEAK</td></tr><tr><td>6 25380.00</td><td>34.32</td><td>68.20</td><td>-33.88</td><td>28.62</td><td>39.04</td><td>29.32</td><td>53.12</td><td>-9.54</td><td>150 89 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12690.00	54.29	74.00	-19.71	36.52	39.38	20.52	42.89	0.76	200 60 PEAK	2 12690.00	45.58	54.00	-8.42	27.81	39.38	20.52	42.89	0.76	200 60 Average	3 19035.00	45.99	74.00	-28.01	47.30	38.23	25.29	55.29	-9.54	150 106 PEAK	4 19035.00	34.52	54.00	-19.48	35.83	38.23	25.29	55.29	-9.54	150 106 Average	5 25380.00	44.81	88.20	-43.39	39.11	39.04	29.32	53.12	-9.54	150 89 PEAK	6 25380.00	34.32	68.20	-33.88	28.62	39.04	29.32	53.12	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1 12690.00	54.29	74.00	-19.71	36.52	39.38	20.52	42.89	0.76	200 60 PEAK																																																																																											
2 12690.00	45.58	54.00	-8.42	27.81	39.38	20.52	42.89	0.76	200 60 Average																																																																																											
3 19035.00	45.99	74.00	-28.01	47.30	38.23	25.29	55.29	-9.54	150 106 PEAK																																																																																											
4 19035.00	34.52	54.00	-19.48	35.83	38.23	25.29	55.29	-9.54	150 106 Average																																																																																											
5 25380.00	44.81	88.20	-43.39	39.11	39.04	29.32	53.12	-9.54	150 89 PEAK																																																																																											
6 25380.00	34.32	68.20	-33.88	28.62	39.04	29.32	53.12	-9.54	150 89 Average																																																																																											
Peak Avg.																																																																																																				
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 7 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 12690.00</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>35.79</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>300 89 PEAK</td></tr><tr><td>2 12690.00</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>26.56</td><td>39.38</td><td>20.52</td><td>42.89</td><td>0.76</td><td>300 89 Average</td></tr><tr><td>3 19035.00</td><td>39.78</td><td>74.00</td><td>-34.22</td><td>41.09</td><td>38.23</td><td>25.29</td><td>55.29</td><td>-9.54</td><td>150 119 PEAK</td></tr><tr><td>4 19035.00</td><td>29.79</td><td>54.00</td><td>-24.21</td><td>31.10</td><td>38.23</td><td>25.29</td><td>55.29</td><td>-9.54</td><td>150 119 Average</td></tr><tr><td>5 25380.00</td><td>42.80</td><td>88.20</td><td>-45.40</td><td>37.10</td><td>39.04</td><td>29.32</td><td>53.12</td><td>-9.54</td><td>150 119 PEAK</td></tr><tr><td>6 25380.00</td><td>33.27</td><td>68.20</td><td>-34.93</td><td>27.57</td><td>39.04</td><td>29.32</td><td>53.12</td><td>-9.54</td><td>150 119 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12690.00	53.56	74.00	-20.44	35.79	39.38	20.52	42.89	0.76	300 89 PEAK	2 12690.00	44.33	54.00	-9.67	26.56	39.38	20.52	42.89	0.76	300 89 Average	3 19035.00	39.78	74.00	-34.22	41.09	38.23	25.29	55.29	-9.54	150 119 PEAK	4 19035.00	29.79	54.00	-24.21	31.10	38.23	25.29	55.29	-9.54	150 119 Average	5 25380.00	42.80	88.20	-45.40	37.10	39.04	29.32	53.12	-9.54	150 119 PEAK	6 25380.00	33.27	68.20	-34.93	27.57	39.04	29.32	53.12	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1 12690.00	53.56	74.00	-20.44	35.79	39.38	20.52	42.89	0.76	300 89 PEAK																																																																																											
2 12690.00	44.33	54.00	-9.67	26.56	39.38	20.52	42.89	0.76	300 89 Average																																																																																											
3 19035.00	39.78	74.00	-34.22	41.09	38.23	25.29	55.29	-9.54	150 119 PEAK																																																																																											
4 19035.00	29.79	54.00	-24.21	31.10	38.23	25.29	55.29	-9.54	150 119 Average																																																																																											
5 25380.00	42.80	88.20	-45.40	37.10	39.04	29.32	53.12	-9.54	150 119 PEAK																																																																																											
6 25380.00	33.27	68.20	-34.93	27.57	39.04	29.32	53.12	-9.54	150 119 Average																																																																																											



Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 7	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 7





Mode	8																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																																																													
ANT	1+2+3+4																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL Mode : 8 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>53.55</td><td>88.20</td><td>-34.65</td><td>35.01</td><td>39.70</td><td>20.81</td><td>42.81</td><td>0.84</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19515.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>48.73</td><td>38.10</td><td>25.62</td><td>55.10</td><td>-9.54</td><td>150</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>19515.00</td><td>35.74</td><td>54.00</td><td>-18.26</td><td>36.66</td><td>38.10</td><td>25.62</td><td>55.10</td><td>-9.54</td><td>150</td><td>105</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	53.55	88.20	-34.65	35.01	39.70	20.81	42.81	0.84	--	--	PEAK	2	19515.00	47.81	74.00	-26.19	48.73	38.10	25.62	55.10	-9.54	150	105	PEAK	3	19515.00	35.74	54.00	-18.26	36.66	38.10	25.62	55.10	-9.54	150	105	Average	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL Mode : 8 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.15</td><td>88.20</td><td>-34.05</td><td>35.61</td><td>39.70</td><td>20.81</td><td>42.81</td><td>0.84</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19515.00</td><td>38.52</td><td>74.00</td><td>-35.48</td><td>39.44</td><td>38.10</td><td>25.62</td><td>55.10</td><td>-9.54</td><td>150</td><td>99</td><td>PEAK</td></tr><tr><td>3</td><td>19515.00</td><td>30.67</td><td>54.00</td><td>-23.33</td><td>31.59</td><td>38.10</td><td>25.62</td><td>55.10</td><td>-9.54</td><td>150</td><td>99</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.15	88.20	-34.05	35.61	39.70	20.81	42.81	0.84	--	--	PEAK	2	19515.00	38.52	74.00	-35.48	39.44	38.10	25.62	55.10	-9.54	150	99	PEAK	3	19515.00	30.67	54.00	-23.33	31.59	38.10	25.62	55.10	-9.54	150	99	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13010.00	53.55	88.20	-34.65	35.01	39.70	20.81	42.81	0.84	--	--	PEAK																																																																																																																																		
2	19515.00	47.81	74.00	-26.19	48.73	38.10	25.62	55.10	-9.54	150	105	PEAK																																																																																																																																		
3	19515.00	35.74	54.00	-18.26	36.66	38.10	25.62	55.10	-9.54	150	105	Average																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13010.00	54.15	88.20	-34.05	35.61	39.70	20.81	42.81	0.84	--	--	PEAK																																																																																																																																		
2	19515.00	38.52	74.00	-35.48	39.44	38.10	25.62	55.10	-9.54	150	99	PEAK																																																																																																																																		
3	19515.00	30.67	54.00	-23.33	31.59	38.10	25.62	55.10	-9.54	150	99	Average																																																																																																																																		





Mode	8	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 8	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 8



Mode	9																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																																																													
ANT	1+2+3+4																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 9 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>57.29</td><td>74.00</td><td>-16.71</td><td>38.93</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>200 135 PEAK</td></tr><tr><td>2 13330.00</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>31.36</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>200 135 Average</td></tr><tr><td>3 19995.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>44.70</td><td>38.10</td><td>25.95</td><td>55.00</td><td>-9.54</td><td>150 100 PEAK</td></tr><tr><td>4 19995.00</td><td>34.17</td><td>54.00</td><td>-19.83</td><td>34.66</td><td>38.10</td><td>25.95</td><td>55.00</td><td>-9.54</td><td>150 100 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	57.29	74.00	-16.71	38.93	39.50	21.05	43.12	0.93	200 135 PEAK	2 13330.00	49.72	54.00	-4.28	31.36	39.50	21.05	43.12	0.93	200 135 Average	3 19995.00	44.21	74.00	-29.79	44.70	38.10	25.95	55.00	-9.54	150 100 PEAK	4 19995.00	34.17	54.00	-19.83	34.66	38.10	25.95	55.00	-9.54	150 100 Average	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 9 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>36.18</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>350 346 PEAK</td></tr><tr><td>2 13330.00</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>28.83</td><td>39.50</td><td>21.05</td><td>43.12</td><td>0.93</td><td>350 346 Average</td></tr><tr><td>3 19995.00</td><td>41.02</td><td>74.00</td><td>-32.98</td><td>41.51</td><td>38.10</td><td>25.95</td><td>55.00</td><td>-9.54</td><td>150 67 PEAK</td></tr><tr><td>4 19995.00</td><td>31.00</td><td>54.00</td><td>-22.92</td><td>31.57</td><td>38.10</td><td>25.95</td><td>55.00</td><td>-9.54</td><td>150 67 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	54.54	74.00	-19.46	36.18	39.50	21.05	43.12	0.93	350 346 PEAK	2 13330.00	47.19	54.00	-6.81	28.83	39.50	21.05	43.12	0.93	350 346 Average	3 19995.00	41.02	74.00	-32.98	41.51	38.10	25.95	55.00	-9.54	150 67 PEAK	4 19995.00	31.00	54.00	-22.92	31.57	38.10	25.95	55.00	-9.54	150 67 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 13330.00	57.29	74.00	-16.71	38.93	39.50	21.05	43.12	0.93	200 135 PEAK																																																																																																																																					
2 13330.00	49.72	54.00	-4.28	31.36	39.50	21.05	43.12	0.93	200 135 Average																																																																																																																																					
3 19995.00	44.21	74.00	-29.79	44.70	38.10	25.95	55.00	-9.54	150 100 PEAK																																																																																																																																					
4 19995.00	34.17	54.00	-19.83	34.66	38.10	25.95	55.00	-9.54	150 100 Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 13330.00	54.54	74.00	-19.46	36.18	39.50	21.05	43.12	0.93	350 346 PEAK																																																																																																																																					
2 13330.00	47.19	54.00	-6.81	28.83	39.50	21.05	43.12	0.93	350 346 Average																																																																																																																																					
3 19995.00	41.02	74.00	-32.98	41.51	38.10	25.95	55.00	-9.54	150 67 PEAK																																																																																																																																					
4 19995.00	31.00	54.00	-22.92	31.57	38.10	25.95	55.00	-9.54	150 67 Average																																																																																																																																					





Mode	9	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 9	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 9







Mode	10																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																															
ANT	1+2+3+4																																																																															
Pol.	Horizontal																																																																															
Peak Avg.																																																																																
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13650.00</td><td>57.75</td><td>88.20</td><td>-30.45</td><td>39.52</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>200</td></tr><tr><td>2 13650.00</td><td>49.23</td><td>68.20</td><td>-18.97</td><td>31.00</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>200</td></tr><tr><td>3 20475.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>47.30</td><td>38.10</td><td>26.30</td><td>55.00</td><td>-9.54</td><td>150</td></tr><tr><td>4 20475.00</td><td>35.15</td><td>54.00</td><td>-18.85</td><td>35.29</td><td>38.10</td><td>26.30</td><td>55.00</td><td>-9.54</td><td>150</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13650.00	57.75	88.20	-30.45	39.52	39.30	21.29	43.38	1.02	200	2 13650.00	49.23	68.20	-18.97	31.00	39.30	21.29	43.38	1.02	200	3 20475.00	47.16	74.00	-26.84	47.30	38.10	26.30	55.00	-9.54	150	4 20475.00	35.15	54.00	-18.85	35.29	38.10	26.30	55.00	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																							
1 13650.00	57.75	88.20	-30.45	39.52	39.30	21.29	43.38	1.02	200																																																																							
2 13650.00	49.23	68.20	-18.97	31.00	39.30	21.29	43.38	1.02	200																																																																							
3 20475.00	47.16	74.00	-26.84	47.30	38.10	26.30	55.00	-9.54	150																																																																							
4 20475.00	35.15	54.00	-18.85	35.29	38.10	26.30	55.00	-9.54	150																																																																							
Peak Avg.																																																																																
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13650.00</td><td>54.43</td><td>88.20</td><td>-33.77</td><td>36.20</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>200</td></tr><tr><td>2 13650.00</td><td>45.21</td><td>68.20</td><td>-22.99</td><td>26.98</td><td>39.30</td><td>21.29</td><td>43.38</td><td>1.02</td><td>200</td></tr><tr><td>3 20475.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>39.62</td><td>38.10</td><td>26.30</td><td>55.00</td><td>-9.54</td><td>150</td></tr><tr><td>4 20475.00</td><td>30.38</td><td>54.00</td><td>-23.62</td><td>30.52</td><td>38.10</td><td>26.30</td><td>55.00</td><td>-9.54</td><td>150</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13650.00	54.43	88.20	-33.77	36.20	39.30	21.29	43.38	1.02	200	2 13650.00	45.21	68.20	-22.99	26.98	39.30	21.29	43.38	1.02	200	3 20475.00	39.48	74.00	-34.52	39.62	38.10	26.30	55.00	-9.54	150	4 20475.00	30.38	54.00	-23.62	30.52	38.10	26.30	55.00	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																							
1 13650.00	54.43	88.20	-33.77	36.20	39.30	21.29	43.38	1.02	200																																																																							
2 13650.00	45.21	68.20	-22.99	26.98	39.30	21.29	43.38	1.02	200																																																																							
3 20475.00	39.48	74.00	-34.52	39.62	38.10	26.30	55.00	-9.54	150																																																																							
4 20475.00	30.38	54.00	-23.62	30.52	38.10	26.30	55.00	-9.54	150																																																																							







Mode	10	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	1+2+3+4	
Pol.	Horizontal	Vertical
17G ~18G Avg.	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 HORIZONTAL Mode : 10	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_241101 VERTICAL Mode : 10







Mode	11																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.70</td><td>53.04</td><td>88.20</td><td>-35.16</td><td>39.19</td><td>36.90</td><td>15.34</td><td>38.39</td><td>0.00</td><td>288</td><td>4 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7214.70	53.04	88.20	-35.16	39.19	36.90	15.34	38.39	0.00	288	4 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>106.64</td><td>-----</td><td>-----</td><td>93.42</td><td>36.29</td><td>15.22</td><td>38.29</td><td>0.00</td><td>288</td><td>4 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	106.64	-----	-----	93.42	36.29	15.22	38.29	0.00	288	4 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7214.70	53.04	88.20	-35.16	39.19	36.90	15.34	38.39	0.00	288	4 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	106.64	-----	-----	93.42	36.29	15.22	38.29	0.00	288	4 PEAK																																																																																						
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7238.70</td><td>42.79</td><td>68.20</td><td>-25.41</td><td>28.93</td><td>36.90</td><td>15.37</td><td>38.41</td><td>0.00</td><td>288</td><td>4 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7238.70	42.79	68.20	-25.41	28.93	36.90	15.37	38.41	0.00	288	4 AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>99.99</td><td>-----</td><td>-----</td><td>86.77</td><td>36.29</td><td>15.22</td><td>38.29</td><td>0.00</td><td>288</td><td>4 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.99	-----	-----	86.77	36.29	15.22	38.29	0.00	288	4 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7238.70	42.79	68.20	-25.41	28.93	36.90	15.37	38.41	0.00	288	4 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	99.99	-----	-----	86.77	36.29	15.22	38.29	0.00	288	4 AVERAGE																																																																																						



	11																																																																																																		
Mode	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7191.30</td><td>52.97</td><td>88.20</td><td>-35.23</td><td>39.15</td><td>36.87</td><td>15.32</td><td>38.37</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7191.30	52.97	88.20	-35.23	39.15	36.87	15.32	38.37	0.00	100	258	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>104.82</td><td>-----</td><td>-----</td><td>91.61</td><td>36.28</td><td>15.21</td><td>38.28</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	104.82	-----	-----	91.61	36.28	15.21	38.28	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7191.30	52.97	88.20	-35.23	39.15	36.87	15.32	38.37	0.00	100	258	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	104.82	-----	-----	91.61	36.28	15.21	38.28	0.00	100	258	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.510kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7228.95</td><td>42.77</td><td>68.20</td><td>-25.43</td><td>28.91</td><td>36.90</td><td>15.36</td><td>38.40</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7228.95	42.77	68.20	-25.43	28.91	36.90	15.36	38.40	0.00	100	258	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.510kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>97.91</td><td>-----</td><td>-----</td><td>84.70</td><td>36.28</td><td>15.21</td><td>38.28</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.91	-----	-----	84.70	36.28	15.21	38.28	0.00	100	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7228.95	42.77	68.20	-25.43	28.91	36.90	15.36	38.40	0.00	100	258	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	97.91	-----	-----	84.70	36.28	15.21	38.28	0.00	100	258	AVERAGE																																																																																							







Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.27</td><td>75.65</td><td>88.20</td><td>-12.55</td><td>62.22</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>302</td><td>27</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.27	75.65	88.20	-12.55	62.22	36.50	15.25	38.32	0.00	302	27	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>100.98</td><td>-----</td><td>-----</td><td>87.58</td><td>36.46</td><td>15.25</td><td>38.31</td><td>0.00</td><td>302</td><td>27</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	100.98	-----	-----	87.58	36.46	15.25	38.31	0.00	302	27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.27	75.65	88.20	-12.55	62.22	36.50	15.25	38.32	0.00	302	27	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	100.98	-----	-----	87.58	36.46	15.25	38.31	0.00	302	27	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>68.00</td><td>68.20</td><td>-0.20</td><td>54.57</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>302</td><td>27</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	68.00	68.20	-0.20	54.57	36.50	15.25	38.32	0.00	302	27	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>94.40</td><td>-----</td><td>-----</td><td>81.00</td><td>36.46</td><td>15.25</td><td>38.31</td><td>0.00</td><td>302</td><td>27</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	94.40	-----	-----	81.00	36.46	15.25	38.31	0.00	302	27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.01	68.00	68.20	-0.20	54.57	36.50	15.25	38.32	0.00	302	27	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	94.40	-----	-----	81.00	36.46	15.25	38.31	0.00	302	27	AVERAGE																																																																																							







Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>75.84</td><td>88.20</td><td>-12.36</td><td>62.41</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>137</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	75.84	88.20	-12.36	62.41	36.50	15.25	38.32	0.00	137	359	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>101.98</td><td>-----</td><td>-----</td><td>88.58</td><td>36.46</td><td>15.25</td><td>38.31</td><td>0.00</td><td>137</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	101.98	-----	-----	88.58	36.46	15.25	38.31	0.00	137	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.01	75.84	88.20	-12.36	62.41	36.50	15.25	38.32	0.00	137	359	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	101.98	-----	-----	88.58	36.46	15.25	38.31	0.00	137	359	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>67.40</td><td>68.20</td><td>-0.80</td><td>53.97</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>137</td><td>359</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	67.40	68.20	-0.80	53.97	36.50	15.25	38.32	0.00	137	359	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>94.34</td><td>-----</td><td>-----</td><td>80.91</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>137</td><td>359</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	94.34	-----	-----	80.91	36.50	15.25	38.32	0.00	137	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.01	67.40	68.20	-0.80	53.97	36.50	15.25	38.32	0.00	137	359	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	94.34	-----	-----	80.91	36.50	15.25	38.32	0.00	137	359	AVERAGE																																																																																							







Mode	13																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7240.20</td><td>53.12</td><td>88.20</td><td>-35.08</td><td>39.26</td><td>36.90</td><td>15.37</td><td>38.41</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7240.20	53.12	88.20	-35.08	39.26	36.90	15.37	38.41	0.00	255	0 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>106.66</td><td>-----</td><td>-----</td><td>93.41</td><td>36.31</td><td>15.23</td><td>38.29</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	106.66	-----	-----	93.41	36.31	15.23	38.29	0.00	255	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7240.20	53.12	88.20	-35.08	39.26	36.90	15.37	38.41	0.00	255	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	106.66	-----	-----	93.41	36.31	15.23	38.29	0.00	255	0 PEAK																																																																																						
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.75</td><td>43.07</td><td>68.20</td><td>-25.13</td><td>29.63</td><td>36.51</td><td>15.25</td><td>38.32</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.75	43.07	68.20	-25.13	29.63	36.51	15.25	38.32	0.00	255	0 AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>99.16</td><td>-----</td><td>-----</td><td>85.94</td><td>36.29</td><td>15.22</td><td>38.29</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.16	-----	-----	85.94	36.29	15.22	38.29	0.00	255	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.75	43.07	68.20	-25.13	29.63	36.51	15.25	38.32	0.00	255	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	99.16	-----	-----	85.94	36.29	15.22	38.29	0.00	255	0 AVERAGE																																																																																						







Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7214.70</td><td>52.40</td><td>88.20</td><td>-35.80</td><td>38.55</td><td>36.90</td><td>15.34</td><td>38.39</td><td>0.00</td><td>138</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7214.70	52.40	88.20	-35.80	38.55	36.90	15.34	38.39	0.00	138	0	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>105.31</td><td>-----</td><td>-----</td><td>92.06</td><td>36.31</td><td>15.23</td><td>38.29</td><td>0.00</td><td>138</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	105.31	-----	-----	92.06	36.31	15.23	38.29	0.00	138	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7214.70	52.40	88.20	-35.80	38.55	36.90	15.34	38.39	0.00	138	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	105.31	-----	-----	92.06	36.31	15.23	38.29	0.00	138	0	PEAK																																																																																								
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.680kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7241.10</td><td>42.00</td><td>68.20</td><td>-25.40</td><td>28.94</td><td>36.90</td><td>15.37</td><td>38.41</td><td>0.00</td><td>138</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7241.10	42.00	68.20	-25.40	28.94	36.90	15.37	38.41	0.00	138	0	AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.680kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>96.95</td><td>-----</td><td>-----</td><td>83.74</td><td>36.28</td><td>15.21</td><td>38.28</td><td>0.00</td><td>138</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.95	-----	-----	83.74	36.28	15.21	38.28	0.00	138	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7241.10	42.00	68.20	-25.40	28.94	36.90	15.37	38.41	0.00	138	0	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	96.95	-----	-----	83.74	36.28	15.21	38.28	0.00	138	0	AVERAGE																																																																																								







Mode	14																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																															
ANT	1+2+3+4																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto						Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>76.47</td><td>88.20</td><td>-11.73</td><td>63.04</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	76.47	88.20	-11.73	63.04	36.50	15.25	38.32	0.00	255	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>100.42</td><td>-----</td><td>-----</td><td>95.02</td><td>36.46</td><td>15.25</td><td>38.31</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	100.42	-----	-----	95.02	36.46	15.25	38.31	0.00	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.01	76.47	88.20	-11.73	63.04	36.50	15.25	38.32	0.00	255	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	100.42	-----	-----	95.02	36.46	15.25	38.31	0.00	255	0 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto						Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>66.37</td><td>68.20</td><td>-1.83</td><td>52.94</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	66.37	68.20	-1.83	52.94	36.50	15.25	38.32	0.00	255	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>99.03</td><td>-----</td><td>-----</td><td>85.74</td><td>36.36</td><td>15.23</td><td>38.30</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	99.03	-----	-----	85.74	36.36	15.23	38.30	0.00	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.01	66.37	68.20	-1.83	52.94	36.50	15.25	38.32	0.00	255	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	99.03	-----	-----	85.74	36.36	15.23	38.30	0.00	255	0 AVERAGE																																																																																					



Mode	14																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																		
ANT	1+2+3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.14</td><td>77.04</td><td>88.20</td><td>-11.16</td><td>63.61</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.14	77.04	88.20	-11.16	63.61	36.50	15.25	38.32	0.00	250	0	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>102.35</td><td>-----</td><td>-----</td><td>88.92</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	102.35	-----	-----	88.92	36.50	15.25	38.32	0.00	250	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.14	77.04	88.20	-11.16	63.61	36.50	15.25	38.32	0.00	250	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	102.35	-----	-----	88.92	36.50	15.25	38.32	0.00	250	0	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>67.31</td><td>68.20</td><td>-0.89</td><td>53.88</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	67.31	68.20	-0.89	53.88	36.50	15.25	38.32	0.00	250	0	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBN:0.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>94.46</td><td>-----</td><td>-----</td><td>81.03</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>250</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	94.46	-----	-----	81.03	36.50	15.25	38.32	0.00	250	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.01	67.31	68.20	-0.89	53.88	36.50	15.25	38.32	0.00	250	0	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	94.46	-----	-----	81.03	36.50	15.25	38.32	0.00	250	0	AVERAGE																																																																																							



Mode	15																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																
ANT	1+2+3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.56</td><td>55.05</td><td>88.20</td><td>-33.15</td><td>41.60</td><td>36.52</td><td>15.25</td><td>38.32</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.56	55.05	88.20	-33.15	41.60	36.52	15.25	38.32	0.00	252	0 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>106.72</td><td>-----</td><td>-----</td><td>93.50</td><td>36.29</td><td>15.22</td><td>38.29</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	106.72	-----	-----	93.50	36.29	15.22	38.29	0.00	252	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7127.56	55.05	88.20	-33.15	41.60	36.52	15.25	38.32	0.00	252	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	106.72	-----	-----	93.50	36.29	15.22	38.29	0.00	252	0 PEAK																																																																																						
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.40</td><td>47.78</td><td>68.20</td><td>-20.42</td><td>34.33</td><td>36.52</td><td>15.25</td><td>38.32</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.40	47.78	68.20	-20.42	34.33	36.52	15.25	38.32	0.00	252	0 AVERAGE	 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>99.79</td><td>-----</td><td>-----</td><td>86.61</td><td>36.25</td><td>15.20</td><td>38.27</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	99.79	-----	-----	86.61	36.25	15.20	38.27	0.00	252	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7127.40	47.78	68.20	-20.42	34.33	36.52	15.25	38.32	0.00	252	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	99.79	-----	-----	86.61	36.25	15.20	38.27	0.00	252	0 AVERAGE																																																																																						



Mode	15																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																			
ANT	1+2+3+4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.60</td><td>57.35</td><td>88.20</td><td>-30.85</td><td>43.91</td><td>36.51</td><td>15.25</td><td>38.32</td><td>0.00</td><td>300</td><td>30</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.60	57.35	88.20	-30.85	43.91	36.51	15.25	38.32	0.00	300	30	PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>104.16</td><td>-----</td><td>-----</td><td>91.00</td><td>36.24</td><td>15.19</td><td>38.27</td><td>0.00</td><td>300</td><td>30</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	104.16	-----	-----	91.00	36.24	15.19	38.27	0.00	300	30	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7126.60	57.35	88.20	-30.85	43.91	36.51	15.25	38.32	0.00	300	30	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	104.16	-----	-----	91.00	36.24	15.19	38.27	0.00	300	30	PEAK																																																																																								
Avg.	Site : 03CH20-HY Condition: AVG_BE(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.16</td><td>46.12</td><td>68.20</td><td>-22.08</td><td>32.69</td><td>36.50</td><td>15.25</td><td>38.32</td><td>0.00</td><td>300</td><td>30</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	46.12	68.20	-22.08	32.69	36.50	15.25	38.32	0.00	300	30	AVERAGE	Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>96.91</td><td>-----</td><td>-----</td><td>83.75</td><td>36.24</td><td>15.19</td><td>38.27</td><td>0.00</td><td>300</td><td>30</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	96.91	-----	-----	83.75	36.24	15.19	38.27	0.00	300	30	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.16	46.12	68.20	-22.08	32.69	36.50	15.25	38.32	0.00	300	30	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	96.91	-----	-----	83.75	36.24	15.19	38.27	0.00	300	30	AVERAGE																																																																																								