


5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.66	54.00	-0.34	-5.77	3	Vertical	165	1.50	59.43	33.50	4.81	44.08
AV	5.1784G	99.00	Inf	-Inf	-5.76	3	Vertical	165	1.50	104.76	33.50	4.83	44.09
PK	5.1488G	68.05	74.00	-5.95	-5.77	3	Vertical	165	1.50	73.82	33.50	4.81	44.08
PK	5.1792G	112.82	Inf	-Inf	-5.76	3	Vertical	165	1.50	118.58	33.50	4.83	44.09

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.48	54.00	-4.52	-5.77	3	Horizontal	270	1.50	55.25	33.50	4.81	44.08
AV	5.188G	98.95	Inf	-Inf	-5.76	3	Horizontal	270	1.50	104.71	33.50	4.83	44.09
PK	5.1492G	64.27	74.00	-9.73	-5.77	3	Horizontal	270	1.50	70.04	33.50	4.81	44.08
PK	5.1884G	112.25	Inf	-Inf	-5.76	3	Horizontal	270	1.50	118.01	33.50	4.83	44.09


5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3272G	99.07	Inf	-Inf	-5.93	3	Vertical	0	1.50	105.00	33.30	4.90	44.13
AV	5.35G	53.41	54.00	-0.59	-5.93	3	Vertical	0	1.50	59.34	33.30	4.91	44.14
PK	5.3272G	111.81	Inf	-Inf	-5.93	3	Vertical	0	1.50	117.74	33.30	4.90	44.13
PK	5.3512G	68.77	74.00	-5.23	-5.93	3	Vertical	0	1.50	74.70	33.30	4.91	44.14

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	101.41	Inf	-Inf	-5.91	3	Horizontal	101	2.29	107.32	33.33	4.88	44.12
AV	5.35G	47.92	54.00	-6.08	-5.93	3	Horizontal	101	2.29	53.85	33.30	4.91	44.14
PK	5.2928G	113.78	Inf	-Inf	-5.91	3	Horizontal	101	2.29	119.69	33.33	4.88	44.12
PK	5.35G	62.82	74.00	-11.18	-5.93	3	Horizontal	101	2.29	68.75	33.30	4.91	44.14

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.618G	36.13	54.00	-17.87	4.40	3	Vertical	310	1.50	31.73	39.04	7.41	42.05
AV	15.93037G	36.86	54.00	-17.14	4.60	3	Vertical	135	1.50	32.26	37.96	10.04	43.40
PK	10.61804G	49.72	74.00	-24.28	4.40	3	Vertical	310	1.50	45.32	39.04	7.41	42.05
PK	15.92724G	50.50	74.00	-23.50	4.59	3	Vertical	135	1.50	45.91	37.95	10.04	43.40

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61594G	36.04	54.00	-17.96	4.40	3	Horizontal	211	1.92	31.64	39.03	7.41	42.04
AV	15.92783G	36.90	54.00	-17.10	4.60	3	Horizontal	255	1.06	32.30	37.96	10.04	43.40
PK	10.61898G	50.35	74.00	-23.65	4.40	3	Horizontal	211	1.92	45.95	39.04	7.41	42.05
PK	15.92864G	51.40	74.00	-22.60	4.60	3	Horizontal	255	1.06	46.80	37.96	10.04	43.40

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	44.31	54.00	-9.69	-5.77	3	Vertical	2	1.71	50.08	33.50	4.80	44.07
AV	5.267G	93.78	Inf	-Inf	-5.82	3	Vertical	2	1.71	99.60	33.43	4.87	44.12
AV	5.35G	47.07	54.00	-6.93	-5.93	3	Vertical	2	1.71	53.00	33.30	4.91	44.14
PK	5.134G	58.04	74.00	-15.96	-5.77	3	Vertical	2	1.71	63.81	33.50	4.80	44.07
PK	5.266G	111.49	Inf	-Inf	-5.81	3	Vertical	2	1.71	117.30	33.44	4.87	44.12
PK	5.378G	61.35	74.00	-12.65	-5.99	3	Vertical	2	1.71	67.34	33.24	4.92	44.15
PK	5.533G	58.29	68.20	-9.91	-5.77	3	Vertical	2	1.71	64.06	33.47	4.96	44.20

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	44.85	54.00	-9.15	-5.77	3	Horizontal	82	2.27	50.62	33.50	4.81	44.08
AV	5.265G	96.89	Inf	-Inf	-5.80	3	Horizontal	82	2.27	102.69	33.44	4.87	44.11
AV	5.35G	53.20	54.00	-0.80	-5.93	3	Horizontal	82	2.27	59.13	33.30	4.91	44.14
PK	5.13G	59.28	74.00	-14.72	-5.77	3	Horizontal	82	2.27	65.05	33.50	4.80	44.07
PK	5.265G	110.79	Inf	-Inf	-5.80	3	Horizontal	82	2.27	116.59	33.44	4.87	44.11
PK	5.365G	67.65	74.00	-6.35	-5.97	3	Horizontal	82	2.27	73.62	33.27	4.91	44.15
PK	5.477G	58.65	68.20	-9.55	-5.88	3	Horizontal	82	2.27	64.53	33.35	4.95	44.18


5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	51.27	54.00	-2.73	-5.81	3	Vertical	349	1.93	57.08	33.46	4.81	44.08
AV	5.1744G	99.16	Inf	-Inf	-5.86	3	Vertical	349	1.93	105.02	33.40	4.83	44.09
AV	5.3628G	53.34	54.00	-0.66	-6.17	3	Vertical	349	1.93	59.51	33.07	4.91	44.15
PK	5.1468G	61.38	74.00	-12.62	-5.79	3	Vertical	349	1.93	67.17	33.48	4.81	44.08
PK	5.1816G	107.77	Inf	-Inf	-5.89	3	Vertical	349	1.93	113.66	33.37	4.83	44.09
PK	5.3508G	62.99	74.00	-11.01	-6.13	3	Vertical	349	1.93	69.12	33.10	4.91	44.14
PK	5.4612G	58.46	68.20	-9.74	-6.16	3	Vertical	349	1.93	64.62	33.07	4.95	44.18

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1324G	52.61	54.00	-1.39	-5.88	3	Horizontal	72	2.32	58.49	33.39	4.80	44.07
AV	5.3148G	94.16	Inf	-Inf	-6.14	3	Horizontal	72	2.32	100.30	33.10	4.89	44.13
AV	5.3628G	52.55	54.00	-1.45	-6.17	3	Horizontal	72	2.32	58.72	33.07	4.91	44.15
PK	5.1456G	63.71	74.00	-10.29	-5.80	3	Horizontal	72	2.32	69.51	33.47	4.81	44.08
PK	5.1828G	110.65	Inf	-Inf	-5.89	3	Horizontal	72	2.32	116.54	33.37	4.83	44.09
PK	5.3568G	64.50	74.00	-9.50	-6.14	3	Horizontal	72	2.32	70.64	33.09	4.91	44.14
PK	5.466G	57.87	68.20	-10.33	-6.13	3	Horizontal	72	2.32	64.00	33.10	4.95	44.18


5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.69	54.00	-0.31	-5.92	3	Vertical	360	2.61	59.61	33.32	4.94	44.18
AV	5.6288G	92.28	Inf	-Inf	-5.75	3	Vertical	360	2.61	98.03	33.46	5.01	44.22
PK	5.318G	56.65	68.20	-11.55	-5.94	3	Vertical	360	2.61	62.59	33.30	4.89	44.13
PK	5.4452G	66.54	74.00	-7.46	-5.94	3	Vertical	360	2.61	72.48	33.29	4.94	44.17
PK	5.4656G	67.61	68.20	-0.59	-5.90	3	Vertical	360	2.61	73.51	33.33	4.95	44.18
PK	5.6288G	105.00	Inf	-Inf	-5.75	3	Vertical	360	2.61	110.75	33.46	5.01	44.22
PK	5.732G	66.55	68.20	-1.65	-5.01	3	Vertical	360	2.61	71.56	34.12	5.11	44.24

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	44.08	54.00	-9.92	-5.92	3	Horizontal	83	1.50	50.00	33.32	4.94	44.18
AV	5.6108G	91.01	Inf	-Inf	-5.80	3	Horizontal	83	1.50	96.81	33.42	4.99	44.21
PK	5.294G	53.45	68.20	-14.75	-5.92	3	Horizontal	83	1.50	59.37	33.32	4.88	44.12
PK	5.3792G	59.23	74.00	-14.77	-5.99	3	Horizontal	83	1.50	65.22	33.24	4.92	44.15
PK	5.4692G	60.90	68.20	-7.30	-5.89	3	Horizontal	83	1.50	66.79	33.34	4.95	44.18
PK	5.6144G	103.63	Inf	-Inf	-5.80	3	Horizontal	83	1.50	109.43	33.43	4.99	44.22
PK	5.7416G	57.43	68.20	-10.77	-4.90	3	Horizontal	83	1.50	62.33	34.22	5.12	44.24


5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	110.91	Inf	-Inf	-4.62	3	Vertical	176	1.85	115.53	34.47	5.17	44.26
PK	5.633G	67.81	68.20	-0.39	-5.74	3	Vertical	176	1.85	73.55	33.47	5.01	44.22
PK	5.8154G	123.05	Inf	-Inf	-4.62	3	Vertical	176	1.85	127.67	34.47	5.17	44.26
PK	6.0674G	55.09	68.20	-13.11	-4.79	3	Vertical	176	1.85	59.88	34.40	5.12	44.31

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	110.78	Inf	-Inf	-4.62	3	Horizontal	131	1.49	115.40	34.47	5.17	44.26
PK	5.645G	63.79	68.20	-4.41	-5.70	3	Horizontal	131	1.49	69.49	33.49	5.03	44.22
PK	5.8166G	122.66	Inf	-Inf	-4.62	3	Horizontal	131	1.49	127.28	34.47	5.17	44.26
PK	6.0338G	55.58	68.20	-12.62	-4.74	3	Horizontal	131	1.49	60.32	34.46	5.10	44.30


5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.8022G	103.88	Inf	-Inf	-4.58	3	Vertical	218	2.26	108.46	34.50	5.18	44.26
PK	5.6474G	67.66	68.20	-0.54	-5.70	3	Vertical	218	2.26	73.36	33.49	5.03	44.22
PK	5.7998G	116.71	Inf	-Inf	-4.58	3	Vertical	218	2.26	121.29	34.50	5.18	44.26
PK	6.0242G	55.03	68.20	-13.17	-4.71	3	Vertical	218	2.26	59.74	34.50	5.09	44.30

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.795G	108.43	Inf	-Inf	-4.60	3	Horizontal	86	2.55	113.03	34.48	5.17	44.25
PK	5.6474G	67.14	68.20	-1.06	-5.70	3	Horizontal	86	2.55	72.84	33.49	5.03	44.22
PK	5.7938G	121.33	Inf	-Inf	-4.60	3	Horizontal	86	2.55	125.93	34.48	5.17	44.25
PK	5.9822G	54.54	68.20	-13.66	-4.62	3	Horizontal	86	2.55	59.16	34.60	5.08	44.30


5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7654G	104.96	Inf	-Inf	-4.74	3	Vertical	184	1.50	109.70	34.36	5.15	44.25
PK	5.637G	66.81	68.20	-1.39	-5.73	3	Vertical	184	1.50	72.54	33.47	5.02	44.22
PK	5.7618G	116.12	Inf	-Inf	-4.76	3	Vertical	184	1.50	120.88	34.35	5.14	44.25
PK	6.0618G	59.17	68.20	-9.03	-4.79	3	Vertical	184	1.50	63.96	34.40	5.12	44.31

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7498G	108.84	Inf	-Inf	-4.81	3	Horizontal	258	2.19	113.65	34.30	5.13	44.24
PK	5.643G	67.79	68.20	-0.41	-5.71	3	Horizontal	258	2.19	73.50	33.49	5.02	44.22
PK	5.7498G	118.75	Inf	-Inf	-4.81	3	Horizontal	258	2.19	123.56	34.30	5.13	44.24
PK	5.9886G	54.50	68.20	-13.70	-4.62	3	Horizontal	258	2.19	59.12	34.60	5.08	44.30


5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	20.54466G	50.58	54.00	-3.42	Horizontal
Mode 2	Pass	AV	20.53628G	50.48	54.00	-3.52	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87993G	29.92	54.00	-24.08	3	Vertical	176	1.44
Mode 1	Pass	AV	4.9197G	31.01	54.00	-22.99	3	Vertical	85	1.53
Mode 1	Pass	AV	7.37644G	38.19	54.00	-15.81	3	Vertical	2	1.50
Mode 1	Pass	AV	11.49226G	42.11	54.00	-11.89	3	Vertical	290	1.74
Mode 1	Pass	AV	13.6918G	38.87	68.20	-29.33	3	Vertical	104	1.31
Mode 1	Pass	AV	17.23794G	42.55	68.20	-25.65	3	Vertical	290	1.50
Mode 1	Pass	AV	20.53165G	46.06	54.00	-7.94	3	Vertical	23	1.16
Mode 1	Pass	PK	4.87854G	42.75	74.00	-31.25	3	Vertical	176	1.44
Mode 1	Pass	PK	4.9221G	43.30	74.00	-30.70	3	Vertical	85	1.53
Mode 1	Pass	PK	7.3639G	50.65	74.00	-23.35	3	Vertical	2	1.50
Mode 1	Pass	PK	11.49268G	54.01	74.00	-19.99	3	Vertical	290	1.74
Mode 1	Pass	PK	13.694G	50.10	88.20	-38.10	3	Vertical	104	1.31
Mode 1	Pass	PK	17.22838G	54.45	88.20	-33.75	3	Vertical	290	1.50
Mode 1	Pass	PK	20.53169G	57.65	74.00	-16.35	3	Vertical	314	2.16
Mode 1	Pass	AV	4.8801G	29.90	54.00	-24.10	3	Horizontal	247	1.35
Mode 1	Pass	AV	4.92348G	30.84	54.00	-23.16	3	Horizontal	335	2.71
Mode 1	Pass	AV	7.36614G	45.95	54.00	-8.05	3	Horizontal	295	1.93
Mode 1	Pass	AV	11.4927G	43.70	54.00	-10.30	3	Horizontal	267	2.52
Mode 1	Pass	AV	13.69792G	38.76	68.20	-29.44	3	Horizontal	352	1.00
Mode 1	Pass	AV	17.23356G	48.78	68.20	-19.42	3	Horizontal	318	1.50
Mode 1	Pass	AV	20.54466G	50.58	54.00	-3.42	3	Horizontal	312	1.18
Mode 1	Pass	PK	4.87988G	43.68	74.00	-30.32	3	Horizontal	247	1.35
Mode 1	Pass	PK	4.92174G	42.90	74.00	-31.10	3	Horizontal	335	2.71
Mode 1	Pass	PK	7.36442G	60.63	74.00	-13.37	3	Horizontal	295	1.93
Mode 1	Pass	PK	11.4875G	54.63	74.00	-19.37	3	Horizontal	267	2.52
Mode 1	Pass	PK	13.68982G	49.89	88.20	-38.31	3	Horizontal	352	1.00
Mode 1	Pass	PK	17.23836G	60.41	88.20	-27.79	3	Horizontal	318	1.50
Mode 1	Pass	PK	20.54464G	62.28	74.00	-11.72	3	Horizontal	36	1.53
Mode 2	Pass	AV	4.88G	29.77	54.00	-24.23	3	Vertical	331	2.88
Mode 2	Pass	AV	4.92074G	30.99	54.00	-23.01	3	Vertical	19	1.69
Mode 2	Pass	AV	7.3755G	37.98	54.00	-16.02	3	Vertical	2	1.50
Mode 2	Pass	AV	11.49198G	42.07	54.00	-11.93	3	Vertical	290	1.74
Mode 2	Pass	AV	13.69666G	38.89	68.20	-29.31	3	Vertical	264	1.68
Mode 2	Pass	AV	17.2329G	42.48	68.20	-25.72	3	Vertical	290	1.50
Mode 2	Pass	AV	20.53167G	45.96	54.00	-8.04	3	Vertical	209	1.38
Mode 2	Pass	PK	4.87982G	42.12	74.00	-31.88	3	Vertical	331	2.88
Mode 2	Pass	PK	4.92002G	43.27	74.00	-30.73	3	Vertical	19	1.69
Mode 2	Pass	PK	7.37552G	50.85	74.00	-23.15	3	Vertical	2	1.50
Mode 2	Pass	PK	11.48354G	54.54	74.00	-19.46	3	Vertical	290	1.74
Mode 2	Pass	PK	13.699G	50.72	88.20	-37.48	3	Vertical	264	1.68
Mode 2	Pass	PK	17.2324G	54.28	88.20	-33.92	3	Vertical	290	1.50
Mode 2	Pass	PK	20.53175G	57.59	74.00	-16.41	3	Vertical	174	1.18
Mode 2	Pass	AV	4.88007G	29.82	54.00	-24.18	3	Horizontal	302	1.86
Mode 2	Pass	AV	4.92372G	30.85	54.00	-23.15	3	Horizontal	208	1.38
Mode 2	Pass	AV	7.36496G	46.08	54.00	-7.92	3	Horizontal	295	1.93
Mode 2	Pass	AV	11.49318G	43.90	54.00	-10.10	3	Horizontal	267	2.52
Mode 2	Pass	AV	13.69478G	38.68	68.20	-29.52	3	Horizontal	209	1.24
Mode 2	Pass	AV	17.23354G	49.01	68.20	-19.19	3	Horizontal	318	1.50
Mode 2	Pass	AV	20.53628G	50.48	54.00	-3.52	3	Horizontal	180	1.40
Mode 2	Pass	PK	4.87933G	42.52	74.00	-31.48	3	Horizontal	302	1.86




Co-location

Appendix F


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	4.92266G	42.87	74.00	-31.13	3	Horizontal	208	1.38
Mode 2	Pass	PK	7.36518G	59.58	74.00	-14.42	3	Horizontal	295	1.93
Mode 2	Pass	PK	11.48754G	54.89	74.00	-19.11	3	Horizontal	267	2.52
Mode 2	Pass	PK	13.69756G	51.14	88.20	-37.06	3	Horizontal	209	1.24
Mode 2	Pass	PK	17.22888G	59.90	88.20	-28.30	3	Horizontal	318	1.50
Mode 2	Pass	PK	20.54471G	62.33	74.00	-11.67	3	Horizontal	306	2.06

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.87993G	29.92	54.00	-24.08	-6.50	3	Vertical	176	1.44	36.42	32.92	4.63	44.05				
AV	4.9197G	31.01	54.00	-22.99	-6.30	3	Vertical	85	1.53	37.31	33.08	4.66	44.04				
AV	7.37644G	38.19	54.00	-15.81	-0.75	3	Vertical	2	1.50	38.94	36.84	6.07	43.66				
AV	11.49226G	42.11	54.00	-11.89	5.08	3	Vertical	290	1.74	37.03	39.10	7.78	41.80				
AV	13.6918G	38.87	68.20	-29.33	6.18	3	Vertical	104	1.31	32.69	39.92	8.90	42.64				
AV	17.23794G	42.55	68.20	-25.65	4.72	3	Vertical	290	1.50	37.83	37.58	10.40	43.26				
AV	20.53165G	46.06	54.00	-7.94	-24.09	3	Vertical	23	1.16	70.15	38.10	11.21	63.86				
PK	4.87854G	42.75	74.00	-31.25	-6.51	3	Vertical	176	1.44	49.26	32.91	4.63	44.05				
PK	4.9221G	43.30	74.00	-30.70	-6.29	3	Vertical	85	1.53	49.59	33.09	4.66	44.04				
PK	7.3639G	50.65	74.00	-23.35	-0.70	3	Vertical	2	1.50	51.35	36.92	6.05	43.67				
PK	11.49268G	54.01	74.00	-19.99	5.08	3	Vertical	290	1.74	48.93	39.10	7.78	41.80				
PK	13.694G	50.10	88.20	-38.10	6.16	3	Vertical	104	1.31	43.94	39.91	8.90	42.65				
PK	17.22838G	54.45	88.20	-33.75	4.69	3	Vertical	290	1.50	49.76	37.56	10.39	43.26				
PK	20.53169G	57.65	74.00	-16.35	-24.09	3	Vertical	314	2.16	81.74	38.10	11.21	63.86				

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.8801G	29.90	54.00	-24.10	-6.50	3	Horizontal	247	1.35	36.40	32.92	4.63	44.05				
AV	4.92348G	30.84	54.00	-23.16	-6.29	3	Horizontal	335	2.71	37.13	33.09	4.66	44.04				
AV	7.36614G	45.95	54.00	-8.05	-0.71	3	Horizontal	295	1.93	46.66	36.90	6.06	43.67				
AV	11.4927G	43.70	54.00	-10.30	5.08	3	Horizontal	267	2.52	38.62	39.10	7.78	41.80				
AV	13.69792G	38.76	68.20	-29.44	6.16	3	Horizontal	352	1.00	32.60	39.90	8.91	42.65				
AV	17.23356G	48.78	68.20	-19.42	4.70	3	Horizontal	318	1.50	44.08	37.57	10.39	43.26				
AV	20.54466G	50.58	54.00	-3.42	-24.08	3	Horizontal	312	1.18	74.66	38.10	11.21	63.85				
PK	4.87988G	43.68	74.00	-30.32	-6.50	3	Horizontal	247	1.35	50.18	32.92	4.63	44.05				
PK	4.92174G	42.90	74.00	-31.10	-6.29	3	Horizontal	335	2.71	49.19	33.09	4.66	44.04				
PK	7.36442G	60.63	74.00	-13.37	-0.71	3	Horizontal	295	1.93	61.34	36.91	6.05	43.67				
PK	11.4875G	54.63	74.00	-19.37	5.07	3	Horizontal	267	2.52	49.56	39.10	7.77	41.80				
PK	13.68982G	49.89	88.20	-38.31	6.18	3	Horizontal	352	1.00	43.71	39.92	8.90	42.64				
PK	17.23836G	60.41	88.20	-27.79	4.72	3	Horizontal	318	1.50	55.69	37.58	10.40	43.26				
PK	20.54464G	62.28	74.00	-11.72	-24.08	3	Horizontal	36	1.53	86.36	38.10	11.21	63.85				

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88G	29.77	54.00	-24.23	-6.50	3	Vertical	331	2.88	36.27	32.92	4.63	44.05
AV	4.92074G	30.99	54.00	-23.01	-6.30	3	Vertical	19	1.69	37.29	33.08	4.66	44.04
AV	7.3755G	37.98	54.00	-16.02	-0.74	3	Vertical	2	1.50	38.72	36.85	6.07	43.66
AV	11.49198G	42.07	54.00	-11.93	5.08	3	Vertical	290	1.74	36.99	39.10	7.78	41.80
AV	13.69666G	38.89	68.20	-29.31	6.17	3	Vertical	264	1.68	32.72	39.91	8.91	42.65
AV	17.2329G	42.48	68.20	-25.72	4.70	3	Vertical	290	1.50	37.78	37.57	10.39	43.26
AV	20.53167G	45.96	54.00	-8.04	-24.09	3	Vertical	209	1.38	70.05	38.10	11.21	63.86
PK	4.87982G	42.12	74.00	-31.88	-6.50	3	Vertical	331	2.88	48.62	32.92	4.63	44.05
PK	4.92002G	43.27	74.00	-30.73	-6.30	3	Vertical	19	1.69	49.57	33.08	4.66	44.04
PK	7.37552G	50.85	74.00	-23.15	-0.74	3	Vertical	2	1.50	51.59	36.85	6.07	43.66
PK	11.48354G	54.54	74.00	-19.46	5.06	3	Vertical	290	1.74	49.48	39.10	7.77	41.81
PK	13.699G	50.72	88.20	-37.48	6.16	3	Vertical	264	1.68	44.56	39.90	8.91	42.65
PK	17.2324G	54.28	88.20	-33.92	4.69	3	Vertical	290	1.50	49.59	37.56	10.39	43.26
PK	20.53175G	57.59	74.00	-16.41	-24.09	3	Vertical	174	1.18	81.68	38.10	11.21	63.86

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88007G	29.82	54.00	-24.18	-6.50	3	Horizontal	302	1.86	36.32	32.92	4.63	44.05
AV	4.92372G	30.85	54.00	-23.15	-6.28	3	Horizontal	208	1.38	37.13	33.09	4.67	44.04
AV	7.36496G	46.08	54.00	-7.92	-0.71	3	Horizontal	295	1.93	46.79	36.91	6.05	43.67
AV	11.49318G	43.90	54.00	-10.10	5.08	3	Horizontal	267	2.52	38.82	39.10	7.78	41.80
AV	13.69478G	38.68	68.20	-29.52	6.17	3	Horizontal	209	1.24	32.51	39.91	8.91	42.65
AV	17.23354G	49.01	68.20	-19.19	4.70	3	Horizontal	318	1.50	44.31	37.57	10.39	43.26
AV	20.53628G	50.48	54.00	-3.52	-24.09	3	Horizontal	180	1.40	74.57	38.10	11.21	63.86
PK	4.87933G	42.52	74.00	-31.48	-6.50	3	Horizontal	302	1.86	49.02	32.92	4.63	44.05
PK	4.92266G	42.87	74.00	-31.13	-6.29	3	Horizontal	208	1.38	49.16	33.09	4.66	44.04
PK	7.36518G	59.58	74.00	-14.42	-0.71	3	Horizontal	295	1.93	60.29	36.91	6.05	43.67
PK	11.48754G	54.89	74.00	-19.11	5.07	3	Horizontal	267	2.52	49.82	39.10	7.77	41.80
PK	13.69756G	51.14	88.20	-37.06	6.16	3	Horizontal	209	1.24	44.98	39.90	8.91	42.65
PK	17.22888G	59.90	88.20	-28.30	4.69	3	Horizontal	318	1.50	55.21	37.56	10.39	43.26
PK	20.54471G	62.33	74.00	-11.67	-24.08	3	Horizontal	306	2.06	86.41	38.10	11.21	63.85