

NTNV_N48_PC3_30_40_L_TID1_Ant1#1



NTNV_N48_PC3_30_40_L_TID2_Ant1#1



NTNV_N48_PC3_30_40_L_TID3_Ant1#1



NTNV_N48_PC3_30_40_L_TID4_Ant1#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV_N48_PC3_30_40_L_TID5_Ant1#1



NTNV_N48_PC3_30_40_L_TID6_Ant1#1



NTNV_N48_PC3_30_40_L_TID7_Ant1#1



NTNV_N48_PC3_30_40_L_TID8_Ant1#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV_N48_PC3_30_40_L_TID9_Ant1#1



NTNV_N48_PC3_30_40_M_TID1_Ant1#1



NTNV_N48_PC3_30_40_M_TID2_Ant1#1



NTNV_N48_PC3_30_40_M_TID3_Ant1#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV_N48_PC3_30_40_M_TID4_Ant1#1



NTNV_N48_PC3_30_40_M_TID5_Ant1#1



NTNV_N48_PC3_30_40_M_TID6_Ant1#1



NTNV_N48_PC3_30_40_M_TID7_Ant1#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV_N48_PC3_30_40_M_TID8_Ant1#1



NTNV_N48_PC3_30_40_M_TID9_Ant1#1



NTNV_N48_PC3_30_40_H_TID1_Ant1#1



NTNV_N48_PC3_30_40_H_TID2_Ant1#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV_N48_PC3_30_40_H_TID3_Ant1#1



NTNV_N48_PC3_30_40_H_TID4_Ant1#1



NTNV_N48_PC3_30_40_H_TID5_Ant1#1



NTNV_N48_PC3_30_40_H_TID6_Ant1#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV_N48_PC3_30_40_H_TID7_Ant1#1



NTNV_N48_PC3_30_40_H_TID8_Ant1#1



NTNV_N48_PC3_30_40_H_TID9_Ant1#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band Edge for SA

Test Graphs



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529660000 GHz	-50.88 dBm	-10.88 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538640000 GHz	-48.23 dBm	-23.23 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548977010 GHz	-26.13 dBm	-13.13 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549891000 GHz	-29.68 dBm	-16.68 dB
5	5	3.5500 GHz	3.5600 GHz	200.0 kHz	3.559035000 GHz	5.180 dBm	-44.82 dB
6	6	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560089000 GHz	-30.37 dBm	-17.37 dB
7	7	3.5610 GHz	3.7100 GHz	1.000 MHz	3.563379080 GHz	-31.18 dBm	-18.18 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710240000 GHz	-54.95 dBm	-29.95 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.723900000 GHz	-55.27 dBm	-15.27 dB

NTNV_N48_PC3_30_10_L_TID1__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525660000 GHz	-49.61 dBm	-9.607 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532060000 GHz	-49.39 dBm	-24.39 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548365350 GHz	-20.68 dBm	-7.678 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549992000 GHz	-26.85 dBm	-13.85 dB
5	5	3.5500 GHz	3.5600 GHz	200.0 kHz	3.550845000 GHz	20.43 dBm	-29.57 dB
6	6	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560479000 GHz	-58.71 dBm	-45.71 dB
7	7	3.5610 GHz	3.7100 GHz	1.000 MHz	3.569339280 GHz	-46.95 dBm	-33.95 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.714560000 GHz	-55.15 dBm	-30.15 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.728620000 GHz	-55.26 dBm	-15.26 dB

NTNV_N48_PC3_30_10_L_TID2__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529680000 GHz	-53.13 dBm	-13.13 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539670000 GHz	-49.32 dBm	-24.32 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548986005 GHz	-25.98 dBm	-12.98 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549869000 GHz	-30.11 dBm	-17.11 dB
5	5	3.5500 GHz	3.5600 GHz	200.0 kHz	3.552295000 GHz	3.269 dBm	-46.73 dB
6	6	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560093000 GHz	-30.38 dBm	-17.38 dB
7	7	3.5610 GHz	3.7100 GHz	1.000 MHz	3.568445250 GHz	-46.42 dBm	-33.42 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710710000 GHz	-55.19 dBm	-30.19 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720990000 GHz	-55.37 dBm	-15.37 dB

NTNV_N48_PC3_30_10_L_TID16__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525470000 GHz	-52.14 dBm	-12.14 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532520000 GHz	-51.90 dBm	-26.90 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548590225 GHz	-27.64 dBm	-14.64 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549980000 GHz	-30.51 dBm	-17.51 dB
5	5	3.5500 GHz	3.5600 GHz	200.0 kHz	3.550855000 GHz	16.29 dBm	-33.71 dB
6	6	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560423000 GHz	-60.15 dBm	-47.15 dB
7	7	3.5610 GHz	3.7100 GHz	1.000 MHz	3.569488285 GHz	-50.32 dBm	-37.32 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710360000 GHz	-55.77 dBm	-30.77 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720540000 GHz	-55.38 dBm	-15.38 dB

NTNV_N48_PC3_30_10_L_TID17__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525720000 GHz	-54.97 dBm	-14.97 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538300000 GHz	-54.65 dBm	-29.65 dB
3	3	3.5400 GHz	3.6890 GHz	1.000 MHz	3.686591400 GHz	-36.34 dBm	-23.34 dB
4	4	3.6890 GHz	3.6900 GHz	100.0 kHz	3.689896000 GHz	-32.23 dBm	-19.23 dB
5	5	3.6900 GHz	3.7000 GHz	200.0 kHz	3.695725000 GHz	5.358 dBm	-44.64 dB
6	6	3.7000 GHz	3.7010 GHz	100.0 kHz	3.699982000 GHz	-30.54 dBm	-17.54 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.700984025 GHz	-27.13 dBm	-14.13 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.711190000 GHz	-47.98 dBm	-22.98 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720500000 GHz	-49.20 dBm	-9.196 dB

NTNV_N48_PC3_30_10_H_TID1__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.522380000 GHz	-54.91 dBm	-14.91 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.535930000 GHz	-54.82 dBm	-29.82 dB
3	3	3.5400 GHz	3.6890 GHz	1.000 MHz	3.686740375 GHz	-48.69 dBm	-35.69 dB
4	4	3.6890 GHz	3.6900 GHz	100.0 kHz	3.689413000 GHz	-59.06 dBm	-46.06 dB
5	5	3.6900 GHz	3.7000 GHz	200.0 kHz	3.699115000 GHz	20.94 dBm	-29.06 dB
6	6	3.7000 GHz	3.7010 GHz	100.0 kHz	3.699978000 GHz	-27.39 dBm	-14.39 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701345025 GHz	-20.82 dBm	-7.817 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717610000 GHz	-46.86 dBm	-21.86 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724550000 GHz	-47.38 dBm	-7.377 dB

NTNV_N48_PC3_30_10_H_TID3__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525850000 GHz	-54.96 dBm	-14.96 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539930000 GHz	-54.76 dBm	-29.76 dB
3	3	3.5400 GHz	3.6890 GHz	1.000 MHz	3.686144475 GHz	-36.51 dBm	-23.51 dB
4	4	3.6890 GHz	3.6900 GHz	100.0 kHz	3.689848000 GHz	-31.88 dBm	-18.88 dB
5	5	3.6900 GHz	3.7000 GHz	200.0 kHz	3.692275000 GHz	3.634 dBm	-46.37 dB
6	6	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700044000 GHz	-30.04 dBm	-17.04 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701020125 GHz	-27.86 dBm	-14.86 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710030000 GHz	-49.76 dBm	-24.76 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720080000 GHz	-51.69 dBm	-11.69 dB

NTNV_N48_PC3_30_10_H_TID16__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525300000 GHz	-55.02 dBm	-15.02 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538540000 GHz	-55.01 dBm	-30.01 dB
3	3	3.5400 GHz	3.6890 GHz	1.000 MHz	3.686591400 GHz	-51.04 dBm	-38.04 dB
4	4	3.6890 GHz	3.6900 GHz	100.0 kHz	3.689342000 GHz	-60.35 dBm	-47.35 dB
5	5	3.6900 GHz	3.7000 GHz	200.0 kHz	3.699125000 GHz	16.61 dBm	-33.39 dB
6	6	3.7000 GHz	3.7010 GHz	100.0 kHz	3.699984000 GHz	-29.07 dBm	-16.07 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701290875 GHz	-26.83 dBm	-13.83 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717720000 GHz	-50.20 dBm	-25.20 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724370000 GHz	-50.70 dBm	-10.70 dB

NTNV_N48_PC3_30_10_H_TID18__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529650000 GHz	-50.55 dBm	-10.55 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539940000 GHz	-39.75 dBm	-14.75 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548978940 GHz	-28.01 dBm	-15.01 dB
4	4	3.5490 GHz	3.5500 GHz	150.0 kHz	3.549934000 GHz	-30.31 dBm	-17.31 dB
5	5	3.5500 GHz	3.5650 GHz	200.0 kHz	3.562165000 GHz	3.665 dBm	-46.34 dB
6	6	3.5650 GHz	3.5660 GHz	150.0 kHz	3.565079000 GHz	-33.44 dBm	-20.44 dB
7	7	3.5660 GHz	3.7100 GHz	1.000 MHz	3.569614625 GHz	-29.92 dBm	-16.92 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.715640000 GHz	-54.92 dBm	-29.92 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.722520000 GHz	-55.18 dBm	-15.18 dB

NTNV_N48_PC3_30_15_L_TID1__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525540000 GHz	-49.39 dBm	-9.395 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.531880000 GHz	-49.05 dBm	-24.05 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548456070 GHz	-20.20 dBm	-7.195 dB
4	4	3.5490 GHz	3.5500 GHz	150.0 kHz	3.549994000 GHz	-26.41 dBm	-13.41 dB
5	5	3.5500 GHz	3.5650 GHz	200.0 kHz	3.550870000 GHz	20.70 dBm	-29.30 dB
6	6	3.5650 GHz	3.5660 GHz	150.0 kHz	3.566009000 GHz	-56.91 dBm	-43.91 dB
7	7	3.5660 GHz	3.7100 GHz	1.000 MHz	3.569470640 GHz	-46.63 dBm	-33.63 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.718500000 GHz	-55.10 dBm	-30.10 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.726560000 GHz	-55.10 dBm	-15.10 dB

NTNV_N48_PC3_30_15_L_TID2__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529780000 GHz	-52.21 dBm	-12.21 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539940000 GHz	-40.60 dBm	-15.60 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548987955 GHz	-27.67 dBm	-14.67 dB
4	4	3.5490 GHz	3.5500 GHz	150.0 kHz	3.549999000 GHz	-30.88 dBm	-17.88 dB
5	5	3.5500 GHz	3.5650 GHz	200.0 kHz	3.563935000 GHz	1.574 dBm	-48.43 dB
6	6	3.5650 GHz	3.5660 GHz	150.0 kHz	3.565131000 GHz	-31.73 dBm	-18.73 dB
7	7	3.5660 GHz	3.7100 GHz	1.000 MHz	3.566590940 GHz	-29.72 dBm	-16.72 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710750000 GHz	-55.08 dBm	-30.08 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.727540000 GHz	-55.18 dBm	-15.18 dB

NTNV_N48_PC3_30_15_L_TID16__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525490000 GHz	-51.81 dBm	-11.81 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.531900000 GHz	-51.57 dBm	-26.57 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548645385 GHz	-27.01 dBm	-14.01 dB
4	4	3.5490 GHz	3.5500 GHz	150.0 kHz	3.550011000 GHz	-27.84 dBm	-14.84 dB
5	5	3.5500 GHz	3.5650 GHz	200.0 kHz	3.550840000 GHz	16.45 dBm	-33.55 dB
6	6	3.5650 GHz	3.5660 GHz	150.0 kHz	3.565627000 GHz	-58.66 dBm	-45.66 dB
7	7	3.5660 GHz	3.7100 GHz	1.000 MHz	3.569182670 GHz	-49.80 dBm	-36.80 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.711850000 GHz	-55.18 dBm	-30.18 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721730000 GHz	-55.18 dBm	-15.18 dB

NTNV_N48_PC3_30_15_L_TID17__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.521880000 GHz	-54.96 dBm	-14.96 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539130000 GHz	-54.83 dBm	-29.83 dB
3	3	3.5400 GHz	3.6840 GHz	1.000 MHz	3.679521465 GHz	-34.08 dBm	-21.08 dB
4	4	3.6840 GHz	3.6850 GHz	150.0 kHz	3.684946000 GHz	-32.73 dBm	-19.73 dB
5	5	3.6850 GHz	3.7000 GHz	200.0 kHz	3.696835000 GHz	3.976 dBm	-46.02 dB
6	6	3.7000 GHz	3.7010 GHz	150.0 kHz	3.699994000 GHz	-35.49 dBm	-22.49 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701021060 GHz	-33.23 dBm	-20.23 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710030000 GHz	-44.96 dBm	-19.96 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720030000 GHz	-48.76 dBm	-8.756 dB

NTNV_N48_PC3_30_15_H_TID1__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529480000 GHz	-54.97 dBm	-14.97 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.533020000 GHz	-54.88 dBm	-29.88 dB
3	3	3.5400 GHz	3.6840 GHz	1.000 MHz	3.679377480 GHz	-48.27 dBm	-35.27 dB
4	4	3.6840 GHz	3.6850 GHz	150.0 kHz	3.684004000 GHz	-58.80 dBm	-45.80 dB
5	5	3.6850 GHz	3.7000 GHz	200.0 kHz	3.699145000 GHz	20.98 dBm	-29.02 dB
6	6	3.7000 GHz	3.7010 GHz	150.0 kHz	3.699987000 GHz	-25.33 dBm	-12.33 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701561960 GHz	-20.72 dBm	-7.725 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717950000 GHz	-46.91 dBm	-21.91 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724500000 GHz	-47.44 dBm	-7.443 dB

NTNV_N48_PC3_30_15_H_TID3__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.523430000 GHz	-55.11 dBm	-15.11 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.536880000 GHz	-54.98 dBm	-29.98 dB
3	3	3.5400 GHz	3.6840 GHz	1.000 MHz	3.681537255 GHz	-33.47 dBm	-20.47 dB
4	4	3.6840 GHz	3.6850 GHz	150.0 kHz	3.684970000 GHz	-33.16 dBm	-20.16 dB
5	5	3.6850 GHz	3.7000 GHz	200.0 kHz	3.686665000 GHz	1.580 dBm	-48.42 dB
6	6	3.7000 GHz	3.7010 GHz	150.0 kHz	3.700059000 GHz	-32.79 dBm	-19.79 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701003030 GHz	-30.08 dBm	-17.08 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710040000 GHz	-43.90 dBm	-18.90 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720520000 GHz	-51.23 dBm	-11.23 dB

NTNV_N48_PC3_30_15_H_TID16__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528940000 GHz	-55.02 dBm	-15.02 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.537040000 GHz	-55.11 dBm	-30.11 dB
3	3	3.5400 GHz	3.6840 GHz	1.000 MHz	3.679521465 GHz	-51.06 dBm	-38.06 dB
4	4	3.6840 GHz	3.6850 GHz	150.0 kHz	3.684777000 GHz	-59.74 dBm	-46.74 dB
5	5	3.6850 GHz	3.7000 GHz	200.0 kHz	3.699130000 GHz	16.82 dBm	-33.18 dB
6	6	3.7000 GHz	3.7010 GHz	150.0 kHz	3.699992000 GHz	-27.82 dBm	-14.82 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701237420 GHz	-26.96 dBm	-13.96 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717410000 GHz	-50.13 dBm	-25.13 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724410000 GHz	-50.77 dBm	-10.77 dB

NTNV_N48_PC3_30_15_H_TID18__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528150000 GHz	-50.43 dBm	-10.43 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538640000 GHz	-35.72 dBm	-10.72 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548977985 GHz	-29.94 dBm	-16.94 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.549956000 GHz	-32.66 dBm	-19.66 dB
5	5	3.5500 GHz	3.5700 GHz	200.0 kHz	3.567345000 GHz	2.288 dBm	-47.71 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570069000 GHz	-33.32 dBm	-20.32 dB
7	7	3.5710 GHz	3.7100 GHz	1.000 MHz	3.577537765 GHz	-29.99 dBm	-16.99 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.713730000 GHz	-54.89 dBm	-29.89 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720980000 GHz	-55.03 dBm	-15.03 dB

NTNV_N48_PC3_30_20_L_TID1__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525610000 GHz	-49.57 dBm	-9.568 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532440000 GHz	-49.03 dBm	-24.03 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548608780 GHz	-20.78 dBm	-7.781 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.550001000 GHz	-28.79 dBm	-15.79 dB
5	5	3.5500 GHz	3.5700 GHz	200.0 kHz	3.551025000 GHz	20.40 dBm	-29.60 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570525000 GHz	-52.41 dBm	-39.41 dB
7	7	3.5710 GHz	3.7100 GHz	1.000 MHz	3.576425805 GHz	-47.19 dBm	-34.19 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.712890000 GHz	-55.06 dBm	-30.06 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721710000 GHz	-55.22 dBm	-15.22 dB

NTNV_N48_PC3_30_20_L_TID2__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529730000 GHz	-51.26 dBm	-11.26 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539910000 GHz	-36.50 dBm	-11.50 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548986990 GHz	-29.79 dBm	-16.79 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.549996000 GHz	-32.58 dBm	-19.58 dB
5	5	3.5500 GHz	3.5700 GHz	200.0 kHz	3.568685000 GHz	0.245 dBm	-49.76 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570028000 GHz	-32.54 dBm	-19.54 dB
7	7	3.5710 GHz	3.7100 GHz	1.000 MHz	3.571143995 GHz	-29.53 dBm	-16.53 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.716320000 GHz	-55.18 dBm	-30.18 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720640000 GHz	-55.21 dBm	-15.21 dB

NTNV_N48_PC3_30_20_L_TID16__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525530000 GHz	-52.19 dBm	-12.19 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532530000 GHz	-51.67 dBm	-26.67 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548833905 GHz	-27.42 dBm	-14.42 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.549992000 GHz	-30.27 dBm	-17.27 dB
5	5	3.5500 GHz	3.5700 GHz	200.0 kHz	3.550985000 GHz	16.18 dBm	-33.82 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570594000 GHz	-55.75 dBm	-42.75 dB
7	7	3.5710 GHz	3.7100 GHz	1.000 MHz	3.571421985 GHz	-50.59 dBm	-37.59 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717420000 GHz	-55.17 dBm	-30.17 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724430000 GHz	-55.37 dBm	-15.37 dB

NTNV_N48_PC3_30_20_L_TID17__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.527560000 GHz	-54.97 dBm	-14.97 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.537350000 GHz	-54.88 dBm	-29.88 dB
3	3	3.5400 GHz	3.6790 GHz	1.000 MHz	3.672184245 GHz	-32.79 dBm	-19.79 dB
4	4	3.6790 GHz	3.6800 GHz	200.0 kHz	3.679928000 GHz	-34.30 dBm	-21.30 dB
5	5	3.6800 GHz	3.7000 GHz	200.0 kHz	3.683055000 GHz	2.306 dBm	-47.69 dB
6	6	3.7000 GHz	3.7010 GHz	200.0 kHz	3.700003000 GHz	-35.50 dBm	-22.50 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701022015 GHz	-32.03 dBm	-19.03 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710720000 GHz	-39.48 dBm	-14.48 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721040000 GHz	-49.27 dBm	-9.265 dB

NTNV_N48_PC3_30_20_H_TID1__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.524320000 GHz	-55.05 dBm	-15.05 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.535540000 GHz	-55.06 dBm	-30.06 dB
3	3	3.5400 GHz	3.6790 GHz	1.000 MHz	3.672045250 GHz	-48.73 dBm	-35.73 dB
4	4	3.6790 GHz	3.6800 GHz	200.0 kHz	3.679431000 GHz	-55.21 dBm	-42.21 dB
5	5	3.6800 GHz	3.7000 GHz	200.0 kHz	3.698995000 GHz	20.40 dBm	-29.60 dB
6	6	3.7000 GHz	3.7010 GHz	200.0 kHz	3.700000000 GHz	-26.92 dBm	-13.92 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701193110 GHz	-20.93 dBm	-7.928 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717500000 GHz	-47.11 dBm	-22.11 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724280000 GHz	-47.54 dBm	-7.540 dB

NTNV_N48_PC3_30_20_H_TID3__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528350000 GHz	-55.12 dBm	-15.12 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539090000 GHz	-55.07 dBm	-30.07 dB
3	3	3.5400 GHz	3.6790 GHz	1.000 MHz	3.674408165 GHz	-33.13 dBm	-20.13 dB
4	4	3.6790 GHz	3.6800 GHz	200.0 kHz	3.679994000 GHz	-33.29 dBm	-20.29 dB
5	5	3.6800 GHz	3.7000 GHz	200.0 kHz	3.681835000 GHz	0.421 dBm	-49.58 dB
6	6	3.7000 GHz	3.7010 GHz	200.0 kHz	3.700022000 GHz	-33.24 dBm	-20.24 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701013010 GHz	-31.47 dBm	-18.47 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710040000 GHz	-39.47 dBm	-14.47 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720240000 GHz	-49.77 dBm	-9.767 dB

NTNV_N48_PC3_30_20_H_TID16__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.520090000 GHz	-55.12 dBm	-15.12 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.535030000 GHz	-54.94 dBm	-29.94 dB
3	3	3.5400 GHz	3.6790 GHz	1.000 MHz	3.671767260 GHz	-51.69 dBm	-38.69 dB
4	4	3.6790 GHz	3.6800 GHz	200.0 kHz	3.679980000 GHz	-57.33 dBm	-44.33 dB
5	5	3.6800 GHz	3.7000 GHz	200.0 kHz	3.699035000 GHz	16.57 dBm	-33.43 dB
6	6	3.7000 GHz	3.7010 GHz	200.0 kHz	3.700012000 GHz	-29.66 dBm	-16.66 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701175100 GHz	-26.93 dBm	-13.93 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717630000 GHz	-50.28 dBm	-25.28 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724260000 GHz	-50.71 dBm	-10.71 dB

NTNV_N48_PC3_30_20_H_TID18__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529960000 GHz	-45.11 dBm	-5.109 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538010000 GHz	-41.25 dBm	-16.25 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.549005985 GHz	-37.07 dBm	-24.07 dB
4	4	3.5490 GHz	3.5500 GHz	300.0 kHz	3.549952000 GHz	-37.85 dBm	-24.85 dB
5	5	3.5500 GHz	3.5800 GHz	200.0 kHz	3.568915000 GHz	-2.640 dBm	-52.64 dB
6	6	3.5800 GHz	3.5810 GHz	300.0 kHz	3.580093000 GHz	-40.34 dBm	-27.34 dB
7	7	3.5810 GHz	3.7100 GHz	1.000 MHz	3.581272970 GHz	-38.28 dBm	-25.28 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.718140000 GHz	-55.71 dBm	-30.71 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.725660000 GHz	-55.36 dBm	-15.36 dB

NTNV_N48_PC3_30_30_L_TID1__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525850000 GHz	-49.33 dBm	-9.335 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532540000 GHz	-49.15 dBm	-24.15 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548753565 GHz	-20.38 dBm	-7.376 dB
4	4	3.5490 GHz	3.5500 GHz	300.0 kHz	3.549994000 GHz	-27.93 dBm	-14.93 dB
5	5	3.5500 GHz	3.5800 GHz	200.0 kHz	3.551155000 GHz	20.63 dBm	-29.37 dB
6	6	3.5800 GHz	3.5810 GHz	300.0 kHz	3.580251000 GHz	-53.45 dBm	-40.45 dB
7	7	3.5810 GHz	3.7100 GHz	1.000 MHz	3.581530940 GHz	-49.25 dBm	-36.25 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710630000 GHz	-55.07 dBm	-30.07 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.729680000 GHz	-55.14 dBm	-15.14 dB

NTNV_N48_PC3_30_30_L_TID2__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529970000 GHz	-41.03 dBm	-1.031 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539870000 GHz	-33.40 dBm	-8.396 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548978940 GHz	-30.36 dBm	-17.36 dB
4	4	3.5490 GHz	3.5500 GHz	300.0 kHz	3.550008000 GHz	-32.75 dBm	-19.75 dB
5	5	3.5500 GHz	3.5800 GHz	200.0 kHz	3.574615000 GHz	-1.751 dBm	-51.75 dB
6	6	3.5800 GHz	3.5810 GHz	300.0 kHz	3.580017000 GHz	-32.55 dBm	-19.55 dB
7	7	3.5810 GHz	3.7100 GHz	1.000 MHz	3.581530940 GHz	-30.49 dBm	-17.49 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710800000 GHz	-55.16 dBm	-30.16 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.722500000 GHz	-55.19 dBm	-15.19 dB

NTNV_N48_PC3_30_30_L_TID16__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525600000 GHz	-51.94 dBm	-11.94 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532430000 GHz	-51.71 dBm	-26.71 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548915835 GHz	-26.98 dBm	-13.98 dB
4	4	3.5490 GHz	3.5500 GHz	300.0 kHz	3.549982000 GHz	-30.69 dBm	-17.69 dB
5	5	3.5500 GHz	3.5800 GHz	200.0 kHz	3.551185000 GHz	16.33 dBm	-33.67 dB
6	6	3.5800 GHz	3.5810 GHz	300.0 kHz	3.580296000 GHz	-55.51 dBm	-42.51 dB
7	7	3.5810 GHz	3.7100 GHz	1.000 MHz	3.581401955 GHz	-51.41 dBm	-38.41 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.713010000 GHz	-55.27 dBm	-30.27 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720680000 GHz	-55.33 dBm	-15.33 dB

NTNV_N48_PC3_30_30_L_TID17__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529710000 GHz	-54.88 dBm	-14.88 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.536960000 GHz	-54.80 dBm	-29.80 dB
3	3	3.5400 GHz	3.6690 GHz	1.000 MHz	3.657892290 GHz	-34.52 dBm	-21.52 dB
4	4	3.6690 GHz	3.6700 GHz	300.0 kHz	3.669955000 GHz	-33.83 dBm	-20.83 dB
5	5	3.6700 GHz	3.7000 GHz	200.0 kHz	3.695935000 GHz	0.701 dBm	-49.30 dB
6	6	3.7000 GHz	3.7010 GHz	300.0 kHz	3.700008000 GHz	-37.11 dBm	-24.11 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701066135 GHz	-35.54 dBm	-22.54 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710840000 GHz	-36.81 dBm	-11.81 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720200000 GHz	-42.85 dBm	-2.850 dB

NTNV_N48_PC3_30_30_H_TID1__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528550000 GHz	-54.82 dBm	-14.82 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539370000 GHz	-54.80 dBm	-29.80 dB
3	3	3.5400 GHz	3.6690 GHz	1.000 MHz	3.657376350 GHz	-49.45 dBm	-36.45 dB
4	4	3.6690 GHz	3.6700 GHz	300.0 kHz	3.669044000 GHz	-55.73 dBm	-42.73 dB
5	5	3.6700 GHz	3.7000 GHz	200.0 kHz	3.698845000 GHz	20.75 dBm	-29.25 dB
6	6	3.7000 GHz	3.7010 GHz	300.0 kHz	3.700984000 GHz	-27.22 dBm	-14.22 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701102195 GHz	-20.59 dBm	-7.595 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717370000 GHz	-46.93 dBm	-21.93 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724190000 GHz	-47.70 dBm	-7.700 dB

NTNV_N48_PC3_30_30_H_TID3__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.521570000 GHz	-54.95 dBm	-14.95 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.533230000 GHz	-54.97 dBm	-29.97 dB
3	3	3.5400 GHz	3.6690 GHz	1.000 MHz	3.667695150 GHz	-32.50 dBm	-19.50 dB
4	4	3.6690 GHz	3.6700 GHz	300.0 kHz	3.669943000 GHz	-32.94 dBm	-19.94 dB
5	5	3.6700 GHz	3.7000 GHz	200.0 kHz	3.673915000 GHz	-1.370 dBm	-51.37 dB
6	6	3.7000 GHz	3.7010 GHz	300.0 kHz	3.699988000 GHz	-33.45 dBm	-20.45 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.700994015 GHz	-31.90 dBm	-18.90 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710270000 GHz	-36.47 dBm	-11.47 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720090000 GHz	-42.99 dBm	-2.992 dB

NTNV_N48_PC3_30_30_H_TID16__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.522770000 GHz	-55.07 dBm	-15.07 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538000000 GHz	-55.05 dBm	-30.05 dB
3	3	3.5400 GHz	3.6690 GHz	1.000 MHz	3.657247365 GHz	-51.96 dBm	-38.96 dB
4	4	3.6690 GHz	3.6700 GHz	300.0 kHz	3.669069000 GHz	-56.73 dBm	-43.73 dB
5	5	3.6700 GHz	3.7000 GHz	200.0 kHz	3.698875000 GHz	16.57 dBm	-33.43 dB
6	6	3.7000 GHz	3.7010 GHz	300.0 kHz	3.699988000 GHz	-29.56 dBm	-16.56 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701030075 GHz	-26.65 dBm	-13.65 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717410000 GHz	-50.13 dBm	-25.13 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.723890000 GHz	-50.57 dBm	-10.57 dB

NTNV_N48_PC3_30_30_H_TID18__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529910000 GHz	-40.17 dBm	-0.175 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.533070000 GHz	-38.17 dBm	-13.17 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548941030 GHz	-34.68 dBm	-21.68 dB
4	4	3.5490 GHz	3.5500 GHz	390.0 kHz	3.549983000 GHz	-35.89 dBm	-22.78 dB
5	5	3.5500 GHz	3.5900 GHz	200.0 kHz	3.581155000 GHz	-2.513 dBm	-52.51 dB
6	6	3.5900 GHz	3.5910 GHz	390.0 kHz	3.590215000 GHz	-39.79 dBm	-26.68 dB
7	7	3.5910 GHz	3.7100 GHz	1.000 MHz	3.604323560 GHz	-35.52 dBm	-22.52 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710790000 GHz	-55.21 dBm	-30.21 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721850000 GHz	-55.30 dBm	-15.30 dB

NTNV_N48_PC3_30_40_L_TID1__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.526310000 GHz	-52.47 dBm	-12.47 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532710000 GHz	-51.99 dBm	-26.99 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548977010 GHz	-27.57 dBm	-14.57 dB
4	4	3.5490 GHz	3.5500 GHz	390.0 kHz	3.549863000 GHz	-30.43 dBm	-17.32 dB
5	5	3.5500 GHz	3.5900 GHz	200.0 kHz	3.551115000 GHz	16.41 dBm	-33.59 dB
6	6	3.5900 GHz	3.5910 GHz	390.0 kHz	3.590040000 GHz	-58.26 dBm	-45.15 dB
7	7	3.5910 GHz	3.7100 GHz	1.000 MHz	3.626815505 GHz	-53.61 dBm	-40.61 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717510000 GHz	-55.34 dBm	-30.34 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.723830000 GHz	-55.41 dBm	-15.41 dB

NTNV_N48_PC3_30_40_L_TID2__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529940000 GHz	-41.01 dBm	-1.008 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539100000 GHz	-37.85 dBm	-12.85 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548815100 GHz	-35.39 dBm	-22.39 dB
4	4	3.5490 GHz	3.5500 GHz	390.0 kHz	3.549970000 GHz	-36.48 dBm	-23.37 dB
5	5	3.5500 GHz	3.5900 GHz	200.0 kHz	3.551395000 GHz	-4.372 dBm	-54.37 dB
6	6	3.5900 GHz	3.5910 GHz	390.0 kHz	3.590034000 GHz	-36.03 dBm	-22.92 dB
7	7	3.5910 GHz	3.7100 GHz	1.000 MHz	3.591233010 GHz	-34.59 dBm	-21.59 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.715360000 GHz	-55.73 dBm	-30.73 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721370000 GHz	-55.27 dBm	-15.27 dB

NTNV_N48_PC3_30_40_L_TID16__#1



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525800000 GHz	-51.85 dBm	-11.85 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532790000 GHz	-51.68 dBm	-26.68 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548959020 GHz	-27.26 dBm	-14.26 dB
4	4	3.5490 GHz	3.5500 GHz	390.0 kHz	3.549994000 GHz	-30.03 dBm	-16.92 dB
5	5	3.5500 GHz	3.5900 GHz	200.0 kHz	3.551035000 GHz	16.18 dBm	-33.82 dB
6	6	3.5900 GHz	3.5910 GHz	390.0 kHz	3.590060000 GHz	-57.48 dBm	-44.37 dB
7	7	3.5910 GHz	3.7100 GHz	1.000 MHz	3.607536695 GHz	-53.23 dBm	-40.23 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717070000 GHz	-55.24 dBm	-30.24 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720720000 GHz	-55.31 dBm	-15.31 dB

NTNV_N48_PC3_30_40_L_TID17__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.521930000 GHz	-54.95 dBm	-14.95 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.534530000 GHz	-54.98 dBm	-29.98 dB
3	3	3.5400 GHz	3.6590 GHz	1.000 MHz	3.643032350 GHz	-37.48 dBm	-24.48 dB
4	4	3.6590 GHz	3.6600 GHz	390.0 kHz	3.659872000 GHz	-36.79 dBm	-23.68 dB
5	5	3.6600 GHz	3.7000 GHz	200.0 kHz	3.661295000 GHz	-2.138 dBm	-52.14 dB
6	6	3.7000 GHz	3.7010 GHz	390.0 kHz	3.700118000 GHz	-43.42 dBm	-30.31 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701074275 GHz	-40.32 dBm	-27.32 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.714500000 GHz	-39.36 dBm	-14.36 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720300000 GHz	-42.69 dBm	-2.686 dB

NTNV_N48_PC3_30_40_H_TID1__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528100000 GHz	-55.18 dBm	-15.18 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.536990000 GHz	-55.09 dBm	-30.09 dB
3	3	3.5400 GHz	3.6590 GHz	1.000 MHz	3.642080550 GHz	-53.11 dBm	-40.11 dB
4	4	3.6590 GHz	3.6600 GHz	390.0 kHz	3.659191000 GHz	-58.92 dBm	-45.81 dB
5	5	3.6600 GHz	3.7000 GHz	200.0 kHz	3.698855000 GHz	16.31 dBm	-33.69 dB
6	6	3.7000 GHz	3.7010 GHz	390.0 kHz	3.700034000 GHz	-28.87 dBm	-15.76 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701092325 GHz	-27.19 dBm	-14.19 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717060000 GHz	-50.47 dBm	-25.47 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724100000 GHz	-51.37 dBm	-11.37 dB

NTNV_N48_PC3_30_40_H_TID3__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525710000 GHz	-55.13 dBm	-15.13 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.530920000 GHz	-55.02 dBm	-30.02 dB
3	3	3.5400 GHz	3.6590 GHz	1.000 MHz	3.658142175 GHz	-35.13 dBm	-22.13 dB
4	4	3.6590 GHz	3.6600 GHz	390.0 kHz	3.659947000 GHz	-35.19 dBm	-22.08 dB
5	5	3.6600 GHz	3.7000 GHz	200.0 kHz	3.661455000 GHz	-3.610 dBm	-53.61 dB
6	6	3.7000 GHz	3.7010 GHz	390.0 kHz	3.700092000 GHz	-36.19 dBm	-23.08 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701029150 GHz	-35.19 dBm	-22.19 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710640000 GHz	-38.41 dBm	-13.41 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720070000 GHz	-41.26 dBm	-1.257 dB

NTNV_N48_PC3_30_40_H_TID16__#1

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.525310000 GHz	-55.05 dBm	-15.05 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539970000 GHz	-55.09 dBm	-30.09 dB
3	3	3.5400 GHz	3.6590 GHz	1.000 MHz	3.642318500 GHz	-52.62 dBm	-39.62 dB
4	4	3.6590 GHz	3.6600 GHz	390.0 kHz	3.659423000 GHz	-58.29 dBm	-45.18 dB
5	5	3.6600 GHz	3.7000 GHz	200.0 kHz	3.698935000 GHz	16.07 dBm	-33.93 dB
6	6	3.7000 GHz	3.7010 GHz	390.0 kHz	3.700001000 GHz	-29.46 dBm	-16.35 dB
7	7	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701038175 GHz	-27.36 dBm	-14.36 dB
8	8	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717090000 GHz	-50.18 dBm	-25.18 dB
9	9	3.7200 GHz	3.7300 GHz	1.000 MHz	3.724130000 GHz	-50.92 dBm	-10.92 dB

NTNV_N48_PC3_30_40_H_TID18__#1

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.