


REV.	LTR	DATE	UPDATE DESCRIPTION	REMARK	SIGN	APPROVER
			Initial released			
			Update from 1510-3DGB000			



* 請注意紫色為刀模線，非印刷內容。

Notes: Label purple frame outline is shown for reference only and is not to be printed.

SPEC		Roll type	Material Structure	PEGATRON Corporation		
Material (Brand/Model No.): (ex.PET 、 PP 、 ART PAPER(Brand/Model No.))	AVERY MZ0328	Roll form packaging 包裝方式: 卷狀外翻				
Adhesive (Brand/Model No.): (ex.Acrylic(Brand/Model No.))	Acrylic(Embossed)	Outer diameter of the paper roll core: 3"(76.2mm) 紙張芯外直徑: 3"(76.2mm)		Rating(Housing) Label		
Coating (Brand/Model No.): (ex.PET 、 OPP(Brand/Model No.))	PETN25(A) NPL 8LK	Outer diameter of the paper roll: <8(203mm) 紙張卷外直徑: <8(203mm)		DESCRIPTION		
Printable:	☒ Yes ☐ No	Notes		TOLERANCE SPEC.	UNIT MM	SIZE A3
Printing color: (ex.Black 100% 、 Other)	Black 100%			All Dimension	±0.20mm	
Background color: (ex.White 、 Other)	White	1. During OQC/IQC ,the vendor/CM must inspect all critical items marked with a  2. 二色以上彩印(非純色): 需上/中/下限度樣本。 Full color printing (excluding single color): Must provide color tolerance sample for customer/RD/PM/ IQC (light tolerance/color specimen/dark tolerance). 3. 專色/純色: 提供色差顏色差報告, ΔE < 2, 或依客戶需求。 Spot color/Single color: Must provide color report by Colorimeter, ΔE < 2 or define by coustumer. 4. 搬試調試報告: 依客戶需求。 Muse pass abrasion test: Define by coustumer.		Edge distance邊距	±0.50mm	1:1
Packing method:	☐ Single page ☒ Roll			GAP distance跳距	±0.50mm	
Safety certification:	☒ PDJ2 ☐ PDGQ2 ☐ NA	5. Printing Tolerance is defined in the right column as the choose 6. This part should not contain any substances which are specified in SPT-00001/PMQ-M0003, issued by PEGATRON. 7. 料件承認時, 須檢附原材廠商的原材規格書。 Must attach the detail raw material data sheet when Approval.				MODEL NO. UCW4060MCS
Printing ribbon:	☒ high temperature ribbon ☐ Low temperature ribbon ☐ No					PARTS NO. 1510-3E0L000
Artwork version (File name / Released date)	20230801a					DESIGNED Fanner
						CHECKED Jeacol
						APPROVED Sujing

MATERIAL: MY01(2.0 MIL WHITE GLOSS POLYESTER) TOLERANCE LABEL DIMENSIONS: +/- 0.01" TOLERANCE EDGE GAPS: +/- 0.039" ACROSS: 1	ROLL WITH: 2,500 EA	CORNER RADIUS: ESP
	ADHESIVE: PERMANENT	UL MODEL NO.: MY01
	CORE DIAMETER: 3.000"	UL FILE NO.: PGJ12.MH46664 & PGJ18.MH46664


SHELF LIFE: 2 years from the manufacturing date at 72°F (22°C) and 50% RH

NOTE: ALL DIMENSIONS ARE IN INCHES




UCW4060MCS
Housing Label

Label Feed Direction




DIMENSION SCALE 100%




DESCRIPTION: LABEL 1.575" W X 1.772" L

DIRECTION



CUTTING LINE




Part Number: 6333266A

[SPECIFICATION]

- 1.) Size: 40X45mm C*1=2.5 Tolerance: +/-0.15mm
- 2.) Material: PET (Can meet PGJ12)
- 3.) Color-Label: Blank

Roll feed Print BARCODE

HSF (HAZARDOUS SUBSTANCES FREE) COMPLIANCE



Label zones / High gloss