


Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5661.2000	91.14	16.39	107.53	68.20	39.33	Peak	No Limit
2	5661.2000	80.39	16.39	96.78	999.00	-902.22	AVG	No Limit
3	5725.0000	42.40	16.51	58.91	68.20	-9.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.9500	37.95	13.04	50.99	74.00	-23.01	Peak	
2 *	11342.4550	26.14	13.04	39.18	54.00	-14.82	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5672.9000	84.51	16.41	100.92	999.00	-898.08	AVG	No Limit
2 *	5674.3000	94.66	16.41	111.07	68.20	42.87	Peak	No Limit
3	5725.0000	50.81	16.51	67.32	68.20	-0.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11337.7370	26.04	13.03	39.07	54.00	-14.93	AVG	
2	11339.7330	37.63	13.03	50.66	74.00	-23.34	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	40.95	15.97	56.92	74.00	-17.08	Peak	
2	5460.0000	32.34	15.97	48.31	54.00	-5.69	AVG	
3	5470.0000	42.72	16.00	58.72	68.20	-9.48	Peak	
4 *	5502.4000	85.03	16.07	101.10	68.20	32.90	Peak	No Limit
5	5516.0000	76.19	16.10	92.29	999.00	-906.71	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11059.3250	38.55	12.82	51.37	74.00	-22.63	Peak	
2 *	11060.4650	26.40	12.83	39.23	54.00	-14.77	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	45.55	15.97	61.52	74.00	-12.48	Peak	
2	5460.0000	35.25	15.97	51.22	54.00	-2.78	AVG	
3	5470.0000	51.57	16.00	67.57	68.20	-0.63	Peak	
4	5517.6000	79.51	16.10	95.61	999.00	-903.39	AVG	No Limit
5 *	5519.6000	88.43	16.10	104.53	68.20	36.33	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11058.4050	26.62	12.82	39.44	54.00	-14.56	AVG	
2	11059.3250	38.83	12.82	51.65	74.00	-22.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5601.200	79.55	16.26	95.81	68.20	27.61	AVG	No Limit
2	*	5606.800	89.05	16.28	105.33	68.20	37.13	peak	No Limit
3		5725.000	45.98	16.51	62.49	68.20	-5.71	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11219.958	38.45	12.94	51.39	74.00	-22.61	peak	
2	*	11222.465	26.59	12.94	39.53	54.00	-14.47	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5621.600	84.28	16.31	100.59	68.20	32.39	AVG	No Limit
2	*	5626.800	94.19	16.32	110.51	68.20	42.31	peak	No Limit
3		5725.000	48.68	16.51	65.19	68.20	-3.01	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11221.105	38.18	12.94	51.12	74.00	-22.88	peak	
2	*	11222.340	26.52	12.94	39.46	54.00	-14.54	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	58.18	16.49	74.67	109.40	-34.73	Peak	
2	5725.0000	73.10	16.51	89.61	122.20	-32.59	Peak	
3 *	5749.5000	101.31	16.56	117.87	122.20	-4.33	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11489.0450	39.13	13.15	52.28	74.00	-21.72	Peak	
2 *	11490.3050	26.57	13.15	39.72	54.00	-14.28	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5650.0000	50.43	16.36	66.79	68.20	-1.41	Peak	
2	5715.0000	66.85	16.49	83.34	109.40	-26.06	Peak	
3	5725.0000	84.17	16.51	100.68	122.20	-21.52	Peak	
4	5751.6000	104.19	16.57	120.76	122.20	-1.44	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.9130	37.98	13.19	51.17	74.00	-22.83	Peak	
2 *	11552.4330	26.08	13.19	39.27	54.00	-14.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5779.3000	103.51	16.62	120.13	122.20	-2.07	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11569.9750	39.69	13.20	52.89	74.00	-21.11	Peak	
2 *	11571.2300	26.61	13.20	39.81	54.00	-14.19	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5780.5000	105.77	16.62	122.39	122.20	0.19	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11568.3200	39.87	13.20	53.07	74.00	-20.93	Peak	
2 *	11570.3350	26.66	13.20	39.86	54.00	-14.14	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5819.3000	101.44	16.70	118.14	122.20	-4.06	Peak	No Limit
2	5850.0000	60.09	16.76	76.85	122.20	-45.35	Peak	
3	5860.0000	56.82	16.78	73.60	109.40	-35.80	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11652.1449	26.76	13.25	40.01	54.00	-13.99	AVG	
2	11652.1550	39.93	13.25	53.18	74.00	-20.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5820.5000	105.18	16.70	121.88	122.20	-0.32	Peak	No Limit
2	5850.0000	65.59	16.76	82.35	122.20	-39.85	Peak	
3	5860.0000	59.79	16.78	76.57	109.40	-32.83	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0100	39.79	13.25	53.04	74.00	-20.96	Peak	
2 *	11652.1700	26.82	13.25	40.07	54.00	-13.93	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	60.52	16.49	77.01	109.40	-32.39	Peak	
2	5725.0000	75.55	16.51	92.06	122.20	-30.14	Peak	
3 *	5748.6000	101.92	16.56	118.48	122.20	-3.72	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11487.5050	26.68	13.15	39.83	54.00	-14.17	AVG	
2	11491.2100	40.39	13.15	53.54	74.00	-20.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5650.0000	49.80	16.36	66.16	68.20	-2.04	Peak	
2	5715.0000	68.02	16.49	84.51	109.40	-24.89	Peak	
3	5725.0000	82.84	16.51	99.35	122.20	-22.85	Peak	
4 *	5740.5000	105.26	16.54	121.80	122.20	-0.40	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11487.5400	26.65	13.15	39.80	54.00	-14.20	AVG	
2	11489.6550	39.39	13.15	52.54	74.00	-21.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5789.8000	103.27	16.64	119.91	122.20	-2.29	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11571.3550	40.90	13.20	54.10	74.00	-19.90	Peak	
2 *	11572.2250	26.72	13.20	39.92	54.00	-14.08	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5776.9000	104.68	16.62	121.30	122.20	-0.90	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11571.2450	40.47	13.20	53.67	74.00	-20.33	Peak	
2 *	11571.9349	26.65	13.20	39.85	54.00	-14.15	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5821.4000	101.43	16.70	118.13	122.20	-4.07	Peak	No Limit
2	5850.0000	63.64	16.76	80.40	122.20	-41.80	Peak	
3	5860.0000	55.37	16.78	72.15	109.40	-37.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.3150	39.56	13.25	52.81	74.00	-21.19	Peak	
2 *	11651.1550	26.68	13.25	39.93	54.00	-14.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5818.1000	104.73	16.70	121.43	122.20	-0.77	Peak	No Limit
2	5850.0000	72.14	16.76	88.90	122.20	-33.30	Peak	
3	5860.0000	61.58	16.78	78.36	109.40	-31.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11651.5100	39.74	13.25	52.99	74.00	-21.01	Peak	
2 *	11652.2450	26.75	13.25	40.00	54.00	-14.00	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	75.42	16.49	91.91	109.40	-17.49	Peak	
2	5725.0000	78.54	16.51	95.05	122.20	-27.15	Peak	
3 *	5740.0000	100.03	16.54	116.57	122.20	-5.63	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11507.5050	26.56	13.16	39.72	54.00	-14.28	AVG	
2	11512.3050	40.21	13.16	53.37	74.00	-20.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5650.0000	50.44	16.36	66.80	68.20	-1.40	Peak	
2	5715.0000	79.92	16.49	96.41	109.40	-12.99	Peak	
3	5725.0000	83.47	16.51	99.98	122.20	-22.22	Peak	
4	5766.4000	103.58	16.60	120.18	122.20	-2.02	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11512.3400	26.60	13.16	39.76	54.00	-14.24	AVG	
2	11512.3650	39.78	13.16	52.94	74.00	-21.06	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5789.9000	100.63	16.64	117.27	122.20	-4.93	Peak	No Limit
2	5850.0000	58.70	16.76	75.46	122.20	-46.74	Peak	
3	5860.0000	54.20	16.78	70.98	109.40	-38.42	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.2900	39.88	13.21	53.09	74.00	-20.91	Peak	
2 *	11591.2699	26.65	13.21	39.86	54.00	-14.14	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5796.5000	104.17	16.65	120.82	122.20	-1.38	Peak	No Limit
2	5850.0000	64.12	16.76	80.88	122.20	-41.32	Peak	
3	5860.0000	59.85	16.78	76.63	109.40	-32.77	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11592.1650	26.69	13.21	39.90	54.00	-14.10	AVG	
2	11592.4500	39.68	13.21	52.89	74.00	-21.11	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5650.0000	51.46	16.36	67.82	68.20	-0.38	Peak	
2	5715.0000	73.67	16.49	90.16	109.40	-19.24	Peak	
3	5725.0000	76.60	16.51	93.11	122.20	-29.09	Peak	
4	5784.6000	97.73	16.63	114.36	122.20	-7.84	Peak	No Limit
5	5850.0000	70.61	16.76	87.37	122.20	-34.83	Peak	
6	5860.0000	65.93	16.78	82.71	109.40	-26.69	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.2350	39.99	13.19	53.18	74.00	-20.82	Peak	
2 *	11552.3400	26.79	13.19	39.98	54.00	-14.02	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5650.0000	51.61	16.36	67.97	68.20	-0.23	Peak	
2	5715.0000	69.26	16.49	85.75	109.40	-23.65	Peak	
3	5725.0000	73.88	16.51	90.39	122.20	-31.81	Peak	
4	5783.8000	100.35	16.63	116.98	122.20	-5.22	Peak	No Limit
5	5850.0000	62.72	16.76	79.48	122.20	-42.72	Peak	
6	5860.0000	62.11	16.78	78.89	109.40	-30.51	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11547.535	26.85	13.18	40.03	54.00	-13.97	AVG	
2		11552.015	39.72	13.19	52.91	74.00	-21.09	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	62.03	16.49	78.52	109.40	-30.88	Peak	
2	5725.0000	75.34	16.51	91.85	122.20	-30.35	Peak	
3 *	5737.5000	102.25	16.54	118.79	122.20	-3.41	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11487.6220	26.43	13.15	39.58	54.00	-14.42	AVG	
2	11491.5870	37.89	13.15	51.04	74.00	-22.96	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5650.0000	48.92	16.36	65.28	68.20	-2.92	Peak	
2	5715.0000	71.28	16.49	87.77	109.40	-21.63	Peak	
3	5725.0000	80.59	16.51	97.10	122.20	-25.10	Peak	
4 *	5740.5000	105.37	16.54	121.91	122.20	-0.29	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11491.9870	37.82	13.15	50.97	74.00	-23.03	Peak	
2 *	11492.2080	26.33	13.15	39.48	54.00	-14.52	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5787.4000	104.42	16.64	121.06	122.20	-1.14	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11569.0350	37.73	13.20	50.93	74.00	-23.07	Peak	
2 *	11569.5630	26.24	13.20	39.44	54.00	-14.56	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5793.7000	105.76	16.65	122.41	122.20	0.21	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11571.2000	37.69	13.20	50.89	74.00	-23.11	Peak	
2 *	11571.2530	26.18	13.20	39.38	54.00	-14.62	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5817.2000	103.51	16.70	120.21	122.20	-1.99	Peak	No Limit
2	5850.0000	70.12	16.76	86.88	122.20	-35.32	Peak	
3	5860.0000	56.27	16.78	73.05	109.40	-36.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.0750	38.09	13.25	51.34	74.00	-22.66	Peak	
2 *	11649.6849	26.15	13.25	39.40	54.00	-14.60	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5818.4000	105.55	16.70	122.25	122.20	0.05	Peak	No Limit
2	5850.0000	74.44	16.76	91.20	122.20	-31.00	Peak	
3	5860.0000	63.90	16.78	80.68	109.40	-28.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11651.0050	37.89	13.25	51.14	74.00	-22.86	Peak	
2 *	11651.2900	26.18	13.25	39.43	54.00	-14.57	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	73.81	16.49	90.30	109.40	-19.10	Peak	
2	5725.0000	76.90	16.51	93.41	122.20	-28.79	Peak	
3 *	5769.4000	99.71	16.60	116.31	122.20	-5.89	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11507.7280	26.06	13.16	39.22	54.00	-14.78	AVG	
2	11508.7900	38.34	13.16	51.50	74.00	-22.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5650.0000	48.60	16.36	64.96	68.20	-3.24	Peak	
2	5715.0000	82.09	16.49	98.58	109.40	-10.82	Peak	
3	5725.0000	85.12	16.51	101.63	122.20	-20.57	Peak	
4 *	5747.2000	103.37	16.56	119.93	122.20	-2.27	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.6350	26.29	13.16	39.45	54.00	-14.55	AVG	
2	11511.5770	37.45	13.16	50.61	74.00	-23.39	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5788.1000	101.80	16.64	118.44	122.20	-3.76	Peak	No Limit
2	5850.0000	60.70	16.76	77.46	122.20	-44.74	Peak	
3	5860.0000	54.95	16.78	71.73	109.40	-37.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11591.5420	25.99	13.21	39.20	54.00	-14.80	AVG	
2	11591.7650	37.44	13.21	50.65	74.00	-23.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5790.5000	103.11	16.64	119.75	122.20	-2.45	Peak	No Limit
2	5850.0000	63.27	16.76	80.03	122.20	-42.17	Peak	
3	5860.0000	61.16	16.78	77.94	109.40	-31.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.2050	37.58	13.21	50.79	74.00	-23.21	Peak	
2 *	11590.6250	26.07	13.21	39.28	54.00	-14.72	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	63.20	16.49	79.69	109.40	-29.71	Peak	
2	5725.0000	64.11	16.51	80.62	122.20	-41.58	Peak	
3 *	5771.8000	96.37	16.61	112.98	122.20	-9.22	Peak	No Limit
4	5850.0000	62.67	16.76	79.43	122.20	-42.77	Peak	
5	5860.0000	58.52	16.78	75.30	109.40	-34.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.0630	37.71	13.19	50.90	74.00	-23.10	Peak	
2 *	11549.8200	26.13	13.19	39.32	54.00	-14.68	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5650.0000	51.13	16.36	67.49	68.20	-0.71	Peak	
2	5715.0000	71.00	16.49	87.49	109.40	-21.91	Peak	
3	5725.0000	70.94	16.51	87.45	122.20	-34.75	Peak	
4	5764.2000	100.76	16.59	117.35	122.20	-4.85	Peak	No Limit
5	5850.0000	64.16	16.76	80.92	122.20	-41.28	Peak	
6	5860.0000	62.04	16.78	78.82	109.40	-30.58	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.9130	37.98	13.19	51.17	74.00	-22.83	Peak	
2 *	11552.4330	26.08	13.19	39.27	54.00	-14.73	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.59	17.10
40	5200	21.85	17.30
48	5240	21.81	17.40

CH36




Date: 15.JUL.2021 10:27:31

CH40
26 dB Bandwidth




Date: 15.JUL.2021 10:28:15

CH48




Date: 15.JUL.2021 10:28:48


99 % Occupied Bandwidth



Date: 15.JUL.2021 10:27:31



Date: 15.JUL.2021 10:27:56




Date: 15.JUL.2021 10:28:28

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.85	18.20
40	5200	22.19	18.40
48	5240	22.09	18.40

CH36




Date: 15.JUL.2021 10:32:39

CH40
26 dB Bandwidth




Date: 15.JUL.2021 10:33:22

CH48




Date: 15.JUL.2021 10:33:54


99 % Occupied Bandwidth



Date: 15.JUL.2021 10:32:20



Date: 15.JUL.2021 10:33:01




Date: 15.JUL.2021 10:33:34

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	111.19	76.40

CH42 26 dB Bandwidth



Date: 15.JUL.2021 10:36:26

99 % Occupied Bandwidth




Date: 15.JUL.2021 10:35:41


Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.89	19.30
40	5200	22.05	19.30
48	5240	22.00	19.20


CH36






CH40
26 dB Bandwidth



CH48




99 % Occupied Bandwidth



Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.20	38.20
46	5230	43.60	38.20

CH38




Date: 15.JUL.2021 10:41:18

CH46 26 dB Bandwidth




Date: 15.JUL.2021 10:41:58

99 % Occupied Bandwidth



Date: 15.JUL.2021 10:40:50




Date: 15.JUL.2021 10:41:30

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	87.19	77.60

CH42 26 dB Bandwidth



Date: 15.JUL.2021 10:42:37

99 % Occupied Bandwidth




Date: 15.JUL.2021 10:42:09

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.16	18.40
60	5300	22.30	18.40
64	5320	21.95	18.20

CH52




Date: 21.MAY.2021 19:18:43

CH60
26 dB Bandwidth




Date: 21.MAY.2021 19:20:17

CH64




Date: 21.MAY.2021 19:20:56


99 % Occupied Bandwidth



Date: 21.MAY.2021 19:18:24



Date: 21.MAY.2021 19:19:57




Date: 21.MAY.2021 19:20:36

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	71.80	37.60
62	5310	40.39	37.00

CH54




Date: 21.MAY.2021 19:23:29

CH62 26 dB Bandwidth




Date: 21.MAY.2021 19:24:41

99 % Occupied Bandwidth



Date: 21.MAY.2021 19:23:12




Date: 21.MAY.2021 19:24:13

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	143.60	77.20

CH58 26 dB Bandwidth



Date: 21.MAY.2021 19:28:16

99 % Occupied Bandwidth




Date: 21.MAY.2021 19:27:59

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.95	19.20
60	5300	22.05	19.20
64	5320	21.80	19.40

CH52




Date: 21.MAY.2021 19:31:16

CH60
26 dB Bandwidth




Date: 21.MAY.2021 19:31:49

CH64




Date: 21.MAY.2021 19:32:37


99 % Occupied Bandwidth



Date: 21.MAY.2021 19:30:56



Date: 21.MAY.2021 19:31:29




Date: 21.MAY.2021 19:32:17

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	42.79	38.20
62	5310	41.80	38.20

CH54




Date: 21.MAY.2021 19:36:05

CH62
26 dB Bandwidth




Date: 21.MAY.2021 19:37:00

99 % Occupied Bandwidth



Date: 21.MAY.2021 19:35:26




Date: 21.MAY.2021 19:36:15

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	161.00	82.40

CH58 26 dB Bandwidth



Date: 21.MAY.2021 19:40:41

99 % Occupied Bandwidth




Date: 21.MAY.2021 19:40:29

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.55	17.00
116	5580	21.85	17.40
140	5700	21.75	17.40

CH100




Date: 21.MAY.2021 19:08:11

CH116
26 dB Bandwidth




Date: 21.MAY.2021 19:08:52

CH140




Date: 21.MAY.2021 19:09:30


99 % Occupied Bandwidth



Date: 21.MAY.2021 19:07:51



Date: 21.MAY.2021 19:08:31




Date: 21.MAY.2021 19:09:10

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.05	18.20
116	5580	23.25	18.40
140	5700	22.16	18.40

CH100




Date: 21.MAY.2021 19:21:39

CH116
26 dB Bandwidth




Date: 21.MAY.2021 19:22:12

CH140




Date: 21.MAY.2021 19:22:45


99 % Occupied Bandwidth



Date: 21.MAY.2021 19:21:19



Date: 21.MAY.2021 19:21:52




Date: 21.MAY.2021 19:22:23

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.50	37.00
110	5550	66.19	38.00
134	5670	63.70	37.60

CH102




Date: 21.MAY.2021 19:25:22

CH110
26 dB Bandwidth




Date: 21.MAY.2021 19:25:58

CH134




Date: 21.MAY.2021 19:27:04


99 % Occupied Bandwidth



Date: 21.MAY.2021 19:24:54



Date: 21.MAY.2021 19:25:33



Date: 21.MAY.2021 19:26:37