







MicroStrip	W(mils)	L(mils)	Z0 / E(deg)
MS1	25.5 mil wide	219 mil long	84 ohm 29.0 deg
MS2	30.0 mil wide	389 mil long	79 ohm 52.0 deg
MS3	17.5 mil wide	401 mil long	97 ohm 52.6 deg
MS4	25.5 mil wide	303 mil long	84 ohm 40.0 deg
MS5	25.5 mil wide	660 mil long	84 ohm 90.0 deg
MS6	25.5 mil wide	30 mil long	84 ohm 4.0 deg

MicroStrip	Zo	E(deg)	W(mils)	L(mils)
MS9	96 R	22.3 deg	W=18.0 mil	L=170 mil
MS10	96 R	22.3 deg	W=18.0 mil	L=170 mil

DRN DATE	2003.02.20	MODEL			
DRND BY	J. H KIM				
CHKC BY	J. H KIM	CT-D201 BASE RF POWER AMP			
APPD BY	MARTIN. H KIM				
		DRN NO.		REV	0
		SHEET	1 OF 2	SIZE	A4









COMPANY: International Science Venture

TITLE: CT-D201 LCD & HAND CHARGER

DRAWN:	DATED:	CODE:	SIZE:	DRAWING NO:	REV:
CHECKED:	DATED:				
QUALITY CONTROL:	DATED:				
RELEASED:	DATED: 2003.02.20	SCALE:		SHEET: OF	



DRN DATE	2003.02.20	MODEL CT-D201 HAND RF POWER AMP			
DRND BY	J. H KIM				
CHCK BY	J. H KIM				
APPD BY	MARTIN. H KIM				
		DRN NO.		REV	0
		SHEET	1 OF 2	SIZE	A4



COMPANY: International Science Venture			
TITLE: CT-D201 HANDMAIN			
DATE: 2003.02.20	SIZE:	DRAWING NO:	REV: 0
SCALE:		SHEET: OF	

