

Appendix A

RF Test Data for BT V4.0(BDR/EDR) (Conducted Measurement)

Product Name: Smart phone

Trade Mark: S SMOOTH

Test Model: SMOOTH 5.0

Environmental Conditions


Temperature:	22.3° C
Relative Humidity:	53.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan

A.1 Maxmum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	5.960	21	PASS
	MCH	3.420	21	PASS
	HCH	2.467	21	PASS
$\pi/4$ DQPSK	LCH	6.667	21	PASS
	MCH	3.831	21	PASS
	HCH	2.903	21	PASS
8DPSK	LCH	6.991	21	PASS
	MCH	4.229	21	PASS
	HCH	3.360	21	PASS

Test Graphs



GFSK/LCH





GFSK/MCH




GFSK/HCH


 $\pi/4$ DQPSK/LCH

$\pi/4$ DQPSK/MCH $\pi/4$ DQPSK/HCH


8DPSK/LCH



8DPSK/MCH



8DPSK/HCH




A.2 20dB Bandwidth


Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9458	Not Specified	PASS
	MCH	0.9450	Not Specified	PASS
	HCH	0.9444	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.291	Not Specified	PASS
	MCH	1.289	Not Specified	PASS
	HCH	1.289	Not Specified	PASS
8DPSK	LCH	1.301	Not Specified	PASS
	MCH	1.299	Not Specified	PASS
	HCH	1.299	Not Specified	PASS

Test Graphs


GFSK/LCH






GFSK/MCH




GFSK/HCH




$\pi/4$ DQPSK/LCH $\pi/4$ DQPSK/MCH

$\pi/4$ DQPSK/HCH


8DPSK/LCH



8DPSK/MCH




8DPSK/HCH




A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.690	0.631	PASS
	MCH	0.846	0.631	PASS
	HCH	1.056	0.631	PASS
$\pi/4$ DQPSK	LCH	1.102	0.861	PASS
	MCH	0.988	0.861	PASS
	HCH	1.044	0.861	PASS
8DPSK	LCH	1.196	0.867	PASS
	MCH	1.022	0.867	PASS
	HCH	0.948	0.867	PASS


Test Graphs




GFSK/MCH




GFSK/HCH



$\pi/4$ DQPSK/LCH

Frequency


Auto Tune

Center Freq
2.402500000 GHzStart Freq
2.401500000 GHzStop Freq
2.403500000 GHzCF Step
200.000 kHz
Auto ManFreq Offset
0 Hz $\pi/4$ DQPSK/MCH


Frequency


Auto Tune

Center Freq
2.441500000 GHzStart Freq
2.440500000 GHzStop Freq
2.442500000 GHzCF Step
200.000 kHz
Auto ManFreq Offset
0 Hz

$\pi/4$ DQPSK/HCH

8DPSK/LCH







A.4 Hopping Channel Number


Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs

GFSK/Hop

 $\pi/4$ DQPSK/Hop

8DPSK/Hop




A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.89	106.7	0.308	0.4	PASS
	DH5	MCH	2.89	106.7	0.308	0.4	PASS
	DH5	HCH	2.89	106.7	0.308	0.4	PASS
$\pi/4$ DQPSK	2DH5	LCH	2.89	106.7	0.307	0.4	PASS
	2DH5	MCH	2.89	106.7	0.307	0.4	PASS
	2DH5	HCH	2.89	106.7	0.307	0.4	PASS
8DPSK	3DH5	LCH	2.89	106.7	0.307	0.4	PASS
	3DH5	MCH	2.89	106.7	0.307	0.4	PASS
	3DH5	HCH	2.89	106.7	0.307	0.4	PASS

Test Graphs


GFSK_DH5/LCH




GFSK_DH5/MCH




GFSK_DH5/HCH




$\pi/4$ DQPSK
_2DH5/LCH




$\pi/4$ DQPSK
_2DH5/MCH




$\pi/4$ DQPSK
_2DH5/HCH



8DPSK _3DH5/LCH



8DPSK_3DH5/MCH



8DPSK_3DH5/HCH

