




NOTES:

UNLESS OTHERWISE SPECIFIED:

1. ALL CAPACITANCE VALUES ARE IN MICROFARADS.
2. ALL RESISTANCE VALUES ARE IN OHMS.
3. ALL INDUCTANCE VALUES ARE IN MICROHENRIES.
4. PARTIAL REFERENCE DESIGNATIONS ARE SHOWN:
FOR COMPLETE DESIGNATIONS PREFIX PART
DESIGNATION WITH SUBASSEMBLY DESIGNATION.
5. INTERPRET DRAWING PER ANSI Y32.2-1975 AND
ANSI/IEEE STD 991-1986. LOGIC SYMBOLS
CONFORM TO ANSI/IEEE STD 91-1984.

EPIC - DME INTERFACE CARD
SCHEMATIC DIAGRAM SHEET NO. 1 OF 3

COMPUTER GENERATED


12-8-1998_13:43 MICHEL MOREAU

Honeywell	SEE FIRST SHEET FOR CONTRACT NUMBER. USE OR DISCLOSURE OF INFORMATION ON THIS SHEET IS SUBJECT TO THE RESTRICTIONS ON THE FIRST SHEET OF THIS DOCUMENT.	SIZE	CAGE CODE	DRAWING NO.
		E	55939	7026160-901
		SCALE —		SHEET 2

DN#	7026160-901	SH
MO.		2

1	KEY	1 MAY 5-50	DATE/TIME
---	-----	------------	-----------

REVISIONS			
ZONE	REV	DESCRIPTION	DATE
		APPROVED	




EPIC - DME INTERFACE CARD
SCHEMATIC DIAGRAM SHEET NO. 2

COMPUTER GENERATED

12-8-1998-13:43	MICHEL MOREAU	SIZE	CAGE CODE	DRAWING NO.	REV
Honeywell	SEE FIRST SHEET FOR CONTRACT NUMBER. USE OR DISCLOSURE OF INFORMATION ON THIS SHEET IS SUBJECT TO THE RESTRICTIONS ON THE FIRST SHEET OF THIS DOCUMENT.	E	55939	7026160-901	-
SCALE				SHEET	3

7026160-901

DATE 12-8-1998



COMPUTER GENERATED