



**M. Flom Associates, Inc. - Global Compliance Center**

3356 North San Marcos Place, Suite 107, Chandler, Arizona 85225-7176

www.mflom.com general@mflom.com (480) 926-3100, FAX: 926-3598

---

Date of Report: November 6, 2002  
Date of Submission: November 27, 2002

Federal Communications Commission  
Via: Electronic Filing

Attention: Authorization & Evaluation Division  
Applicant: Honeywell International Inc.  
Commercial Electronic Systems - Phoenix  
Equipment: XS-855A  
FCC ID: GB8XS855A  
FCC Rules: 87Q, 87.131, 87.475

Gentlemen:

On behalf of the Applicant, enclosed please find Application Form 731, Engineering Test Report and all pertinent documentation, the whole for approval of the referenced equipment as shown.

Filing fees are attached.

We trust the same is in order. Should you need any further information, kindly contact the writer who is authorized to act as agent.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'M. Flom P. Eng.', with a horizontal line drawn underneath the signature.

Morton Flom, P. Eng.

enclosure(s)  
cc: Applicant  
MF/cva

LIST OF EXHIBITS  
(FCC **CERTIFICATION** (TRANSMITTERS) - REVISED 9/28/98)

APPLICANT: Honeywell International Inc.  
Commercial Electronic Systems - Phoenix

FCC ID: GB8XS855A

BY APPLICANT:

- |                                                                      |   |
|----------------------------------------------------------------------|---|
| 1. LETTER OF AUTHORIZATION                                           | X |
| 2. IDENTIFICATION DRAWINGS, 2.1033(c)(11)                            |   |
| <input checked="" type="checkbox"/> LABEL                            |   |
| <input checked="" type="checkbox"/> LOCATION OF LABEL                |   |
| <input checked="" type="checkbox"/> COMPLIANCE STATEMENT             |   |
| <input checked="" type="checkbox"/> LOCATION OF COMPLIANCE STATEMENT |   |
| 3. PHOTOGRAPHS, 2.1033(c)(12)                                        | X |
| 4. DOCUMENTATION: 2.1033(c)                                          |   |
| (3) USER MANUAL                                                      | X |
| (9) TUNE UP INFO                                                     | X |
| (10) SCHEMATIC DIAGRAM                                               | X |
| (10) CIRCUIT DESCRIPTION                                             | X |
| BLOCK DIAGRAM                                                        | X |
| PARTS LIST                                                           | X |

BY M.F.A. INC.

- A. TESTIMONIAL & STATEMENT OF CERTIFICATION
- B. STATEMENT OF QUALIFICATIONS



**M. Flom Associates, Inc. - Global Compliance Center**

3356 North San Marcos Place, Suite 107, Chandler, Arizona 85225-7176

www.mflom.com general@mflom.com (480) 926-3100, FAX: 926-3598

---

T R A N S M I T T E R     C E R T I F I C A T I O N

of

FCC ID: GB8XS855A

MODEL: XS-855A

to

FEDERAL COMMUNICATIONS COMMISSION

Rule Part(s) 87Q, 87.131, 87.475

DATE OF REPORT: November 6, 2002

ON THE BEHALF OF THE APPLICANT:

Honeywell International Inc.  
Commercial Electronic Systems - Phoenix

AT THE REQUEST OF:

P.O. Part of X305730L-06B

Mailing:

Honeywell Inc.  
Business, Regional & General Aviation  
5353 W. Bell Road, MS 2DD80  
Glendale, AZ 85308

Attention of:

Robert H. Fuller, Technical Mgr, EPIC Eng'g  
602 436 4714; FAX: -4040 M/S 2DD80  
bob.fuller@honeywell.com

SUPERVISED BY:

A handwritten signature in black ink that reads 'M. Flom P. Eng'. The signature is written in a cursive, stylized script.

Morton Flom, P. Eng.

THE APPLICANT HAS BEEN CAUTIONED AS TO THE FOLLOWING:

15.21 INFORMATION TO USER.

The users manual or instruction manual for an intentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

15.27(a) SPECIAL ACCESSORIES.

Equipment marketed to a consumer must be capable of complying with the necessary regulations in the configuration in which the equipment is marketed. Where special accessories, such as shielded cables and/or special connectors are required to enable an unintentional or intentional radiator to comply with the emission limits in this part, the equipment must be marketed with, i.e. shipped and sold with, those special accessories. However, in lieu of shipping or packaging the special accessories with the unintentional or intentional radiator, the responsible party may employ other methods of ensuring that the special accessories are provided to the consumer, without additional charge.

Information detailing any alternative method used to supply the special accessories for a grant of equipment authorization or retained in the verification records, as appropriate. The party responsible for the equipment, as detailed in § 2.909 of this chapter, shall ensure that these special accessories are provided with the equipment. The instruction manual for such devices shall include appropriate instructions on the first page of text concerned with the installation of the device that these special accessories must be used with the device. It is the responsibility of the user to use the needed special accessories supplied with the equipment.

TABLE OF CONTENTS

| <u>RULE</u>   | <u>DESCRIPTION</u>                                 | <u>PAGE</u> |
|---------------|----------------------------------------------------|-------------|
|               | Test Report                                        | 1           |
| 2.1033(c)     | General Information Required                       | 2           |
| 2.1033(c)(14) | Rule Summary                                       | 5           |
|               | Standard Test Conditions and Engineering Practices | 6           |
| 2.1046(a)     | Carrier Output Power (Conducted)                   | 7           |
| 2.1046(a)     | ERP Carrier Power (Radiated)                       | 9           |
| 2.1051        | Unwanted Emissions (Transmitter Conducted)         | 10          |
| 2.1053(a)     | Field Strength of Spurious Radiation               | 13          |
| 2.1049(c)(1)  | Emission Masks (Occupied Bandwidth)                | 17          |
| 2.1055(a)(1)  | Frequency Stability (Temperature Variation)        | 22          |
| 2.1055(b)(1)  | Frequency Stability (Voltage Variation)            | 25          |
| 2.202(g)      | Necessary Bandwidth and Emission Bandwidth         | 26          |

PAGE NO.

1 of 26.

*Required information per ISO/IEC Guide 25-1990, paragraph 13.2:*

a)

TEST REPORT

b) Laboratory: M. Flom Associates, Inc.  
(FCC: 31040/SIT) 3356 N. San Marcos Place, Suite 107  
(Canada: IC 2044) Chandler, AZ 85225

c) Report Number: d02b0021

d) Client: Honeywell Inc.  
Business, Regional & General Aviation  
5353 W. Bell Road, MS 2DD80  
Glendale, AZ 85308

e) Identification: XS-855A  
FCC ID: GB8XS855A  
EUT Description: UHF Pulsed L Band Transponder

f) EUT Condition: Not required unless specified in individual tests.

g) Report Date: November 6, 2002  
EUT Received: October 23, 2002

h, j, k): As indicated in individual tests.

i) Sampling method: No sampling procedure used.

l) Uncertainty: In accordance with MFA internal quality manual.

m) Supervised by:



Morton Flom, P. Eng.

n) Results: The results presented in this report relate only to the item tested.

o) Reproduction: This report must not be reproduced, except in full, without written permission from this laboratory.

PAGE NO. 2 of 26.

LIST OF GENERAL INFORMATION REQUIRED FOR CERTIFICATION

IN ACCORDANCE WITH FCC RULES AND REGULATIONS,  
VOLUME II, PART 2 AND TO

87Q, 87.131, 87.475

Sub-part 2.1033

(c)(1): NAME AND ADDRESS OF APPLICANT:

Honeywell International Inc.  
Commercial Electronic Systems - Phoenix  
21111 N. 19<sup>th</sup> Avenue  
Phoenix, AZ 85027

MANUFACTURER:

Honeywell Inc.  
Business, Regional & General Aviation  
5353 W. Bell Road, MS 2DD80  
Glendale, AZ 85308

(c)(2): FCC ID: GB8XS855A

MODEL NO: XS-855A

(c)(3): INSTRUCTION MANUAL(S):

PLEASE SEE ATTACHED EXHIBITS

(c)(4): TYPE OF EMISSION: 11M9P0N

(c)(5): FREQUENCY RANGE, MHz: 1090

(c)(6): POWER RATING, Watts: 500 Peak Pulse  
Switchable Variable N/A

FCC GRANT NOTE:

BR - The output power is continuously variable from the value listed in this entry to 75%-80% of the value listed.

(c)(7): MAXIMUM POWER RATING, Watts:


DUT RESULTS:

Passes x Fails

PAGE NO.

3 of 26.

M. Flom Associates, Inc. is accredited by the American Association for Laboratory Accreditation (A2LA) as shown in the scope below.

|  <p><b>THE AMERICAN<br/>ASSOCIATION<br/>FOR LABORATORY<br/>ACCREDITATION</b></p> <p style="text-align: center;"><b>ACCREDITED LABORATORY</b></p> <p>A2LA has accredited</p> <p><b>M. FLOM ASSOCIATES, INC.</b><br/><b>Chandler, AZ</b></p> <p>for technical competence in the field of</p> <p><b>Electrical (EMC) Testing</b></p> <p>The accreditation covers the specific tests and types of tests listed on the agreed scope of accreditation. This laboratory meets the requirements of ISO/IEC 17025 - 1999 "General Requirements for the Competence of Testing and Calibration Laboratories" and any additional program requirements in the identified field of testing. Testing and calibration laboratories that comply with this International Standard also operate in accordance with ISO 9001 or ISO 9002.</p> <p>Presented this 2<sup>nd</sup> day of March, 2001.</p> <div style="text-align: right;"> <br/>       President<br/>       For the Accreditation Council<br/>       Certificate Number 1008.01<br/>       Valid to December 31, 2002     </div> <p style="text-align: center;">For tests or types of tests to which this accreditation applies, please refer to the laboratory's Electrical (EMC) Scope of Accreditation</p> |  <p><b>American Association for Laboratory Accreditation</b></p> <p style="text-align: center;"><b>SCOPE OF ACCREDITATION TO ISO/IEC 17025-1999</b></p> <p style="text-align: center;">M. FLOM ASSOCIATES, INC.<br/>Electronic Testing Laboratory<br/>3356 North San Marcos Place, Suite 107<br/>Chandler, AZ 85225<br/>Morton Flom Phone: 480 926 3100</p> <p style="text-align: center;"><b>ELECTRICAL (EMC)</b></p> <p>Valid to: December 31, 2002      Certificate Number: 1008-01</p> <p>In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following electromagnetic compatibility tests:</p> <table border="0"> <thead> <tr> <th style="text-align: left;">Tests</th> <th style="text-align: left;">Standard(s)</th> </tr> </thead> <tbody> <tr> <td>RF Emissions</td> <td>FCC Part 15 (Subparts B and C) using ANSI C63.4-2000, CISPR 11; CISPR 13; CISPR 14; CISPR 22; EN 55011; EN 55013; EN 55014; EN 55022; EN 50081-1; EN 50081-2; ICES-003; AS/NZS 1044; AS/NZS 1053; AS/NZS 3548; AS/NZS 4251.1; CNS 13438</td> </tr> <tr> <td>Harmonic Currents</td> <td>EN 61000-3-2</td> </tr> <tr> <td>Fluctuation and Flicker</td> <td>EN 61000-3-3</td> </tr> <tr> <td>RF Immunity</td> <td>EN: 50082-1, 50082-2, 55024; AS/NZS 4251.1</td> </tr> <tr> <td>Electrostatic Discharge (ESD)</td> <td>EN 61000-4-2</td> </tr> <tr> <td>Radiated Susceptibility</td> <td>EN 61000-4-3; ENV 50140; ENV 50204; IEC 1000-4-3; IEC 801-3</td> </tr> <tr> <td>EFT</td> <td>EN 61000-4-4; IEC 1000-4-4; IEC 801-4</td> </tr> <tr> <td>Surge</td> <td>EN 61000-4-5; ENV 50142; IEC 1000-4-5; IEC 801-5</td> </tr> <tr> <td>Voltage Dips, Short Interruptions, and Line Voltage Variations</td> <td>EN 61000-4-11</td> </tr> <tr> <td>47 CFR (FCC)</td> <td>Parts: 2, 18, 21, 22, 23, 24, 25, 26, 27, 74, 80, 87, 90, 95, 97, 101 (excluding SAR Testing)</td> </tr> <tr> <td>Power Frequency Magnetic Field Immunity</td> <td>EN 61000-4-8</td> </tr> <tr> <td>Immunity to Conducted Disturbances</td> <td>EN 61000-4-6</td> </tr> </tbody> </table> <div style="text-align: right;"> <br/>       Page 1 of 1     </div> <p>(A2LA Cert. No. 1008.01) 08/01/02</p> <p>5301 Buckeystown Pike, Suite 350 • Frederick, MD 21704-8373 • Phone: 301-644 3248 • Fax: 301-662 2974</p> | Tests | Standard(s) | RF Emissions | FCC Part 15 (Subparts B and C) using ANSI C63.4-2000, CISPR 11; CISPR 13; CISPR 14; CISPR 22; EN 55011; EN 55013; EN 55014; EN 55022; EN 50081-1; EN 50081-2; ICES-003; AS/NZS 1044; AS/NZS 1053; AS/NZS 3548; AS/NZS 4251.1; CNS 13438 | Harmonic Currents | EN 61000-3-2 | Fluctuation and Flicker | EN 61000-3-3 | RF Immunity | EN: 50082-1, 50082-2, 55024; AS/NZS 4251.1 | Electrostatic Discharge (ESD) | EN 61000-4-2 | Radiated Susceptibility | EN 61000-4-3; ENV 50140; ENV 50204; IEC 1000-4-3; IEC 801-3 | EFT | EN 61000-4-4; IEC 1000-4-4; IEC 801-4 | Surge | EN 61000-4-5; ENV 50142; IEC 1000-4-5; IEC 801-5 | Voltage Dips, Short Interruptions, and Line Voltage Variations | EN 61000-4-11 | 47 CFR (FCC) | Parts: 2, 18, 21, 22, 23, 24, 25, 26, 27, 74, 80, 87, 90, 95, 97, 101 (excluding SAR Testing) | Power Frequency Magnetic Field Immunity | EN 61000-4-8 | Immunity to Conducted Disturbances | EN 61000-4-6 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------|-------------------------|--------------|-------------|--------------------------------------------|-------------------------------|--------------|-------------------------|-------------------------------------------------------------|-----|---------------------------------------|-------|--------------------------------------------------|----------------------------------------------------------------|---------------|--------------|-----------------------------------------------------------------------------------------------|-----------------------------------------|--------------|------------------------------------|--------------|
| Tests                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Standard(s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| RF Emissions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | FCC Part 15 (Subparts B and C) using ANSI C63.4-2000, CISPR 11; CISPR 13; CISPR 14; CISPR 22; EN 55011; EN 55013; EN 55014; EN 55022; EN 50081-1; EN 50081-2; ICES-003; AS/NZS 1044; AS/NZS 1053; AS/NZS 3548; AS/NZS 4251.1; CNS 13438                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Harmonic Currents                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EN 61000-3-2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Fluctuation and Flicker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EN 61000-3-3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| RF Immunity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EN: 50082-1, 50082-2, 55024; AS/NZS 4251.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Electrostatic Discharge (ESD)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EN 61000-4-2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Radiated Susceptibility                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EN 61000-4-3; ENV 50140; ENV 50204; IEC 1000-4-3; IEC 801-3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| EFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EN 61000-4-4; IEC 1000-4-4; IEC 801-4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Surge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EN 61000-4-5; ENV 50142; IEC 1000-4-5; IEC 801-5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Voltage Dips, Short Interruptions, and Line Voltage Variations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | EN 61000-4-11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| 47 CFR (FCC)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Parts: 2, 18, 21, 22, 23, 24, 25, 26, 27, 74, 80, 87, 90, 95, 97, 101 (excluding SAR Testing)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Power Frequency Magnetic Field Immunity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EN 61000-4-8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |
| Immunity to Conducted Disturbances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EN 61000-4-6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |             |              |                                                                                                                                                                                                                                         |                   |              |                         |              |             |                                            |                               |              |                         |                                                             |     |                                       |       |                                                  |                                                                |               |              |                                                                                               |                                         |              |                                    |              |

"This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report."

Should this report contain any data for tests for which we are not accredited, or which have been undertaken by a subcontractor that is not A2LA accredited, such data would not covered by this laboratory's A2LA accreditation.

PAGE NO. 4 of 26.

Subpart 2.1033 (continued)

(c)(8): VOLTAGES & CURRENTS IN ALL ELEMENTS IN FINAL R. F. STAGE,  
INCLUDING FINAL TRANSISTOR OR SOLID STATE DEVICE:

COLLECTOR CURRENT, A = per manual  
COLLECTOR VOLTAGE, Vdc = per manual  
SUPPLY VOLTAGE, Vdc = 28

(c)(9): TUNE-UP PROCEDURE:

PLEASE SEE ATTACHED EXHIBITS

(c)(10): CIRCUIT DIAGRAM/CIRCUIT DESCRIPTION:

Including description of circuitry & devices provided for  
determining and stabilizing frequency, for suppression of  
spurious radiation, for limiting modulation and limiting  
power.

PLEASE SEE ATTACHED EXHIBITS

(c)(11): LABEL INFORMATION:

PLEASE SEE ATTACHED EXHIBITS

(c)(12): PHOTOGRAPHS:

PLEASE SEE ATTACHED EXHIBITS

(c)(13): DIGITAL MODULATION DESCRIPTION:

     ATTACHED EXHIBITS  
  X   N/A

(c)(14): TEST AND MEASUREMENT DATA:

FOLLOWS

PAGE NO.

5 of 26.

Sub-part

2.1033(c)(14):

TEST AND MEASUREMENT DATA

All tests and measurement data shown were performed in accordance with FCC Rules and Regulations, Volume II; Part 2, Sub-part J, Sections 2.947, 2.1033(c), 2.1041, 2.1046, 2.1047, 2.1079, 2.1051, 2.1053, 2.1055, 2.1057 and the following individual Parts:

- \_\_\_\_\_ 21 - Domestic Public Fixed Radio Services
- \_\_\_\_\_ 22 - Public Mobile Services
- \_\_\_\_\_ 22 Subpart H - Cellular Radiotelephone Service
- \_\_\_\_\_ 22.901(d) - Alternative technologies and auxiliary services
- \_\_\_\_\_ 23 - International Fixed Public Radiocommunication services
- \_\_\_\_\_ 24 - Personal Communications Services
- \_\_\_\_\_ 74 Subpart H - Low Power Auxiliary Stations
- \_\_\_\_\_ 80 - Stations in the Maritime Services
- \_\_\_\_\_ 80 Subpart E - General Technical Standards
- \_\_\_\_\_ 80 Subpart F - Equipment Authorization for Compulsory Ships
- \_\_\_\_\_ 80 Subpart K - Private Coast Stations and Marine Utility Stations
- \_\_\_\_\_ 80 Subpart S - Compulsory Radiotelephone Installations for Small Passenger Boats
- \_\_\_\_\_ 80 Subpart T - Radiotelephone Installation Required for Vessels on the Great Lakes
- \_\_\_\_\_ 80 Subpart U - Radiotelephone Installations Required by the Bridge-to-Bridge Act
- \_\_\_\_\_ 80 Subpart V - Emergency Position Indicating Radiobeacons (EPIRB'S)
- \_\_\_\_\_ 80 Subpart W - Global Maritime Distress and Safety System (GMDSS)
- \_\_\_\_\_ 80 Subpart X - Voluntary Radio Installations
- x   87 - Aviation Services
- \_\_\_\_\_ 90 - Private Land Mobile Radio Services
- \_\_\_\_\_ 94 - Private Operational-Fixed Microwave Service
- \_\_\_\_\_ 95 Subpart A - General Mobile Radio Service (GMRS)
- \_\_\_\_\_ 95 Subpart C - Radio Control (R/C) Radio Service
- \_\_\_\_\_ 95 Subpart D - Citizens Band (CB) Radio Service
- \_\_\_\_\_ 95 Subpart E - Family Radio Service
- \_\_\_\_\_ 95 Subpart F - Interactive Video and Data Service (IVDS)
- \_\_\_\_\_ 97 - Amateur Radio Service
- \_\_\_\_\_ 101 - Fixed Microwave Services

PAGE NO.

6 of 26.

STANDARD TEST CONDITIONS  
and  
ENGINEERING PRACTICES

Except as noted herein, the following conditions and procedures were observed during the testing:

In accordance with ANSI C63.4-1992/2000 Draft, section 6.1.9, and unless otherwise indicated in the specific measurement results, the ambient temperature of the actual EUT was maintained within the range of 10° to 40°C (50° to 104 °F) unless the particular equipment requirements specify testing over a different temperature range. Also, unless otherwise indicated, the humidity levels were in the range of 10% to 90% relative humidity.

Prior to testing, the EUT was tuned up in accordance with the manufacturer's alignment procedures. All external gain controls were maintained at the position of maximum and/or optimum gain throughout the testing.

Measurement results, unless otherwise noted, are worst case measurements.

PAGE NO. 7 of 26.  
NAME OF TEST: Carrier Output Power (Conducted)  
SPECIFICATION: 47 CFR 2.1046(a)  
GUIDE: ANSI/TIA/EIA-603-1992, Paragraph 2.2.1  
TEST EQUIPMENT: As per attached page

MEASUREMENT PROCEDURE


1. The EUT was connected to a resistive coaxial attenuator of normal load impedance, and the unmodulated output power was measured by means of an R. F. Power Meter.
2. Measurement accuracy is  $\pm 3\%$ .

MEASUREMENT RESULTS  
(worst case)

FREQUENCY OF CARRIER, MHz = 1090.00

| POWER SETTING | R. F. POWER, WATTS |
|---------------|--------------------|
| High          | 500 Peak Pulse     |

PERFORMED BY:


  
Doug Noble, B.A.S. E.E.T.

PAGE NO.

8 of 26.

TRANSMITTER POWER CONDUCTED MEASUREMENTS

TEST 1: R. F. POWER OUTPUT  
 TEST 2: FREQUENCY STABILITY



| Asset  | Description<br>(as applicable) | s/n        |
|--------|--------------------------------|------------|
| (1)    | <u>COAXIAL ATTENUATOR</u>      |            |
| i00122 | Narda 766-10                   | 7802       |
| i00123 | Narda 766-10                   | 7802A      |
| i00069 | Bird 8329 (30 dB)              | 1006       |
| i00113 | Sierra 661A-3D                 | 1059       |
| (2)    | <u>POWER METERS</u>            |            |
| i00014 | HP 435A                        | 1733A05836 |
| i00039 | HP 436A                        | 2709A26776 |
| i00020 | HP 8901A POWER MODE            | 2105A01087 |
| (3)    | <u>FREQUENCY COUNTER</u>       |            |
| i00042 | HP 5383A                       | 1628A00959 |
| i00019 | HP 5334B                       | 2704A00347 |
| i00020 | HP 8901A FREQUENCY MODE        | 2105A01087 |

PAGE NO. 9 of 26.


NAME OF TEST: ERP Carrier Power (Radiated)

SPECIFICATION: TIA/EIA 603A (Substitution Method)

2.2.17.1 Definition: The average radiated power of a licensed device is the equivalent power required, when delivered to a half-wave dipole or horn antenna, to produce at a distant point the same average received power as produced by the licensed device.

2.2.17.2 Method of Measurement:

a) Connect the equipment as illustrated. Place the transmitter to be tested on the turntable in the standard test site.



b) Raise and lower the test antenna from 1m to 6 m with the transmitter facing the antenna and record the highest received signal in dB as LVL.

c) Repeat step b) for seven additional readings at 45° interval positions of the turntable.

d) Replace the transmitter under test with a half-wave or horn vertically polarized antenna. The center of the antenna should be at the same location as the transmitter under test. Connect the antenna to a signal generator with a known output power and record the path loss in dB or LOSS.

e) Calculate the average radiated output power from the readings in step c) and d) by the following:

$$\text{average radiated power} = 10 \log_{10} \Sigma 10(\text{LVL} - \text{LOSS})/10 \text{ (dBm)}$$

| RESULTS             |                      |                  |
|---------------------|----------------------|------------------|
|                     | 1090 MHZ<br>LVL, dbm | Path Loss,<br>db |
| 0°                  | 50.1                 | -1.0             |
| 45°                 | 41.7                 | -1.0             |
| 90°                 | 51.7                 | -1.0             |
| 135°                | 50.6                 | -1.0             |
| 180°                | 48.2                 | -1.0             |
| 225°                | 43.3                 | -1.0             |
| 270°                | 49.0                 | -1.0             |
| 315°                | 51.7                 | -1.0             |
|                     |                      | 1090 MHZ         |
| Av. Radiated Power: |                      | 49.29 dbm        |


PAGE NO. 10 of 26.  
NAME OF TEST: Unwanted Emissions (Transmitter Conducted)  
SPECIFICATION: 47 CFR 2.1051  
GUIDE: ANSI/TIA/EIA-603-1992, Paragraph 2.2.13  
TEST EQUIPMENT: As per attached page

MEASUREMENT PROCEDURE

1. The emissions were measured for the worst case as follows:  
(a): within a band of frequencies defined by the carrier frequency plus and minus one channel.  
(b): from the lowest frequency generated in the EUT and to at least the 10th harmonic of the carrier frequency, or 40 GHz, whichever is lower.
2. The magnitude of spurious emissions that are attenuated more than 20 dB below the permissible value need not be specified.
3. MEASUREMENT RESULTS: ATTACHED FOR WORST CASE

FREQUENCY OF CARRIER, MHz = 1090.00  
SPECTRUM SEARCHED, GHz = 0 to 10 x  $F_c$   
MAXIMUM RESPONSE, Hz = N/A  
ALL OTHER EMISSIONS =  $\geq 20$  dB BELOW LIMIT

PERFORMED BY:


  
Doug Noble, B.A.S. E.E.T.

PAGE NO.

11 of 26.

TRANSMITTER SPURIOUS EMISSION

TEST A. OCCUPIED BANDWIDTH (IN-BAND SPURIOUS)  
 TEST B. OUT-OF-BAND SPURIOUS



| Asset Description<br>(as applicable)  | s/n        |
|---------------------------------------|------------|
| (1) <u>AUDIO OSCILLATOR/GENERATOR</u> |            |
| i00010 HP 204D                        | 1105A04683 |
| i00017 HP 8903A                       | 2216A01753 |
| i00012 HP 3312A                       | 1432A11250 |
| (2) <u>COAXIAL ATTENUATOR</u>         |            |
| i00122 Narda 766-10                   | 7802       |
| i00123 Narda 766-10                   | 7802A      |
| i00069 Bird 8329 (30 dB)              | 1006       |
| i00113 Sierra 661A-3D                 | 1059       |
| (3) <u>FILTERS; NOTCH, HP, LP, BP</u> |            |
| i00126 Eagle TNF-1                    | 100-250    |
| i00125 Eagle TNF-1                    | 50-60      |
| i00124 Eagle TNF-1                    | 250-850    |
| (4) <u>SPECTRUM ANALYZER</u>          |            |
| i00048 HP 8566B                       | 2511A01467 |
| i00029 HP 8563E                       | 3213A00104 |

PAGE NO. 12 of 26.


NAME OF TEST: Unwanted Emissions (Transmitter Conducted)

LIMIT(S), dBc  
 $-(43+10 \times \text{LOG } P) = -70$  (500 Watts)

g02a0078: 2002-Oct-29 Tue 14:29:00  
 STATE: 2:High Power

| FREQUENCY TUNED,<br>MHz | FREQUENCY<br>EMISSION, MHz | LEVEL, dBm | LEVEL, dBc | MARGIN, dB |
|-------------------------|----------------------------|------------|------------|------------|
| 1090.000000             | 2179.921400                | -23        | -77.1      | -10        |
| 1090.000000             | 3270.084600                | -26        | -80.1      | -13        |
| 1090.000000             | 4359.751100                | -26.2      | -80.3      | -13.2      |
| 1090.000000             | 5449.860300                | -25.3      | -79.4      | -12.3      |
| 1090.000000             | 6539.884300                | -20.2      | -74.3      | -7.2       |
| 1090.000000             | 7629.926700                | -20.5      | -74.6      | -7.5       |
| 1090.000000             | 8719.942600                | -19.7      | -73.8      | -6.7       |
| 1090.000000             | 9810.240900                | -18.6      | -72.7      | -5.6       |
| 1090.000000             | 10900.222000               | -20.4      | -74.5      | -7.4       |
| 1090.000000             | 11989.891300               | -19.2      | -73.3      | -6.2       |
| 1090.000000             | 13080.182300               | -14.4      | -68.5      | -1.4       |
| 1090.000000             | 14169.868300               | -14        | -68.1      | -1         |
| 1090.000000             | 15259.989400               | -14.6      | -68.7      | -1.6       |
| 1090.000000             | 16349.900700               | -14.2      | -68.3      | -1.2       |

PERFORMED BY:

  
 Doug Noble, B.A.S. E.E.T.

PAGE NO. 13 of 26.

NAME OF TEST: Field Strength of Spurious Radiation

SPECIFICATION: 47 CFR 2.1053(a)


GUIDE: ANSI/TIA/EIA-603-1992/2001, Paragraph 1.2.12 and Table 16, 47 CFR 22.917

#### MEASUREMENT PROCEDURE

1.2.12.1 Definition: Radiated spurious emissions are emissions from the equipment when transmitting into a non-radiating load on a frequency or frequencies which are outside an occupied band sufficient to ensure transmission of information of required quality for the class of communications desired.

#### 1.2.12.2 Method of Measurement


- A) Connect the equipment as illustrated
- B) Adjust the spectrum analyzer for the following settings:
  - 1) Resolution Bandwidth 100 kHz (<1 GHz), 1 MHz (> 1GHz).
  - 2) Video Bandwidth  $\geq 3$  times Resolution Bandwidth, or 30 kHz (22.917)
  - 3) Sweep Speed  $\leq 2000$  Hz/second
  - 4) Detector Mode = Mean or Average Power
- C) Place the transmitter to be tested on the turntable in the standard test site. The transmitter is transmitting into a non-radiating load which is placed on the turntable. The RF cable to this load should be of minimum length.



PAGE NO. 14 of 26.

NAME OF TEST: Field Strength of Spurious Radiation (Cont.)

- D) For each spurious measurement the test antenna should be adjusted to the correct length for the frequency involved. This length may be determined from a calibration ruler supplied with the equipment. Measurements shall be made from the lowest radio frequency generated in the equipment to the tenth harmonic of the carrier, except for the region close to the carrier equal to  $\pm$  the test bandwidth (see section 1.3.4.4).
- E) For each spurious frequency, raise and lower the test antenna from 1 m to 4 m to obtain a maximum reading on the spectrum analyzer with the test antenna at horizontal polarity. Repeat this procedure to obtain the highest possible reading. Record this maximum reading.
- F) Repeat step E) for each spurious frequency with the test antenna polarized vertically.



- G) Reconnect the equipment as illustrated.
- H) Keep the spectrum analyzer adjusted as in step B).
- I) Remove the transmitter and replace it with a substitution antenna (the antenna should be half-wavelength for each frequency involved). The center of the substitution antenna should be approximately at the same location as the center of the transmitter. At lower frequencies, where the substitution antenna is very long, this will be impossible to achieve when the antenna is polarized vertically. In such case the lower end of the antenna should be 0.3 m above the ground.

PAGE NO. 15 of 26.

NAME OF TEST: Field Strength of Spurious Radiation (Cont.)

- J) Feed the substitution antenna at the transmitter end with a signal generator connected to the antenna by means of a non-radiating cable. With the antennas at both ends horizontally polarized and with the signal generator tuned to a particular spurious frequency, raise and lower the test antenna to obtain a maximum reading at the spectrum analyzer. Adjust the level of the signal generator output until the previously recorded maximum reading for this set of conditions is obtained. This should be done carefully repeating the adjustment of the test antenna and generator output.
- K) Repeat step J) with both antennas vertically polarized for each spurious frequency.
- L) Calculate power in dBm into a reference ideal half-wave dipole antenna by reducing the readings obtained in steps J) and K) by the power loss in the cable between the generator and the antenna and further corrected for the gain of the substitution antenna used relative to an ideal half-wave dipole antenna.
- M) The levels recorded in step L) are absolute levels of radiated spurious emissions in dBm. The radiated spurious emissions in dB can be calculated by the following:

Radiated spurious emissions dB =  
 $10\log_{10}(\text{TX power in watts}/0.001) - \text{the levels in step l})$

NOTE: It is permissible that other antennas provided can be referenced to a dipole.

## Test Equipment:


| Asset Description<br>(as applicable)                  | s/n             | Cycle        | Last Cal                                |
|-------------------------------------------------------|-----------------|--------------|-----------------------------------------|
| <small>Per ANSI C63.4-1992/2000 Draft, 10.1.4</small> |                 |              |                                         |
| <b>TRANSDUCER</b>                                     |                 |              |                                         |
| i00088 EMC0 3109-B 25MHz-300MHz                       | 2336            | 12 mo.       | Sep-02                                  |
| i00065 EMC0 3301-B Active Monopole                    | 2635            | 12 mo.       | Sep-02                                  |
| i00089 Aprel 2001 200MHz-1GHz                         | 001500          | 12 mo.       | Sep-02                                  |
| i00103 EMC0 3115 1GHz-18GHz                           | 9208-3925       | 12 mo.       | Sep-02                                  |
| <b>AMPLIFIER</b>                                      |                 |              |                                         |
| i00028 HP 8449A                                       | 2749A00121      | 12 mo.       | Mar-02                                  |
| <b>SPECTRUM ANALYZER</b>                              |                 |              |                                         |
| i00029 HP 8563E                                       | 3213A00104      | 12 mo.       | Jan-02                                  |
| i00033 HP 85462A                                      | 3625A00357      | 12 mo.       | Jan-02                                  |
| i00048 HP 8566B                                       | 2511AD1467      | 6 mo.        | Jan-02                                  |
| <b>MICROPHONE, ANTENNA PORT, AND CABELING</b>         |                 |              |                                         |
| Microphone                                            | Yes/No <u>N</u> | Cable Length | <u>N/A</u> Meters                       |
| Antenna Port Terminated                               | Yes/No <u>Y</u> | Load         | <u>N/A</u> Antenna Gain <u>&gt;0dbd</u> |
| All Ports Terminated by                               | Load <u>N/A</u> | Peripheral   | <u>N/A</u>                              |

PAGE NO. 16 of 26.

NAME OF TEST: Field Strength of Spurious Radiation  
 g02a0072: 2002-Oct-25 Fri 08:25:00  
 STATE: 2:High Power

| FREQUENCY TUNED,<br>MHz | FREQUENCY<br>EMISSION, MHz | EIRP, dBm | EIRP, dbc |
|-------------------------|----------------------------|-----------|-----------|
| 1090.000000             | 2179.791667                | -33.7     | ≥ -88.9   |
| 1090.000000             | 3269.733333                | -33.0     | ≥ -88.9   |
| 1090.000000             | 4359.816667                | -34.0     | ≥ -88.9   |
| 1090.000000             | 5449.525000                | -41.2     | ≥ -88.9   |
| 1090.000000             | 6540.125000                | -42.2     | ≥ -88.9   |
| 1090.000000             | 7630.158333                | -31.9     | ≥ -88.9   |
| 1090.000000             | 8720.158333                | -40.6     | ≥ -88.9   |
| 1090.000000             | 9809.758333                | -35.2     | ≥ -88.9   |
| 1090.000000             | 10899.858333               | -35.2     | ≥ -88.9   |

SUPERVISED BY:

  
 Doug Noble, B.A.S. E.E.T.

PAGE NO. 17 of 26.  
NAME OF TEST: Emission Masks (Occupied Bandwidth)  
SPECIFICATION: 47 CFR 2.1049(c)(1)  
GUIDE: ANSI/TIA/EIA-603-1992, Paragraph 2.2.11  
TEST EQUIPMENT: As per previous page


MEASUREMENT PROCEDURE

1. The EUT and test equipment were set up as shown on the following page, with the Spectrum Analyzer connected.
2. For EUTs supporting audio modulation, the audio signal generator was adjusted to the frequency of maximum response and with output level set for  $\pm 2.5/\pm 1.25$  kHz deviation (or 50% modulation). With level constant, the signal level was increased 16 dB.
3. For EUTs supporting digital modulation, the digital modulation mode was operated to its maximum extent.
4. The Occupied Bandwidth was measured with the Spectrum Analyzer controls set as shown on the test results.
5. MEASUREMENT RESULTS: ATTACHED

PAGE NO.

18 of 26.

NAME OF TEST: Emission Masks (Occupied Bandwidth)  
 g02a0074: 2002-Oct-29 Tue 14:19:00  
 STATE: 2:High Power



POWER:  
 MODULATION:

HIGH  
 NONE  
 REFERENCE LEVEL


PERFORMED BY:

  
 Doug Noble, B.A.S. E.E.T.

PAGE NO.

19 of 26.


NAME OF TEST: Emission Masks (Occupied Bandwidth)  
g02a0075: 2002-Oct-29 Tue 14:26:00  
STATE: 2:High Power



POWER:  
MODULATION:

HIGH  
L BAND PULSED  
OCCUPIED BANDWIDTH

PERFORMED BY:

  
Doug Noble, B.A.S. E.E.T.

PAGE NO.

20 of 26.


NAME OF TEST: Emission Masks (Occupied Bandwidth)  
g02a0076: 2002-Oct-29 Tue 14:27:00  
STATE: 2:High Power



POWER:  
MODULATION:

HIGH  
L BAND PULSED  
99 % POWER BANDWIDTH


PERFORMED BY:

  
Doug Noble, B.A.S. E.E.T.

PAGE NO.

21 of 26.

NAME OF TEST: Emission Masks (Occupied Bandwidth)  
g02a0077: 2002-Oct-29 Tue 14:28:00  
STATE: 2:High Power



POWER:  
MODULATION:

HIGH  
L BAND PULSED

PERFORMED BY:

Doug Noble, B.A.S. E.E.T.

PAGE NO. 22 of 26.

NAME OF TEST: Frequency Stability (Temperature Variation)

SPECIFICATION: 47 CFR 2.1055(a)(1)

GUIDE: ANSI/TIA/EIA-603-1992, Paragraph 2.2.2

TEST CONDITIONS: As Indicated

TEST EQUIPMENT: As per previous page


MEASUREMENT PROCEDURE

1. The EUT and test equipment were set up as shown on the following page.
2. With all power removed, the temperature was decreased to -30°C and permitted to stabilize for three hours. Power was applied and the maximum change in frequency was noted within one minute.
3. With power OFF, the temperature was raised in 10°C steps. The sample was permitted to stabilize at each step for at least one-half hour. Power was applied and the maximum frequency change was noted within one minute.
4. The temperature tests were performed for the worst case.
5. MEASUREMENT RESULTS: ATTACHED

**PLEASE NOTE:** THIS DEVICE IS A TRANSPONDER AND FALLS UNDER THE FREQUENCY STABILITY PROVISIONS OF PART 87.133(d).

PAGE NO.

23 of 26.

**Test Setup for Transmitter Frequency Stability****TEST EQUIPMENT**

Record of calibration data for all equipment used for this test.

| Description       | Model No.     | ID No.  | Calibration Due Date |
|-------------------|---------------|---------|----------------------|
| VDR Test Set      | T337197       | 1       | N/R                  |
| Spectrum analyzer | H-P 8563E     | D401090 | 10-16-04             |
| Test set          | IFR ATC-1400A | AV58994 | 9-11-03              |

PAGE NO. 24 of 26.

NAME OF TEST: Frequency Stability (Temperature Variation)

STATE:

**Test Data Taken at 28 VDC Input**

| <b>Test Frequency (MHz)</b> | <b>Chamber Temp</b> | <b>Measured Frequency (MHz)</b> | <b>Frequency Error (Hz)</b> | <b>Test Limit <math>\pm 1</math> MHz</b> |
|-----------------------------|---------------------|---------------------------------|-----------------------------|------------------------------------------|
| 1080.00                     | -20°C               | 1089.970                        |                             | $\pm 1.0$ MHz                            |
|                             | 20°C                | 1089.970                        |                             | $\pm 1.0$ MHz                            |
|                             | 55°C                | 1089.950                        |                             | $\pm 1.0$ MHz                            |

PAGE NO. 25 of 26.

NAME OF TEST: Frequency Stability (Voltage Variation)

SPECIFICATION: 47 CFR 2.1055(d)(1)

GUIDE: ANSI/TIA/EIA-603-1992, Paragraph 2.2.2

TEST EQUIPMENT: As per previous page


MEASUREMENT PROCEDURE

1. The EUT was placed in a temperature chamber at  $25\pm 5^{\circ}\text{C}$  and connected as for "Frequency Stability - Temperature Variation" test.
2. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
3. The variation in frequency was measured for the worst case.

**Test Data Taken at  $25^{\circ}\text{C}$**

| Test Frequency (MHz) | Supply Voltage (V) | Measured Frequency (MHz) | Frequency Error (Hz) | Test Limit $\pm 1.0$ MHz |
|----------------------|--------------------|--------------------------|----------------------|--------------------------|
| 1090.00              | 18.0               | 1089.930                 | -70 KHz              | $\pm 1.0$ MHz            |
|                      | 22.4               | 1089.970                 | -30 KHz              | $\pm 1.0$ MHz            |
|                      | 23.8               | 1089.980                 | -20 KHz              | $\pm 1.0$ MHz            |
|                      | 28.0               | 1089.970                 | -30 KHz              | $\pm 1.0$ MHz            |
|                      | 32.2               | 1089.970                 | -30 KHz              | $\pm 1.0$ MHz            |

PERFORMED BY:

  
Doug Noble, B.A.S. E.E.T.

PAGE NO. 26 of 26.

NAME OF TEST: Necessary Bandwidth and Emission Bandwidth


SPECIFICATION: 47 CFR 2.202(g)

MODULATION = 11M9P0N

NECESSARY BANDWIDTH CALCULATION:

|                                    |                                          |
|------------------------------------|------------------------------------------|
| MAXIMUM MODULATION (M), kHz        | = N/A                                    |
| MAXIMUM DEVIATION (D), kHz         | = N/A                                    |
| CONSTANT FACTOR (K)                | = 1                                      |
| NECESSARY BANDWIDTH ( $B_N$ ), kHz | = $(2 \times M) + (2 \times D \times K)$ |
|                                    | = 11.90 MHz, MEASURED                    |

PERFORMED BY:

  
Doug Noble, B.A.S. E.E.T.

END OF TEST REPORT

TESTIMONIAL  
AND  
STATEMENT OF CERTIFICATION

THIS IS TO CERTIFY THAT:

1. THAT the application was prepared either by, or under the direct supervision of, the undersigned.
2. THAT the technical data supplied with the application was taken under my direction and supervision.
3. THAT the data was obtained on representative units, randomly selected.
4. THAT, to the best of my knowledge and belief, the facts set forth in the application and accompanying technical data are true and correct.

CERTIFYING ENGINEER:

  
Morton Flom, P. Eng.