




Conducted Band Edge

LTE Band 66 / 1.4MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 3MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 5MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 10MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 15MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 66 / 20MHz / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 12.MAR.2026 04:53:57




Date: 12.MAR.2026 04:54:51



Conducted Spurious Emission


LTE Band 66 / 1.4MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 04:56:04

Middle Channel / QPSK



Date: 12.MAR.2026 04:57:13

Highest Channel / QPSK




Date: 12.MAR.2026 04:58:23




LTE Band 66 / 3MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 04:59:37

Middle Channel / QPSK



Date: 12.MAR.2026 05:00:46

Highest Channel / QPSK




Date: 12.MAR.2026 05:01:59




LTE Band 66 / 5MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 05:03:13

Middle Channel / QPSK



Date: 12.MAR.2026 05:04:22

Highest Channel / QPSK




Date: 12.MAR.2026 05:05:31




LTE Band 66 / 10MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 05:06:48

Middle Channel / QPSK



Date: 12.MAR.2026 05:07:59

Highest Channel / QPSK




Date: 12.MAR.2026 05:09:15




LTE Band 66 / 15MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 05:10:29

Middle Channel / QPSK



Date: 12.MAR.2026 05:11:38

Highest Channel / QPSK




Date: 12.MAR.2026 05:12:48




LTE Band 66 / 20MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 05:14:02

Middle Channel / QPSK



Date: 12.MAR.2026 05:15:11

Highest Channel / QPSK



Date: 12.MAR.2026 05:16:21

Frequency Stability

Test Conditions		LTE Band 66 (QPSK) / Middle Channel / BandWidth 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0021	-3.7	Yes	PASS
40	Normal Voltage	0.0036	6.2	Yes	
30	Normal Voltage	0.0006	-1	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0028	4.9	Yes	
0	Normal Voltage	0.0044	7.6	Yes	
-10	Normal Voltage	0.0045	-7.9	Yes	
-20	Normal Voltage	0.0037	-6.4	Yes	
-30	Normal Voltage	0.0049	-8.6	Yes	
20	Maximum Voltage	0.0019	-3.3	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0007	1.2	Yes	

Note:


1. Normal Voltage = 3.3 V. ; Minimum Voltage = 3.135 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



LTE Band 71


Peak-to-Average Ratio

Mode	LTE Band 71 / 20MHz				
Mod.	QPSK	16QAM	64QAM	256QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	5.19	5.80	6.32	6.75	PASS



**26dB Bandwidth**


Mode	LTE Band 71 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	-	-	-	-	4.94	4.89	9.78	9.76	14.52	14.25	19.04	19.24






LTE Band 71


Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK




Middle Channel / 20MHz / 16QAM





Occupied Bandwidth


Mode	LTE Band 71 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	-	-	-	-	4.48	4.48	9.02	9.06	13.56	13.46	17.91	17.93






LTE Band 71


Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK



Middle Channel / 20MHz / 16QAM







Conducted Band Edge

LTE Band 71 / 5MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 10MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 71 / 15MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Conducted Spurious Emission


LTE Band 71 / 5MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 05:50:01

Middle Channel / QPSK



Date: 12.MAR.2026 05:51:09

Highest Channel / QPSK




Date: 12.MAR.2026 05:52:18




LTE Band 71 / 10MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 05:53:32

Middle Channel / QPSK



Date: 12.MAR.2026 05:54:40

Highest Channel / QPSK




Date: 12.MAR.2026 05:55:49




LTE Band 71 / 15MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 05:57:02

Middle Channel / QPSK



Date: 12.MAR.2026 05:58:10

Highest Channel / QPSK




Date: 12.MAR.2026 05:59:18




LTE Band 71 / 20MHz

Lowest Channel / QPSK




Date: 12.MAR.2026 06:00:32

Middle Channel / QPSK



Date: 12.MAR.2026 06:01:40

Highest Channel / QPSK



Date: 12.MAR.2026 06:02:49

Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel / BandWidth 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0072	4.9	Yes	PASS
40	Normal Voltage	0.0109	7.4	Yes	
30	Normal Voltage	0.0025	1.7	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0104	-7.1	Yes	
0	Normal Voltage	0.0071	-4.8	Yes	
-10	Normal Voltage	0.0018	-1.2	Yes	
-20	Normal Voltage	0.0022	1.5	Yes	
-30	Normal Voltage	0.0065	-4.4	Yes	
20	Maximum Voltage	0.0084	-5.7	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0024	-1.6	Yes	

Note:

1. Normal Voltage = 3.3 V. ; Minimum Voltage = 3.135 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Test Results of Radiated Test

B1.Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	LTE B26	Part 22H	H	3339	-55.16	RMS	29.68	-26.75	0.24	-95.23	36.90	-13.00	-42.16	H	0
1	LTE B25	Part 24E	H	11377	-31.92	RMS	39.00	-20.11	0.41	-95.23	44.01	-13.00	-18.92	V	0
1	LTE B71	Part 27N	L	1992	-47.20	RMS	26.60	-28.34	0.34	-95.23	49.43	-13.00	-34.20	H	0
1	LTE B12	Part 27H	M	1406	-57.11	RMS	25.64	-30.43	0.60	-95.23	42.31	-13.00	-44.11	H	0
1	LTE B13	Part 27F	H	1565	-58.08	RMS	25.35	-29.65	0.62	-95.23	40.83	-42.15	-15.93	H	0
1	LTE B66	Part 27L	H	7044	-46.20	RMS	35.68	-23.44	0.30	-95.23	36.49	-13.00	-33.20	H	0
1	LTE B7	Part 27M	H	15307	-36.22	RMS	38.79	-46.72	0.53	-95.23	66.41	-25.00	-11.22	V	0
2	LTE B41	Part 27M	L	14983	-31.12	RMS	39.93	-47.03	0.53	-95.23	70.68	-25.00	-6.12	V	0
1	LTE B42	Part 27Q	H	14124	-35.19	RMS	40.80	-18.29	0.60	-95.23	36.93	-13.00	-22.19	H	0
1	LTE B43	Part 27O	L	14804	-35.05	RMS	40.30	-17.79	0.63	-95.23	37.04	-13.00	-22.05	H	0
1	LTE B30	Part 27D	M	13834	-42.28	RMS	40.40	-46.98	0.51	-95.23	59.02	-40.00	-2.28	V	0
2	LTE B30	Part 27D	M	13847	-41.42	RMS	40.40	-46.97	0.51	-95.23	59.87	-40.00	-1.42	V	0
1	LTE B14	Part 90R	H	1587	-57.06	RMS	25.57	-29.57	0.63	-95.23	41.54	-42.15	-14.91	V	0
1	LTE B26	Part 90S	H	3277	-55.78	RMS	29.60	-26.82	0.27	-95.23	36.40	-13.00	-42.78	V	0
2	LTE B26	Part 90S	M	3258	-56.11	RMS	29.60	-26.85	0.28	-95.23	36.09	-13.00	-43.11	H	0
3	LTE B26	Part 90S	L	3259	-55.95	RMS	29.60	-26.84	0.28	-95.23	36.24	-13.00	-42.95	H	0
4	LTE B26	Part 90S	L	3269	-55.25	RMS	29.60	-26.83	0.27	-95.23	36.94	-13.00	-42.25	V	0




Ant. 0

Part 22H Mode 1

LTE B26 15M Ch26865 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 15M Ch26865 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-61.47	RMS	25.10	-29.37	0.59	-95.23	37.44	-13.00	-48.47	Horizontal
2	2475.00	-58.38	RMS	27.75	-27.81	0.28	-95.23	36.63	-13.00	-45.38	Horizontal
3	3299.00	-55.72	RMS	29.60	-26.80	0.26	-95.23	36.45	-13.00	-42.72	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 15M Ch26865 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-61.32	RMS	25.10	-29.37	0.59	-95.23	37.59	-13.00	-48.32	Vertical
2	2475.00	-58.35	RMS	27.75	-27.81	0.28	-95.23	36.66	-13.00	-45.35	Vertical
3	3299.00	-55.97	RMS	29.60	-26.80	0.26	-95.23	36.20	-13.00	-42.97	Vertical




Ant. 0

Part 22H Mode 1

LTE B26 15M Ch26915 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 15M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-60.99	RMS	25.20	-29.34	0.58	-95.23	37.80	-13.00	-47.99	Horizontal
2	2490.00	-58.27	RMS	27.90	-27.79	0.27	-95.23	36.58	-13.00	-45.27	Horizontal
3	3319.00	-55.69	RMS	29.64	-26.78	0.25	-95.23	36.43	-13.00	-42.69	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 15M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-61.20	RMS	25.20	-29.34	0.58	-95.23	37.59	-13.00	-48.20	Vertical
2	2490.00	-58.13	RMS	27.90	-27.79	0.27	-95.23	36.72	-13.00	-45.13	Vertical
3	3319.00	-55.83	RMS	29.64	-26.78	0.25	-95.23	36.29	-13.00	-42.83	Vertical




Ant. 0

Part 22H Mode 1

LTE B26 15M Ch26965 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 15M Ch26965 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1670.00	-61.38	RMS	25.30	-29.31	0.58	-95.23	37.28	-13.00	-48.38	Horizontal
2	2505.00	-58.09	RMS	27.95	-27.77	0.27	-95.23	36.69	-13.00	-45.09	Horizontal
3	3339.00	-55.16	RMS	29.68	-26.75	0.24	-95.23	36.90	-13.00	-42.16	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 15M Ch26965 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1670.00	-61.36	RMS	25.30	-29.31	0.58	-95.23	37.30	-13.00	-48.36	Vertical
2	2505.00	-58.18	RMS	27.95	-27.77	0.27	-95.23	36.60	-13.00	-45.18	Vertical
3	3339.00	-55.62	RMS	29.68	-26.75	0.24	-95.23	36.44	-13.00	-42.62	Vertical




Ant. 0


Part 24E Mode 1

LTE B25 20M Ch26140 1RB0 QPSK

L



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3702.00	-55.20	RMS	29.71	-26.32	0.86	-95.23	0.00	-13.00	-42.20	Horizontal	
2	5553.00	-50.60	RMS	32.80	-24.38	0.39	-95.23	35.82	-13.00	-37.60	Horizontal	
3	7404.00	-45.33	RMS	36.30	-23.22	0.39	-95.23	36.43	-13.00	-32.33	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3702.00	-55.14	RMS	29.71	-26.32	0.86	-95.23	35.84	-13.00	-42.14	Vertical	
2	5553.00	-50.84	RMS	32.80	-24.38	0.39	-95.23	35.58	-13.00	-37.84	Vertical	
3	7404.00	-45.42	RMS	36.30	-23.22	0.39	-95.23	36.34	-13.00	-32.42	Vertical	
4	11107.00	-38.42	RMS	38.60	-20.18	0.40	-95.23	37.99	-13.00	-25.42	Vertical	




Ant. 0


Part 24E Mode 1

LTE B25 20M Ch26340 1RB0 QPSK

M



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3742.00	-54.78	RMS	29.95	-26.27	0.82	-95.23	35.95	-13.00	-41.78 Horizontal
2	5613.00	-50.30	RMS	32.83	-24.34	0.38	-95.23	36.06	-13.00	-37.30 Horizontal
3	7484.00	-45.23	RMS	36.23	-23.16	0.36	-95.23	36.57	-13.00	-32.23 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3742.00	-54.48	RMS	29.95	-26.27	0.82	-95.23	36.25	-13.00	-41.48 Vertical
2	5613.00	-50.76	RMS	32.83	-24.34	0.38	-95.23	35.60	-13.00	-37.76 Vertical
3	7484.00	-45.33	RMS	36.23	-23.16	0.36	-95.23	36.47	-13.00	-32.33 Vertical
4	11227.00	-36.04	RMS	38.75	-20.15	0.40	-95.23	40.19	-13.00	-23.04 Vertical




Ant. 0

Part 24E Mode 1

LTE B25 20M Ch26590 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Horizontal

: LTE Band 25 20M Ch26590 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1					
1	3792.00	-53.81	RMS	30.34	-26.21	0.76 -95.23	36.53	-13.00	-40.81	Horizontal
2	5698.00	-50.24	RMS	33.28	-24.27	0.39 -95.23	35.59	-13.00	-37.24	Horizontal
3	7584.00	-45.97	RMS	36.00	-23.07	0.32 -95.23	36.01	-13.00	-32.97	Horizontal



Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Vertical

: LTE Band 25 20M Ch26590 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1					
1	3792.00	-54.15	RMS	30.34	-26.21	0.76 -95.23	36.19	-13.00	-41.15	Vertical
2	5698.00	-50.39	RMS	33.28	-24.27	0.39 -95.23	35.44	-13.00	-37.39	Vertical
3	7584.00	-46.07	RMS	36.00	-23.07	0.32 -95.23	35.91	-13.00	-33.07	Vertical
4	11377.00	-31.92	RMS	39.00	-20.11	0.41 -95.23	44.01	-13.00	-18.92	Vertical




Ant. 0

Part 27N Mode 1

LTE B71 20M Ch133222 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 71 20M Ch133222 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-53.43	RMS	26.02	-30.86	0.75	-95.23	45.89	-13.00	-40.43	Horizontal
2	1992.00	-47.20	RMS	26.60	-28.34	0.34	-95.23	49.43	-13.00	-34.20	Horizontal
3	2656.00	-58.27	RMS	28.14	-27.58	0.24	-95.23	36.16	-13.00	-45.27	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 71 20M Ch133222 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-51.66	RMS	26.02	-30.86	0.75	-95.23	47.66	-13.00	-38.66	Vertical
2	1992.00	-48.29	RMS	26.60	-28.34	0.34	-95.23	48.34	-13.00	-35.29	Vertical
3	2656.00	-58.07	RMS	28.14	-27.58	0.24	-95.23	36.36	-13.00	-45.07	Vertical




Ant. 0

Part 27N Mode 1

LTE B71 20M Ch133297 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 71 20M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-54.43	RMS		25.90	-30.77	0.72	-95.23	44.95	-13.00	-41.43	Horizontal
2	2015.00	-54.74	RMS		26.70	-28.31	0.34	-95.23	41.76	-13.00	-41.74	Horizontal
3	2686.00	-57.89	RMS		28.34	-27.54	0.24	-95.23	36.30	-13.00	-44.89	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 71 20M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-56.67	RMS		25.90	-30.77	0.72	-95.23	42.71	-13.00	-43.67	Vertical
2	2015.00	-52.32	RMS		26.70	-28.31	0.34	-95.23	44.18	-13.00	-39.32	Vertical
3	2686.00	-58.19	RMS		28.34	-27.54	0.24	-95.23	36.00	-13.00	-45.19	Vertical




Ant. 0

Part 27N Mode 1

LTE B71 20M Ch133372 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-57.23	RMS	25.74	-30.69	0.69	-95.23	42.26	-13.00	-44.23	Horizontal
2	2037.00	-58.52	RMS	27.07	-28.29	0.36	-95.23	37.57	-13.00	-45.52	Horizontal
3	2716.00	-57.55	RMS	28.56	-27.50	0.24	-95.23	36.38	-13.00	-44.55	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-56.89	RMS	25.74	-30.69	0.69	-95.23	42.60	-13.00	-43.89	Vertical
2	2037.00	-57.38	RMS	27.07	-28.29	0.36	-95.23	38.71	-13.00	-44.38	Vertical
3	2716.00	-57.83	RMS	28.56	-27.50	0.24	-95.23	36.10	-13.00	-44.83	Vertical




Ant. 0

Part 27H Mode 1

LTE B12 10M Ch23060 1RB0 QPSK

L




Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal

: LTE Band 12 10M Ch23060 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1399.00	-57.88	RMS	25.72	-30.47	0.60	-95.23	41.50	-13.00	-44.88	Horizontal
2	2099.00	-58.59	RMS	27.30	-28.24	0.41	-95.23	37.17	-13.00	-45.59	Horizontal
3	2798.00	-57.40	RMS	28.58	-27.40	0.25	-95.23	36.40	-13.00	-44.40	Horizontal



Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical

: LTE Band 12 10M Ch23060 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1399.00	-58.59	RMS	25.72	-30.47	0.60	-95.23	40.79	-13.00	-45.59	Vertical
2	2099.00	-58.95	RMS	27.30	-28.24	0.41	-95.23	36.81	-13.00	-45.95	Vertical
3	2798.00	-57.66	RMS	28.58	-27.40	0.25	-95.23	36.14	-13.00	-44.66	Vertical




Ant. 0

Part 27H Mode 1

LTE B12 10M Ch23095 1RB0 QPSK

M




Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal

: LTE Band 12 10M Ch23095 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1406.00	-57.11	RMS	25.64	-30.43	0.60	-95.23	42.31	-13.00	-44.11 Horizontal
2	2109.00	-58.83	RMS	27.48	-28.23	0.42	-95.23	36.73	-13.00	-45.83 Horizontal
3	2812.00	-57.37	RMS	28.60	-27.38	0.25	-95.23	36.39	-13.00	-44.37 Horizontal



Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical

: LTE Band 12 10M Ch23095 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1406.00	-58.37	RMS	25.64	-30.43	0.60	-95.23	41.05	-13.00	-45.37 Vertical
2	2109.00	-58.94	RMS	27.48	-28.23	0.42	-95.23	36.62	-13.00	-45.94 Vertical
3	2812.00	-57.46	RMS	28.60	-27.38	0.25	-95.23	36.30	-13.00	-44.46 Vertical




Ant. 0

Part 27H Mode 1

LTE B12 10M Ch23130 1RB0 QPSK

H




Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal

: LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1413.00	-58.96	RMS	25.60	-30.39	0.60	-95.23	40.46	-13.00	-45.96
2	2120.00	-58.87	RMS	27.60	-28.22	0.43	-95.23	36.55	-13.00	-45.87
3	2826.00	-57.12	RMS	28.60	-27.36	0.25	-95.23	36.62	-13.00	-44.12



Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical

: LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1413.00	-58.01	RMS	25.60	-30.39	0.60	-95.23	41.41	-13.00	-45.01
2	2120.00	-59.00	RMS	27.60	-28.22	0.43	-95.23	36.42	-13.00	-46.00
3	2826.00	-57.12	RMS	28.60	-27.36	0.25	-95.23	36.62	-13.00	-44.12




Ant. 0

Part 27F Mode 1

LTE B13 5M Ch23205 1RB0 QPSK

L




Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal

: LTE Band 13 5M Ch23205 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-60.08	RMS	25.35	-29.68	0.62	-95.23	38.86	-13.00	-47.08
2	2332.00	-42.60	RMS	27.30	-27.99	0.37	-95.23	52.94	-13.00	-29.60
3	3109.00	-55.92	RMS	29.80	-27.02	0.29	-95.23	36.24	-13.00	-42.92



Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical

: LTE Band 13 5M Ch23205 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-58.70	RMS	25.35	-29.68	0.62	-95.23	40.24	-13.00	-45.70
2	2332.00	-45.42	RMS	27.30	-27.99	0.37	-95.23	50.12	-13.00	-32.42
3	3109.00	-55.90	RMS	29.80	-27.02	0.29	-95.23	36.26	-13.00	-42.90




Ant. 0

Part 27F Mode 1

LTE B13 5M Ch23230 1RB0 QPSK

M




Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal

: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1560.00	-59.16	RMS	25.30	-29.67	0.62	-95.23	39.82	-42.15	-17.01 Horizontal
2	2340.00	-41.87	RMS	27.30	-27.98	0.36	-95.23	53.68	-13.00	-28.87 Horizontal
3	3119.00	-55.52	RMS	29.80	-27.01	0.29	-95.23	36.63	-13.00	-42.52 Horizontal



Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical

: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1560.00	-58.47	RMS	25.30	-29.67	0.62	-95.23	40.51	-42.15	-16.32 Vertical
2	2340.00	-42.89	RMS	27.30	-27.98	0.36	-95.23	52.66	-13.00	-29.89 Vertical
3	3119.00	-55.87	RMS	29.80	-27.01	0.29	-95.23	36.28	-13.00	-42.87 Vertical




Ant. 0

Part 27F Mode 1

LTE B13 5M Ch23255 1RB0 QPSK

H




Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal

: LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1565.00	-58.08	RMS	25.35	-29.65	0.62	-95.23	40.83	-42.15	-15.93
2	2347.00	-41.49	RMS	27.37	-27.97	0.36	-95.23	53.98	-13.00	-28.49
3	3129.00	-55.71	RMS	29.80	-27.00	0.29	-95.23	36.43	-13.00	-42.71



Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical

: LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1565.00	-59.76	RMS	25.35	-29.65	0.62	-95.23	39.15	-42.15	-17.61
2	2347.00	-44.29	RMS	27.37	-27.97	0.36	-95.23	51.18	-13.00	-31.29
3	3129.00	-55.48	RMS	29.80	-27.00	0.29	-95.23	36.66	-13.00	-42.48




Ant. 0

Part 27L Mode 1

LTE B66 20M Ch132072 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 66 20M Ch132072 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3422.00	-51.83	RMS	29.56	-26.66	1.04	-95.23	39.46	-13.00	-38.83 Horizontal
2	5133.00	-50.85	RMS	33.07	-24.78	0.36	-95.23	35.73	-13.00	-37.85 Horizontal
3	6844.00	-47.23	RMS	35.30	-23.54	0.28	-95.23	35.96	-13.00	-34.23 Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 66 20M Ch132072 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3422.00	-48.07	RMS	29.56	-26.66	1.04	-95.23	43.22	-13.00	-35.07 Vertical
2	5133.00	-51.02	RMS	33.07	-24.78	0.36	-95.23	35.56	-13.00	-38.02 Vertical
3	6844.00	-47.29	RMS	35.30	-23.54	0.28	-95.23	35.90	-13.00	-34.29 Vertical




Ant. 0

Part 27L Mode 1

LTE B66 20M Ch132322 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 66 20M Ch132322 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3472.00	-54.29	RMS	29.50	-26.60	1.02 -95.23	37.02	-13.00	-41.29	Horizontal	
2	5208.00	-51.12	RMS	33.08	-24.72	0.33 -95.23	35.42	-13.00	-38.12	Horizontal	
3	6944.00	-46.80	RMS	35.40	-23.49	0.31 -95.23	36.21	-13.00	-33.80	Horizontal	



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 66 20M Ch132322 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	3472.00	-51.07	RMS	29.50	-26.60	1.02 -95.23	40.24	-13.00	-38.07	Vertical	
2	5208.00	-51.25	RMS	33.08	-24.72	0.33 -95.23	35.29	-13.00	-38.25	Vertical	
3	6944.00	-46.51	RMS	35.40	-23.49	0.31 -95.23	36.50	-13.00	-33.51	Vertical	




Ant. 0

Part 27L Mode 1

LTE B66 20M Ch132572 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
				Factor	1	EIRPCF					
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3522.00	-54.82	RMS		29.54	-26.54	1.01	-95.23	36.40	-13.00	-41.82 Horizontal
2	5283.00	-50.95	RMS		32.87	-24.64	0.36	-95.23	35.69	-13.00	-37.95 Horizontal
3	7044.00	-46.20	RMS		35.68	-23.44	0.30	-95.23	36.49	-13.00	-33.20 Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
				Factor	1	EIRPCF					
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3522.00	-53.24	RMS		29.54	-26.54	1.01	-95.23	37.98	-13.00	-40.24 Vertical
2	5283.00	-51.00	RMS		32.87	-24.64	0.36	-95.23	35.64	-13.00	-38.00 Vertical
3	7044.00	-46.60	RMS		35.68	-23.44	0.30	-95.23	36.09	-13.00	-33.60 Vertical




Ant. 0

Part 27M Mode 1

LTE B7 20M Ch20850 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -25 1m BBHA9170_1224_250702 Horizontal

: LTE Band 7 20M Ch20850 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-58.80 RMS	33.10	-54.79	0.42	-95.23	0.00	-25.00	-33.80	Horizontal
2	7503.00	-59.92 RMS	36.19	-52.04	0.35	-95.23	50.81	-25.00	-34.92	Horizontal
3	10004.00	-50.10 RMS	37.92	-51.30	0.33	-95.23	58.18	-25.00	-25.10	Horizontal
4	12505.00	-47.69 RMS	39.00	-48.35	0.47	-95.23	56.42	-25.00	-22.69	Horizontal
5	15007.00	-46.23 RMS	39.86	-47.02	0.53	-95.23	55.63	-25.00	-21.23	Horizontal



Site : 03CH16-HY

Condition: -25 1m BBHA9170_1224_250702 Vertical

: LTE Band 7 20M Ch20850 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-55.48 RMS	33.10	-54.79	0.42	-95.23	61.02	-25.00	-30.48	Vertical
2	7503.00	-58.54 RMS	36.19	-52.04	0.35	-95.23	52.19	-25.00	-33.54	Vertical
3	10004.00	-47.31 RMS	37.92	-51.30	0.33	-95.23	60.97	-25.00	-22.31	Vertical
4	12505.00	-43.54 RMS	39.00	-48.35	0.47	-95.23	60.57	-25.00	-18.54	Vertical
5	15007.00	-38.36 RMS	39.86	-47.02	0.53	-95.23	63.50	-25.00	-13.36	Vertical




Ant. 0


Part 27M Mode 1

LTE B7 20M Ch21100 1RB0 QPSK

M



	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5052.00	-57.66	RMS	33.10	-54.71	0.40	-95.23	58.78	-25.00	-32.66	Horizontal			
2	7578.00	-59.98	RMS	36.00	-51.96	0.32	-95.23	50.89	-25.00	-34.98	Horizontal			
3	10104.00	-51.57	RMS	38.12	-51.15	0.34	-95.23	56.35	-25.00	-26.57	Horizontal			
4	12630.00	-49.31	RMS	39.12	-48.23	0.47	-95.23	54.56	-25.00	-24.31	Horizontal			
5	15157.00	-48.97	RMS	39.40	-46.87	0.53	-95.23	53.20	-25.00	-23.97	Horizontal			



	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB		dBuV	dBm	dB	
1	5052.00	-54.21	RMS	33.10	-54.71	0.40	-95.23	62.23	-25.00	-29.21	Vertical			
2	7578.00	-59.69	RMS	36.00	-51.96	0.32	-95.23	51.18	-25.00	-34.69	Vertical			
3	10104.00	-49.34	RMS	38.12	-51.15	0.34	-95.23	58.58	-25.00	-24.34	Vertical			
4	12630.00	-42.10	RMS	39.12	-48.23	0.47	-95.23	61.77	-25.00	-17.10	Vertical			
5	15157.00	-39.79	RMS	39.40	-46.87	0.53	-95.23	62.38	-25.00	-14.79	Vertical			




Ant. 0

Part 27M Mode 1

LTE B7 20M Ch21350 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -25 1m BBHA9170_1224_250702 Horizontal

: LTE Band 7 20M Ch21350 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm	dB	
1	5102.00	-58.14	RMS	33.00	-54.63	0.37	-95.23	58.35	-25.00	-33.14	Horizontal
2	7653.00	-59.00	RMS	36.11	-51.89	0.29	-95.23	51.72	-25.00	-34.00	Horizontal
3	10204.00	-51.43	RMS	38.40	-50.99	0.34	-95.23	56.05	-25.00	-26.43	Horizontal
4	12755.00	-50.51	RMS	39.31	-48.12	0.48	-95.23	53.05	-25.00	-25.51	Horizontal
5	15307.00	-43.52	RMS	38.79	-46.72	0.53	-95.23	59.11	-25.00	-18.52	Horizontal



Site : 03CH16-HY

Condition: -25 1m BBHA9170_1224_250702 Vertical

: LTE Band 7 20M Ch21350 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5102.00	-52.61	RMS	33.00	-54.63	0.37	-95.23	63.88	-25.00	-27.61	Vertical
2	7653.00	-59.13	RMS	36.11	-51.89	0.29	-95.23	51.59	-25.00	-34.13	Vertical
3	10204.00	-48.55	RMS	38.40	-50.99	0.34	-95.23	58.93	-25.00	-23.55	Vertical
4	12755.00	-43.63	RMS	39.31	-48.12	0.48	-95.23	59.93	-25.00	-18.63	Vertical
5	15307.00	-36.22	RMS	38.79	-46.72	0.53	-95.23	66.41	-25.00	-11.22	Vertical




Ant. 0

Part 27M Mode 2

LTE B41 20M Ch39750 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -25 1m BBHA9170_1224_250702 Horizontal

: LTE B41 20M Ch39750 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-61.24	RMS	33.09	-54.80	0.42	-95.23	0.00	-25.00	-36.24	Horizontal
2	7491.00	-59.72	RMS	36.22	-52.05	0.35	-95.23	50.99	-25.00	-34.72	Horizontal
3	9988.00	-50.43	RMS	37.88	-51.30	0.32	-95.23	57.90	-25.00	-25.43	Horizontal
4	12485.00	-48.88	RMS	38.94	-48.37	0.47	-95.23	55.31	-25.00	-23.88	Horizontal
5	14983.00	-43.34	RMS	39.93	-47.03	0.53	-95.23	58.46	-25.00	-18.34	Horizontal



Site : 03CH16-HY

Condition: -25 1m BBHA9170_1224_250702 Vertical

: LTE B41 20M Ch39750 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-56.40	RMS	33.09	-54.80	0.42	-95.23	60.12	-25.00	-31.40	Vertical
2	7491.00	-58.73	RMS	36.22	-52.05	0.35	-95.23	51.98	-25.00	-33.73	Vertical
3	9988.00	-45.83	RMS	37.88	-51.30	0.32	-95.23	62.50	-25.00	-20.83	Vertical
4	12485.00	-43.54	RMS	38.94	-48.37	0.47	-95.23	60.65	-25.00	-18.54	Vertical
5	14983.00	-31.12	RMS	39.93	-47.03	0.53	-95.23	70.68	-25.00	-6.12	Vertical
6	17480.00	-49.46	RMS	38.66	-44.66	0.73	-95.23	51.04	-25.00	-24.46	Vertical




Ant. 0


Part 27M Mode 2

LTE B41 20M Ch40620 1RB0 QPSK

M



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-59.94	RMS	33.10	-54.53	0.34	-95.23	56.38	-25.00	-34.94	Horizontal	
2	7752.00	-58.63	RMS	36.51	-51.80	0.26	-95.23	51.63	-25.00	-33.63	Horizontal	
3	10336.00	-47.63	RMS	38.40	-50.78	0.35	-95.23	59.63	-25.00	-22.63	Horizontal	
4	12920.00	-49.52	RMS	39.68	-47.96	0.48	-95.23	53.51	-25.00	-24.52	Horizontal	
5	15505.00	-39.59	RMS	38.41	-46.53	0.54	-95.23	63.22	-25.00	-14.59	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-53.76	RMS	33.10	-54.53	0.34	-95.23	62.56	-25.00	-28.76	Vertical	
2	7752.00	-58.50	RMS	36.51	-51.80	0.26	-95.23	51.76	-25.00	-33.50	Vertical	
3	10336.00	-42.60	RMS	38.40	-50.78	0.35	-95.23	64.66	-25.00	-17.60	Vertical	
4	12920.00	-42.03	RMS	39.68	-47.96	0.48	-95.23	61.00	-25.00	-17.03	Vertical	
5	15505.00	-32.07	RMS	38.41	-46.53	0.54	-95.23	70.74	-25.00	-7.07	Vertical	




Ant. 0


Part 27M Mode 2

LTE B41 20M Ch41490 1RB0 QPSK

H



	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							dBuV	dBm	dB	
1	5342.00	-58.24	RMS	32.88	-54.20	0.39	-95.23	57.92	-25.00	-33.24	Horizontal	
2	8013.00	-58.61	RMS	36.90	-51.54	0.14	-95.23	51.12	-25.00	-33.61	Horizontal	
3	10684.00	-41.31	RMS	38.93	-50.06	0.37	-95.23	64.68	-25.00	-16.31	Horizontal	
4	13355.00	-47.06	RMS	40.01	-47.54	0.50	-95.23	55.20	-25.00	-22.06	Horizontal	
5	16027.00	-40.20	RMS	38.16	-46.66	0.54	-95.23	62.99	-25.00	-15.20	Horizontal	



	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							dBuV	dBm	dB	
1	5342.00	-50.37	RMS	32.88	-54.20	0.39	-95.23	65.79	-25.00	-25.37	Vertical	
2	8013.00	-58.82	RMS	36.90	-51.54	0.14	-95.23	50.91	-25.00	-33.82	Vertical	
3	10684.00	-36.03	RMS	38.93	-50.06	0.37	-95.23	69.96	-25.00	-11.03	Vertical	
4	13355.00	-36.62	RMS	40.01	-47.54	0.50	-95.23	65.64	-25.00	-11.62	Vertical	
5	16027.00	-32.37	RMS	38.16	-46.66	0.54	-95.23	70.82	-25.00	-7.37	Vertical	




Ant. 0

Part 27Q Mode 1

LTE B42 20M Ch42190 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Horizontal

: LTE B41 20M Ch42190 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.00	-45.81	RMS	35.40	-23.51	1.31	-95.23	36.22	-13.00	-32.81	Horizontal
2	10353.00	-41.07	RMS	38.40	-20.23	0.98	-95.23	35.01	-13.00	-28.07	Horizontal
3	13804.00	-35.86	RMS	40.39	-18.44	0.61	-95.23	36.81	-13.00	-22.86	Horizontal



Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Vertical

: LTE B41 20M Ch42190 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.00	-45.82	RMS	35.40	-23.51	1.31	-95.23	36.21	-13.00	-32.82	Vertical
2	10353.00	-40.82	RMS	38.40	-20.23	0.98	-95.23	35.26	-13.00	-27.82	Vertical
3	13804.00	-35.87	RMS	40.39	-18.44	0.61	-95.23	36.80	-13.00	-22.87	Vertical




Ant. 0

Part 27Q Mode 1

LTE B42 20M Ch42590 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Horizontal

: LTE B41 20M Ch42590 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6982.00	-45.83	RMS	35.46	-23.47	1.29	-95.23	36.12	-13.00	-32.83 Horizontal
2	10473.00	-40.14	RMS	38.30	-20.20	0.95	-95.23	36.04	-13.00	-27.14 Horizontal
3	13964.00	-35.47	RMS	40.50	-18.38	0.60	-95.23	37.04	-13.00	-22.47 Horizontal



Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Vertical

: LTE B41 20M Ch42590 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6982.00	-45.60	RMS	35.46	-23.47	1.29	-95.23	36.35	-13.00	-32.60 Vertical
2	10473.00	-40.56	RMS	38.30	-20.20	0.95	-95.23	35.62	-13.00	-27.56 Vertical
3	13964.00	-35.47	RMS	40.50	-18.38	0.60	-95.23	37.04	-13.00	-22.47 Vertical