




Ant. 0

Part 27Q Mode 1

LTE B42 20M Ch42990 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Horizontal

: LTE B41 20M Ch42990 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	7062.00	-45.67	RMS	35.80	-23.43	1.18	-95.23	36.01	-13.00	-32.67	Horizontal
2	10593.00	-40.14	RMS	38.76	-20.19	0.93	-95.23	35.59	-13.00	-27.14	Horizontal
3	14124.00	-35.19	RMS	40.80	-18.29	0.60	-95.23	36.93	-13.00	-22.19	Horizontal



Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Vertical

: LTE B41 20M Ch42990 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	7062.00	-45.83	RMS	35.80	-23.43	1.18	-95.23	35.85	-13.00	-32.83	Vertical
2	10593.00	-40.49	RMS	38.76	-20.19	0.93	-95.23	35.24	-13.00	-27.49	Vertical
3	14124.00	-35.44	RMS	40.80	-18.29	0.60	-95.23	36.68	-13.00	-22.44	Vertical




Ant. 0

Part 270 Mode 1

LTE B43 20M Ch44690 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Horizontal

: LTE Band 43 20M Ch44690 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-44.64	RMS	36.30	-23.23	0.96	-95.23	0.00	-13.00	-31.64 Horizontal
2	11103.00	-39.53	RMS	38.60	-20.18	0.84	-95.23	36.44	-13.00	-26.53 Horizontal
3	14804.00	-35.05	RMS	40.30	-17.79	0.63	-95.23	37.04	-13.00	-22.05 Horizontal



Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Vertical

: LTE Band 43 20M Ch44690 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-44.66	RMS	36.30	-23.23	0.96	-95.23	36.54	-13.00	-31.66 Vertical
2	11103.00	-39.64	RMS	38.60	-20.18	0.84	-95.23	36.33	-13.00	-26.64 Vertical
3	14804.00	-35.24	RMS	40.30	-17.79	0.63	-95.23	36.85	-13.00	-22.24 Vertical




Ant. 0

Part 270 Mode 1

LTE B43 20M Ch45090 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Horizontal

: LTE Band 43 20M Ch45090 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7482.00	-44.70	RMS	36.24	-23.16	1.08	-95.23	36.37	-13.00	-31.70	Horizontal
2	11223.00	-39.32	RMS	38.75	-20.15	0.82	-95.23	36.49	-13.00	-26.32	Horizontal
3	14964.00	-35.56	RMS	39.97	-17.66	0.64	-95.23	36.72	-13.00	-22.56	Horizontal



Site : 03CH16-HY

Condition: -13 1m BBHA9170_1224_250702 Vertical

: LTE Band 43 20M Ch45090 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin Pol	
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7482.00	-44.92	RMS	36.24	-23.16	1.08	-95.23	36.15	-13.00	-31.92	Vertical
2	11223.00	-39.18	RMS	38.75	-20.15	0.82	-95.23	36.63	-13.00	-26.18	Vertical
3	14964.00	-35.23	RMS	39.97	-17.66	0.64	-95.23	37.05	-13.00	-22.23	Vertical




Ant. 0


Part 270 Mode 1

LTE B43 20M Ch45490 1RB0 QPSK

H



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7562.00	-45.41	RMS	36.00	-23.09	1.19	-95.23	35.72	-13.00	-32.41	Horizontal
2	11343.00	-39.16	RMS	38.99	-20.12	0.80	-95.23	36.40	-13.00	-26.16	Horizontal
3	15124.00	-35.54	RMS	39.45	-17.56	0.64	-95.23	37.16	-13.00	-22.54	Horizontal



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7562.00	-45.54	RMS	36.00	-23.09	1.19	-95.23	35.59	-13.00	-32.54	Vertical
2	11343.00	-38.95	RMS	38.99	-20.12	0.80	-95.23	36.61	-13.00	-25.95	Vertical
3	15124.00	-35.46	RMS	39.45	-17.56	0.64	-95.23	37.24	-13.00	-22.46	Vertical




Ant. 0

Part 27D Mode 1

LTE B30 10M Ch27710 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -40 1m BBHA9170_1224_250702 Horizontal

: LTE Band 30 10M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-61.60 RMS	31.62	-55.67	0.56	-95.23	0.00	-40.00	-21.60	Horizontal
2	6917.00	-53.47 RMS	35.90	-52.40	0.31	-95.23	57.95	-40.00	-13.47	Horizontal
3	9222.00	-56.84 RMS	37.94	-50.71	0.19	-95.23	50.97	-40.00	-16.84	Horizontal
4	13834.00	-42.71 RMS	40.40	-46.98	0.51	-95.23	58.59	-40.00	-2.71	Horizontal



Site : 03CH16-HY

Condition: -40 1m BBHA9170_1224_250702 Vertical

: LTE Band 30 10M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-61.88 RMS	31.64	-55.64	0.55	-95.23	56.80	-40.00	-21.88	Vertical
2	6917.00	-60.63 RMS	35.90	-52.40	0.30	-95.23	50.80	-40.00	-20.63	Vertical
3	9222.00	-57.78 RMS	37.95	-50.71	0.19	-95.23	50.02	-40.00	-17.78	Vertical
4	13834.00	-42.28 RMS	40.40	-46.98	0.51	-95.23	59.02	-40.00	-2.28	Vertical




Ant. 0


Part 27D Mode 2

LTE B30 5M Ch27685 1RB0 QPSK

L



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4605.00	-64.55 RMS	31.61	-55.69	0.57	-95.23	0.00	-40.00	-24.55	Horizontal
2	6915.00	-60.63 RMS	35.90	-52.40	0.30	-95.23	50.80	-40.00	-20.63	Horizontal
3	9225.00	-57.07 RMS	37.95	-50.71	0.19	-95.23	50.73	-40.00	-17.07	Horizontal
4	13832.00	-44.98 RMS	40.40	-46.99	0.51	-95.23	56.33	-40.00	-4.98	Horizontal



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4611.00	-61.05 RMS	31.62	-55.67	0.56	-95.23	57.67	-40.00	-21.05	Vertical
2	6916.00	-60.44 RMS	35.90	-52.40	0.30	-95.23	50.99	-40.00	-20.44	Vertical
3	9221.00	-57.64 RMS	37.94	-50.71	0.19	-95.23	50.17	-40.00	-17.64	Vertical
4	13832.00	-42.44 RMS	40.40	-46.99	0.51	-95.23	58.87	-40.00	-2.44	Vertical




Ant. 0


Part 27D Mode 2

LTE B30 5M Ch27710 1RB0 QPSK

M



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-63.18 RMS	31.63	-55.65	0.56	-95.23	55.51	-40.00	-23.18	Horizontal
2	6924.00	-50.65 RMS	35.90	-52.39	0.31	-95.23	60.76	-40.00	-10.65	Horizontal
3	9231.00	-57.54 RMS	37.96	-50.71	0.19	-95.23	50.25	-40.00	-17.54	Horizontal
4	13847.00	-41.91 RMS	40.40	-46.97	0.51	-95.23	59.38	-40.00	-1.91	Horizontal



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-59.92 RMS	31.64	-55.64	0.55	-95.23	58.76	-40.00	-19.92	Vertical
2	6924.00	-60.18 RMS	35.90	-52.38	0.31	-95.23	51.22	-40.00	-20.18	Vertical
3	9231.00	-57.28 RMS	37.98	-50.72	0.19	-95.23	50.50	-40.00	-17.28	Vertical
4	13847.00	-41.42 RMS	40.40	-46.97	0.51	-95.23	59.87	-40.00	-1.42	Vertical




Ant. 0

Part 27D Mode 2

LTE B30 5M Ch27735 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -40 1m BBHA9170_1224_250702 Horizontal

: LTE Band 30 5M Ch27735 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4621.00	-60.89 RMS	31.64	-55.64	0.55	-95.23	57.79	-40.00	-20.89	Horizontal
2	6931.00	-55.84 RMS	35.90	-52.38	0.31	-95.23	55.56	-40.00	-15.84	Horizontal
3	9241.00	-57.22 RMS	37.98	-50.72	0.19	-95.23	50.56	-40.00	-17.22	Horizontal
4	13862.00	-42.33 RMS	40.45	-46.95	0.52	-95.23	58.88	-40.00	-2.33	Horizontal



Site : 03CH16-HY

Condition: -40 1m BBHA9170_1224_250702 Vertical

: LTE Band 30 5M Ch27735 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4621.00	-60.97 RMS	31.67	-55.59	0.54	-95.23	57.64	-40.00	-20.97	Vertical
2	6931.00	-60.38 RMS	35.90	-52.38	0.31	-95.23	51.02	-40.00	-20.38	Vertical
3	9241.00	-57.20 RMS	38.01	-50.74	0.18	-95.23	50.58	-40.00	-17.20	Vertical
4	13862.00	-41.96 RMS	40.45	-46.95	0.52	-95.23	59.25	-40.00	-1.96	Vertical




Ant. 0

Part 90R Mode 1


LTE B14 5M Ch23305 1RB0 QPSK

L



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal
: LTE Band 14 5M Ch23305 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-58.34 RMS	25.47	-29.61	0.63	-95.23	40.40	-42.15	-16.19	Horizontal
2	2365.00	-29.31 RMS	27.35	-27.94	0.34	-95.23	66.17	-13.00	-16.31	Horizontal
3	3153.00	-55.85 RMS	29.80	-26.97	0.30	-95.23	36.25	-13.00	-42.85	Horizontal
4	3941.00	-48.08 RMS	30.90	-26.04	0.23	-95.23	42.06	-13.00	-35.08	Horizontal



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical
: LTE Band 14 5M Ch23305 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-57.93 RMS	25.47	-29.61	0.63	-95.23	40.81	-42.15	-15.78	Vertical
2	2365.00	-30.02 RMS	27.35	-27.94	0.34	-95.23	65.46	-13.00	-17.02	Vertical
3	3153.00	-56.00 RMS	29.80	-26.97	0.30	-95.23	36.10	-13.00	-43.00	Vertical
4	3941.00	-51.09 RMS	30.90	-26.04	0.23	-95.23	39.05	-13.00	-38.09	Vertical




Ant. 0

Part 90R Mode 1

LTE B14 5M Ch23330 1RB0 QPSK

M




Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal

: LTE Band 14 5M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-58.18 RMS	25.52	-29.59	0.63	-95.23	40.49	-42.15	-16.03	Horizontal
2	2373.00	-30.49 RMS	27.30	-27.93	0.33	-95.23	65.04	-13.00	-17.49	Horizontal
3	3163.00	-55.49 RMS	29.80	-26.96	0.30	-95.23	36.60	-13.00	-42.49	Horizontal
4	3954.00	-49.34 RMS	30.90	-26.02	0.23	-95.23	40.78	-13.00	-36.34	Horizontal



Site : 03CH16-HY

Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical

: LTE Band 14 5M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-57.50 RMS	25.52	-29.59	0.63	-95.23	41.17	-42.15	-15.35	Vertical
2	2373.00	-30.98 RMS	27.30	-27.93	0.33	-95.23	64.55	-13.00	-17.98	Vertical
3	3163.00	-55.95 RMS	29.80	-26.96	0.30	-95.23	36.14	-13.00	-42.95	Vertical
4	3954.00	-52.88 RMS	30.90	-26.02	0.23	-95.23	37.24	-13.00	-39.88	Vertical




Ant. 0

Part 90R Mode 1


LTE B14 5M Ch23335 1RB0 QPSK

H



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-02038_250807 Horizontal
: LTE Band 14 5M Ch23355 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm									
1	1587.00	-57.77 RMS	25.57	-29.57	0.63	-95.23	40.83	-42.15	-15.62	Horizontal
2	2380.00	-28.07 RMS	27.30	-27.92	0.33	-95.23	67.45	-13.00	-15.07	Horizontal
3	3173.00	-55.55 RMS	29.80	-26.95	0.30	-95.23	36.53	-13.00	-42.55	Horizontal
4	3966.00	-48.78 RMS	30.90	-26.01	0.22	-95.23	41.34	-13.00	-35.78	Horizontal



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-02038_250807 Vertical
: LTE Band 14 5M Ch23355 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm									
1	1587.00	-57.06 RMS	25.57	-29.57	0.63	-95.23	41.54	-42.15	-14.91	Vertical
2	2380.00	-29.31 RMS	27.30	-27.92	0.33	-95.23	66.21	-13.00	-16.31	Vertical
3	3173.00	-55.59 RMS	29.80	-26.95	0.30	-95.23	36.49	-13.00	-42.59	Vertical
4	3966.00	-51.60 RMS	30.90	-26.01	0.22	-95.23	38.52	-13.00	-38.60	Vertical




Ant. 0

Part 90S Mode 1

LTE B26 5M Ch26715 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1628.00	-60.58	RMS		25.42	-29.44	0.61	-95.23	38.06	-13.00	-47.58	Horizontal
2	2443.00	-58.54	RMS		27.57	-27.85	0.29	-95.23	36.68	-13.00	-45.54	Horizontal
3	3257.00	-56.03	RMS		29.60	-26.85	0.28	-95.23	36.17	-13.00	-43.03	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1628.00	-59.36	RMS		25.42	-29.44	0.61	-95.23	39.28	-13.00	-46.36	Vertical
2	2443.00	-58.26	RMS		27.57	-27.85	0.29	-95.23	36.96	-13.00	-45.26	Vertical
3	3257.00	-56.06	RMS		29.60	-26.85	0.28	-95.23	36.14	-13.00	-43.06	Vertical




Ant. 0

Part 90S Mode 1

LTE B26 5M Ch26740 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1633.00	-58.33	RMS		25.37	-29.43	0.61	-95.23	40.35	-13.00	-45.33	Horizontal
2	2450.00	-58.90	RMS		27.50	-27.84	0.29	-95.23	36.38	-13.00	-45.90	Horizontal
3	3267.00	-55.97	RMS		29.60	-26.84	0.27	-95.23	36.23	-13.00	-42.97	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1633.00	-59.27	RMS		25.37	-29.43	0.61	-95.23	39.41	-13.00	-46.27	Vertical
2	2450.00	-58.97	RMS		27.50	-27.84	0.29	-95.23	36.31	-13.00	-45.97	Vertical
3	3267.00	-55.86	RMS		29.60	-26.84	0.27	-95.23	36.34	-13.00	-42.86	Vertical




Ant. 0

Part 90S Mode 1

LTE B26 5M Ch26765 1RB0 QPSK

H




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.00	-57.55	RMS	25.32	-29.41	0.60	-95.23	41.17	-13.00	-44.55	Horizontal	
2	2458.00	-58.94	RMS	27.50	-27.83	0.29	-95.23	36.33	-13.00	-45.94	Horizontal	
3	3277.00	-56.00	RMS	29.60	-26.82	0.27	-95.23	36.18	-13.00	-43.00	Horizontal	



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.00	-59.08	RMS	25.32	-29.41	0.60	-95.23	39.64	-13.00	-46.08	Vertical	
2	2458.00	-58.74	RMS	27.50	-27.83	0.29	-95.23	36.53	-13.00	-45.74	Vertical	
3	3277.00	-55.78	RMS	29.60	-26.82	0.27	-95.23	36.40	-13.00	-42.78	Vertical	




Ant. 0

Part 90S Mode 2

LTE B26 10M Ch26740 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 10M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-59.10	RMS		25.41	-29.44	0.61	-95.23	39.55	-13.00	-46.10	Horizontal
2	2443.00	-58.54	RMS		27.57	-27.85	0.29	-95.23	36.68	-13.00	-45.54	Horizontal
3	3258.00	-56.11	RMS		29.60	-26.85	0.28	-95.23	36.09	-13.00	-43.11	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 10M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-60.12	RMS		25.41	-29.44	0.61	-95.23	38.53	-13.00	-47.12	Vertical
2	2443.00	-58.62	RMS		27.57	-27.85	0.29	-95.23	36.60	-13.00	-45.62	Vertical
3	3258.00	-56.20	RMS		29.60	-26.85	0.28	-95.23	36.00	-13.00	-43.20	Vertical




Ant. 0

Part 90S Mode 3

LTE B26 15M Ch26765 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 15M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-59.23	RMS		25.41	-29.44	0.61	-95.23	39.42	-13.00	-46.23	Horizontal
2	2444.00	-58.53	RMS		27.56	-27.85	0.29	-95.23	36.70	-13.00	-45.53	Horizontal
3	3259.00	-55.95	RMS		29.60	-26.84	0.28	-95.23	36.24	-13.00	-42.95	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 15M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-58.41	RMS		25.41	-29.44	0.61	-95.23	40.24	-13.00	-45.41	Vertical
2	2444.00	-58.80	RMS		27.56	-27.85	0.29	-95.23	36.43	-13.00	-45.80	Vertical
3	3259.00	-56.17	RMS		29.60	-26.84	0.28	-95.23	36.02	-13.00	-43.17	Vertical




Ant. 0

Part 90S Mode 4

LTE B26 15M Ch26790 1RB0 QPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Horizontal

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1634.00	-59.97	RMS	25.36	-29.42	0.60	-95.23	38.72	-13.00	-46.97	Horizontal
2	2452.00	-58.73	RMS	27.50	-27.84	0.29	-95.23	36.55	-13.00	-45.73	Horizontal
3	3269.00	-55.90	RMS	29.60	-26.83	0.27	-95.23	36.29	-13.00	-42.90	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-02038_250807 Vertical

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1634.00	-57.64	RMS	25.36	-29.42	0.60	-95.23	41.05	-13.00	-44.64	Vertical
2	2452.00	-58.51	RMS	27.50	-27.84	0.29	-95.23	36.77	-13.00	-45.51	Vertical
3	3269.00	-55.25	RMS	29.60	-26.83	0.27	-95.23	36.94	-13.00	-42.25	Vertical




Ant. 0

Part 27D Mode 2

LTE B30 5M Ch27710 1RB0 QPSK

M




Site : 03CH16-HY

Condition: -40 3m 9120D-1522_260326 Horizontal

: LTE Band 30 5M Ch27710 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	2310.00	-40.61	RMS		27.00	-59.73	0.51 -95.23	86.84	-40.00	-0.61	Horizontal



Site : 03CH16-HY

Condition: -40 3m 9120D-1522_260326 Vertical

: LTE Band 30 5M Ch27710 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	2310.00	-38.32	RMS		27.00	-59.73	0.51 -95.23	89.13	-40.00	1.68	Vertical