



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ: 906 MHz
■ RF OUTPUT POWER: 0.244 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TEL
■ DATE: 02/28/94
■ COMMENTS: REAR

(WITH TRX 7310A DSSS MODULE)

RAW DATA @ 9.6K BAUD RATE

Mon Feb 28 15:15:49 1994

A_view B_blank

REF 28.0 dBm
10dB/

ATT 30 dB

MARKER

906.1 MHz

18.34 dBm


REF
906.1 MHz

REF 0FS
10.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
100 s

CENTER 915.0 MHz

SPAN 100.0 MHz





UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ: 406 MHz
■ RF OUTPUT POWER: 0.244 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TRIL
■ DATE: 02/28/94
■ COMMENTS: REAR

(WITH TRX 7310A DSSS MODULE)

RANDOM DATA @ 9.6K BAUD RATE


REF 19.0 dBm
10dB/

ATT 20 dB

A_view B1blank

MKR
877.3 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No. 1:	908.7 MHz	18.00 dBm	A
No. 2:	877.3 MHz	-44.19 dBm	A
No. 3:	267.9 MHz	-43.53 dBm	A
No. 4:	100.9 MHz	-43.88 dBm	A
No. 5:	140.9 MHz	-44.97 dBm	A
No. 6:			
No. 7:			
No. 8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ: 406 MHz
■ RF OUTPUT POWER: 0.244 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TRIL
■ DATE: 02/28/94
■ COMMENTS: PEAK

(WITH TRX 7310A DSSS MODULE)

RANDOM DATA C/C/K BAND EDGE


REF 19.0 dBm
10dB/

ATT 20 dB

A_view B_blank

AY
30

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.797 GHz	-29.50 dBm	A
No.2:	4.510 GHz	-42.72 dBm	A
No.3:	2.710 GHz	-43.06 dBm	A
No.4:	6.323 GHz	-45.03 dBm	A
No.5:	5.423 GHz	-45.72 dBm	A
No.6:	3.610 GHz	-48.31 dBm	A
No.7:			
No.8:			
Δ:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEL 061X
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 (WITH TRX 7310A)

■ CHANNEL FREQ.: 906 MHz
■ RF OUTPUT POWER: 0.262 Watts
■ MODULATION: DSSS

■ TESTED BY: 7716
■ DATE: 03/01/94
■ COMMENTS: 1E4K

(WITH RANDOM DATA @ 19.2 KB/S)

REF 28.0 dBm
10dB/


Tue Mar 1 12:23:51 1994
ATT 30 dB
A_view B_blank

MKR
905.6 MHz

MARKER
905.6 MHz
18.25 dBm

REF OFS
10.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
100 s



CENTER 906 MHz

SPAN 100.0 MHz



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 WITH TRX-7310A

■ CHANNEL FREQ.: 406 MHz
■ RF OUTPUT POWER: 0.262 Watts
■ MODULATION: DSS

■ TESTED BY: 77.2
■ DATE: 03/01/94
■ COMMENTS: 1E410

REF 20.0 dBm
10dB/


ATT 20 dB

RANDOM DATA @ 19.2 KB/S

A_view B_blank

MKR
140.9 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No.1:	140.9 MHz	-44.59 dBm	A
No.2:	646.1 MHz	-50.41 dBm	A
No.3:	100.9 MHz	-43.34 dBm	A
No.4:	267.9 MHz	-43.56 dBm	A
No.5:	875.8 MHz	-45.09 dBm	A
No.6:	36.7 MHz	-47.03 dBm	A
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEK LOGIX
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 (WITH TRX 7310A)

■ CHANNEL FREQ.: 406 MHz
■ RF OUTPUT POWER: 0.262 Watts
■ MODULATION: DSSS

■ TESTED BY: TTG
■ DATE: 03/01/1994
■ COMMENTS: PEAK


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
1.797 GHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.797 GHz	-29.47 dBm	A
No.2:	4.510 GHz	-40.63 dBm	A
No.3:	2.710 GHz	-42.59 dBm	A
No.4:	6.323 GHz	-44.91 dBm	A
No.5:	5.410 GHz	-45.53 dBm	A
No.6:			
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TELCOBIX
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7625 (WITH TRX 7310A)

■ CHANNEL FREQ.: 906 MHz
■ RF OUTPUT POWER: 0.242 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/94
■ COMMENTS: PEAK

(WITH RANDOM DATA @ 122 KB/S)

Tue Mar 1 12:10:38 1994

A_view B_blank

REF 30.0 dBm
10dB/


ATT 30 dB

MKR
906.0 MHz

MARKER
906.0 MHz
18.19 dBm

REF OFS
10.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
100 s



CENTER 915.0 MHz

SPAN 100.0 MHz



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEK LOGIX
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 (WITH TRX 7310A)

■ CHANNEL FREQ.: 906 MHz
■ RF OUTPUT POWER: 0.242 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/14
■ COMMENTS: PEAK

(WITH RANDOM DATA @ 122 KB/S)


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B1blank

MKR
644.6 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No. 1:	910.1 MHz	17.81 dBm	A
No. 2:	898.7 MHz	-40.19 dBm	A
No. 3:	269.3 MHz	-43.81 dBm	A
No. 4:	140.9 MHz	-44.63 dBm	A
No. 5:	100.9 MHz	-45.50 dBm	A
No. 6:	19.6 MHz	-47.94 dBm	A
No. 7:	644.6 MHz	-51.44 dBm	A
No. 8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: EK L 0061X
PRODUCT NAME: HAND HELD TERMINAL
MODEL NO.: 7025 (WITH TRX 7310A)

■ CHANNEL FREQ.: 906 MHz
■ RF OUTPUT POWER: 0.242 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/14
■ COMMENTS: PEAK

(WITH RANDOM DATA @ 122 KB/S)


REF 20.0 dBm
10dB/

ATT 20 dB

A_write&max B_blank

MKR
1.810 GHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.810 GHz	-29.25 dBm	A
No.2:	4.523 GHz	-39.72 dBm	A
No.3:	2.697 GHz	-42.97 dBm	A
No.4:	5.423 GHz	-44.97 dBm	A
No.5:	6.323 GHz	-45.16 dBm	A
No.6:			
No.7:			
No.8:			
Δ:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ.: 915 MHz
■ RF OUTPUT POWER: 0.229 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TRIL
■ DATE: 02/28/94
■ COMMENTS: PEAK

(WITH TRX 7310A DSSS MODULE)

RANDOM DATA CD 66 BAND 1A 12

Mon Feb 28 15:29:00 1994

A_view B_blank

REF 28.0 dBm
10dB/

ATT 30 dB

MKR
915.1 MHz


MARKER
915.1 MHz
18.19 dBm

REF OFS
10.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
100 s

START 865.0 MHz

STOP 965.0 MHz





UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ: 415 MHz
■ RF OUTPUT POWER: 0.224 Watts
■ MODULATION: D.S.S.S. WITH

■ TESTED BY: TR/L
■ DATE: 02/28/94
■ COMMENTS: REAR

(WITH TRX 7310A DSSS MODULE)

RANDOM DATA @ 9.6K BAND RATE


REF 19.0 dBm
10dB/

ATT 20 dB

A_view B blank

MKR
930.1 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No.1:	918.7 MHz	17.31 dBm	A
No.2:	100.9 MHz	-42.19 dBm	A
No.3:	140.9 MHz	-45.19 dBm	A
No.4:	267.9 MHz	-39.63 dBm	A
No.5:	654.6 MHz	-49.25 dBm	A
No.6:	885.8 MHz	-42.75 dBm	A
No.7:	930.1 MHz	-43.66 dBm	A
No.8:	36.7 MHz	-44.91 dBm	A

Δ:



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ.: 915 MHz
■ RF OUTPUT POWER: 0.229 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TRIL
■ DATE: 02/28/94
■ COMMENTS: PEAK

(WITH TRX 7310A DSSS MODULE)

RANDOM DATA @ 9.6K BAND RATE


REF 19.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
1.810 GHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.810 GHz	-30.09 dBm	A
No.2:	4.561 GHz	-40.00 dBm	A
No.3:	2.736 GHz	-41.38 dBm	A
No.4:	3.649 GHz	-45.13 dBm	A
No.5:	6.387 GHz	-46.63 dBm	A
No.6:	5.474 GHz	-47.34 dBm	A
No.7:			
No.8:			
A:			




UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7035 WITH TRX-7310A

■ CHANNEL FREQ.: 915 MHz
■ RF OUTPUT POWER: 0.210 Watts
■ MODULATION: DSSS

■ TESTED BY: 721L
■ DATE: 03/01/94
■ COMMENTS: PEAK





UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: TC25 WITH TRX-7310A

■ CHANNEL FREQ.: 915 MHz
■ RF OUTPUT POWER: 0.210 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/94
■ COMMENTS: PEAK

RANDOM DATA @ 19.2 KB/S


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
887.3 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No.1:	887.3 MHz	-43.34 dBm	A
No.2:	653.2 MHz	-50.09 dBm	A
No.3:	267.9 MHz	-41.22 dBm	A
No.4:	83.8 MHz	-42.78 dBm	A
No.5:			
No.6:			
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7035 WITH TRX-7310A

■ CHANNEL FREQ.: 915 MHz
■ RF OUTPUT POWER: 0.210 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/94
■ COMMENTS: PERIC


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
1.810 GHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.810 GHz	-29.78 dBm	A
No.2:	4.561 GHz	-38.38 dBm	A
No.3:	2.736 GHz	-41.25 dBm	A
No.4:	3.649 GHz	-45.34 dBm	A
No.5:	5.474 GHz	-45.38 dBm	A
No.6:	6.387 GHz	-46.81 dBm	A
No.7:			
No.8:			
A:			




UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 WITH TRX-7310A

■ CHANNEL FREQ.: 415 MHz
■ RF OUTPUT POWER: 0.210 Watts
■ MODULATION: DSSS

■ TESTED BY: 721L
■ DATE: 03/01/94
■ COMMENTS: 1241C





UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: EK LOGIX
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 (WITH TRX 7310A)

■ CHANNEL FREQ.: 415 MHz
■ RF OUTPUT POWER: 0.210 Watts
■ MODULATION: DSSS

■ TESTED BY: TR/L
■ DATE: 03/01/11
■ COMMENTS: PEAK

REF 20.0 dBm
10dB/


ATT 20 dB

(WITH RANDOM DATA @ 22 KB/S)

A_view B_blank

MKR
653.2 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No.1:	885.8 MHz	-42.31 dBm	A
No.2:	653.2 MHz	-50.19 dBm	A
No.3:	267.9 MHz	-40.31 dBm	A
No.4:	99.5 MHz	-41.78 dBm	A
No.5:	115.2 MHz	-44.03 dBm	A
No.6:			
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 WITH TRX-7310A

■ CHANNEL FREQ: 415 MHz
■ RF OUTPUT POWER: 0.210 Watts
■ MODULATION: DSSS

■ TESTED BY: 77L
■ DATE: 03/01/94
■ COMMENTS: PEAK


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
1.810 GHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No. 1:			
No. 2:	1.810 GHz	-30.19 dBm	A
No. 3:	4.561 GHz	-38.25 dBm	A
No. 4:	2.736 GHz	-41.22 dBm	A
No. 5:	5.461 GHz	-45.25 dBm	A
No. 6:	3.649 GHz	-45.63 dBm	A
No. 7:	6.374 GHz	-46.97 dBm	A
No. 8:			
Δ:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ: 924 MHz
■ RF OUTPUT POWER: 0.159 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TRIL
■ DATE: 02/28/94
■ COMMENTS: REAR

(WITH TRX 7310A DSSS MODULE)

RANDOM DATA @ 4.6KB/S

Mon Feb 28 16:40:21 1994

A_view B_blank

REF 28.0 dBm
10dB/


ATT 30 dB

MKR
923.4 MHz

MARKER
923.4 MHz
16.53 dBm

REF OFS
10.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
100 s



CENTER 915.0 MHz

SPAN 100.0 MHz



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025

■ CHANNEL FREQ: 934 MHz
■ RF OUTPUT POWER: 0.157 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TRIL
■ DATE: 02/28/94
■ COMMENTS: REAR

(WITH TRX 7310A DSSS MODULE)

RANDOM DATA @ 0.640/S


REF 17.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
901.5 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No.1:	925.8 MHz	16.78 dBm	A
No.2:	901.5 MHz	-41.50 dBm	A
No.3:	269.3 MHz	-39.94 dBm	A
No.4:	83.8 MHz	-41.28 dBm	A
No.5:	464.8 MHz	-41.56 dBm	A
No.6:	132.3 MHz	-43.50 dBm	A
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: TC25

■ CHANNEL FREQ: 924 MHz
■ RF OUTPUT POWER: 0.1571 Watts
■ MODULATION: D.S.S.S.

■ TESTED BY: TRIL
■ DATE: 02/28/94
■ COMMENTS: PEAK

(WITH TRX 7310A DSSS MODULE)


RANDOM DATA @ 4.6 KB/S

REF 17.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
1.836 GHz



RBW 100 kHz
VBW 100 kHz
SWP 100 s

START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.836 GHz	-30.59 dBm	A
No.2:	4.613 GHz	-37.81 dBm	A
No.3:	2.761 GHz	-42.38 dBm	A
No.4:	6.451 GHz	-46.81 dBm	A
No.5:	5.526 GHz	-47.50 dBm	A
No.6:	3.687 GHz	-48.09 dBm	A
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: EK LOGIX
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7035 (WITH TRX 7310A)

■ CHANNEL FREQ.: 924 MHz
■ RF OUTPUT POWER: 0.172 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/11
■ COMMENTS: PEAK

REF 28.0 dBm
10dB/

ATT 30 dB

(WITH RANDOM DATA @ 2 KB/S)

Tue Mar 1 13:43:58 1994

A_view B_blank

MKR
924.1 MHz


MARKER
924.1 MHz
16.69 dBm

REF OFS
10.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
100 s

CENTER 915.0 MHz

SPAN 100.0 MHz





UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7035 WITH TRX-7310A

■ CHANNEL FREQ.: 424 MHz
■ RF OUTPUT POWER: 0.172 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/94
■ COMMENTS: PEAK


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
654.6 MHz

RBW 100 kHz
VBW 100 kHz
SWP 50 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No. 1:	894.4 MHz	-42.81 dBm	A
No. 2:	654.6 MHz	-47.16 dBm	A
No. 3:	466.2 MHz	-35.66 dBm	A
No. 4:	267.9 MHz	-36.88 dBm	A
No. 5:	83.8 MHz	-41.44 dBm	A
No. 6:	100.9 MHz	-42.09 dBm	A
No. 7:			
No. 8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 WITH TRX-7310A

■ CHANNEL FREQ.: 924 MHz
■ RF OUTPUT POWER: 0.172 Watts
■ MODULATION: DSSS

■ TESTED BY: TRC
■ DATE: 03/01/94
■ COMMENTS: PEAK


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
1.836 GHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.836 GHz	-30.59 dBm	A
No.2:	3.687 GHz	-47.09 dBm	A
No.3:	4.613 GHz	-40.94 dBm	A
No.4:	2.749 GHz	-42.28 dBm	A
No.5:	5.539 GHz	-45.69 dBm	A
No.6:	6.451 GHz	-45.72 dBm	A
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 WITH TRX-7310A

■ CHANNEL FREQ.: 924 MHz
■ RF OUTPUT POWER: 0.164 Watts
■ MODULATION: DSSS

■ TESTED BY: 7712
■ DATE: 03/01/94
■ COMMENTS: PEAK

REF 28.0 dBm
10dB/

MKR
924.3 MHz

REF OFS
10.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
100 s

CENTER 915.0 MHz


RAN7021 DATA @ 122 KB/S

Tue Mar 1 14:12:22 1994

A_view B_blank

MARKER
924.3 MHz
16.84 dBm

SPAN 100.0 MHz





UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7035 WITH TRX-7310A

■ CHANNEL FREQ.: 934 MHz
■ RF OUTPUT POWER: 0.164 Watts
■ MODULATION: DSSS

■ TESTED BY: 77/L
■ DATE: 03/01/94
■ COMMENTS: PEAK

RANDOM DATA @ 123 KB/S


REF 20.0 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
663.2 MHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.0 MHz

STOP 1.0000 GHz

*** Multi Marker List ***

No.1:	894.4 MHz	-41.91 dBm	A
No.2:	663.2 MHz	-46.72 dBm	A
No.3:	464.8 MHz	-33.94 dBm	A
No.4:	267.9 MHz	-36.94 dBm	A
No.5:	99.5 MHz	-40.88 dBm	A
No.6:			
No.7:			
No.8:			
A:			



UltraTech
Engineering Labs Inc.

TRANSMITTER'S ANTENNA POWER CONDUCTED EMISSIONS

APPLICANT: TEKLOGIX INC.
PRODUCT NAME: HANDHELD TERMINAL
MODEL NO.: 7025 WITH TRX-7310A


■ CHANNEL FREQ: 124 MHz
■ RF OUTPUT POWER: 0.164 Watts
■ MODULATION: DSSS

■ TESTED BY: TL
■ DATE: 03/01/94
■ COMMENTS: Peak

REF 20.0 dBm
10dB/

MKR
1.836 GHz

RBW 100 kHz
VBW 100 kHz
SWP 100 s



START 1.000 GHz

STOP 10.000 GHz

*** Multi Marker List ***

No.1:	1.836 GHz	-30.41 dBm	A
No.2:	4.613 GHz	-37.44 dBm	A
No.3:	2.761 GHz	-42.16 dBm	A
No.4:	5.526 GHz	-45.41 dBm	A
No.5:	3.687 GHz	-45.91 dBm	A
No.6:	6.439 GHz	-46.13 dBm	A
No.7:			
No.8:			
Δ:			