




REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
0	SEE SHEET 1		



UNLESS OTHERWISE SPECIFIED: ALL RESISTORS ARE 1/10W, 5% ALL CAPACITORS ARE IN MICROFARADS, 50V ELECTRONIC SYMBOLS PER ANSI 32.2	DRAWN	GEO.	DATE	 SIGNAL COMPANY WILMINGTON, MA. U.S.A.					
	CHECKER		DATE						
	ENGINEER		DATE						
	APPROVED		DATE						
THESE DOCUMENTS AND SPECIFICATIONS ARE THE PROPERTY OF SCULLY SIGNAL COMPANY, AND SHALL REMAIN THEIR PROPERTY COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF PRODUCTS WITHOUT THE WRITTEN PERMISSION OF SCULLY SIGNAL COMPANY.				TITLE	SCHEMATIC, HAND HELD PROGRAMMER	SAFS DWG NO. 32479	SCALE	NONE	SHEET 3 OF 4

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
D	SEE SHEET 1		



UNLESS OTHERWISE SPECIFIED: ALL RESISTORS ARE 1/10W, 5% ALL CAPACITORS ARE IN MICROFARADS, 50V ELECTRONIC SYMBOLS PER ANSI 32.2	DRAWN	DATE	scully SIGNAL COMPANY WILMINGTON, MA. U.S.A. SCHEMATIC, HAND HELD PROGRAMMER SAFS
	GEQ.	4/20/98	
	CHECKER		
	ENGINEER		
THESE DOCUMENTS AND THE SPECIFICATIONS ARE THE PROPERTY OF SCULLY SIGNAL COMPANY AND SHALL NOT BE REPRODUCED OR COPIED, OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF PRODUCTS WITHOUT THE WRITTEN PERMISSION OF SCULLY SIGNAL COMPANY.	APPROVED	DATE	
CODE IDENT. NO.		SIZE	DWG NO.
		B	32479
SCALE		NONE	SHEET 4 OF 4