


APPENDIX I


(Conducted Test Data)

Total page : 10


dBuV




--- Date 04.AUG '98 Time 18:00:15
Matsushita EUT: 17 Color CHT Display Monitor M/N: TX-D7S55NM PAGE: 002
LINE: VA. MEMO: 31.5KHz; 1.5m D-Sub (PAK- VALUE) TTENC.



--- Date 04.AUG '98 Time 18:02:48
Katsushita EUT:17 Color CAT Display Monitor M/N: TX-D7S55NM
LINE: VB. MEMO: 31.5KHz; 1.5m D-Sub
(PAK- VALUE) TTEMC. PAGE: 001




--- Date 04.AUG '98 Time 17:34:01
Matsushita EUT:17 Color CRT Display Monitor W/N: TX-D7S55NM
LINE: VA. MEMO: 31.5KHz; 1.8m D-Sub
(PAKE VALUE) TTEMC. PAGE: 001



--- Date 04.AUG '98 Time 17:32:04
Matsushita EUT: 17 Color CRT Display Monitor W/N: TX-D7S55NM
LINE: VB. MEMO: 31.5KHz; 1.8m D-Sub
(PAKE VALUE) TTEMC. PAGE: 002

dBuV



--- Date 04.AUG '98 Time 17:09:49

Matsushita

EUT: 17" Color CRT Display Monitor

M/N: TX-D7S55NM


LINE: VA.

MEMO: 31.5KHz; 1.8m BNC

(PAKE VALUE) TTEMC.


PAGE: 001

dBuV




--- Date 04.AUG '98 Time 17:12:55
Matsushita EUT: 17 Color CRT Display Monitor M/N: TX-D7S55NM
LINE: VB. MEMO: 31.5KHz; 1.8m BNC


(PAKE VALUE) TTEMC.
PAGE: 002



--- Date 04.AUG '98 Time 17:35:54
Matsushita EUT-17 Color CRT Display Monitor W/N: TX-D7S55NM
LINE: VA. MEMO: 93.7KHz; 1.8m D-SUB
(PAKE VALUE) TTENC. PAGE: 003




--- Date 04.AUG '98 Time 17:39:52
Matsushita EUT: 17 Color CRT Display Monitor W/N: TX-D7S55NM
LINE: VB. MEMO: 93.7KHz; 1.8m O-Sub (PAKE VALUE) TTENC. PAGE: 004



--- Date 04.AUG '98 Time 17:07:36
Matsushita EUT: 17 Color CRT Display Monitor M/N: TX-D7S55NM
LINE: VA. MEMO: 93.7KHZ; 1.8m BNC
(PAKE VALUE) TTEMC. PAGE: 004

dBuV



--- Date 04.AUG '98 Time 17:04:15

Matsushita

EUT: 17 Color CRT Display Monitor M/N: TX-D7S55MM

LINE: VB.

MEMO: 93.7KHz; 1.8m BNC

(PAKE VALUE) TTEMC.

PAGE: 003