







REV.	DESCRIPTION	ENG.	APPROVAL
2	修改工廠代碼	yongxia.zhu 2015/10/19	reeves.lee
3	ECR:91391	yongxia.zhu 2015/1/11	reeves.lee

- NOTE:
- 1.印刷為黑底銀字, 流水號處銀底黑字.
 - 2.此圖面實際尺寸,請拿打樣品與Bottom Cover現合ok後,才可量產
 - 3."*"為重點尺寸.
 - 4.公差:-0.5/+0mm
 - 5.普通壓克力膠,T=0.03mm, 粘著力:3.0kg/cm²
 - 6.S/N編法: J YY WW A XXXX
 - Serial number,十進制.
 - Location code(A for Dongguan)
 - Weekly (工廠代碼:第一產地用代碼'A';第二產地用代碼'B')
 - Year (2012=12,2013=13-----)
 - Rev
 - 7. Requirement of Primax Part:
 - 1.Comply with Primax QW-5Q002"Green Product Chemical Substances Specification
 - 2.Follow customer's specification as required
 - 3.Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required.
 - 8. Product must be halogen free.
 - 9. 30400455721X,30400455826X, 流水號需對應. 30400455721X,30400455826X,304001023A0X,日期及周別需對應. 30400455826X,30400455827X,30400455815X,流水碼不可重號.

DO NOT SCALE DRAWING THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.		PRIMAX 致伸資訊電子有限公司 PRIMAX ELECTRONICS LTD.	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCE: ±1°		USED 26-81204A106	APPD. Sarah.lee
DIMENSIONS TOLERANCE		FINISH 背膠	CHKD. Iven.yao
0.00 TO 30.00mm	+0.10mm	SCALE /	UNIT mm
30.01 TO 80.00mm	+0.13mm	DR. Diana.deng	2016-08-12
80.01 TO 150.00mm	+0.15mm	TITLE FCC LABEL(RECEIVER)	
150.01 TO	+0.20mm	DWG NO. 30400455826A	
MATERIAL 反銀龍75# 光膜		SIZE A4	
		FILE NAME 30400455826A	SHEET 1/1
		REV. 3	

