

47 CFR PART 22/24/27 TEST REPORT

for

Cellular Home Alarm System

Model No.: CHMG-1

FCC ID: GX9CHMG

of

Applicant: CLIMAX TECHNOLOGY CO., LTD.

**Address: No. 258, Sinhu 2nd Rd., Neihu District, Taipei City 114,
Taiwan (R.O.C.)**

Tested and Prepared

by

Worldwide Testing Services (Taiwan) Co., Ltd.

FCC Registration No.: TW1477, TW0020, TW1072

Industry Canada filed test laboratory Reg. No.: 20037



Report No.: W6M22103-20740-P-247

6F, NO. 58, LANE 188, RUEY-KUANG RD., NEIHU TAIPEI 114, TAIWAN, R.O.C.
TEL: 886-2-66068877 FAX: 886-2-66068879 E-mail: wts@wts-lab.com



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Certification of Test Report

Applicant : CLIMAX TECHNOLOGY CO., LTD.
No. 258, Sinhu 2nd Rd., Neihu District, Taipei City 114
Taiwan (R.O.C.)

Manufacturer : CLIMAX TECHNOLOGY CO., LTD.
No. 258, Sinhu 2nd Rd., Neihu District, Taipei City 114
Taiwan (R.O.C.)

Tested Equipment :

Type Description : Cellular Home Alarm System
Model Number : CHMG-1
Brand Name : ./.
Operation Frequency : Please see chapter 2.3.
RF Output Power: : WCDMA Band II: 25.72 dBm (EIRP)
Band IV: 26.23 dBm (EIRP)
Band V: 24.79 dBm (ERP)
LTE Band II: 26.50 dBm (EIRP)
Band IV 26.64 dBm (EIRP)
Band XII: 23.42 dBm (ERP)
Power Supply : Adapter (I/P: 100-240V~0.4A 50/60Hz;
O/P: 12.0V, 1.0A, 12.0W)
Battery 7.2Vd.c.

Regulation Applied : 47CFR Part 22 (2019-10), Part 24 (2019-10),
Part 27 (2019-10)

Test Method : 47CFR Part 2 (2019), TIA/EIA-603E (2016) and
ANSI C63.26 (2015)

I HEREBY CERTIFY THAT: The test results written in this report were derived conscientiously in accordance with the requirements and procedures of 47CFR Part 2 (2019), TIA/EIA-603E (2016), ANSI C63.26 (2015) and it was found that the device described above is in compliance with the applicable limits specified in 47CFR Part 22/24/27.

Note:

1. The result of this test report is valid only in connection to the sample has been tested at the laboratory of Worldwide Testing Services (Taiwan) Co. Ltd.
2. This test report shall always be duplicated in full pages unless the written approval of the testing laboratory is obtained.

Test Engineer:

April 15, 2021

Sora Kuo

Sora

Date

WTS-Lab.

Name

Signature

Technical responsibility for area of testing:

April 15, 2021

Kevin Wang

Kevin Wang

Date

WTS

Name

Signature



TABLE OF CONTENTS

1. SUMMARY	3
1.1 DESCRIPTION OF TESTED EQUIPMENT	3
1.2 DATE OF TESTING PROCESSING	3
1.3 MODIFICATION INFORMATION	3
1.4 TEST STANDARDS	3
1.5 SUMMARY OF TEST RESULT	4
2. GENERAL INFORMATION	6
2.1 TESTING LABORATORY	6
2.1.1 Location	6
2.1.2 Details of accreditation status	6
2.1.3 Test location, where different from Worldwide Testing Services (Taiwan) Co., Ltd.	6
2.2 DETAILS OF APPROVAL HOLDER	6
2.3 DESCRIPTION OF TESTED SYSTEM	6
2.4 TEST ENVIRONMENT	9
2.5 GENERAL TEST REQUIREMENT	9
2.6 TEST EQUIPMENT LIST	10
3. RF POWER OUTPUT	13
3.1 TEST PROCEDURE	13
3.1.1 Conducted Method	13
3.2 TEST RESULTS	14
4. MODULATION CHARACTERISTICS	20
4.1 TEST PROCEDURE	20
4.2 TEST RESULTS	20
5. PEAK-TO-AVERAGE RATIO	21
5.1 TEST PROCEDURE	21
5.2 TEST SET UP	21
5.3 TEST RESULTS	22
6. OCCUPIED BANDWIDTH	37
6.1 TEST PROCEDURE	37
6.2 TEST RESULTS	38
7. SPURIOUS EMISSIONS AT ANTENNA TERMINALS	63
7.1 TEST PROCEDURE	63
7.2 TEST RESULTS	63
7.3 EXPLANATION OF TEST RESULT	167
7.4 CALCULATION OF LIMIT FOR SPURIOUS AT ANTENNA TERMINALS	167
8. FIELD STRENGTH OF SPURIOUS RADIATION	168
8.1 TEST PROCEDURE	168
8.2 TEST RESULTS	168
8.3 EXPLANATION OF TEST RESULT	168
8.4 CALCULATION OF LIMIT FOR FIELD STRENGTH OF SPURIOUS	168



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

8.5	TEST RESULT OF BAND EDGE EMISSIONS	169
9.	FREQUENCY STABILITY	271
9.1	TEST PROCEDURE	271
9.2	TEST RESULTS	272
9.2.1	FREQUENCY STABILITY VS. TEMPERATURE	272
10	MAXIMUM PERMISSIBLE EXPOSURE	275
10.1	RF EXPOSURE COMPLIANCE REQUIREMENTS	275
APPENDIX		277



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

1. Summary

1.1 Description of tested equipment

This equipment under tested, CHMG-1, is a Cellular Home Alarm System.

This test report only contains test requirements specified in 47CFR Part 22, Part 24 and Part27 for WCDMA and LTE function. For other functions; please refer to separate test report with respect to the relevant test standard and specification.

1.2 Date of testing processing

Date of receipt of test item(1st): June 29, 2020

Date of test(1st): from June 30, 2020 to August 21, 2020

Date of receipt of test item(2nd): March 21, 2021

Date of test(2nd): from March 21, 2021 to April 14, 2021

Other Information: None

1.3 Modification Information

No modification was made during the all test items been performed.

1.4 Test standards

Technical standard: **47CFR Part 22 (2019), Part 24 (2019) and Part 27 (2019)**

Test method: **47 CFR Part 2 (2019), TIA/EIA-603E (2016),
ANSI C63.26 (2015)**

Deviation from test standard: None

Special Statement

1. This test report is based on the original test report no.: W6M22006-20020-P-247.
2. The relevant Circuitry, PCB Layout, Inner element and Function is exactly the same as the one in original test report. The differences are the model number, product name, appearance, antenna, removing LTE Band IV & XIII and the test item of radiated emission has been retested. Therefore the other test result is also based on the original test report no. W6M22006-20020-P-247 without re-testing.



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

1.5 Summary of test result

WCDMA

Section in this Report	Test Item	FCC relevant Section	Verdict
3.2	RF Power Output (Effective radiated power)	2.1046(a), 22.913(a)	Pass
4.2	Modulation characteristics	2.1047	Not Required
5.2	Occupied bandwidth	2.1049(h)	Pass
6.2	Spurious emissions at antenna terminals	22.917(a), 2.1051	Pass
7.2	Field strength of spurious radiation	22.917(a), 2.1053	Pass
7.5	Band Edge emissions	22.917(a)	Pass
8.2	Frequency stability	2.1055 22.355	Pass

Section in this Report	Test Item	FCC Relevant Section	Verdict
3.2	RF Power Output (Equivalent isotropically radiated power)	2.1046(a), 24.232	Pass
4.2	Modulation characteristics	2.1047	Not Required
5.2	Occupied bandwidth	2.1049(h) 24.238(b)	Pass
6.2	Spurious emissions at antenna terminals	24.238(a), 2.1051	Pass
7.2	Field strength of spurious radiation	24.238(a), 2.1053	Pass
7.5	Band Edge emissions	24.238(b)	Pass
8.2	Frequency stability	2.1055 24.235	Pass



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

LTE

Harmonized Standard Requirements and Conformance Test Specifications				
Item	Clause	Test Content	Limit	Test Result
3.2	§22.913 §24.232 §27.50	Effective Radiated Power and Equivalent Isotropic Radiated Power Measurement	ERP < 7 Watts (Band 5) EIRP < 2 Watts (Band 2) ERP < 3 Watts (Band 12, Band 13) EIRP < 1 Watts (Band 4)	Pass
5.3	§24.232 §27.50	Peak-to-Average Ratio	< 13 dB	Pass
6.2	§2.1049	Occupied Bandwidth	OBW : No Limit	Pass
7.2	§22.917 §24.238 §27.53	Conducted Spurious Emission Measurement	< 43+10log10(P[Watts])	Pass
8.2	§22.917 §24.238 §27.53	Radiated Spurious Emission Measurement	< 43+10log10(P[Watts])	Pass
8.5	§22.917 §24.238 §27.53	Conducted Band Edge Measurement	< 43+10log10(P[Watts])	Pass
9.2	§2.1055 §22.355 §24.235 §27.54	Frequency stability / Temperature variation Measurement	< 2.5 ppm	Pass

Test item Name	Measurement Uncertainty
Estimation Result of Uncertainty of Radiated Emission(3M)	Expanded Uncertainty: 0.009-30 MHz : 2.13 dB 30-1000 MHz : 3.53 dB 1-18 GHz : 4.19 dB 18-40 GHz : 4.09 dB
Estimation Result of Uncertainty of Conducted Output Power Measurement	Expanded Uncertainty : 1.61 dB
Estimation Result of Uncertainty of Bandwidth Measurement	Expanded Uncertainty : 0.41 kHz
Estimation Result of Uncertainty of Frequency Drift Measurement	Expanded Uncertainty : 6.11 Hz
Estimation Result of Uncertainty of Band Edge Measurement	Expanded Uncertainty : 1.33 dBc

The decision rule is: Measurement uncertainty is not included in the calculation of test results.



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

2. General Information

2.1 Testing laboratory

2.1.1 Location

OATS
No.5-1, Shuang Sing Village,
LiShuei Rd., Wanli Township,
Taipei County 207, Taiwan (R.O.C.)
Company
Worldwide Testing Services (Taiwan) Co., Ltd.
6F, NO. 58, LANE 188, RUEY-KUANG RD.
NEIHU, TAIPEI 114, TAIWAN R.O.C.
Tel : 886-2-66068877
Fax : 886-2-66068879

2.1.2 Details of accreditation status

Accredited testing laboratory
FCC filed test laboratory Reg. No. TW1477, TW0020, TW1072
Industry Canada filed test laboratory Reg. No. 20037

2.1.3 Test location, where different from Worldwide Testing Services (Taiwan) Co., Ltd.

Name: ./.
Accredited number: ./.
Street: ./.
Town: ./.
Country: ./.
Telephone: ./.
Fax: ./.

2.2 Details of approval holder

Name: CLIMAX TECHNOLOGY CO., LTD
Street: No. 258, Sinhu 2nd Rd., Neihu District,
Town: Taipei City 114
Country: Taiwan (R.O.C.)
Telephone: +886-2-2794-0001
Fax: +886-2-2792-6618

Manufacturer: (if different from applicant)

Name: ./.
Street: ./.
Town: ./.
Country: ./.

2.3 Description of Tested System

The EUT was tested alone without the Accessories or Peripherals.

Equipment	Model No.	Series No.	Software	Cable information	Note
No accessories were used with this EUT.					



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Frequencies Selected to be investigated:

WCDMA Band II

Low Frequency (ch 9262): 1852.4 MHz

Mid Frequency (ch 9400): 1880.0 MHz

High Frequency (ch 9538): 1907.6 MHz

WCDMA Band IV

Low Frequency (ch 1312): 1712.4 MHz

Mid Frequency (ch 1412): 1732.4 MHz

High Frequency (ch 1513): 1752.6 MHz

WCDMA Band V

Low Frequency (ch 4132): 826.4 MHz

Mid Frequency (ch 4183): 836.6 MHz

High Frequency (ch 4233): 846.6 MHz

LTE

Band II

Test Frequency ID	Bandwidth [MHz]	N _{UL}	Frequency of Uplink [MHz]	N _{DL}	Frequency of Downlink [MHz]
Low Range	1.4	18607	1850.7	607	1930.7
	3	18615	1851.5	615	1931.5
	5	18625	1852.5	625	1932.5
	10	18650	1855	650	1935
	15 ^[1]	18675	1857.5	675	1937.5
	20 ^[1]	18700	1860	700	1940
Mid Range	1.4/3/5/10 15 ^[1] /20 ^[1]	18900	1880	900	1960
High Range	1.4	19193	1909.3	1193	1989.3
	3	19185	1908.5	1185	1988.5
	5	19175	1907.5	1175	1987.5
	10	19150	1905	1150	1985
	15 ^[1]	19125	1902.5	1125	1982.5
	20 ^[1]	19100	1900	1100	1980
NOTE 1: Bandwidth for which a relaxation of the specified UE receiver sensitivity requirement (TS 36.101 [27] Clause 7.3) is allowed.					

Band IV

Test Frequency ID	Bandwidth [MHz]	N _{UL}	Frequency of Uplink [MHz]	N _{DL}	Frequency of Downlink [MHz]
Low Range	1.4	19957	1710.7	1957	2110.7
	3	19965	1711.5	1965	2111.5
	5	19975	1712.5	1975	2112.5
	10	20000	1715	2000	2115
	15	20025	1717.5	2025	2117.5
	20	20050	1720	2050	2120
Mid Range	1.4/3/5/10/15/20	20175	1732.5	2175	2132.5
High Range	1.4	20393	1754.3	2393	2154.3
	3	20385	1753.5	2385	2153.5
	5	20375	1752.5	2375	2152.5
	10	20350	1750	2350	2150
	15	20325	1747.5	2325	2147.5
	20	20300	1745	2300	2145



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band XII

Test Frequency ID	Bandwidth [MHz]	N _{UL}	Frequency of Uplink [MHz]	N _{DL}	Frequency of Downlink [MHz]
Low Range	1.4	23017	699.7	5017	729.7
	3	23025	700.5	5025	730.5
	5 [1]	23035	701.5	5035	731.5
	10 [1]	23060	704	5060	734
Mid Range	1.4/3 5 [1]/10 [1]	23095	707.5	5095	737.5
High Range	1.4	23173	715.3	5173	745.3
	3	23165	714.5	5165	744.5
	5 [1]	23155	713.5	5155	743.5
	10 [1]	23130	711	5130	741
NOTE 1: Bandwidth for which a relaxation of the specified UE receiver sensitivity requirement (TS 36.101 [27] Clause 7.3) is allowed.					

Antenna Type:

PCB Antenna

Antenna Gain:

WCDMA Band II: 3.15 dBi, Band IV: 3.49 dBi,

Band V: 1.15 dBi

LTE Band II: 3.15 dBi, Band IV: 3.49 dBi, Band XII: -0.04 dBi

(Testing laboratory assumes no responsibility for affecting any validity of the result while the information which is provided by clients.)

Power supply:

Adapter (I/P: 100-240V~0.4A 50/60Hz;

O/P: 12.0V, 1.0A, 12.0W)

Battery 7.2Vd.c.



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

2.4 Test environment

Temperature: 27 °C
Relative humidity content: 54 %
Air pressure: 86-103 Kpa

2.5 General Test Requirement

Radiated Emission: For investigated frequency is equal to or below 1GHz, the RBW and VBW of the spectrum analyzer was 100 kHz and 100 kHz respectively with an appropriate sweep speed.


For investigated frequency is above 1GHz, both of RBW and VBW of the spectrum analyzer were 1 MHz with an appropriate sweep speed. The analyzer was calibrated in dB above a microvolt at the output of the antenna.

The table used for radiated measurements is capable of continuous rotation. The spectrum was scanned from 30 MHz to the frequency specified as follows:

- (1) If the intentional radiator operates below 10 GHz: to the tenth harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower.
- (2) If the intentional radiator operates at or above 10 GHz and below 30 GHz: to the fifth harmonic of the highest fundamental frequency or to 100 GHz, whichever is lower.
- (3) If the intentional radiator operates at or above 30 GHz: to the fifth harmonic of the highest fundamental frequency or to 200 GHz, whichever is lower, unless specified otherwise elsewhere in the rules.

For hand-held devices, a exploratory test was performed with three (3) orthogonal planes to determine the highest emissions.

When an emission was found, the table was rotated to produce the maximum signal strength. At this point, the antenna was raised and lowered from 1m to 4m. The antenna was placed in both the horizontal and vertical planes.



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

2.6 Test Equipment List

No.	Test equipment	Type	Serial No.	Manufacturer	Cal. Date	Next Cal. Date
ETSTW-CE 001	EMI TEST RECEIVER	ESHS10	842121/013	R&S	2020/6/11	2021/6/10
ETSTW-CE 003	AC POWER SOURCE	APS-9102	D161137	GW	Function Test	
ETSTW-CE 004	ZWEILEITER-V- NETZNACHBILDUNG TWO-LINE V-NETWORK	ESH3-Z5	840731/011	R&S	2020/11/6	2021/11/5
ETSTW-CE 006	IMPULSBEGRENZER PULSE LIMITER	ESH3-Z2	100226	R&S	2020/9/22	2021/9/21
ETSTW-CE 008	HF-EICHLITUNG RF STEP ATTENUATOR 139dB DPSP	334.6010.02	844581/024	R&S	Function Test	
ETSTW-CE 009	TEMP.&HUMIDITY CHAMBER	GTH-225-40-1P-U	MAA0305-009	GIANT FORCE	2020/7/22	2021/7/21
ETSTW-CE 016	TWO-LINE V-NETWORK	ENV216	100050	R&S	2020/10/26	2021/10/25
ETSTW-CE 028	MXE EMI Receiver	N9038A	MY53220110	Agilent	2020/7/29	2021/7/28
ETSTW-RE 003	EMI TEST RECEIVER	ESI 26	831438/001	R&S	2020/6/12	2021/6/11
ETSTW-RE 004	EMI TEST RECEIVER	ESI 40	832427/004	R&S	2020/9/14	2021/9/13
ETSTW-RE 012	TUNABLE BANDREJECT FILTER	D.C 0309	146	K&L	Function Test	
ETSTW-RE 013	TUNABLE BANDREJECT FILTER	D.C 0336	397	K&L	Function Test	
ETSTW-RE 018	MICROWAVE HORN ANTENNA	AT4560	27212	AR	2020/7/30	2021/7/29
ETSTW-RE 019	MICROWAVE HORN ANTENNA	22240-25	121074	FM	2020/5/15	2021/5/14
ETSTW-RE 027	Passive Loop Antenna	6512	00034563	ETS-Lindgren	2020/7/8	2021/7/7
ETSTW-RE 030	Double-Ridged Guide Horn Antenna	3117	00035224	ETS-Lindgren	2020/4/22	2021/4/21
ETSTW-RE 042	Biconical Antenna	HK116	100172	R&S	2021/3/18	2022/3/17
ETSTW-RE 043	Log-Periodic Dipole Antenna	HL223	100166	R&S	2020/5/8	2021/5/7
ETSTW-RE 044	Log-Periodic Antenna	HL050	100094	R&S	2020/8/3	2021/8/2
ETSTW-RE 045	ESA-E SERIES SPECTRUM ANALYZER	E4404B	MY45111242	Agilent	Pre-test Use	
ETSTW-RE 050	Attenuator 10dB	50HF-010-1	None	JFW	2021/2/19	2022/2/18
ETSTW-RE 051	Attenuator 6dB	50HF-006-1	None	JFW	2021/2/19	2022/2/18
ETSTW-RE 053	Attenuator 3dB	50HF-003-1	None	JFW	2021/2/19	2022/2/18
ETSTW-RE 055	SPECTRUM ANALYZER	FSU 26	200074	R&S	2021/3/16	2022/3/15
ETSTW-RE 060	Attenuator 30dB	5015-30	F651012z-01	ATM	2021/2/19	2022/2/18
ETSTW-RE 062	Amplifier Module	CHC 2	None	KMIC	2020/5/15	2021/5/14
ETSTW-RE 064	Bluetooth Test Set	MT8852B-042	6K00005709	Anritsu	Function Test	
ETSTW-RE 069	Double-Ridged Guide Horn Antenna	3117	00069377	ETS-Lindgren	Function Test	
ETSTW-RE 072	CELL SITE TEST SET	8921A	3339A00375	HP	2020/10/15	2021/10/14
ETSTW-RE 088	SOLID STATE AMPLIFIER	KMA180265A01	99057	KMIC	2020/9/17	2021/9/16
ETSTW-RE 091	Match Pad	MDCS1500	None	WOKEN	2020/5/22	2021/5/21
ETSTW-RE 099	DC Block	50DB-007-1	None	JFW	2021/2/19	2022/2/18
ETSTW-RE 112	AC POWER SOURCE	TFC-1005	T-0A023536	T-Power	Function test	



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

ETSTW-RE 115	2.4GHz Notch Filter	N0124411	473874	MICROWAVE CIRCUITS	2021/1/6	2022/1/5
ETSTW-RE 120	RF Player	MP9200	MP9210-111022	ADIVIC	2020/12/25	2021/12/24
ETSTW-RE 122	SIGNAL GENERATOR	SMF100A	102149	R&S	2020/6/11	2021/6/10
ETSTW-RE 125	5GHz Notch filter	5NSL11-5200/E221.3-O/O	1	K&L Microwave	2020/8/7	2021/8/6
ETSTW-RE 126	5GHz Notch filter	5NSL12-5800/E221.3-O/O	1	K&L Microwave	2020/8/7	2021/8/6
ETSTW-RE 127	RF Switch Box	RFS-01	None	WTS	2021/2/19	2022/2/18
ETSTW-RE 128	5.3GHz Notch filter	N0153001	SN487233	Microwave Circuits	2020/8/7	2021/8/6
ETSTW-RE 129	5.5GHz Notch filter	N0555984	SN487234	Microwave Circuits	2020/8/7	2021/8/6
ETSTW-RE 130	Handheld RF Spectrum Analyzer	N9340A	CN0147000204	Agilent	Pre-test Use	
ETSTW-RE 142	Amplifier	8447D	2805A03378	Agilent	2020/5/15	2021/5/14
ETSTW-RE 146	Preamplifier	JPA-10MIG	15090004	JPT	2020/6/5	2021/6/4
ETSTW-RE 147	Bi-log Hybrid Antenna	MCTD 2786B	BLB16M04005	ETC	2021/4/7	2022/4/6
ETSTW-RE 148	Bi-log Hybrid Antenna	MCTD 2786B	BLB16M04006	ETC	2020/7/9	2021/7/8
ETSTW-RE 153	Signal Analyzer	FSV40	101929	R&S	2020/10/1	2021/9/30
ETSTW-RF 002	Electromagnetic field probe	LF-30	K-0007	STT	2020/6/9	2021/6/8
ETSTW-EMI 011	USB Compact Modulator	SFC-U	101689	R&S	2020/5/21	2021/5/20
ETSTW-GSM 002	Universal Radio Communication Tester	CMU 200	109439	R&S	2021/3/16	2022/3/15
ETSTW-GSM 003	Radio Communication Analyzer	MT8820C	6201342073	Anritsu	2020/4/20	2021/4/19
ETSTW-GSM 004	Wideband Radio Communication Tester	CMW500	128092	R&S	2020/11/10	2021/11/9
ETSTW-GSM 019	Band Reject Filter	WRCTF824/849-822/851-40 /12+9SS	3	WI	2021/1/6	2022/1/5
ETSTW-GSM 020	Band Reject Filter	WRCD1747/1748-1743/1752-32/5SS	1	WI	2021/1/6	2022/1/5
ETSTW-GSM 021	Band Reject Filter	WRCD1879.5/1880.5-1875.5/1884.5-32/5SS	3	WI	2021/1/6	2022/1/5
ETSTW-GSM 022	Band Reject Filter	WRCT901.9/903.1-904.25-50/8SS	1	WI	2021/1/6	2022/1/5
ETSTW-GSM 023	Power Divider	4901.19.A	None	SUHNER	2020/9/8	2021/9/7
ETSTW-GSM 024	Radio Communication Analyzer	MT8821C	None	Anritsu	2021/3/24	2022/3/23
ETSTW-GSM 025	Band Reject Filter	BRM19835	001	Micro-Tronics	2020/8/7	2021/8/6
ETSTW-Cable 011	SMA to N type Cable	RGU-400	None	THERMAX	Pre-test Use NCR	
ETSTW-Cable 016	BNC Cable	Switch Box	B Cable 1	Schwarz beck	2021/2/19	2022/2/18
ETSTW-Cable 017	BNC Cable	X Cable	B Cable 2	Schwarz beck	2021/2/19	2022/2/18
ETSTW-Cable 018	BNC Cable	Y Cable	B Cable 3	Schwarz beck	2021/2/19	2022/2/18
ETSTW-Cable 019	BNC Cable	Z Cable	B Cable 4	Schwarz beck	2021/2/19	2022/2/18
ETSTW-Cable 020	N TYPE Cable	OATS Cable 1	N30N30-L335-15M	JYE BAO CO.,LTD.	2020/7/1	2021/6/30
ETSTW-Cable 027	Microwave Cable	SUCOFLEX 104	279083	HUBER+SUHNER	2020/5/8	2021/5/7
ETSTW-Cable 028	Microwave Cable	FA147A0015M2020	30064-2	UTIFLEX	2020/9/17	2021/9/16
ETSTW-Cable 029	Microwave Cable	FA147A0015M2020	30064-3	UTIFLEX	2020/9/17	2021/9/16
ETSTW-Cable 030	Microwave Cable	SUCOFLEX 104 (S Cable 9)	279067	HUBER+SUHNER	2021/2/19	2022/2/18



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

ETSTW-Cable 043	Microwave Cable	SUCOFLEX 104	317576	HUBER+SUHNER	2020/5/15	2021/5/14
ETSTW-Cable 047	Microwave Cable	SUCOFLEX 104	325518	HUBER+SUHNER	2020/7/3	2021/7/2
ETSTW-Cable 058	Microwave Cable	SUCOFLEX 104	none	HUBER+SUHNER	2020/6/5	2021/6/4
ETSTW-Cable 064	Microwave Cable	SUCOFLEX 104	MY28891	HUBER+SUHNER	2020/5/15	2021/5/14
ETSTW-Cable 071	N TYPE CABLE	EMCCFD400-NM-NM-25000	170239	EMCI	2020/6/5	2021/6/4
ETSTW-Cable 072	SMA type cable (8m)	SUCOFLEX 104	805800/4	HUBER+SUHNER	2020/5/15	2021/5/14
ETSTW-Cable 074	SMA type cable (2m)	SUCOFLEX 104	802563/4	HUBER+SUHNER	2020/5/15	2021/5/14
WTSTW-SW 002	EMI TEST SOFTWARE	EZ EMC	None	Farad	Version ETS-03A1	
WTSTW-SW 006	EMI TEST SOFTWARE	e3	None	AUDIX	Version 9.161014	
WTSTW-SW 008	Signal studio	Agilent	None	AUDIX	Version 2.0.0.1	
ETSTW-TH 002	Thermohygrometer	608-H1	45204317	Testo	2020/9/23	2021/9/22
ETSTW-TH 003	Wireless weather station	GAIA	N/A	TFA	2020/12/3	2021/12/2

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG


3. RF Power Output

3.1 Test procedure

3.1.1 Conducted Method

Per 47CFR Part 2.1046, the RF power output shall be measured at the RF output terminals and following procedure is employed:

The transmitter output was connected as the following figure:



The whole connection system is calibrated with a standard signal generator. Power on and make a link form simulator to EUT and then set the EUT to maximum output power.

Measure the RF power with the spectrum analyzer in accordance the following settings:

RBW: 300 kHz for Frequency below 1GHz and 1MHz for Frequency equal to and above 1GHz.


VBW: 300 kHz for Frequency below 1GHz and 1MHz for Frequency equal to and above 1GHz.

Span: 2MHz

Sweep: 3s

The power output at the transmitter antenna terminal is then determined by assign the value of the corrected factor to the spectrum analyzer reading.

Tests were performed at three frequencies (low, middle and high channels) and operation mode selected.



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3.2 Test Results

Test date: July 31, 2020

Temperature: 24.0 °C


Humidity: 53.5 %

Tester: Kent

WCDMA

Band II & Band IV & Band V

WCDMA Band II	POWER(dBm) Low Ch9262/ 1852.4MHz	POWER(dBm) Mid Ch9400/ 1880MHz	POWER(dBm) High Ch9538/ 1907.6MHz	EIRP Low Ch9262/ 1852.4MHz	EIRP Mid Ch9400/ 1880MHz	EIRP High Ch9538/ 1907.6MHz
	22.31	22.32	22.57	25.46	25.47	25.72
WCDMA Band IV	POWER(dBm) Low Ch1312/ 1712.4MHz	POWER(dBm) Mid Ch1412 /1732.4MHz	POWER(dBm) High Ch1513/ 1752.6MHz	EIRP Low Ch1312/ 1712.4MHz	EIRP Mid Ch1412/ 1732.4MHz	EIRP High Ch1513/ 1752.6MHz
	22.74	22.46	22.63	26.23	25.95	26.12
WCDMA Band V	POWER(dBm) Low Ch4132/ 826.4MHz	POWER(dBm) Mid Ch4183/ 836.6MHz	POWER(dBm) High Ch4233/ 846.6MHz	ERP Low Ch4132/ 826.4MHz	ERP Mid Ch4183/ 836.6MHz	ERP High Ch4233/ 846.6MHz
	23.52	23.49	23.64	24.67	24.64	24.79



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

LTE

Band II

BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch18607/ 1850.7MHz	POWER(dBm) Mid Ch18900/ 1880MHz	POWER(dBm) High Ch19193/ 1909.3MHz	EIRP Low Ch18607/ 1850.7MHz	EIRP Mid Ch18900/ 1880MHz	EIRP High Ch19193/ 1909.3MHz
1.4	QPSK	1	0	22.58	22.83	22.78	25.73	25.98	25.93
1.4	QPSK	1	3	22.88	22.95	23.13	26.03	26.10	26.28
1.4	QPSK	1	5	22.78	22.70	22.98	25.93	25.85	26.13
1.4	QPSK	3	0	22.85	22.92	23.06	26.00	26.07	26.21
1.4	QPSK	3	1	22.92	23.00	23.04	26.07	26.15	26.19
1.4	QPSK	3	3	22.85	22.98	22.93	26.00	26.13	26.08
1.4	QPSK	6	0	21.74	21.85	22.05	24.89	25.00	25.20
1.4	16QAM	1	0	21.06	21.27	21.43	24.21	24.42	24.58
1.4	16QAM	1	3	21.01	21.53	21.38	24.16	24.68	24.53
1.4	16QAM	1	5	21.51	21.40	20.88	24.66	24.55	24.03
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch18615/ 1851.5MHz	POWER(dBm) Mid Ch18900 /1880MHz	POWER(dBm) High Ch19185/ 1908.5MHz	EIRP Low Ch18615/ 1851.5MHz	EIRP Mid Ch18900/ 1880MHz	EIRP High Ch19185/ 1908.5MHz
3	QPSK	1	0	22.36	22.69	22.66	25.51	25.84	25.81
3	QPSK	1	7	22.88	22.80	23.18	26.03	25.95	26.33
3	QPSK	1	14	22.72	22.69	22.55	25.87	25.84	25.70
3	QPSK	8	0	21.71	21.88	21.97	24.86	25.03	25.12
3	QPSK	8	3	21.59	21.72	21.90	24.74	24.87	25.05
3	QPSK	8	7	21.68	21.95	21.97	24.83	25.10	25.12
3	QPSK	15	0	21.69	21.88	22.04	24.84	25.03	25.19
3	16QAM	1	0	21.25	21.25	21.44	24.40	24.40	24.59
3	16QAM	1	7	21.52	22.12	22.03	24.67	25.27	25.18
3	16QAM	1	14	21.35	21.29	21.37	24.50	24.44	24.52
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch18625/ 1852.5MHz	POWER(dBm) Mid Ch18900/ 1880MHz	POWER(dBm) High Ch19175/ 1907.5MHz	EIRP Low Ch18625/ 1852.5MHz	EIRP Mid Ch18900/ 1880MHz	EIRP High Ch19175/ 1907.5MHz
5	QPSK	1	0	22.46	22.66	22.65	25.61	25.81	25.80
5	QPSK	1	12	22.57	23.03	23.23	25.72	26.18	26.38
5	QPSK	1	24	22.73	22.65	22.69	25.88	25.80	25.84
5	QPSK	12	0	21.63	21.85	21.96	24.78	25.00	25.11
5	QPSK	12	6	21.65	21.87	21.92	24.80	25.02	25.07
5	QPSK	12	13	21.75	21.81	22.09	24.90	24.96	25.24
5	QPSK	25	0	21.68	21.83	21.86	24.83	24.98	25.01
5	16QAM	1	0	21.08	21.70	21.84	24.23	24.85	24.99
5	16QAM	1	12	22.03	22.13	21.92	25.18	25.28	25.07
5	16QAM	1	24	20.77	21.19	21.45	23.92	24.34	24.60




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch18650/ 1855MHz	POWER(dBm) Mid Ch18900/ 1880MHz	POWER(dBm) High Ch19150/ 1905MHz	EIRP Low Ch18650/ 1855MHz	EIRP Mid Ch18900/ 1880MHz	EIRP High Ch19150/ 1905MHz
10	QPSK	1	0	22.75	22.77	22.60	25.90	25.92	25.75
10	QPSK	1	24	22.90	22.67	22.68	26.05	25.82	25.83
10	QPSK	1	49	22.60	22.68	23.07	25.75	25.83	26.22
10	QPSK	25	0	21.75	21.88	22.01	24.90	25.03	25.16
10	QPSK	25	12	21.79	21.94	22.06	24.94	25.09	25.21
10	QPSK	25	25	21.78	21.87	22.20	24.93	25.02	25.35
10	QPSK	50	0	21.78	21.99	22.01	24.93	25.14	25.16
10	16QAM	1	0	21.32	21.23	21.24	24.47	24.38	24.39
10	16QAM	1	24	21.11	21.55	21.71	24.26	24.70	24.86
10	16QAM	1	49	21.79	21.39	21.44	24.94	24.54	24.59
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch18675/ 1857.5MHz	POWER(dBm) Mid Ch18900/ 1880MHz	POWER(dBm) High Ch19125/ 1902.5MHz	EIRP Low Ch18675/ 1857.5MHz	EIRP Mid Ch18900/ 1880MHz	EIRP High Ch19125/ 1902.5MHz
15	QPSK	1	0	22.97	22.81	22.86	26.12	25.96	26.01
15	QPSK	1	37	22.99	23.33	23.35	26.14	26.48	26.50
15	QPSK	1	74	22.91	23.18	23.22	26.06	26.33	26.37
15	QPSK	36	0	21.88	22.04	22.03	25.03	25.19	25.18
15	QPSK	36	19	22.10	21.98	22.01	25.25	25.13	25.16
15	QPSK	36	39	22.13	22.10	22.01	25.28	25.25	25.16
15	QPSK	75	0	22.02	22.05	22.07	25.17	25.20	25.22
15	16QAM	1	0	21.44	22.27	22.52	24.59	25.42	25.67
15	16QAM	1	37	22.57	22.71	22.81	25.72	25.86	25.96
15	16QAM	1	74	21.70	22.31	21.92	24.85	25.46	25.07
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch18700/ 1860MHz	POWER(dBm) Mid Ch18900/ 1880MHz	POWER(dBm) High Ch19100/ 1900MHz	EIRP Low Ch18675/ 1857.5MHz	EIRP Mid Ch18900/ 1880MHz	EIRP High Ch19125/ 1902.5MHz
20	QPSK	1	0	22.28	22.80	23.05	25.43	25.95	26.20
20	QPSK	1	49	22.83	23.22	22.87	25.98	26.37	26.02
20	QPSK	1	99	23.06	22.9	22.80	26.21	26.05	25.95
20	QPSK	50	0	21.90	22.00	22.03	25.05	25.15	25.18
20	QPSK	50	25	21.97	22.11	22.12	25.12	25.26	25.27
20	QPSK	50	50	21.90	22.19	22.12	25.05	25.34	25.27
20	QPSK	100	0	21.89	22.06	22.04	25.04	25.21	25.19
20	16QAM	1	0	21.52	22.23	21.98	24.67	25.38	25.13
20	16QAM	1	49	21.89	22.35	22.33	25.04	25.50	25.48
20	16QAM	1	99	21.57	21.69	21.81	24.72	24.84	24.96




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band IV

BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch19957/ 1710.7MHz	POWER(dBm) Mid Ch20175/ 1732.5MHz	POWER(dBm) High Ch20393/ 1754.3MHz	EIRP Low Ch19957/ 1710.7MHz	EIRP Mid Ch20175/ 1732.5MHz	EIRP High Ch20393/ 1754.3MHz
1.4	QPSK	1	0	22.53	22.63	22.35	26.02	26.12	25.84
1.4	QPSK	1	3	22.67	22.82	22.56	26.16	26.31	26.05
1.4	QPSK	1	5	22.59	22.68	22.42	26.08	26.17	25.91
1.4	QPSK	3	0	22.77	23.10	23.05	26.26	26.59	26.54
1.4	QPSK	3	1	22.93	23.15	23.05	26.42	26.64	26.54
1.4	QPSK	3	3	22.85	23.02	22.95	26.34	26.51	26.44
1.4	QPSK	6	0	21.97	22.01	21.89	25.46	25.50	25.38
1.4	16QAM	1	0	21.45	21.80	21.75	24.94	25.29	25.24
1.4	16QAM	1	3	21.06	21.28	21.03	24.55	24.77	24.52
1.4	16QAM	1	5	21.28	21.24	21.03	24.77	24.73	24.52
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch19965/ 1711.5MHz	POWER(dBm) Mid Ch20175/ 1732.5MHz	POWER(dBm) High Ch20385/ 1753.5MHz	EIRP Low Ch19965/ 1711.5MHz	EIRP Mid Ch20175/ 1732.5MHz	EIRP High Ch20385/ 1753.5MHz
3	QPSK	1	0	22.94	22.72	22.81	26.43	26.21	26.30
3	QPSK	1	7	22.52	23.02	22.68	26.01	26.51	26.17
3	QPSK	1	14	22.89	22.52	22.63	26.38	26.01	26.12
3	QPSK	8	0	21.94	21.98	21.83	25.43	25.47	25.32
3	QPSK	8	3	21.81	22.05	21.79	25.30	25.54	25.28
3	QPSK	8	7	21.77	22.06	21.91	25.26	25.55	25.40
3	QPSK	15	0	21.88	22.04	21.76	25.37	25.53	25.25
3	16QAM	1	0	21.49	21.42	21.19	24.98	24.91	24.68
3	16QAM	1	7	21.26	21.48	21.53	24.75	24.97	25.02
3	16QAM	1	14	21.39	21.45	21.17	24.88	24.94	24.66
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch19975/ 1712.5MHz	POWER(dBm) Mid Ch20175/ 1732.5MHz	POWER(dBm) High Ch20375/ 1752.5MHz	EIRP Low Ch19975/ 1712.5MHz	EIRP Mid Ch20175/ 1732.5MHz	EIRP High Ch20375/ 1752.5MHz
5	QPSK	1	0	22.73	22.81	22.61	26.22	26.30	26.10
5	QPSK	1	12	22.61	22.88	22.67	26.10	26.37	26.16
5	QPSK	1	24	22.57	22.52	22.87	26.06	26.01	26.36
5	QPSK	12	0	21.71	21.88	21.76	25.20	25.37	25.25
5	QPSK	12	6	21.67	21.98	21.85	25.16	25.47	25.34
5	QPSK	12	13	21.82	21.97	21.74	25.31	25.46	25.23
5	QPSK	25	0	21.67	21.97	21.87	25.16	25.46	25.36
5	16QAM	1	0	21.71	21.39	21.40	25.20	24.88	24.89
5	16QAM	1	12	21.58	21.62	21.62	25.07	25.11	25.11
5	16QAM	1	24	21.41	21.31	21.31	24.90	24.80	24.80
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch20000/ 1715MHz	POWER(dBm) Mid Ch20175/ 1732.5MHz	POWER(dBm) High Ch20350/ 1750MHz	EIRP Low Ch20000/ 1715MHz	EIRP Mid Ch20175/ 1732.5MHz	EIRP High Ch20350/ 1750MHz
10	QPSK	1	0	22.58	22.40	22.46	26.07	25.89	25.95
10	QPSK	1	24	22.48	22.69	22.51	25.97	26.18	26.00
10	QPSK	1	49	22.36	22.69	22.80	25.85	26.18	26.29
10	QPSK	25	0	21.72	21.95	21.87	25.21	25.44	25.36
10	QPSK	25	12	21.82	21.99	21.70	25.31	25.48	25.19
10	QPSK	25	25	21.57	21.88	21.82	25.06	25.37	25.31
10	QPSK	50	0	21.79	21.99	21.75	25.28	25.48	25.24
10	16QAM	1	0	21.98	20.96	21.22	25.47	24.45	24.71
10	16QAM	1	24	21.53	21.25	20.92	25.02	24.74	24.41
10	16QAM	1	49	20.82	20.77	21.07	24.31	24.26	24.56



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch20025/1717.5 MHz	POWER(dBm) Mid Ch20175/1732.5 MHz	POWER(dBm) High Ch20325/1747.5 MHz	EIRP Low Ch20025/171 7.5MHz	EIRP Mid Ch20175/173 2.5MHz	EIRP High Ch20325/17 47.5MHz
15	QPSK	1	0	22.45	22.47	22.71	25.94	25.96	26.20
15	QPSK	1	37	22.53	22.73	22.95	26.02	26.22	26.44
15	QPSK	1	74	22.7	22.71	22.86	26.19	26.20	26.35
15	QPSK	36	0	21.7	22.02	21.76	25.19	25.51	25.25
15	QPSK	36	19	21.6	22.01	21.67	25.09	25.50	25.16
15	QPSK	36	39	21.65	21.8	21.65	25.14	25.29	25.14
15	QPSK	75	0	21.7	21.77	21.78	25.19	25.26	25.27
15	16QAM	1	0	21.8	22.3	21.29	25.29	25.79	24.78
15	16QAM	1	37	21.45	21.74	22.2	24.94	25.23	25.69
15	16QAM	1	74	21.65	21.49	21.66	25.14	24.98	25.15
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch20025/ 1717.5MHz	POWER(dBm) Mid Ch20175/ 1732.5MHz	POWER(dBm) High Ch20325/ 1747.5MHz	EIRP Low Ch20025/ 1717.5MHz	EIRP Mid Ch20175/ 1732.5MHz	EIRP High Ch20325/ 1747.5MHz
20	QPSK	1	0	22.55	22.88	22.71	26.04	26.37	26.20
20	QPSK	1	49	22.39	22.66	23.01	25.88	26.15	26.50
20	QPSK	1	99	22.73	22.38	22.32	26.22	25.87	25.81
20	QPSK	50	0	21.99	21.98	21.99	25.48	25.47	25.48
20	QPSK	50	25	21.73	21.94	21.82	25.22	25.43	25.31
20	QPSK	50	50	21.82	21.77	21.67	25.31	25.26	25.16
20	QPSK	100	0	21.64	22.01	21.79	25.13	25.50	25.28
20	16QAM	1	0	21.00	21.20	21.78	24.49	24.69	25.27
20	16QAM	1	49	21.62	21.29	21.10	25.11	24.78	24.59
20	16QAM	1	99	21.18	21.81	21.19	24.67	25.30	24.68



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band XII

BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch23017/ 699.7MHz	POWER(dBm) Mid Ch23095/ 707.5MHz	POWER(dBm) High Ch23173/ 715.3MHz	ERP Low Ch23017/ 699.7MHz	ERP Mid Ch23095/ 707.5MHz	ERP High Ch23173/ 715.3MHz
1.4	QPSK	1	0	22.54	22.68	22.40	22.50	22.64	22.36
1.4	QPSK	1	3	22.79	22.83	22.98	22.75	22.79	22.94
1.4	QPSK	1	5	23.16	22.70	22.64	23.12	22.66	22.60
1.4	QPSK	3	0	22.93	22.98	22.97	22.89	22.94	22.93
1.4	QPSK	3	1	23.18	23.19	22.96	23.14	23.15	22.92
1.4	QPSK	3	3	23.09	22.96	22.89	23.05	22.92	22.85
1.4	QPSK	6	0	22.18	22.08	22.05	22.14	22.04	22.01
1.4	16QAM	1	0	21.15	21.74	21.27	21.11	21.70	21.23
1.4	16QAM	1	3	21.61	21.54	21.73	21.57	21.50	21.69
1.4	16QAM	1	5	21.64	21.38	21.29	21.60	21.34	21.25
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch23025/ 700.5MHz	POWER(dBm) Mid Ch23095/ 707.5MHz	POWER(dBm) High Ch23165/ 714.5MHz	ERP Low Ch23025/ 700.5MHz	ERP Mid Ch23095/ 707.5MHz	ERP High Ch23165/ 714.5MHz
3	QPSK	1	0	22.81	22.87	22.83	22.77	22.83	22.79
3	QPSK	1	7	23.16	22.99	22.81	23.12	22.95	22.77
3	QPSK	1	14	23.02	22.88	22.95	22.98	22.84	22.91
3	QPSK	8	0	22.18	22.15	22.09	22.14	22.11	22.05
3	QPSK	8	3	22.08	22.16	22.08	22.04	22.12	22.04
3	QPSK	8	7	22.21	22.17	21.99	22.17	22.13	21.95
3	QPSK	15	0	22.06	22.09	22	22.02	22.05	21.96
3	16QAM	1	0	21.78	21.55	21.43	21.74	21.51	21.39
3	16QAM	1	7	21.69	21.78	22.07	21.65	21.74	22.03
3	16QAM	1	14	21.93	21.6	21.52	21.89	21.56	21.48
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch23035/ 701.5MHz	POWER(dBm) Mid Ch23095/ 707.5MHz	POWER(dBm) High Ch23155/ 713.5MHz	ERP Low Ch23035/ 701.5MHz	ERP Mid Ch23095/ 707.5MHz	ERP High Ch23155/ 713.5MHz
5	QPSK	1	0	22.58	22.52	22.49	22.54	22.48	22.45
5	QPSK	1	12	22.92	23.01	23.06	22.88	22.97	23.02
5	QPSK	1	24	22.98	22.50	22.83	22.94	22.46	22.79
5	QPSK	12	0	22.04	21.99	22.04	22.00	21.95	22.00
5	QPSK	12	6	22.04	22.04	22.06	22.00	22.00	22.02
5	QPSK	12	13	22.09	22.12	22.04	22.05	22.08	22.00
5	QPSK	25	0	22.18	22.10	22.00	22.14	22.06	21.96
5	16QAM	1	0	20.86	21.42	21.57	20.82	21.38	21.53
5	16QAM	1	12	21.98	21.57	21.91	21.94	21.53	21.87
5	16QAM	1	24	20.95	20.98	21.20	20.91	20.94	21.16
BW(MHz)	Modulation	RB Size	RB offset	POWER(dBm) Low Ch23035/ 701.5MHz	POWER(dBm) Mid Ch23095/ 707.5MHz	POWER(dBm) High Ch23155/ 713.5MHz	ERP Low Ch23035/ 701.5MHz	ERP Mid Ch23095/ 707.5MHz	ERP High Ch23155/ 713.5MHz
10	QPSK	1	0	22.80	22.78	22.86	22.76	22.74	22.82
10	QPSK	1	24	22.84	22.74	23.46	22.80	22.70	23.42
10	QPSK	1	49	22.95	22.62	22.72	22.91	22.58	22.68
10	QPSK	25	0	22.01	22.03	22.16	21.97	21.99	22.12
10	QPSK	25	12	22.23	22.12	22.11	22.19	22.08	22.07
10	QPSK	25	25	22.11	21.93	22.09	22.07	21.89	22.05
10	QPSK	50	0	22.16	22.05	22.14	22.12	22.01	22.10
10	16QAM	1	0	21.44	21.61	22.07	21.40	21.57	22.03
10	16QAM	1	24	21.06	21.74	21.16	21.02	21.70	21.12
10	16QAM	1	49	21.70	21.10	20.84	21.66	21.06	20.80

Test equipment: ETSTW-GSM 002, ETSTW-GSM 004


Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

4. Modulation Characteristics

4.1 Test procedure

- ☐ A curve or equivalent data showing the frequency response of the audio modulating circuit over a range of 100 to 5000 Hz shall be submitted.
The audio signal generator is connected to the audio input of the EUT with its full rating. The modulation response is measured at certain modulation frequencies, related to 1000Hz reference signal. Tests are performed for positive and negative modulation.
- ☐ Equipment which employs modulation Limiting: A curve or family of curves showing the percentage of modulation versus the modulation input voltage shall be supplied. The audio signal generator is connected to the audio input of the EUT with its full rating. The modulation limiting is measured at certain modulation frequencies from 100Hz to 15kHz.



4.2 Test Results

For digital modulation employed, this test item is not applicable.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG


5. Peak-to-Average Ratio

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB. The PAPR measurements should be made using either an instrument with complementary cumulative distribution function (CCDF) capabilities to determine that PAPR will not exceed 13 dB for more than 0.1 percent of the time or other Commission approved procedure. The measurement must be performed using a signal corresponding to the highest PAPR expected during periods of continuous transmission.

5.1 Test procedure

1. The EUT main port was connected to the LTE emulator and spectrum analyzer via power divider
2. For Spectrum Analyzer setting :
3. Set the CCDF function in spectrum analyzer.
4. Set RBW $\geq$ signal's occupied bandwidth.
5. Set the number of counts to a value that stabilizes the measured CCDF curve.
6. Set the measurement interval (sweep time) to 1ms.
7. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1%
8. Record the deviation as Peak to Average Ratio.

5.2 Test Set up





Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5.3 Test Results

Test date: August 13, 2020


Temperature: 24.5 °C

Humidity: 48.6 %

Tester: Kent

WCDMA

Band II



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	21.40 dBm
Peak	25.27 dBm
Crest	3.87 dB


10 %	1.79 dB
1 %	2.92 dB
.1 %	3.46 dB
.01 %	3.72 dB

Date: 13.AUG.2020 19:12:19



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1


Mean	21.22 dBm
Peak	24.91 dBm
Crest	3.70 dB
10 %	1.76 dB
1 %	2.79 dB
.1 %	3.33 dB
.01 %	3.56 dB

Date: 13.AUG.2020 19:12:47



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	21.21 dBm
Peak	25.06 dBm
Crest	3.84 dB
10 %	1.79 dB
1 %	2.92 dB
.1 %	3.46 dB
.01 %	3.65 dB

Date: 13.AUG.2020 19:13:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band IV




RBW 5 MHz

Ref 40 dBm

* Att 20 dB

AQT 12.5 ms

1 SA
CLRWR



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	21.50 dBm
Peak	25.06 dBm
Crest	3.55 dB


10 %	1.76 dB
1 %	2.79 dB
.1 %	3.30 dB
.01 %	3.46 dB

Date: 13.AUG.2020 19:13:38



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1


Mean	21.21 dBm
Peak	24.84 dBm
Crest	3.64 dB
10 %	1.76 dB
1 %	2.79 dB
.1 %	3.30 dB
.01 %	3.49 dB

Date: 13.AUG.2020 19:14:02



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	21.29 dBm
Peak	24.84 dBm
Crest	3.55 dB
10 %	1.73 dB
1 %	2.76 dB
.1 %	3.24 dB
.01 %	3.43 dB

Date: 13.AUG.2020 19:14:23



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band V




RBW 5 MHz

Ref 40 dBm

* Att 20 dB

AQT 12.5 ms

1 SA
CLRWR



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	22.49 dBm
Peak	26.11 dBm
Crest	3.63 dB


10 %	1.70 dB
1 %	2.72 dB
.1 %	3.24 dB
.01 %	3.46 dB

Date: 13.AUG.2020 19:15:03



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1


Mean	22.61 dBm
Peak	26.33 dBm
Crest	3.71 dB
10 %	1.76 dB
1 %	2.82 dB
.1 %	3.33 dB
.01 %	3.56 dB

Date: 13.AUG.2020 19:15:28



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	22.44 dBm
Peak	26.11 dBm
Crest	3.67 dB
10 %	1.76 dB
1 %	2.79 dB
.1 %	3.27 dB
.01 %	3.49 dB

Date: 13.AUG.2020 19:15:47




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

LTE

Band II



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	15.63 dBm
Peak	21.25 dBm
Crest	5.61 dB


10 %	2.85 dB
1 %	5.06 dB
.1 %	5.45 dB
.01 %	5.58 dB

Date: 13.AUG.2020 19:25:53



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1


Mean	15.42 dBm
Peak	21.18 dBm
Crest	5.76 dB
10 %	2.92 dB
1 %	5.32 dB
.1 %	5.58 dB
.01 %	5.67 dB

Date: 13.AUG.2020 19:26:26



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	14.60 dBm
Peak	20.19 dBm
Crest	5.58 dB
10 %	2.85 dB
1 %	5.22 dB
.1 %	5.45 dB
.01 %	5.54 dB


Date: 13.AUG.2020 19:26:54



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band XII



Complementary Cumulative Distribution Function (100000 samples)

Trace 1

Mean	20.13 dBm
Peak	25.48 dBm
Crest	5.35 dB


10 %	2.76 dB
1 %	4.87 dB
.1 %	5.19 dB
.01 %	5.29 dB

Date: 13.AUG.2020 20:17:54



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1


Mean	19.41 dBm
Peak	24.70 dBm
Crest	5.29 dB
10 %	2.69 dB
1 %	4.71 dB
.1 %	5.16 dB
.01 %	5.26 dB

Date: 13.AUG.2020 20:18:15



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Complementary Cumulative Distribution Function (100000 samples)

Trace 1	
Mean	19.72 dBm
Peak	25.06 dBm
Crest	5.33 dB
10 %	2.79 dB
1 %	5.03 dB
.1 %	5.19 dB
.01 %	5.26 dB

Date: 13.AUG.2020 20:18:41

Limit according to FCC §24.232 and §27.50, The peak-to-average ratio(PAR) of the transmission may not exceed 13dB.

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

6. Occupied Bandwidth

The occupied bandwidth (OBW) is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to a specified percentage 0.5% of the total mean transmitted power.


The 26 dB occupied bandwidth is the width of a frequency band such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal 26 dB.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

6.1 Test procedure

The RF output of the transceiver was connected as the following figure.

Occupied Bandwidth was measured with a occupied bandwidth function of the analyzer at 99% power was occupied. Then set the spectrum analyzer to cover the upper and lower band edges to



measure emission mask.



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

6.2 Test Results

Test date: August 06, 2020

Temperature: 24.9 °C


Humidity: 48.2 %

Tester: Kent

Occupied Channel Bandwidth

WCDMA

Band II




Date: 6.AUG.2020 16:10:07



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 16:11:06



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 16:12:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band IV




Date: 6.AUG.2020 16:13:30



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 16:14:27




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 16:15:27




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band V




Date: 6.AUG.2020 16:16:22




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 16:17:24



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 16:18:21



Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

LTE

Band II

QPSK

1.4MHz



Date: 6.AUG.2020 16:30:34






Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz



Date: 6.AUG.2020 16:33:22




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz



Date: 6.AUG.2020 16:34:32




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz



Date: 6.AUG.2020 16:35:40




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz



Date: 6.AUG.2020 16:36:42



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band IV

QPSK

1.4MHz



Date: 6.AUG.2020 16:38:50




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz



Date: 6.AUG.2020 16:40:27




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz



Date: 6.AUG.2020 16:41:26




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz



Date: 6.AUG.2020 16:42:33




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz



Date: 6.AUG.2020 16:43:32




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz



Date: 6.AUG.2020 16:44:26



Offset 17 dB

OBW 1.100961538 MHz
Marker 1 [T1]
-9.15 dBm
766.846153846 MHz
Marker 2 [T1]
16.15 dBm
766.995192308 MHz
Temp 1 [T1 OBW]
8.99 dBm
766.947115385 MHz
Temp 2 [T1 OBW]
9.15 dBm
768.048076923 MHz

D1 9.95 dBm

Center 707.5 MHz 300 kHz/ Span 3 MHz


Date: 6.AUG.2020 16:51:26




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz



Date: 6.AUG.2020 16:52:24




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 6.AUG.2020 16:53:30



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz



Date: 6.AUG.2020 16:54:35

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG


7. Spurious Emissions at Antenna Terminals

7.1 Test procedure

This transmitter output was connected to a calibrated coaxial attenuator, the other end of which was connected to a spectrum analyzer via a three-port splitter. Please refer to the following figure. Transmitter output was derived with the spectrum analyzer in dBm.

The Spurious Emissions at Antenna Terminals was measured by the spectrum analyzer with a suitable notch filter and/or Band-pass filter.

Tests were performed with an unmodulated carrier at three frequencies (low, middle and high channels) and on all power levels , which can be set-up on the transmitters.



7.2 Test Results

Test date: August 11, 2020-August 12, 2020


Temperature: 23.2 °C

Humidity: 48.5 %

Tester: Kent

WCDMA

Band II




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:39:42



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:40:07



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 19:40:32



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band IV




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:43:06




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:43:27



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 19:43:49



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band V




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:47:50



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:48:19



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:48:38



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

LTE

Band II

16QAM

1.4MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:57:46



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:58:33



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 19:58:59



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:02:39



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:03:03



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:03:32



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:19:09



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:19:28



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:19:50



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:23:33



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:23:51



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:24:18



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:28:23



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:28:45



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:29:07




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:31:15



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:32:10




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:33:33




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

QPSK

1.4MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 19:59:55



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:00:19



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:01:18



Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

3MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:04:25



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:04:44



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:05:08



Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

5MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:20:59



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:20:39



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:20:14



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:25:30



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:25:48



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:27:22




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

15MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:30:20



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:29:58



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:29:33



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:35:32



FCC ID: GX9CHMG




Date: 11.AUG.2020 20:35:51



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:36:20



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band IV


16QAM

1.4MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:40:41



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:41:08




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:41:32



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:44:38



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:44:57



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:45:34




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:49:31



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:50:10



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:50:36



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:53:29




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:53:46



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:54:06



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:56:31



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:57:02



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:57:20



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 21:00:54



FCC ID: GX9CHMG




Date: 11.AUG.2020 21:01:30



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 21:01:56




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

QPSK

1.4MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:43:19




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:42:56



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:42:33




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:46:21



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:46:50



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 11.AUG.2020 20:47:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:52:07



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:51:42



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:51:13




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:55:10



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:54:51



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:54:27




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:58:16



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:57:59



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 20:57:40




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

20MHz




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 21:03:21



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 21:02:54



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 11.AUG.2020 21:02:26



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band XII

16QAM

1.4MHz




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:18:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:18:36



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 12.AUG.2020 21:18:56



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:21:16



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:21:38



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 12.AUG.2020 21:21:59



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz



CONDUCTED SPURIOUS EMISSION


Date: 12.AUG.2020 21:26:14



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:26:33



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 12.AUG.2020 21:26:54



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:29:32



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:29:50



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:30:55




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

QPSK

1.4MHz




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:19:35



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:19:54



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:20:17




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:22:51



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:23:13



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:24:28




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:27:34



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:27:52



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION


Date: 12.AUG.2020 21:28:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:31:29



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:33:58



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



CONDUCTED SPURIOUS EMISSION

Date: 12.AUG.2020 21:34:22

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

7.3 Explanation of test result

All factors like cable loss and external attenuation etc. are already included in the provided measurement results. This is done by using validated test software and calibrated test system according the accreditation requirements.

7.4 Calculation of Limit for Spurious at Antenna Terminals

Compliance with § 22.917, §24.238, §27.53 requires that any emission be attenuated below the transmitter power at least $43 + 10 \log P$ (P = transmitter power in Watts).

Limit for Spurious Emissions at Antenna Terminals: $L=P-A=-13\text{dBm}$



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

8. Field Strength of Spurious Radiation

8.1 Test procedure

The test procedure for filed strength measurement is same as radiated power except for a notch filter or band pass filter is used to avoid the influence of fundamental to the pre-amplifier.

The measurements below 1GHz were performed with a measurement bandwidth of 100kHz, above 1GHz with a bandwidth of 1 MHz.

8.2 Test Results

The measurements of the spurious emission are at the upper, center and lower channel.

Model: CHMG-1

Date:

Mode: --

Temperature: --

°C

Engineer: --

Polarization: Horizontal

Humidity: --

%

Frequency (MHz)	Reading (dBm) Peak	Factor (dB) Corr.	Result (dBm)	Limit (dBm)	Margin (dB)	Table Degree (Deg.)	Ant. High (cm)
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--

Polarization: Vertical

Frequency (MHz)	Reading (dBm) Peak	Factor (dB) Corr.	Result (dBm)	Limit (dBm)	Margin (dB)	Table Degree (Deg.)	Ant. High (cm)
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--

- Note**
1. Correction Factor = Antenna factor + Cable loss - Preamplifier
 2. The formula of measured value as: Test Result = Reading + Correction Factor
 3. Detector function in the form: PK = Peak, QP = Quasi Peak, AV = Average
 4. All not in the table noted test results are more than 20 dB below the relevant limits.
 5. See attached diagrams in appendix.

8.3 Explanation of test result

Result Level = Reading Level + Corrected Factor

Corrected Factor = SG level – Received level-Cable loss + substitution antenna gain

8.4 Calculation of Limit for Field Strength of Spurious

Compliance with § 22.917, § 24.238, § 27.53 requires that any emission be attenuated below the transmitter power at least $43 + 10 \log P$ (P = transmitter power in Watts).

Limit for Spurious Emissions at Antenna Terminals: $L=P-A=-13\text{dBm}$

Test equipment: ETSTW-RE 004, ETSTW-RE 018, ETSTW-RE 030, ETSTW-RE 062,
ETSTW-RE 142, ETSTW-RE 147, ETSTW-GSM 004



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

8.5 Test result of band edge emissions

Test date: August 05, 2020- August 06, 2020


Temperature: 24.9 °C

Humidity: 48.2 %

Tester: Kent

WCDMA

Band II




Date: 5.AUG.2020 20:03:27



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:04:41



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band IV




Date: 5.AUG.2020 20:09:47



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:05:38



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Band V




Date: 5.AUG.2020 20:08:58



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 5.AUG.2020 20:08:06



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG


LTE

Band II

16QAM

1RB

1.4MHz




Date: 5.AUG.2020 20:16:53



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:18:49



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 5.AUG.2020 20:20:53



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:22:25



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 5.AUG.2020 20:24:01



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 5.AUG.2020 20:25:00




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 5.AUG.2020 20:26:25



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:27:43



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




Date: 5.AUG.2020 20:29:02



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 5.AUG.2020 20:30:01




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




Date: 5.AUG.2020 20:31:06



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 5.AUG.2020 20:32:03



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

QPSK

FRB

1.4MHz




Date: 5.AUG.2020 20:37:23



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Tx Channel				BW 1_4_MHz_higher UL			
Bandwidth				Power			
Start	Stop	1.4 MHz					
[Hz]	[Hz]	[Hz]	Freq	PwrAbs	PwrRel	ΔLimit	
-2.500 M	-700.000 k	100.00 k	1.908595 G	-21.83	-42.19	-321.83	
700.000 k	1.700 M	20.00 k	1.910000 G	-20.95	-41.31	-7.95	
1.700 M	2.500 M	1.00 M	1.911007 G	-22.74	-43.10	-9.74	


Date: 5.AUG.2020 20:38:10



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 5.AUG.2020 20:40:41



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:42:41



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 5.AUG.2020 21:06:55



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 21:07:34



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 5.AUG.2020 21:09:22



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 21:10:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




Date: 5.AUG.2020 21:13:42



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 5.AUG.2020 21:14:28




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




Date: 5.AUG.2020 21:16:23



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 5.AUG.2020 21:17:14




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

1RB

1.4MHz




Date: 5.AUG.2020 20:36:43



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:38:37



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 5.AUG.2020 20:40:10



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 20:43:06



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 5.AUG.2020 21:06:29



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 21:08:03



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 5.AUG.2020 21:08:59



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 21:10:36



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




Date: 5.AUG.2020 21:11:56



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 5.AUG.2020 21:15:02



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




Date: 5.AUG.2020 21:16:01



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 5.AUG.2020 21:17:36



Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

Band IV

16QAM

1RB

1.4MHz




Date: 6.AUG.2020 19:32:43



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:37:21



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 6.AUG.2020 19:39:43



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:47:25



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 6.AUG.2020 19:49:22



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:51:47



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 6.AUG.2020 19:53:45



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:54:28



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




Date: 6.AUG.2020 19:57:49



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:59:06



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




Date: 6.AUG.2020 20:03:36



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 20:04:37




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

QPSK

FRB

1.4MHz




Date: 6.AUG.2020 19:35:23



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:36:15



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 6.AUG.2020 19:40:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:40:58



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 6.AUG.2020 19:49:55



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:50:55



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 6.AUG.2020 19:53:02



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:55:23



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




Date: 6.AUG.2020 19:56:51



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 20:00:37



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




Date: 6.AUG.2020 20:02:35



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 20:05:32




Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

1RB

1.4MHz




Date: 6.AUG.2020 19:34:48



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:36:45



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 6.AUG.2020 19:39:21



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:41:20



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 6.AUG.2020 19:49:01



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:51:23



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 6.AUG.2020 19:53:24



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:54:48



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

15MHz




Date: 6.AUG.2020 19:57:21



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 19:59:30



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

20MHz




Date: 6.AUG.2020 20:03:02



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 20:04:59



Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

Band XII

16QAM

1RB

1.4MHz




Date: 6.AUG.2020 20:29:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 20:49:27



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 6.AUG.2020 20:52:19



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 20:55:32



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 6.AUG.2020 20:56:36




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 21:01:39



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 6.AUG.2020 21:05:02




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 21:08:12




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

QPSK

FRB

1.4MHz




Date: 6.AUG.2020 20:30:24



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 20:48:11



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 6.AUG.2020 20:53:02



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 20:54:25




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 6.AUG.2020 20:57:29



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 21:00:51



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 6.AUG.2020 21:04:02



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 21:09:00




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

1RB

1.4MHz




Date: 6.AUG.2020 20:29:44



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 20:48:47



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

3MHz




Date: 6.AUG.2020 20:52:41



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 20:55:02




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

5MHz




Date: 6.AUG.2020 20:57:04



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG




Date: 6.AUG.2020 21:01:16



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10MHz




Date: 6.AUG.2020 21:04:26



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG



Date: 6.AUG.2020 21:08:35

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Report Number: W6M22103-20740-P-247


FCC ID: GX9CHMG

9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- ☒ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- ☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- ☒ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

Test date: August 13, 2020

Temperature: 24.5 °C

Humidity: 48.6 %

Tester: Kent


WCDMA BAND II					WCDMA BAND IV				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1312	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	11.13	0.006	±2.5		-30	10.22	0.006	±2.5
	-20	-8.33	-0.004			-20	-8.96	-0.005	
	-10	6.55	0.004			-10	6.55	0.004	
	0	-7.43	-0.004			0	5.98	0.003	
	10	3.42	0.002			10	2.93	0.002	
	20	-1.92	-0.001			20	-5.13	-0.003	
	30	4.73	0.003			30	3.99	0.002	
	40	6.51	0.004			40	-4.55	-0.003	
	50	-8.33	-0.004			50	-6.39	-0.004	
132Vac	25	-3.35	-0.002	±2.5	132Vac	25	-4.25	-0.002	±2.5
108Vac	25	-3.74	-0.002		108Vac	25	-1.52	-0.001	
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1412	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.55	-0.005	±2.5		-30	-10.13	-0.006	±2.5
	-20	8.41	0.004			-20	8.95	0.005	
	-10	8.44	0.004			-10	-7.44	-0.004	
	0	-6.41	-0.003			0	-7.48	-0.004	
	10	-1.31	-0.001			10	5.35	0.003	
	20	2.55	0.001			20	-2.05	-0.001	
	30	4.85	0.003			30	-5.31	-0.003	
	40	-3.04	-0.002			40	-6.15	-0.004	
	50	7.63	0.004			50	7.12	0.004	
132Vac	25	-5.71	-0.003	±2.5	132Vac	25	-4.07	-0.002	±2.5
108Vac	25	-4.28	-0.002		108Vac	25	-4.16	-0.002	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1513	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.75	-0.005	±2.5		-30	7.41	0.004	±2.5
	-20	4.43	0.002			-20	8.55	0.005	
	-10	6.18	0.003			-10	6.73	0.004	
	0	-5.29	-0.003			0	-7.42	-0.004	
	10	5.29	0.003			10	5.73	0.003	
	20	-4.32	-0.002			20	-3.16	-0.002	
	30	4.66	0.002			30	3.55	0.002	
	40	5.31	0.003			40	-4.82	-0.003	
	50	-5.98	-0.003			50	6.61	0.004	
132Vac	25	-3.55	-0.002	±2.5	132Vac	25	-3.93	-0.002	±2.5
108Vac	25	-3.60	-0.002		108Vac	25	-3.97	-0.002	



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

WCDMA BAND V				
CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.23	-0.014	±2.5
	-20	9.33	0.011	
	-10	7.54	0.009	
	0	-8.43	-0.010	
	10	-4.93	-0.006	
	20	3.13	0.004	
	30	5.49	0.007	
	40	-6.11	-0.007	
	50	7.19	0.009	
132Vac	25	1.42	0.002	±2.5
108Vac	25	-2.33	-0.003	
CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	9.14	0.011	±2.5
	-20	-5.77	-0.007	
	-10	-6.39	-0.008	
	0	-7.43	-0.009	
	10	-3.75	-0.004	
	20	4.74	0.006	
	30	4.65	0.006	
	40	5.22	0.006	
	50	7.88	0.009	
132Vac	25	2.93	0.004	±2.5
108Vac	25	-5.51	-0.007	
CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.93	-0.012	±2.5
	-20	-7.78	-0.009	
	-10	8.63	0.010	
	0	-6.16	-0.007	
	10	5.74	0.007	
	20	2.74	0.003	
	30	5.31	0.006	
	40	6.21	0.007	
	50	8.21	0.010	
132Vac	25	-3.33	-0.004	±2.5
108Vac	25	-2.87	-0.003	



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

LTE BAND II QPSK 10MHz FRB					LTE BAND IV QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.43	-0.006	±2.5		-30	9.95	0.006	±2.5
	-20	7.48	0.004			-20	-3.98	-0.002	
	-10	-8.93	-0.005			-10	-7.41	-0.004	
	0	-9.21	-0.005			0	-8.92	-0.005	
	10	-8.74	-0.005			10	7.06	0.004	
	20	-5.04	-0.003			20	-2.29	-0.001	
	30	6.89	0.004			30	-3.41	-0.002	
	40	-8.44	-0.004			40	7.45	0.004	
	50	8.56	0.005			50	9.87	0.006	
132Vac	25	-6.51	-0.003	±2.5	132Vac	25	2.86	0.002	±2.5
108Vac	25	-5.58	-0.003		108Vac	25	-3.02	-0.002	

LTE BAND XII QPSK 10MHz FRB				
CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	8.99	0.013	±2.5
	-20	-7.41	-0.010	
	-10	-5.14	-0.007	
	0	-6.88	-0.010	
	10	5.48	0.008	
	20	-2.66	-0.004	
	30	-4.56	-0.006	
	40	6.55	0.009	
	50	7.98	0.011	
132Vac	25	-2.03	-0.003	±2.5
108Vac	25	-2.73	-0.004	

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004



Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

10 Maximum Permissible Exposure

10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

MPE Calculation Method

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f ²)*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f ²)*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz

*Plane-wave equivalent power density

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)

d = Separation distance between radiator and human body (m)

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

The formula can be changed to

mW/cm².




Report Number: W6M22103-20740-P-247

FCC ID: GX9CHMG

Frequency	Max output power		Antenna Gain	Power Density(S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
	(dBm)	(W)				
WCDMA Band II	22.57	0.18	3.15	0.0742	1	Complies
WCDMA Band IV	22.74	0.19	3.49	0.0835	1	Complies
WCDMA Band V	23.64	0.23	1.15	0.0599	0.5644	Complies
LTE Band II	23.35	0.22	3.15	0.0889	1	Complies
LTE Band IV	23.15	0.21	3.49	0.0918	1	Complies
LTE Band XII	23.46	0.22	-0.04	0.0437	0.4740	Complies

From the peak EUT RF output power, the minimum mobile separation distance, $d=0.2$ m, as well as the gain of the used antenna, the RF power density can be obtained.



Report Number: W6M22103-20740-P-247
FCC ID: GX9CHMG

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature:24 °C

Time: 下午 04:21:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.7715	-89.16	peak	23.77	-65.39	-13.00	150	115	-52.39	
	137.3146	-94.79	peak	22.28	-72.51	-13.00	150	240	-59.51	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:41:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.1764	-89.05	peak	23.08	-65.97	-13.00	150	270	-52.97	
*	48.0561	-83.87	peak	23.36	-60.51	-13.00	150	65	-47.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:43:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	275.3507	-59.58	peak	-9.77	-69.35	-13.00	150	210	-56.35	
	777.1543	-70.39	peak	-2.24	-72.63	-13.00	150	125	-59.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:50:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	895.7916	-68.94	peak	-0.55	-69.49	-13.00	150	95	-56.49	
*	958.3166	-62.43	peak	-0.74	-63.17	-13.00	150	305	-50.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1

Date: 2021/3/19


Temperature: 24 °C

Time: 下午 04:06:12

Humidity: 60 %

0.0 dBm

Limit1: —



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.67	peak	5.71	-39.96	-13.00	150	125	-26.96	
	3711.423	-51.15	peak	9.74	-41.41	-13.00	150	220	-28.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:44:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.07	peak	7.30	-35.77	-13.00	150	285	-22.77	
	3711.423	-49.80	peak	9.65	-40.15	-13.00	150	75	-27.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 04:18:11

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:45:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 04:22:23

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:46:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:22:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:46:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:22:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:46:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:25:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.4310	-90.80	peak	23.78	-67.02	-13.00	150	120	-54.02	
	133.9078	-95.04	peak	22.29	-72.75	-13.00	150	195	-59.75	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:38:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.4730	-89.28	peak	23.22	-66.06	-13.00	150	275	-53.06	
*	45.6713	-85.75	peak	23.23	-62.52	-13.00	150	55	-49.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:45:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	280.1603	-60.29	peak	-9.59	-69.88	-13.00	150	195	-56.88	
	799.5992	-69.66	peak	-2.01	-71.67	-13.00	150	105	-58.67	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:48:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	895.7916	-67.62	peak	-0.55	-68.17	-13.00	150	275	-55.17	
*	958.3166	-63.46	peak	-0.74	-64.20	-13.00	150	320	-51.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 04:31:20

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.33	peak	5.71	-37.62	-13.00	150	135	-24.62	
	3759.519	-55.78	peak	9.81	-45.97	-13.00	150	95	-32.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:53:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.13	peak	7.30	-37.83	-13.00	150	75	-24.83	
	3759.519	-55.06	peak	9.60	-45.46	-13.00	150	245	-32.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:31:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:54:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:32:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:54:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:32:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:55:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:33:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:55:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:28:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.7715	-91.61	peak	23.77	-67.84	-13.00	150	140	-54.84	
*	72.2445	-90.95	peak	23.68	-67.27	-13.00	150	55	-54.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:34:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-83.89	peak	23.30	-60.59	-13.00	150	45	-47.59	
	71.9038	-90.86	peak	23.18	-67.68	-13.00	150	275	-54.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:46:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	281.7635	-60.66	peak	-9.47	-70.13	-13.00	150	180	-57.13	
	777.1543	-69.94	peak	-2.24	-72.18	-13.00	150	85	-59.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:47:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	764.3287	-70.75	peak	-1.23	-71.98	-13.00	150	260	-58.98	
*	959.9198	-62.15	peak	-0.73	-62.88	-13.00	150	335	-49.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:35:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.06	peak	5.71	-37.35	-13.00	150	135	-24.35	
	3813.627	-53.95	peak	9.89	-44.06	-13.00	150	150	-31.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:40:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-43.53	peak	7.34	-36.19	-13.00	150	335	-23.19	
	3813.627	-54.40	peak	9.55	-44.85	-13.00	150	280	-31.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:36:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 04:41:12

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 04:37:43

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:41:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:37:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:42:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 04:38:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 04:42:20

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:05:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7495	-93.01	peak	23.80	-69.21	-13.00	150	165	-56.21	
	90.3006	-94.82	peak	23.03	-71.79	-13.00	150	80	-58.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:43:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.8136	-89.25	peak	23.19	-66.06	-13.00	150	220	-53.06	
*	46.3527	-83.01	peak	23.26	-59.75	-13.00	150	45	-46.75	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:52:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	257.7154	-59.21	peak	-10.52	-69.73	-13.00	150	175	-56.73	
	778.7575	-70.94	peak	-2.23	-73.17	-13.00	150	205	-60.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:59:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-71.98	peak	-0.87	-72.85	-13.00	150	335	-59.85	
*	958.3166	-62.29	peak	-0.74	-63.03	-13.00	150	255	-50.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:01:05

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.33	peak	5.71	-39.62	-13.00	150	110	-26.62	
	3428.858	-51.25	peak	9.12	-42.13	-13.00	150	165	-29.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:23:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.11	peak	7.30	-35.81	-13.00	150	335	-22.81	
	3428.858	-51.41	peak	9.48	-41.93	-13.00	150	240	-28.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:01:48

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:24:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:02:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:25:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:03:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:25:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:03:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:25:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:09:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.1122	-91.68	peak	23.76	-67.92	-13.00	150	155	-54.92	
	103.2464	-95.13	peak	23.52	-71.61	-13.00	150	70	-58.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:47:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.1543	-89.30	peak	23.16	-66.14	-13.00	150	195	-53.14	
*	46.3527	-81.45	peak	23.26	-58.19	-13.00	150	60	-45.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:53:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	278.5571	-59.82	peak	-9.65	-69.47	-13.00	150	165	-56.47	
	953.5070	-70.01	peak	-0.86	-70.87	-13.00	150	80	-57.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:58:10

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	892.5852	-66.17	peak	-0.48	-66.65	-13.00	150	110	-53.65	
*	958.3166	-64.61	peak	-0.74	-65.35	-13.00	150	85	-52.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:05:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-45.33	peak	5.74	-39.59	-13.00	150	185	-26.59	
*	3464.930	-47.51	peak	9.28	-38.23	-13.00	150	140	-25.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:18:16

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-42.14	peak	7.30	-34.84	-13.00	150	235	-21.84	
	3464.930	-49.00	peak	9.66	-39.34	-13.00	150	300	-26.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:06:38

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:19:11

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:07:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:19:53

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:07:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:20:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:07:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:20:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:15:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.7715	-92.19	peak	23.77	-68.42	-13.00	150	145	-55.42	
	135.2705	-95.22	peak	22.29	-72.93	-13.00	150	65	-59.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:49:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.1764	-89.07	peak	23.08	-65.99	-13.00	150	310	-52.99	
*	46.3527	-82.59	peak	23.26	-59.33	-13.00	150	55	-46.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:55:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	265.7315	-58.96	peak	-10.12	-69.08	-13.00	150	180	-56.08	
	772.3447	-71.78	peak	-2.29	-74.07	-13.00	150	110	-61.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:57:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	767.5351	-71.20	peak	-1.17	-72.37	-13.00	150	235	-59.37	
*	959.9198	-61.52	peak	-0.73	-62.25	-13.00	150	305	-49.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:10:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.10	peak	5.71	-39.39	-13.00	150	205	-26.39	
	3507.014	-49.33	peak	9.45	-39.88	-13.00	150	165	-26.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:14:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-42.25	peak	7.30	-34.95	-13.00	150	275	-21.95	
	3507.014	-50.87	peak	9.83	-41.04	-13.00	150	305	-28.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:10:46

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:14:51

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:11:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:15:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:11:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature: 24 °C

Time: 下午 05:15:45

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:11:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/19

Temperature: 24 °C

0.0 dBm

Time: 下午 05:15:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 03:50:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	64.7495	-94.04	peak	23.80	-70.24	-13.00	150	115	-57.24	
*	90.6413	-92.42	peak	23.06	-69.36	-13.00	150	65	-56.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 04:52:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.8356	-89.01	peak	23.11	-65.90	-13.00	150	335	-52.90	
*	46.6934	-83.49	peak	23.28	-60.21	-13.00	150	60	-47.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 02:54:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	873.3467	-33.69	peak	0.13	-33.56	-13.00	150	115	-20.56	
	958.3166	-65.27	peak	-0.86	-66.13	-13.00	150	85	-53.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 02:56:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	873.3467	-51.58	peak	-0.06	-51.64	-13.00	150	315	-38.64	
	953.5070	-64.76	peak	-0.76	-65.52	-13.00	150	255	-52.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #1

Date: 2021/3/21

Temperature: 24 °C

Time: 上午 07:56:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-54.21	peak	0.94	-53.27	-13.00	150	155	-40.27	
*	2478.958	-43.54	peak	5.84	-37.70	-13.00	150	75	-24.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:09:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-56.41	peak	2.70	-53.71	-13.00	150	330	-40.71	
*	2454.910	-48.60	peak	7.30	-41.30	-13.00	150	275	-28.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 07:57:18

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 08:10:32

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 07:58:06

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:11:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 03:54:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	64.7495	-94.39	peak	23.80	-70.59	-13.00	150	165	-57.59	
*	91.6633	-93.02	peak	23.13	-69.89	-13.00	150	85	-56.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 04:55:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.8798	-88.99	peak	22.93	-66.06	-13.00	150	255	-53.06	
*	46.6934	-83.51	peak	23.28	-60.23	-13.00	150	50	-47.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 02:51:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	884.5691	-33.76	peak	0.42	-33.34	-13.00	150	155	-20.34	
	956.7134	-65.80	peak	-0.86	-66.66	-13.00	150	95	-53.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 02:49:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	882.9660	-50.75	peak	-0.27	-51.02	-13.00	150	65	-38.02	
	953.5070	-63.83	peak	-0.76	-64.59	-13.00	150	290	-51.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:00:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-39.04	peak	1.10	-37.94	-13.00	150	205	-24.94	
*	2503.006	-39.83	peak	5.96	-33.87	-13.00	150	60	-20.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:14:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1949.900	-52.38	peak	4.20	-48.18	-13.00	150	355	-35.18	
*	2454.910	-48.68	peak	7.30	-41.38	-13.00	150	290	-28.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:01:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 08:14:42

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:02:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 08:15:35

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 03:58:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.7715	-91.09	peak	23.77	-67.32	-13.00	150	155	-54.32	
	134.2485	-95.67	peak	22.29	-73.38	-13.00	150	185	-60.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 04:58:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.4730	-89.45	peak	23.22	-66.23	-13.00	150	215	-53.23	
*	47.3746	-85.01	peak	23.32	-61.69	-13.00	150	60	-48.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 02:44:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	892.5852	-32.97	peak	0.63	-32.34	-13.00	150	155	-19.34	
	959.9198	-64.24	peak	-0.87	-65.11	-13.00	150	105	-52.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 02:46:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	892.5852	-49.89	peak	-0.48	-50.37	-13.00	150	335	-37.37	
	953.5070	-63.97	peak	-0.76	-64.73	-13.00	150	285	-51.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #1

Date: 2021/3/21

Temperature: 24 °C

Time: 上午 08:05:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-43.75	peak	1.22	-42.53	-13.00	150	195	-29.53	
*	2539.078	-39.77	peak	6.05	-33.72	-13.00	150	275	-20.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:18:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-48.30	peak	7.30	-41.00	-13.00	150	300	-28.00	
	2539.078	-50.41	peak	7.56	-42.85	-13.00	150	240	-29.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:05:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:18:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

Time: 上午 08:06:24

Humidity:60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:19:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:07:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.4310	-90.66	peak	23.78	-66.88	-13.00	150	140	-53.88	
	134.5892	-94.41	peak	22.29	-72.12	-13.00	150	215	-59.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 05:37:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.5170	-88.70	peak	23.05	-65.65	-13.00	150	290	-52.65	
*	46.6934	-82.70	peak	23.28	-59.42	-13.00	150	340	-46.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2021/3/21

Temperature: 24 °C

Time: 上午 10:51:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	283.3667	-60.03	peak	-9.36	-69.39	-13.00	150	155	-56.39	
	799.5992	-70.93	peak	-2.01	-72.94	-13.00	150	65	-59.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 11:05:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	284.9700	-60.50	peak	-6.88	-67.38	-13.00	150	275	-54.38	
*	958.3166	-63.48	peak	-0.74	-64.22	-13.00	150	115	-51.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:52:18

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-47.45	peak	5.74	-41.71	-13.00	150	355	-28.71	
	3765.531	-53.06	peak	9.82	-43.24	-13.00	150	205	-30.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:56:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-48.40	peak	7.30	-41.10	-13.00	150	255	-28.10	
	3765.531	-53.63	peak	9.60	-44.03	-13.00	150	305	-31.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:53:31

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:57:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:54:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:58:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:54:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:58:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:54:41

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:59:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:09:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.7936	-93.22	peak	23.74	-69.48	-13.00	150	155	-56.48	
	134.5892	-93.82	peak	22.29	-71.53	-13.00	150	195	-58.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:40:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.4730	-88.52	peak	23.22	-65.30	-13.00	150	215	-52.30	
*	47.3746	-81.69	peak	23.32	-58.37	-13.00	150	55	-45.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 10:52:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	284.9700	-59.85	peak	-9.24	-69.09	-13.00	150	140	-56.09	
	958.3166	-70.15	peak	-0.86	-71.01	-13.00	150	105	-58.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 11:03:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	296.1923	-61.73	peak	-5.81	-67.54	-13.00	150	330	-54.54	
*	959.9198	-62.63	peak	-0.73	-63.36	-13.00	150	315	-50.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:41:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-48.06	peak	5.71	-42.35	-13.00	150	95	-29.35	
	3765.531	-54.40	peak	9.82	-44.58	-13.00	150	145	-31.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:47:12

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-48.43	peak	7.34	-41.09	-13.00	150	225	-28.09	
	3765.531	-53.89	peak	9.60	-44.29	-13.00	150	85	-31.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:42:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:47:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:44:22

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:48:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:44:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:48:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:44:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:49:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:12:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.4310	-92.70	peak	23.78	-68.92	-13.00	150	110	-55.92	
	134.2485	-93.74	peak	22.29	-71.45	-13.00	150	150	-58.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 05:32:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.8798	-88.50	peak	22.93	-65.57	-13.00	150	195	-52.57	
*	46.6934	-84.49	peak	23.28	-61.21	-13.00	150	55	-48.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 10:55:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	272.1443	-59.52	peak	-9.89	-69.41	-13.00	150	165	-56.41	
	958.3166	-70.14	peak	-0.86	-71.00	-13.00	150	225	-58.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 11:01:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-61.59	peak	-5.50	-67.09	-13.00	150	260	-54.09	
*	959.9198	-63.93	peak	-0.73	-64.66	-13.00	150	55	-51.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:19:30

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-48.26	peak	5.74	-42.52	-13.00	150	155	-29.52	
*	3464.930	-47.81	peak	9.28	-38.53	-13.00	150	270	-25.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:24:29

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-47.28	peak	7.34	-39.94	-13.00	150	260	-26.94	
*	3464.930	-47.34	peak	9.66	-37.68	-13.00	150	85	-24.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:20:27

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:25:11

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:21:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:26:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:21:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:26:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:21:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:26:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:15:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.0902	-91.78	peak	23.79	-67.99	-13.00	150	165	-54.99	
	135.9520	-92.72	peak	22.29	-70.43	-13.00	150	240	-57.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 05:35:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.8356	-88.82	peak	23.11	-65.71	-13.00	150	335	-52.71	
*	46.3527	-85.86	peak	23.26	-62.60	-13.00	150	70	-49.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 10:58:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	281.7635	-59.86	peak	-9.47	-69.33	-13.00	150	155	-56.33	
	958.3166	-70.76	peak	-0.86	-71.62	-13.00	150	270	-58.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 10:59:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	286.5731	-60.64	peak	-6.73	-67.37	-13.00	150	315	-54.37	
*	959.9198	-62.58	peak	-0.73	-63.31	-13.00	150	75	-50.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:30:54

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2454.910	-46.82	peak	5.71	-41.11	-13.00	150	280	-28.11	
*	3464.930	-47.25	peak	9.28	-37.97	-13.00	150	165	-24.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:35:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2454.910	-47.90	peak	7.30	-40.60	-13.00	150	105	-27.60	
*	3464.930	-46.14	peak	9.66	-36.48	-13.00	150	310	-23.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:31:54

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:36:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:32:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:37:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:33:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:37:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:33:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:37:53

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:18:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7495	-90.35	peak	23.80	-66.55	-13.00	150	165	-53.55	
	134.9300	-94.02	peak	22.29	-71.73	-13.00	150	135	-58.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:29:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.1984	-88.86	peak	22.99	-65.87	-13.00	150	240	-52.87	
*	47.7154	-84.18	peak	23.34	-60.84	-13.00	150	60	-47.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 02:32:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	737.0741	-42.29	peak	-1.98	-44.27	-13.00	150	135	-31.27	
	958.3166	-66.51	peak	-0.86	-67.37	-13.00	150	310	-54.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:34:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	738.6774	-59.41	peak	-1.38	-60.79	-13.00	150	335	-47.79	
	953.5070	-65.80	peak	-0.76	-66.56	-13.00	150	285	-53.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:57:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-49.00	peak	-0.04	-49.04	-13.00	150	115	-36.04	
*	2118.236	-48.69	peak	3.90	-44.79	-13.00	150	285	-31.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:02:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2124.249	-54.80	peak	5.24	-49.56	-13.00	150	230	-36.56	
*	2454.910	-49.48	peak	7.30	-42.18	-13.00	150	115	-29.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 08:58:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:03:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 08:59:13

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:04:31

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:24:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	63.3868	-93.22	peak	23.84	-69.38	-13.00	150	155	-56.38	
	135.6111	-92.84	peak	22.29	-70.55	-13.00	150	220	-57.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2021/3/21

Temperature: 24 °C

Time: 下午 05:26:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.1543	-88.78	peak	23.16	-65.62	-13.00	150	275	-52.62	
*	45.3307	-82.89	peak	23.21	-59.68	-13.00	150	55	-46.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 02:40:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	735.4710	-41.28	peak	-1.91	-43.19	-13.00	150	150	-30.19	
	958.3166	-65.80	peak	-0.86	-66.66	-13.00	150	340	-53.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 下午 02:37:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	737.0741	-57.52	peak	-1.37	-58.89	-13.00	150	225	-45.89	
	953.5070	-65.12	peak	-0.76	-65.88	-13.00	150	90	-52.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:08:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-49.33	peak	-0.04	-49.37	-13.00	150	115	-36.37	
*	2454.910	-51.41	peak	5.71	-45.70	-13.00	150	355	-32.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:12:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2124.249	-53.99	peak	5.24	-48.75	-13.00	150	245	-35.75	
*	2454.910	-49.25	peak	7.30	-41.95	-13.00	150	335	-28.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:09:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2021/3/21

Temperature: 24 °C

Time: 上午 09:13:10

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:10:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2021/3/21

Temperature: 24 °C

0.0 dBm

Time: 上午 09:14:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Sky
Temperature:20.8 °C
Humidity:60.3 %

File :1

Data :#1

Date: 3/22/2021
Time: 5:42:50 PM

80.0 dBuV/m



Site : Chamber
Condition : FCC_part 15 RE-Class B_30-1000MHz
EUT : W6M22103-20740
M/N:
Test Mode : WCDMA Band 2 Idle
Note :

Polarization: Horizontal
Power : 120 Va.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	30.51	peak	-6.68	23.83	43.50	180	92	-19.67	
	276.8735	33.36	peak	-6.28	27.08	46.00	125	314	-18.92	
	368.2364	30.12	peak	-4.53	25.59	46.00	100	280	-20.41	
*	685.0901	27.98	peak	-0.15	27.83	46.00	226	70	-18.17	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:43:50 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	46.69	peak	-9.16	37.53	40.00	266	25	-2.47	
	61.1022	37.02	peak	-11.86	25.16	40.00	190	140	-14.84	
	144.6894	33.64	peak	-6.93	26.71	43.50	183	284	-16.79	
	757.0140	32.20	peak	0.90	33.10	46.00	125	60	-12.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:35:12 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1771.543	47.64	peak	-7.16	40.48	74.00	150	171	-33.52	
*	6330.661	39.43	peak	1.66	41.09	74.00	150	288	-32.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #5


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:39:10 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1785.571	42.93	peak	-6.71	36.22	74.00	150	215	-37.78	
*	3679.359	42.13	peak	-2.94	39.19	74.00	150	44	-34.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:37:08 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #6


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:40:24 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #3


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:37:22 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #7


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:40:38 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #4


Date: 3/22/2021

Temperature: 20.8 °C

Time: 7:37:32 PM

Humidity: 60.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #8


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:40:48 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:46:34 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	142.7453	30.03	peak	-6.80	23.23	43.50	124	180	-20.27	
	278.8176	33.21	peak	-6.20	27.01	46.00	199	25	-18.99	
	659.8196	28.52	peak	-0.23	28.29	46.00	255	36	-17.71	
*	910.5811	28.17	peak	3.78	31.95	46.00	286	119	-14.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:47:34 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	46.50	peak	-9.16	37.34	40.00	125	223	-2.66	
	144.6894	34.51	peak	-6.93	27.58	43.50	110	90	-15.92	
	490.7014	28.94	peak	-2.89	26.05	46.00	171	168	-19.95	
	846.4330	28.53	peak	2.76	31.29	46.00	255	128	-14.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:45:47 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	41.04	peak	-2.94	38.10	74.00	150	79	-35.90	
*	6120.240	39.55	peak	1.59	41.14	74.00	150	142	-32.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #5


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:48:37 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	42.28	peak	-2.94	39.34	74.00	150	71	-34.66	
*	6106.212	39.71	peak	1.58	41.29	74.00	150	225	-32.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:47:06 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #6


Date: 3/22/2021

Temperature: 20.8 °C

Time: 7:49:53 PM

Humidity: 60.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #3


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:47:20 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #7


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:50:07 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #4


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:47:30 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #8


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:50:17 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:51:42 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	142.7453	30.32	peak	-6.80	23.52	43.50	263	173	-19.98	
	274.9297	34.30	peak	-6.36	27.94	46.00	108	255	-18.06	
	370.1804	30.48	peak	-4.47	26.01	46.00	149	60	-19.99	
*	671.4830	28.18	peak	-0.20	27.98	46.00	124	291	-18.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:52:45 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	39.7194	45.66	peak	-9.40	36.26	40.00	128	187	-3.74	
	134.9700	33.69	peak	-6.73	26.96	43.50	176	300	-16.54	
	199.1182	32.52	peak	-10.70	21.82	43.50	114	255	-21.68	
	926.1323	31.84	peak	4.07	35.91	46.00	120	152	-10.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:54:33 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1785.571	42.96	peak	-6.71	36.25	74.00	150	44	-37.75	
*	7004.008	39.35	peak	3.56	42.91	74.00	150	180	-31.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #3


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:56:49 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2921.844	41.49	peak	-4.91	36.58	74.00	150	25	-37.42	
*	6583.166	38.96	peak	2.74	41.70	74.00	150	100	-32.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:55:41 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #4


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:58:14 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:25:47 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	35.20	peak	-9.16	26.04	40.00	285	119	-13.96	
	142.7455	31.32	peak	-6.80	24.52	43.50	147	81	-18.98	
	276.8737	34.35	peak	-6.28	28.07	46.00	180	225	-17.93	
	772.5651	29.61	peak	1.17	30.78	46.00	205	125	-15.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:27:21 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	45.24	QP	-9.16	36.08	40.00	120	255	-3.92	
	144.6894	33.97	peak	-6.93	27.04	43.50	172	12	-16.46	
	278.8176	29.92	peak	-6.20	23.72	46.00	163	196	-22.28	
	648.1563	29.49	peak	-0.33	29.16	46.00	255	30	-16.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:07:12 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1757.515	46.00	peak	-7.61	38.39	74.00	150	250	-35.61	
*	5236.473	39.79	peak	-0.38	39.41	74.00	150	176	-34.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #5


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:09:55 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	42.45	peak	-2.94	39.51	74.00	150	40	-34.49	
*	6569.138	39.31	peak	2.64	41.95	74.00	150	330	-32.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:08:25 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #6


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:13:05 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #3


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:08:39 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #7


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:13:19 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #4


Date: 3/22/2021

Temperature: 20.8 °C

Time: 7:08:49 PM

Humidity: 60.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #8


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:13:29 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:33:56 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	29.04	peak	-6.68	22.36	43.50	188	147	-21.14	
	278.8176	32.35	peak	-6.20	26.15	46.00	141	82	-19.85	
	344.9098	30.04	peak	-5.15	24.89	46.00	273	255	-21.11	
*	642.3246	27.40	peak	-0.54	26.86	46.00	150	296	-19.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:34:57 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	45.80	peak	-9.16	36.64	40.00	125	255	-3.36	
	133.0261	33.64	peak	-6.76	26.88	43.50	192	180	-16.62	
	269.0982	29.64	peak	-6.63	23.01	46.00	180	132	-22.99	
	648.1563	28.51	peak	-0.33	28.18	46.00	271	25	-17.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:20:29 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	40.66	peak	-3.31	37.35	74.00	150	339	-36.65	
*	5699.399	39.92	peak	0.43	40.35	74.00	150	20	-33.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #5


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:23:40 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	41.96	peak	-2.94	39.02	74.00	150	130	-34.98	
*	5853.707	39.51	peak	0.33	39.84	74.00	150	255	-34.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:21:43 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #6


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:24:51 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #3


Date: 3/22/2021

Temperature: 20.8 °C

Time: 7:21:57 PM

Humidity: 60.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #7


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:25:05 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/22/2021

Temperature: 20.8 °C

Time: 7:22:06 PM

Humidity: 60.3 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:25:15 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:38:05 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	30.82	peak	-6.68	24.14	43.50	319	25	-19.36	
	199.1182	31.76	peak	-10.70	21.06	43.50	288	274	-22.44	
*	274.9297	33.91	peak	-6.36	27.55	46.00	141	43	-18.45	
	463.4870	28.70	peak	-3.02	25.68	46.00	162	100	-20.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature: 20.8 °C

80.0 dBuV/m

Time: 5:39:06 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	46.08	peak	-9.16	36.92	40.00	152	18	-3.08	
	144.6894	34.43	peak	-6.93	27.50	43.50	225	100	-16.00	
	280.7615	30.21	peak	-6.16	24.05	46.00	147	327	-21.95	
	681.2024	28.99	peak	-0.17	28.82	46.00	169	149	-17.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:30:38 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1757.515	44.83	peak	-7.61	37.22	74.00	150	300	-36.78	
*	4352.705	41.79	peak	-2.73	39.06	74.00	150	194	-34.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 3/22/2021

Temperature: 20.8 °C

90.0 dBuV/m

Time: 7:32:44 PM

Humidity: 60.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20740

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1771.543	42.99	peak	-7.16	35.83	74.00	150	33	-38.17	
*	7032.064	40.24	peak	3.58	43.82	74.00	150	284	-30.18	

*:Maximum data x:Over limit !:over margin