




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 QPSK FRB 10MHz CH20000

Date: 23.NOV.2017 16:38:27



Bandedge Band4 QPSK FRB 10MHz CH20350


Date: 23.NOV.2017 16:30:09



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

15 MHz QPSK



Bandedge Band4 QPSK 1RB 15MHz CH20025

Date: 23.NOV.2017 15:56:52



Bandedge Band4 QPSK 1RB 15MHz CH20325


Date: 23.NOV.2017 16:07:07



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 QPSK FRB 15MHz CH20025

Date: 23.NOV.2017 15:58:34





Bandedge Band4 QPSK FRB 15MHz CH20325

Date: 23.NOV.2017 16:05:24



20 MHz QPSK






Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 QPSK FRB 20MHz CH20050

Date: 23.NOV.2017 15:31:25



Bandedge Band4 QPSK FRB 20MHz CH20300

Date: 23.NOV.2017 15:25:41




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

1.4 MHz 16QAM



Bandedge Band4 16QAM 1RB 1.4MHz CH19957

Date: 23.NOV.2017 17:46:54




Bandedge Band4 16QAM 1RB 1.4MHz CH20393

Date: 23.NOV.2017 17:59:58




Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 16QAM FRB 1.4MHz CH19957

Date: 23.NOV.2017 17:43:55



Bandedge Band4 16QAM FRB 1.4MHz CH20393

Date: 23.NOV.2017 18:02:45




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

3 MHz 16QAM



Bandedge Band4 16QAM 1RB 3MHz CH19965

Date: 23.NOV.2017 17:16:05




Bandedge Band4 16QAM 1RB 3MHz CH20385

Date: 23.NOV.2017 17:25:32




Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 16QAM FRB 3MHz CH19965

Date: 23.NOV.2017 17:09:55



Bandedge Band4 16QAM FRB 3MHz CH20385


Date: 23.NOV.2017 17:26:46



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

5 MHz 16QAM



Bandedge Band4 16QAM 1RB 5MHz CH19975

Date: 23.NOV.2017 16:54:54



Bandedge Band4 16QAM 1RB 5MHz CH20375


Date: 23.NOV.2017 17:02:06



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 16QAM FRB 5MHz CH19975

Date: 23.NOV.2017 16:52:37



Bandedge Band4 16QAM FRB 5MHz CH20375


Date: 23.NOV.2017 17:03:18



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

10 MHz 16QAM



Bandedge Band4 16QAM 1RB 10MHz CH20000

Date: 23.NOV.2017 16:41:25




Bandedge Band4 16QAM 1RB 10MHz CH20350

Date: 23.NOV.2017 16:16:10




Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 16QAM FRB 10MHz CH20000

Date: 23.NOV.2017 16:42:49



Bandedge Band4 16QAM FRB 10MHz CH20350

Date: 23.NOV.2017 16:14:57




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

15 MHz 16QAM



Bandedge Band4 16QAM 1RB 15MHz CH20025

Date: 23.NOV.2017 15:54:52




Bandedge Band4 16QAM 1RB 15MHz CH20325

Date: 23.NOV.2017 16:08:54




Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 16QAM FRB 15MHz CH20025

Date: 23.NOV.2017 15:53:19



Bandedge Band4 16QAM FRB 15MHz CH20325


Date: 23.NOV.2017 16:10:29



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

20 MHz 16QAM



Bandedge Band4 16QAM 1RB 20MHz CH20050

Date: 23.NOV.2017 15:45:57



Bandedge Band4 16QAM 1RB 20MHz CH20300


Date: 23.NOV.2017 15:21:12



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band4 16QAM FRB 20MHz CH20050

Date: 23.NOV.2017 15:48:29



Bandedge Band4 16QAM FRB 20MHz CH20300

Date: 23.NOV.2017 15:19:16




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE


Band 5

1.4 MHz QPSK



Bandedge Band5 QPSK 1RB 1.4MHz CH20407

Date: 24.NOV.2017 09:46:12



Bandedge Band5 QPSK 1RB 1.4MHz CH20643


Date: 24.NOV.2017 09:52:54



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 QPSK FRB 1.4MHz CH20407

Date: 24.NOV.2017 09:49:10



Bandedge Band5 QPSK FRB 1.4MHz CH20643

Date: 24.NOV.2017 09:51:26




3 MHz QPSK



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 QPSK FRB 3MHz CH20415

Date: 24.NOV.2017 10:09:26



Bandedge Band5 QPSK FRB 3MHz CH20635

Date: 24.NOV.2017 10:07:19




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

5 MHz QPSK



Bandedge Band5 QPSK 1RB 5MHz CH20425

Date: 24.NOV.2017 13:37:17




Bandedge Band5 QPSK 1RB 5MHz CH20625

Date: 24.NOV.2017 13:45:06




Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 QPSK FRB 5MHz CH20425

Date: 24.NOV.2017 13:38:39



Bandedge Band5 QPSK FRB 5MHz CH20625


Date: 24.NOV.2017 13:43:34



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

10 MHz QPSK



Bandedge Band5 QPSK 1RB 10MHz CH20450

Date: 24.NOV.2017 14:13:41




Bandedge Band5 QPSK 1RB 10MHz CH20600

Date: 24.NOV.2017 14:06:56




Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 QPSK FRB 10MHz CH20450

Date: 24.NOV.2017 14:12:23



Bandedge Band5 QPSK FRB 10MHz CH20600

Date: 24.NOV.2017 14:08:18




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

1.4 MHz 16QAM



Bandedge Band5 16QAM 1RB 1.4MHz CH20407

Date: 24.NOV.2017 09:43:05



Bandedge Band5 16QAM 1RB 1.4MHz CH20643


Date: 24.NOV.2017 09:55:57



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 16QAM FRB 1.4MHz CH20407

Date: 24.NOV.2017 09:40:07



Bandedge Band5 16QAM FRB 1.4MHz CH20643

Date: 24.NOV.2017 09:57:46




3 MHz 16QAM



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 16QAM FRB 3MHz CH20415

Date: 24.NOV.2017 10:13:35



Bandedge Band5 16QAM FRB 3MHz CH20635


Date: 24.NOV.2017 10:01:03



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

5 MHz 16QAM



Bandedge Band5 16QAM 1RB 5MHz CH20425

Date: 24.NOV.2017 13:35:19



Bandedge Band5 16QAM 1RB 5MHz CH20625


Date: 24.NOV.2017 13:46:20



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 16QAM FRB 5MHz CH20425

Date: 24.NOV.2017 13:34:24



Bandedge Band5 16QAM FRB 5MHz CH20625


Date: 24.NOV.2017 13:47:33



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

10 MHz 16QAM



Bandedge Band5 16QAM 1RB 10MHz CH20450

Date: 24.NOV.2017 14:29:37



Bandedge Band5 16QAM 1RB 10MHz CH20600


Date: 24.NOV.2017 14:05:18



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band5 16QAM FRB 10MHz CH20450

Date: 24.NOV.2017 14:28:17



Bandedge Band5 16QAM FRB 10MHz CH20600

Date: 24.NOV.2017 14:03:02




Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE


Band 17

5 MHz QPSK



Bandedge Band17 QPSK 1RB 5MHz CH23755

Date: 24.NOV.2017 14:55:54



Bandedge Band17 QPSK 1RB 5MHz CH23825


Date: 24.NOV.2017 14:52:04



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band17 QPSK FRB 5MHz CH23755

Date: 24.NOV.2017 14:54:55



Bandedge Band17 QPSK FRB 5MHz CH23825

Date: 24.NOV.2017 14:53:16




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

10 MHz QPSK



Bandedge Band17 QPSK 1RB 10MHz CH23780

Date: 24.NOV.2017 14:40:36



Bandedge Band17 QPSK 1RB 10MHz CH23800


Date: 24.NOV.2017 14:42:25



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band17 QPSK FRB 10MHz CH23780

Date: 24.NOV.2017 14:39:20



Bandedge Band17 QPSK FRB 10MHz CH23800

Date: 24.NOV.2017 14:43:42




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

5 MHz 16QAM



Bandedge Band17 16QAM 1RB 5MHz CH23755

Date: 24.NOV.2017 14:57:07



Bandedge Band17 16QAM 1RB 5MHz CH23825


Date: 24.NOV.2017 14:50:53



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band17 16QAM FRB 5MHz CH23755

Date: 24.NOV.2017 14:58:09



Bandedge Band17 16QAM FRB 5MHz CH23825


Date: 24.NOV.2017 14:49:40



Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

10 MHz 16QAM



Bandedge Band17 16QAM 1RB 10MHz CH23780

Date: 24.NOV.2017 14:33:49



Bandedge Band17 16QAM 1RB 10MHz CH23800


Date: 24.NOV.2017 14:46:48



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE



Bandedge Band17 16QAM FRB 10MHz CH23780

Date: 24.NOV.2017 14:37:59



Bandedge Band17 16QAM FRB 10MHz CH23800

Date: 24.NOV.2017 14:45:28

Test equipment: ETSTW-RE 004, ETSTW-RE 030, ETSTW-RE 062, ETSTW-RE 142, ETSTW-RE 147, ETSTW-GSM 002, ETSTW-GSM 003

Report Number: W6M21711-17577-P-247


FCC ID: GX9CTC1052LTE

9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- ☒ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- ☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- ☒ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.



Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE

9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

WCDMA Band 2					WCDMA Band 5				
CH9262	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	13.00	0.007	±2.5	120Vac	-30	21.00	0.025	±2.5
	-20	15.00	0.008			-20	14.00	0.017	
	-10	10.00	0.005			-10	18.00	0.022	
	0	-15.00	-0.008			0	21.00	0.025	
	10	14.00	0.008			10	16.00	0.019	
	20	21.00	0.011			20	16.00	0.019	
	30	12.00	0.006			30	10.00	0.012	
	40	18.00	0.010			40	21.00	0.025	
	50	15.00	0.008			50	14.00	0.017	
132Vac	25	16.00	0.009		132Vac	25	16.00	0.019	
108Vac	25	17.00	0.009		108Vac	25	10.00	0.012	
CH9400	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	20.00	0.011	±2.5	120Vac	-30	15.00	0.018	±2.5
	-20	14.00	0.007			-20	14.00	0.017	
	-10	19.00	0.010			-10	19.00	0.023	
	0	21.00	0.011			0	13.00	0.016	
	10	-16.00	-0.009			10	11.00	0.013	
	20	13.00	0.007			20	17.00	0.020	
	30	-19.00	-0.010			30	13.00	0.016	
	40	10.00	0.005			40	18.00	0.022	
	50	8.00	0.004			50	10.00	0.012	
132Vac	25	21.00	0.011		132Vac	25	16.00	0.019	
108Vac	25	18.00	0.010		108Vac	25	18.00	0.022	
CH9538	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	18.00	0.009	±2.5	120Vac	-30	16.00	0.019	±2.5
	-20	17.00	0.009			-20	14.00	0.017	
	-10	12.00	0.006			-10	17.00	0.020	
	0	16.00	0.008			0	21.00	0.025	
	10	14.00	0.007			10	14.00	0.017	
	20	17.00	0.009			20	18.00	0.021	
	30	-16.00	-0.008			30	16.00	0.019	
	40	-13.00	-0.007			40	16.00	0.019	
	50	16.00	0.008			50	12.00	0.014	
132Vac	25	11.00	0.006		132Vac	25	20.00	0.024	
108Vac	25	17.00	0.009		108Vac	25	16.00	0.019	



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE

LTE Band 2 QPSK 10MHz FRB					LTE Band 4 QPSK 10MHz FRB				
CH18900	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	15.00	0.008	±2.5	120Vac	-30	15.00	0.009	±2.5
	-20	21.00	0.011			-20	13.00	0.008	
	-10	14.00	0.007			-10	17.00	0.010	
	0	13.00	0.007			0	20.00	0.012	
	10	15.00	0.008			10	15.00	0.009	
	20	-13.00	-0.007			20	8.00	0.005	
	30	20.00	0.011			30	-6.00	-0.003	
	40	16.00	0.009			40	11.00	0.006	
	50	18.00	0.010			50	14.00	0.008	
132Vac	25	13.00	0.007		132Vac	25	13.00	0.008	
108Vac	25	11.00	0.006		108Vac	25	-13.00	-0.008	

LTE Band 5 QPSK 10MHz FRB					LTE Band 17 QPSK 10MHz FRB				
CH20525	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23790	Temp (°C)	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	17.00	0.020	±2.5	120Vac	-30	13.00	0.018	±2.5
	-20	15.00	0.018			-20	17.00	0.024	
	-10	13.00	0.016			-10	-16.00	-0.023	
	0	-16.00	-0.019			0	16.00	0.023	
	10	-11.00	-0.013			10	13.00	0.018	
	20	-16.00	-0.019			20	22.00	0.031	
	30	13.00	0.016			30	15.00	0.021	
	40	12.00	0.014			40	18.00	0.025	
	50	24.00	0.029			50	17.00	0.024	
132Vac	25	14.00	0.017		132Vac	25	20.00	0.028	
108Vac	25	16.00	0.019		108Vac	25	17.00	0.024	

Test equipment: ETSTW-CE 009, ETSTW-GSM 004

Note: Measurement uncertainty ± 6.09 Hz; Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of $k = 2$.



Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE

10 Maximum Permissible Exposure

10.1 RF Exposure Compliance Requirements

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

$$S = \frac{PG}{4\pi R^2}$$

S – Power Density

P – Output power ERP

R – Distance

D – Cable Loss

AG – Antenna Gain

WCDMA Band 2			
Item	Unit	Value	Remarks
P	dBm/mW	22.45/175.7924	Peak value
D	dB		
AG	dB	-0.53	
G		0.8851	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0310	Calculated value

WCDMA Band 5			
Item	Unit	Value	Remarks
P	dBm/mW	22.60/181.9701	Peak value
D	dB		
AG	dB	-4.79	
G		0.3319	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0120	Calculated value

LTE Band 2			
Item	Unit	Value	Remarks
P	dBm/mW	24.33/271.0192	Peak value
D	dB		
AG	dB	-0.53	
G		0.8851	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0477	Calculated value



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21711-17577-P-247

FCC ID: GX9CTC1052LTE

LTE Band 4			
Item	Unit	Value	Remarks
P	dBm/mW	23.82/240.9905	Peak value
D	dB		
AG	dB _i	-1.18	
G		0.7621	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0365	Calculated value

LTE Band 5			
Item	Unit	Value	Remarks
P	dBm/mW	23.37/217.2701	Peak value
D	dB		
AG	dB _i	-4.79	
G		0.3319	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0143	Calculated value

LTE Band 17			
Item	Unit	Value	Remarks
P	dBm/mW	23.17/207.4914	Peak value
D	dB		
AG	dB _i	-1.08	
G		0.7798	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0322	Calculated value

Limits:

Limit for General Population / Uncontrolled Exposure	
Frequency (MHz)	Power Density (mW/cm ²)
1500 – 100.000	1.0



Report Number: W6M21711-17577-P-247
FCC ID: GX9CTC1052LTE

Appendix

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch9262

Data : #1


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 02:18:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.422	-21.97	peak	44.16	22.19	33.00	150	180	-10.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch9262

Data : #2


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 02:20:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.097	-32.21	peak	45.39	13.18	33.00	150	70	-19.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch9400

Data : #1


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 02:17:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1878.778	-21.81	peak	44.17	22.36	33.00	150	180	-10.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch9400

Data : #2


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 02:22:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1878.938	-31.02	peak	45.49	14.47	33.00	150	70	-18.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch9538

Data : #1


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 02:15:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.177	-21.80	peak	44.31	22.51	33.00	150	180	-10.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch9538

Data : #2


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 02:23:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.378	-31.88	peak	45.75	13.87	33.00	150	70	-19.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch4132

Data : #2


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 03:42:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.3720	-14.08	peak	35.75	21.67	38.45	150	60	-16.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch4132

Data : #1


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 03:39:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.5122	-23.54	peak	35.67	12.13	38.45	150	180	-26.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch4183

Data : #2


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 03:43:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	835.7483	-14.30	peak	36.03	21.73	38.45	150	60	-16.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch4183

Data : #1


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 03:38:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.8124	-23.81	peak	35.98	12.17	38.45	150	180	-26.28	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch4233

Data : #2


Date: 2017/11/30

Temperature: 24 °C

40.0 dBm

Time: 下午 03:45:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.7523	-14.78	peak	36.44	21.66	38.45	150	60	-16.79	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch4233

Data :#1


Date: 2017/11/30

Temperature:24 °C

40.0 dBm

Time: 下午 03:36:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.5720	-23.99	peak	36.29	12.30	38.45	150	180	-26.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18607

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:15:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18607

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.343	-16.71	peak	44.16	27.45	33.00	150	60	-5.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18607

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:14:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18607

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.407	-24.28	peak	45.39	21.11	33.00	150	180	-11.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:16:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.443	-17.76	peak	44.17	26.41	33.00	150	60	-6.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:18:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.691	-28.77	peak	45.49	16.72	33.00	150	180	-16.28	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19193

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:26:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH19193

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.959	-18.45	peak	44.38	25.93	33.00	150	60	-7.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19193

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:25:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH19193

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.055	-25.87	peak	45.83	19.96	33.00	150	180	-13.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18607

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:10:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND216QAM 1.4M CH18607

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.183	-15.86	peak	44.16	28.30	33.00	150	60	-4.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18607

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:12:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH18607

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.319	-23.60	peak	45.39	21.79	33.00	150	180	-11.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:20:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.732	-17.30	peak	44.17	26.87	33.00	150	60	-6.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:19:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.611	-28.03	peak	45.49	17.46	33.00	150	180	-15.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19193

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:22:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH19193

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.871	-17.81	peak	44.37	26.56	33.00	150	60	-6.44	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19193

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:24:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 1.4M CH19193

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.879	-25.23	peak	45.83	20.60	33.00	150	180	-12.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18700

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:33:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18700

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.742	-16.29	peak	44.16	27.87	33.00	150	60	-5.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18700

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:34:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18700

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.303	-26.49	peak	45.39	18.90	33.00	150	180	-14.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:46:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1871.543	-14.72	peak	44.16	29.44	33.00	150	60	-3.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:45:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1870.982	-23.83	peak	45.46	21.63	33.00	150	180	-11.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19100

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:49:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH19100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1891.864	-16.52	peak	44.17	27.65	33.00	150	60	-5.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19100

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:51:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH19100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1892.906	-25.97	peak	45.54	19.57	33.00	150	180	-13.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18700

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:37:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18700

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.303	-16.29	peak	44.16	27.87	33.00	150	60	-5.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18700

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:36:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18700

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.421	-26.09	peak	45.39	19.30	33.00	150	180	-13.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:42:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1872.826	-14.30	peak	44.16	29.86	33.00	150	60	-3.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch18900

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:43:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1871.383	-23.72	peak	45.46	21.74	33.00	150	180	-11.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19100

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:53:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH19100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1891.222	-16.52	peak	44.17	27.65	33.00	150	60	-5.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19100

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:52:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH19100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1890.581	-25.60	peak	45.53	19.93	33.00	150	180	-13.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19957

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:57:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH19957

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.215	-19.20	peak	43.48	24.28	30.00	150	60	-5.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19957

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:56:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH19957

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.279	-23.86	peak	47.22	23.36	30.00	150	180	-6.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:59:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.039	-21.16	peak	43.64	22.48	30.00	150	60	-7.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:00:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1731.975	-24.28	peak	46.73	22.45	30.00	150	180	-7.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20393

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:07:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.927	-21.19	peak	43.80	22.61	30.00	150	60	-7.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20393

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:06:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.911	-23.79	peak	46.24	22.45	30.00	150	180	-7.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19957

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:52:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.247	-19.20	peak	43.48	24.28	30.00	150	60	-5.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch19957

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:53:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.263	-23.84	peak	47.22	23.38	30.00	150	180	-6.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:02:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.143	-21.82	peak	43.64	21.82	30.00	150	60	-8.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:01:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.175	-24.19	peak	46.73	22.54	30.00	150	180	-7.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20393

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:04:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.991	-22.04	peak	43.80	21.76	30.00	150	60	-8.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20393

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 02:05:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.879	-24.22	peak	46.24	22.02	30.00	150	180	-7.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20050

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:26:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.902	-20.88	peak	43.48	22.60	30.00	150	60	-7.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20050

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:27:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1711.543	-24.97	peak	47.19	22.22	30.00	150	180	-7.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:40:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1723.722	-22.73	peak	43.58	20.85	30.00	150	60	-9.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:38:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1723.161	-25.60	peak	46.93	21.33	30.00	150	180	-8.67	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20300

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:43:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1735.982	-23.10	peak	43.67	20.57	30.00	150	60	-9.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20300

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:44:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1735.902	-25.11	peak	46.65	21.54	30.00	150	180	-8.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20050

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:33:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1711.784	-21.39	peak	43.49	22.10	30.00	150	60	-7.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20050

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:31:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.501	-24.84	peak	47.21	22.37	30.00	150	180	-7.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:36:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1724.684	-22.85	peak	43.59	20.74	30.00	150	60	-9.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20175

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:37:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1723.562	-27.27	peak	46.92	19.65	30.00	150	180	-10.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20300

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:48:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1735.501	-23.23	peak	43.67	20.44	30.00	150	60	-9.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20300

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 01:46:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1735.822	-24.48	peak	46.65	22.17	30.00	150	180	-7.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20407

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:20:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.3914	-8.07	peak	35.64	27.57	38.45	150	60	-10.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20407

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:22:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1750	-15.65	peak	35.56	19.91	38.45	150	180	-18.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20525

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:31:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0872	-8.70	peak	36.04	27.34	38.45	150	60	-11.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20525

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:30:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.1273	-15.80	peak	35.93	20.13	38.45	150	180	-18.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20643

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:33:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.9513	-10.09	peak	36.45	26.36	38.45	150	60	-12.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20643

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:35:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.8631	-16.88	peak	36.29	19.41	38.45	150	180	-19.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20407

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:25:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1990	-6.72	peak	35.64	28.92	38.45	150	60	-9.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20407

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:23:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2070	-14.49	peak	35.57	21.08	38.45	150	180	-17.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20525

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:27:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0391	-7.88	peak	36.04	28.16	38.45	150	60	-10.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20525

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:29:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0711	-14.98	peak	35.93	20.95	38.45	150	180	-17.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20643

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:38:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.0154	-8.81	peak	36.45	27.64	38.45	150	60	-10.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20643

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:37:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.9192	-15.62	peak	36.30	20.68	38.45	150	180	-17.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20450

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 03:32:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20450

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	823.9900	-7.81	peak	35.63	27.82	38.45	150	60	-10.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20450

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 03:31:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20450

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	825.2725	-15.60	peak	35.60	20.00	38.45	150	180	-18.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20525

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 03:34:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	832.6924	-9.01	peak	35.93	26.92	38.45	150	60	-11.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20525

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 03:36:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	832.6924	-16.75	peak	35.83	19.08	38.45	150	180	-19.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20600

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:16:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	840.1924	-8.89	peak	36.18	27.29	38.45	150	60	-11.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch20600

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:15:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	839.7114	-16.62	peak	36.04	19.42	38.45	150	180	-19.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23780

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 05:18:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH23780

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.3327	-9.01	peak	37.35	28.34	30.00	150	60	-1.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23780

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 05:16:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH23780

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.0922	-16.75	peak	34.37	17.62	30.00	150	180	-12.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 05:20:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.8918	-9.14	peak	37.32	28.18	30.00	150	60	-1.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 05:21:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH23790

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.5331	-17.14	peak	34.38	17.24	30.00	150	180	-12.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23800

Data : #2


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 05:32:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH23800

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.6934	-9.29	peak	37.22	27.93	30.00	150	60	-2.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23800

Data : #1


Date: 2017/11/28

Temperature: 24 °C

40.0 dBm

Time: 下午 05:31:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH23800

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.9720	-17.52	peak	34.38	16.86	30.00	150	180	-13.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23755

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:52:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23755

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.2655	-10.26	peak	37.42	27.16	34.77	150	60	-7.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23755

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:49:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23755

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.3457	-18.09	peak	34.37	16.28	34.77	150	180	-18.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:55:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.4850	-10.26	peak	37.23	26.97	34.77	150	60	-7.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:58:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	708.3867	-18.15	peak	34.38	16.23	34.77	150	180	-18.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23825

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:10:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23825

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	711.1854	-10.20	peak	37.02	26.82	34.77	150	60	-7.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23825

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:08:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23825

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	711.4660	-18.71	peak	34.38	15.67	34.77	150	180	-19.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23755

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:46:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 5M CH23755

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.2054	-8.95	peak	37.42	28.47	34.77	150	60	-6.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23755

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 04:48:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 5M CH23755

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.2856	-16.95	peak	34.37	17.42	34.77	150	180	-17.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:00:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 5M CH23790

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.9260	-17.27	peak	34.38	17.11	34.77	150	180	-17.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:01:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 5M CH23790

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.6052	-9.41	peak	37.22	27.81	34.77	150	60	-6.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23825

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:05:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 5M CH23825

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	711.2054	-9.01	peak	37.02	28.01	34.77	150	60	-6.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23825

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:07:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 5M CH23825

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	711.2255	-17.78	peak	34.38	16.60	34.77	150	180	-18.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23780

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:13:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23780

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.2103	-10.26	peak	37.42	27.16	34.77	150	60	-7.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23780

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:15:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23780

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.6112	-17.90	peak	34.37	16.47	34.77	150	180	-18.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:25:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.2525	-10.26	peak	37.30	27.04	34.77	150	60	-7.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:23:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.7315	-18.28	peak	34.37	16.09	34.77	150	180	-18.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23800

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:27:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23800

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.1703	-12.37	peak	37.31	24.94	34.77	150	60	-9.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23800

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:29:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23800

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.0120	-18.65	peak	34.38	15.73	34.77	150	180	-19.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23780

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:18:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 10M CH23780

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.3327	-9.01	peak	37.35	28.34	34.77	150	60	-6.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23780

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:16:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 10M CH23780

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.0922	-16.75	peak	34.37	17.62	34.77	150	180	-17.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:20:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.8918	-9.14	peak	37.32	28.18	34.77	150	60	-6.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23790

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:21:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

Polarization: **Vertical**

EUT : W6M21711-17577

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND17 16QAM 10M CH23790

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.5331	-17.14	peak	34.38	17.24	34.77	150	180	-17.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23800

Data : #2


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:32:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 16QAM 10M CH23800

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.6934	-9.29	peak	37.22	27.93	34.77	150	60	-6.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : ch23800

Data : #1


Date: 2017/11/28

Temperature: 24 °C

50.0 dBm

Time: 下午 05:31:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27 POWER(Band 17)

Polarization: **Vertical**

EUT : W6M21711-17577

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND17 16QAM 10M CH23800

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.9720	-17.52	peak	34.38	16.86	34.77	150	180	-17.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:10:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	53.5070	-87.11	peak	24.13	-62.98	-13.00	150	140	-49.98	
*	178.1964	-87.31	peak	24.41	-62.90	-13.00	150	200	-49.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:24:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.7936	-85.94	peak	24.01	-61.93	-13.00	150	140	-48.93	
	176.8337	-87.74	peak	24.68	-63.06	-13.00	150	60	-50.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:48:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	700.2004	-87.61	peak	37.65	-49.96	-13.00	150	160	-36.96	
*	918.2365	-86.23	peak	38.77	-47.46	-13.00	150	140	-34.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:03:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	695.3908	-87.93	peak	34.27	-53.66	-13.00	150	60	-40.66	
*	923.0461	-86.11	peak	36.41	-49.70	-13.00	150	180	-36.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6

Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:54:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3711.423	-59.27	peak	10.01	-49.26	-13.00	150	60	-36.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:48:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3398.798	-61.07	peak	11.24	-49.83	-13.00	150	100	-36.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:55:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5795.591	-66.30	peak	11.45	-54.85	-13.00	150	60	-41.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:49:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6893.788	-65.03	peak	13.48	-51.55	-13.00	150	40	-38.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:56:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:50:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:57:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:51:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:58:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:52:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:11:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.5752	-87.73	peak	23.59	-64.14	-13.00	150	130	-51.14	
	175.8116	-89.13	peak	24.29	-64.84	-13.00	150	40	-51.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:25:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	94.7295	-88.39	peak	24.01	-64.38	-13.00	150	120	-51.38	
*	164.2285	-88.76	peak	24.42	-64.34	-13.00	150	30	-51.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:49:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	251.3026	-87.50	peak	34.35	-53.15	-13.00	150	60	-40.15	
*	903.8076	-85.63	peak	39.04	-46.59	-13.00	150	180	-33.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:05:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	602.4048	-86.97	peak	32.56	-54.41	-13.00	150	200	-41.41	
*	865.3307	-86.36	peak	36.42	-49.94	-13.00	150	140	-36.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:59:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-60.21	peak	9.92	-50.29	-13.00	150	90	-37.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:43:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-59.31	peak	10.71	-48.60	-13.00	150	200	-35.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:00:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6829.659	-64.64	peak	13.37	-51.27	-13.00	150	30	-38.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:44:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4817.635	-65.78	peak	12.04	-53.74	-13.00	150	40	-40.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:02:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:45:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:02:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:46:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:04:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:47:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:11:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	64.4087	-89.57	peak	24.23	-65.34	-13.00	150	140	-52.34	
*	173.7675	-89.41	peak	24.19	-65.22	-13.00	150	90	-52.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:25:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	73.6071	-88.49	peak	23.92	-64.57	-13.00	150	200	-51.57	
*	177.8557	-87.48	peak	24.70	-62.78	-13.00	150	60	-49.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:50:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	661.7233	-87.02	peak	36.76	-50.26	-13.00	150	130	-37.26	
*	905.4107	-87.14	peak	39.01	-48.13	-13.00	150	40	-35.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:05:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	539.8798	-87.90	peak	32.07	-55.83	-13.00	150	130	-42.83	
*	894.1884	-87.43	peak	36.55	-50.88	-13.00	150	70	-37.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6

Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:05:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3813.627	-60.39	peak	9.92	-50.47	-13.00	150	80	-37.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:35:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3813.627	-59.50	peak	10.95	-48.55	-13.00	150	20	-35.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:06:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7022.044	-64.86	peak	12.33	-52.53	-13.00	150	130	-39.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:38:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4817.635	-65.25	peak	12.04	-53.21	-13.00	150	80	-40.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:07:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:39:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:08:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:40:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:08:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 02:41:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:12:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	93.3667	-88.25	peak	23.48	-64.77	-13.00	150	60	-51.77	
*	179.5591	-89.06	peak	24.48	-64.58	-13.00	150	140	-51.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:25:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	107.6754	-88.40	peak	23.59	-64.81	-13.00	150	90	-51.81	
*	192.1643	-88.03	peak	24.01	-64.02	-13.00	150	180	-51.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:50:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	663.3267	-87.64	peak	36.79	-50.85	-13.00	150	140	-37.85	
*	908.6172	-86.34	peak	38.95	-47.39	-13.00	150	90	-34.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:06:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	512.6253	-88.34	peak	32.18	-56.16	-13.00	150	150	-43.16	
*	935.8717	-86.20	peak	36.33	-49.87	-13.00	150	30	-36.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:30:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1727.455	-53.59	peak	2.79	-50.80	-13.00	150	180	-37.80	
*	2533.066	-53.43	peak	7.80	-45.63	-13.00	150	200	-32.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:36:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1847.696	-57.66	peak	3.09	-54.57	-13.00	150	140	-41.57	
*	2749.499	-60.48	peak	12.08	-48.40	-13.00	150	200	-35.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:32:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:37:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:32:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:38:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:33:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:39:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:34:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:42:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:16:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.2445	-89.35	peak	24.08	-65.27	-13.00	150	190	-52.27	
*	178.1964	-88.35	peak	24.41	-63.94	-13.00	150	100	-50.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:26:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	61.0020	-88.24	peak	24.06	-64.18	-13.00	150	70	-51.18	
	147.8758	-88.25	peak	23.17	-65.08	-13.00	150	300	-52.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:51:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	350.7014	-88.66	peak	35.10	-53.56	-13.00	150	190	-40.56	
*	895.7916	-86.32	peak	38.89	-47.43	-13.00	150	40	-34.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:06:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	612.0240	-87.88	peak	32.70	-55.18	-13.00	150	70	-42.18	
*	907.0140	-86.02	peak	36.52	-49.50	-13.00	150	130	-36.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:25:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1667.335	-56.91	peak	2.77	-54.14	-13.00	150	140	-41.14	
*	2539.078	-56.49	peak	7.78	-48.71	-13.00	150	60	-35.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:45:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1727.455	-56.37	peak	3.95	-52.42	-13.00	150	170	-39.42	
*	2755.511	-60.43	peak	12.08	-48.35	-13.00	150	150	-35.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:26:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:47:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:27:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:48:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:28:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:49:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:29:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:50:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:16:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.2445	-88.72	peak	24.08	-64.64	-13.00	150	20	-51.64	
*	174.7896	-87.95	peak	24.24	-63.71	-13.00	150	170	-50.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:26:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.2325	-88.42	peak	23.81	-64.61	-13.00	150	60	-51.61	
*	156.3928	-88.04	peak	23.99	-64.05	-13.00	150	290	-51.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:52:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	693.7876	-88.45	peak	37.51	-50.94	-13.00	150	140	-37.94	
*	907.0140	-85.55	peak	38.98	-46.57	-13.00	150	90	-33.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:07:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	514.2285	-88.34	peak	32.17	-56.17	-13.00	150	90	-43.17	
*	939.0782	-84.93	peak	36.30	-48.63	-13.00	150	140	-35.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:15:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-53.84	peak	2.79	-51.05	-13.00	150	120	-38.05	
*	2707.415	-61.32	peak	11.20	-50.12	-13.00	150	190	-37.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:54:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1769.539	-52.14	peak	3.12	-49.02	-13.00	150	30	-36.02	
*	2773.547	-60.54	peak	12.08	-48.46	-13.00	150	140	-35.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:16:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:55:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:17:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:56:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:18:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:57:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:19:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 01:59:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:17:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	63.0461	-88.67	peak	24.26	-64.41	-13.00	150	90	-51.41	
	175.1303	-89.02	peak	24.26	-64.76	-13.00	150	180	-51.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:26:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.6293	-88.40	peak	23.90	-64.50	-13.00	150	190	-51.50	
	165.9320	-89.02	peak	24.46	-64.56	-13.00	150	70	-51.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 05:39:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	350.7014	-88.26	peak	35.10	-53.16	-13.00	150	200	-40.16	
*	953.5070	-84.68	peak	38.09	-46.59	-13.00	150	140	-33.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 05:50:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	514.2285	-86.21	peak	32.17	-54.04	-13.00	150	140	-41.04	
*	953.5070	-84.87	peak	36.26	-48.61	-13.00	150	190	-35.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:33:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-53.70	peak	9.92	-43.78	-13.00	150	240	-30.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:25:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-52.15	peak	10.71	-41.44	-13.00	150	160	-28.44	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:34:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6589.178	-66.31	peak	12.84	-53.47	-13.00	150	80	-40.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:26:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4793.587	-65.98	peak	12.21	-53.77	-13.00	150	90	-40.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:35:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:27:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:36:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:30:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:37:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:31:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:18:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	56.9138	-88.83	peak	24.23	-64.60	-13.00	150	30	-51.60	
	170.3607	-88.64	peak	24.02	-64.62	-13.00	150	190	-51.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:27:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	86.8938	-87.30	peak	23.87	-63.43	-13.00	150	90	-50.43	
	161.8437	-88.49	peak	24.38	-64.11	-13.00	150	200	-51.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 05:40:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	363.5271	-87.64	peak	34.45	-53.19	-13.00	150	100	-40.19	
*	892.5852	-85.38	peak	38.73	-46.65	-13.00	150	140	-33.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 05:48:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	579.9598	-86.04	peak	32.32	-53.72	-13.00	150	170	-40.72	
*	958.3166	-85.62	peak	36.31	-49.31	-13.00	150	250	-36.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:39:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-52.70	peak	9.92	-42.78	-13.00	150	90	-29.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:44:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-52.01	peak	10.71	-41.30	-13.00	150	60	-28.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:40:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6909.820	-64.85	peak	13.94	-50.91	-13.00	150	60	-37.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:45:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4753.507	-64.47	peak	11.29	-53.18	-13.00	150	90	-40.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:41:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:46:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:42:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:47:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:43:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:47:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:18:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.4990	-88.28	peak	23.45	-64.83	-13.00	150	40	-51.83	
*	164.5691	-88.02	peak	23.73	-64.29	-13.00	150	190	-51.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:27:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	32.7255	-89.11	peak	23.74	-65.37	-13.00	150	140	-52.37	
*	183.6473	-88.70	peak	24.52	-64.18	-13.00	150	200	-51.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 05:42:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	350.7014	-88.16	peak	35.10	-53.06	-13.00	150	140	-40.06	
*	897.3948	-85.74	peak	38.98	-46.76	-13.00	150	200	-33.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 05:46:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	328.2565	-87.59	peak	30.03	-57.56	-13.00	150	140	-44.56	
*	879.7595	-85.89	peak	36.48	-49.41	-13.00	150	100	-36.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:54:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-51.67	peak	9.94	-41.73	-13.00	150	40	-28.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1

Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:49:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3741.483	-52.12	peak	10.58	-41.54	-13.00	150	70	-28.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:55:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6597.194	-66.03	peak	12.87	-53.16	-13.00	150	90	-40.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:50:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4817.635	-65.65	peak	12.04	-53.61	-13.00	150	180	-40.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:56:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:51:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:57:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:52:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:57:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:52:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:19:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.1122	-88.28	peak	24.20	-64.08	-13.00	150	140	-51.08	
	156.3928	-89.37	peak	23.24	-66.13	-13.00	150	90	-53.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:28:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	62.3647	-88.97	peak	24.05	-64.92	-13.00	150	130	-51.92	
*	179.8998	-88.70	peak	24.74	-63.96	-13.00	150	210	-50.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:53:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	246.4930	-87.86	peak	34.27	-53.59	-13.00	150	60	-40.59	
*	898.9980	-86.57	peak	39.06	-47.51	-13.00	150	140	-34.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:59:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	677.7555	-86.45	peak	33.87	-52.58	-13.00	150	60	-39.58	
*	1000.0000	-87.60	peak	39.28	-48.32	-13.00	150	140	-35.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:05:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-59.06	peak	10.02	-49.04	-13.00	150	80	-36.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1

Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:00:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-57.79	peak	10.71	-47.08	-13.00	150	40	-34.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:06:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-65.19	peak	11.02	-54.17	-13.00	150	90	-41.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:01:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6901.804	-65.21	peak	13.49	-51.72	-13.00	150	70	-38.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:07:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:02:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:07:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:03:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:07:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:03:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:19:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	60.6613	-87.94	peak	24.30	-63.64	-13.00	150	140	-50.64	
	106.6533	-88.08	peak	22.98	-65.10	-13.00	150	180	-52.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:28:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9260	-88.74	peak	23.93	-64.81	-13.00	150	90	-51.81	
	102.2244	-89.04	peak	23.99	-65.05	-13.00	150	170	-52.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:53:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	464.5291	-87.40	peak	33.94	-53.46	-13.00	150	20	-40.46	
*	916.6333	-86.59	peak	38.80	-47.79	-13.00	150	170	-34.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:59:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	705.0100	-88.19	peak	34.37	-53.82	-13.00	150	70	-40.82	
*	934.2685	-85.60	peak	36.34	-49.26	-13.00	150	160	-36.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:32:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-55.78	peak	10.02	-45.76	-13.00	150	60	-32.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6

Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:38:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-57.42	peak	10.71	-46.71	-13.00	150	20	-33.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:35:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6917.836	-65.13	peak	13.81	-51.32	-13.00	150	30	-38.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:39:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6917.836	-64.70	peak	13.34	-51.36	-13.00	150	90	-38.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:36:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:53:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:36:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:53:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:36:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:54:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:20:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	71.5631	-88.80	peak	24.09	-64.71	-13.00	150	30	-51.71	
*	186.7134	-87.60	peak	24.12	-63.48	-13.00	150	170	-50.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:28:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.5411	-88.00	peak	23.97	-64.03	-13.00	150	0	-51.03	
*	176.8337	-88.50	peak	24.68	-63.82	-13.00	150	190	-50.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:54:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	672.9460	-88.59	peak	37.02	-51.57	-13.00	150	20	-38.57	
*	910.2204	-86.81	peak	38.92	-47.89	-13.00	150	170	-34.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:59:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	499.7996	-88.15	peak	32.22	-55.93	-13.00	150	30	-42.93	
*	1000.0000	-87.75	peak	39.28	-48.47	-13.00	150	170	-35.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6

Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 12:00:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3446.894	-52.45	peak	10.03	-42.42	-13.00	150	60	-29.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:56:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3446.894	-51.00	peak	10.87	-40.13	-13.00	150	90	-27.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 12:01:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6893.788	-63.69	peak	14.04	-49.65	-13.00	150	40	-36.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:56:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6893.788	-64.31	peak	13.48	-50.83	-13.00	150	80	-37.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 12:01:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:57:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10798.597	-80.08	peak	34.47	-45.61	-13.00	150	70	-32.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 12:01:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:58:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 下午 12:02:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 11:58:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:21:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.8818	-88.83	peak	24.11	-64.72	-13.00	150	140	-51.72	
*	175.8116	-88.23	peak	24.29	-63.94	-13.00	150	90	-50.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:29:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.5852	-88.73	peak	23.94	-64.79	-13.00	150	130	-51.79	
	116.8737	-89.19	peak	22.93	-66.26	-13.00	150	250	-53.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:54:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	366.7335	-87.27	peak	34.29	-52.98	-13.00	150	60	-39.98	
*	927.8557	-85.19	peak	38.59	-46.60	-13.00	150	40	-33.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:00:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	515.8317	-87.69	peak	32.17	-55.52	-13.00	150	40	-42.52	
*	863.7275	-86.68	peak	36.42	-50.26	-13.00	150	180	-37.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:15:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1667.335	-50.47	peak	0.62	-49.85	-13.00	150	140	-36.85	
	2707.415	-61.57	peak	9.05	-52.52	-13.00	150	90	-39.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:19:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-55.49	peak	1.69	-53.80	-13.00	150	140	-40.80	
*	2695.391	-60.00	peak	9.76	-50.24	-13.00	150	90	-37.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:16:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:20:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:17:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:21:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:21:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	59.9800	-87.71	peak	24.31	-63.40	-13.00	150	140	-50.40	
	163.5471	-89.49	peak	23.68	-65.81	-13.00	150	90	-52.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:29:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.5190	-89.13	peak	23.98	-65.15	-13.00	150	170	-52.15	
*	156.3928	-87.69	peak	23.99	-63.70	-13.00	150	130	-50.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:55:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	621.6433	-87.20	peak	35.51	-51.69	-13.00	150	200	-38.69	
*	918.2365	-85.79	peak	38.77	-47.02	-13.00	150	180	-34.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:01:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	599.1984	-87.82	peak	32.51	-55.31	-13.00	150	30	-42.31	
*	939.0782	-86.80	peak	36.30	-50.50	-13.00	150	170	-37.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:12:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1667.335	-50.68	peak	0.62	-50.06	-13.00	150	170	-37.06	
	2701.403	-61.35	peak	9.29	-52.06	-13.00	150	90	-39.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:08:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1667.335	-56.30	peak	1.54	-54.76	-13.00	150	170	-41.76	
*	2755.511	-60.64	peak	9.93	-50.71	-13.00	150	160	-37.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:13:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:09:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:13:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:10:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:22:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9260	-88.83	peak	24.06	-64.77	-13.00	150	70	-51.77	
	162.5251	-89.36	peak	23.63	-65.73	-13.00	150	190	-52.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:30:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	60.6613	-89.00	peak	24.06	-64.94	-13.00	150	70	-51.94	
*	159.1182	-88.93	peak	24.25	-64.68	-13.00	150	190	-51.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:56:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	634.4690	-88.31	peak	35.95	-52.36	-13.00	150	100	-39.36	
*	897.3948	-86.66	peak	38.98	-47.68	-13.00	150	190	-34.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:01:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	669.7395	-88.01	peak	33.69	-54.32	-13.00	150	50	-41.32	
*	846.0922	-86.67	peak	36.24	-50.43	-13.00	150	140	-37.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:00:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1661.323	-48.72	peak	0.62	-48.10	-13.00	150	60	-35.10	
	2521.042	-57.12	peak	5.67	-51.45	-13.00	150	140	-38.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:05:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1661.323	-57.98	peak	1.39	-56.59	-13.00	150	140	-43.59	
*	2755.511	-60.32	peak	9.93	-50.39	-13.00	150	90	-37.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:01:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:06:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:03:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 10:07:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:22:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.6512	-88.10	peak	23.99	-64.11	-13.00	150	70	-51.11	
	170.3607	-88.17	peak	24.02	-64.15	-13.00	150	190	-51.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:30:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.4510	-89.29	peak	23.53	-65.76	-13.00	150	190	-52.76	
*	81.1022	-88.51	peak	23.82	-64.69	-13.00	150	90	-51.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:56:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	349.0982	-89.55	peak	35.10	-54.45	-13.00	150	90	-41.45	
*	916.6333	-86.92	peak	38.80	-48.12	-13.00	150	140	-35.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:02:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	640.8817	-86.81	peak	33.12	-53.69	-13.00	150	170	-40.69	
*	876.5531	-86.18	peak	36.47	-49.71	-13.00	150	20	-36.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:42:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-36.14	peak	-1.34	-37.48	-13.00	150	250	-24.48	
	2124.249	-56.21	peak	3.51	-52.70	-13.00	150	140	-39.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:46:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-44.26	peak	-0.47	-44.73	-13.00	150	160	-31.73	
	2124.249	-55.33	peak	3.69	-51.64	-13.00	150	180	-38.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:43:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:47:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:44:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:48:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 5M CH23790

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:23:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.0581	-88.49	peak	23.91	-64.58	-13.00	150	210	-51.58	
*	180.9218	-88.13	peak	24.45	-63.68	-13.00	150	60	-50.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:30:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	104.6092	-87.21	peak	23.82	-63.39	-13.00	150	140	-50.39	
*	174.4488	-88.01	peak	24.63	-63.38	-13.00	150	90	-50.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:57:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	663.3267	-87.71	peak	36.79	-50.92	-13.00	150	180	-37.92	
*	935.8717	-86.42	peak	38.44	-47.98	-13.00	150	140	-34.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2017/11/30

Temperature: 24 °C

-10.0 dBm

Time: 下午 04:03:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	312.2243	-89.70	peak	30.53	-59.17	-13.00	150	160	-46.17	
*	858.9178	-86.28	peak	36.40	-49.88	-13.00	150	140	-36.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:55:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1408.818	-37.34	peak	-1.33	-38.67	-13.00	150	190	-25.67	
	2412.826	-59.92	peak	6.78	-53.14	-13.00	150	240	-40.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:51:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1408.818	-46.35	peak	-0.55	-46.90	-13.00	150	230	-33.90	
	2521.042	-56.68	peak	7.58	-49.10	-13.00	150	140	-36.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:56:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:52:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:57:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2017/11/28

Temperature: 24 °C

-10.0 dBm

Time: 上午 09:53:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21711-17577

M/N: 1RB 0

Test Mode : LTE BAND17 QPSK 10M CH23790

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 8:59:43 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	148.5772	43.06	peak	-7.73	35.33	43.50	100	75	-8.17	
	276.8737	39.02	peak	-6.48	32.54	46.00	100	115	-13.46	
	387.6754	34.35	peak	-3.82	30.53	46.00	100	230	-15.47	
*	424.6092	42.68	peak	-3.32	39.36	46.00	100	90	-6.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:00:51 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	44.08	peak	-8.89	35.19	40.00	100	220	-4.81	
	121.3627	27.55	peak	-6.82	20.73	43.50	100	175	-22.77	
	276.8737	32.65	peak	-6.48	26.17	46.00	100	60	-19.83	
	424.6092	35.99	peak	-3.32	32.67	46.00	100	35	-13.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:02:38 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1294.589	42.78	peak	-9.20	33.58	74.00	150	285	-40.42	
*	3006.012	42.26	peak	-3.12	39.14	74.00	150	90	-34.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:03:31 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1434.870	42.38	peak	-9.10	33.28	74.00	150	45	-40.72	
*	3062.124	42.00	peak	-3.07	38.93	74.00	150	220	-35.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:02:50 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:03:43 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:03:14 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:04:08 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 12/2/2017

Temperature:24.5 °C

90.0 dBuV/m

Time: 12:03:24 PM

Humidity:69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 12/2/2017

Temperature:24.5 °C

90.0 dBuV/m

Time: 12:04:17 PM

Humidity:69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 12/2/2017

Temperature:24.5 °C

80.0 dBuV/m

Time: 9:05:32 AM

Humidity:69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	29.61	peak	-6.78	22.83	43.50	100	220	-20.67	
	276.8737	38.91	peak	-6.48	32.43	46.00	100	35	-13.57	
	350.7414	34.94	peak	-4.70	30.24	46.00	100	175	-15.76	
*	424.6092	42.59	peak	-3.32	39.27	46.00	100	60	-6.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:06:41 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	44.13	peak	-8.89	35.24	40.00	100	175	-4.76	
	191.3427	41.06	peak	-11.12	29.94	43.50	100	90	-13.56	
	216.6132	40.75	peak	-10.27	30.48	46.00	100	165	-15.52	
	424.6092	36.80	peak	-3.32	33.48	46.00	100	220	-12.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:05:00 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1561.122	42.89	peak	-8.45	34.44	74.00	150	95	-39.56	
*	3805.611	41.14	peak	-1.53	39.61	74.00	150	60	-34.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #5


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:05:54 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.53	peak	-7.65	33.88	74.00	150	155	-40.12	
*	1561.122	42.94	peak	-8.45	34.49	74.00	150	240	-39.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:05:12 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:06:06 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:05:36 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 12/2/2017

Temperature:24.5 °C

90.0 dBuV/m

Time: 12:06:30 PM

Humidity:69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 12/2/2017

Temperature:24.5 °C

90.0 dBuV/m

Time: 12:05:47 PM

Humidity:69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:06:40 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:10:07 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	121.3627	29.30	peak	-6.82	22.48	43.50	100	165	-21.02	
	276.8737	38.72	peak	-6.48	32.24	46.00	100	75	-13.76	
	350.7414	35.07	peak	-4.70	30.37	46.00	100	220	-15.63	
*	424.6092	42.61	peak	-3.32	39.29	46.00	100	80	-6.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:11:15 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	43.65	peak	-8.89	34.76	40.00	100	175	-5.24	
	350.7415	30.50	peak	-4.70	25.80	46.00	100	135	-20.20	
	424.6092	35.76	peak	-3.32	32.44	46.00	100	90	-13.56	
	937.7956	27.33	peak	4.26	31.59	46.00	100	220	-14.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:25:15 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1575.150	43.05	peak	-8.32	34.73	74.00	150	175	-39.27	
*	3146.293	41.93	peak	-2.63	39.30	74.00	150	90	-34.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:26:09 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1659.319	42.98	peak	-7.68	35.30	74.00	150	85	-38.70	
*	4044.088	42.76	peak	-0.91	41.85	74.00	150	230	-32.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:25:27 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:26:21 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:25:51 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 12/2/2017

Temperature:24.5 °C

90.0 dBuV/m

Time: 11:26:45 AM

Humidity:69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #4


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:26:02 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:26:55 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:14:01 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	30.44	peak	-6.78	23.66	43.50	100	230	-19.84	
	276.8737	38.92	peak	-6.48	32.44	46.00	100	155	-13.56	
	350.7414	34.54	peak	-4.70	29.84	46.00	100	170	-16.16	
*	424.6092	42.52	peak	-3.32	39.20	46.00	100	90	-6.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:15:09 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	44.27	peak	-8.89	35.38	40.00	100	175	-4.62	
	119.4188	29.01	peak	-6.90	22.11	43.50	100	190	-21.39	
	424.6092	35.01	peak	-3.32	31.69	46.00	100	40	-14.31	
	941.6834	27.79	peak	4.36	32.15	46.00	100	110	-13.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:48:43 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1561.122	43.86	peak	-8.45	35.41	74.00	150	85	-38.59	
*	3146.293	42.39	peak	-2.63	39.76	74.00	150	230	-34.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:49:36 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1112.224	42.31	peak	-8.90	33.41	74.00	150	140	-40.59	
*	3146.293	41.71	peak	-2.63	39.08	74.00	105	255	-34.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:48:54 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:49:48 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:49:18 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 12/2/2017

Temperature:24.5 °C

90.0 dBuV/m

Time: 11:50:12 AM

Humidity:69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #4


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:49:29 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:50:22 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:17:25 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	29.29	peak	-6.78	22.51	43.50	100	175	-20.99	
	276.8737	38.42	peak	-6.48	31.94	46.00	100	85	-14.06	
	350.7414	34.58	peak	-4.70	29.88	46.00	100	40	-16.12	
*	424.6092	42.61	peak	-3.32	39.29	46.00	100	220	-6.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:18:33 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	43.61	peak	-8.89	34.72	40.00	100	175	-5.28	
	119.4188	27.71	peak	-6.90	20.81	43.50	100	135	-22.69	
	424.6092	35.73	peak	-3.32	32.41	46.00	100	95	-13.59	
	955.2906	27.13	peak	4.67	31.80	46.00	100	220	-14.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:56:03 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1070.140	42.15	peak	-8.34	33.81	74.00	150	45	-40.19	
*	3020.040	42.30	peak	-3.10	39.20	74.00	150	80	-34.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:56:56 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1294.589	42.37	peak	-9.20	33.17	74.00	150	35	-40.83	
*	3146.293	42.05	peak	-2.63	39.42	74.00	150	260	-34.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #2


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:56:14 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:57:08 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:56:38 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:57:32 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M21711-17577

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #4


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:56:49 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:57:42 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:23:28 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	121.3627	30.46	peak	-6.82	23.64	43.50	100	110	-19.86	
	276.8737	38.56	peak	-6.48	32.08	46.00	100	255	-13.92	
	350.7414	34.69	peak	-4.70	29.99	46.00	100	145	-16.01	
*	424.6092	43.09	peak	-3.32	39.77	46.00	100	80	-6.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

80.0 dBuV/m

Time: 9:24:37 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	44.03	peak	-8.89	35.14	40.00	100	95	-4.86	
	144.6894	28.03	peak	-7.33	20.70	43.50	100	175	-22.80	
	424.6092	35.49	peak	-3.32	32.17	46.00	100	60	-13.83	
	920.3006	28.67	peak	3.78	32.45	46.00	100	220	-13.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #1


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:58:33 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1561.122	43.41	peak	-8.45	34.96	74.00	150	85	-39.04	
*	3048.096	42.35	peak	-3.08	39.27	74.00	150	240	-34.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #5


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:59:26 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.96	peak	-7.65	34.31	74.00	150	255	-39.69	
*	1561.122	43.03	peak	-8.45	34.58	74.00	150	90	-39.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:58:44 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #6


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:59:38 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #3


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:59:09 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #7


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:00:02 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #4


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 11:59:19 AM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File : 3

Data : #8


Date: 12/2/2017

Temperature: 24.5 °C

90.0 dBuV/m

Time: 12:00:12 PM

Humidity: 69.5 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21711-17577

M/N:

Test Mode : LTE Band 17 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin