



Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:54:20

5MHz




Date: 3.AUG.2020 13:19:59




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:19:06

10MHz




Date: 3.AUG.2020 13:14:25




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:13:43

15MHz




Date: 3.AUG.2020 11:30:45




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919




Date: 3.AUG.2020 11:29:47

20MHz




Date: 3.AUG.2020 11:23:10




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919




Date: 3.AUG.2020 11:22:26

QPSK
FRB
3MHz




Date: 3.AUG.2020 13:52:58




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:54:52

5MHz




Date: 3.AUG.2020 13:20:27




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:18:16

10MHz




Date: 3.AUG.2020 13:14:51




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:13:11

15MHz




Date: 3.AUG.2020 11:31:23




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 11:28:35

20MHz




Date: 3.AUG.2020 11:23:49




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 11:21:59

1RB
3MHz




Date: 3.AUG.2020 13:53:14




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:55:08

5MHz




Date: 3.AUG.2020 13:20:46




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:18:37

10MHz




Date: 3.AUG.2020 13:15:14




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 13:12:55

15MHz




Date: 3.AUG.2020 11:31:42




Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919




Date: 3.AUG.2020 11:29:10

20MHz




Date: 3.AUG.2020 11:24:07



Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919



Date: 3.AUG.2020 11:21:34

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Report Number: W6M22007-20039-P-247


FCC ID: GX9HSGWF1919

9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- ☒ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- ☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- ☒ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M22007-20039-P-247
FCC ID: GX9HSGWF1919

9.2 Test Results

Test date: August 02, 2020~August 03, 2020

Temperature: 23.8 °C

Humidity: 53.4 %

Tester: Sora

9.2.1 Frequency Stability vs. Temperature

GSM 850					GSM 1900				
CH128	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH512	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	27.00	0.033	±2.5		-20	60.00	0.032	±2.5
	-20	28.00	0.034			-20	75.00	0.041	
	-10	12.00	0.015			-10	51.00	0.028	
	0	31.00	0.038			0	37.00	0.020	
	10	25.00	0.030			10	46.00	0.025	
	20	16.00	0.019			20	45.00	0.024	
	30	26.00	0.032			30	65.00	0.035	
	40	18.00	0.022			40	55.00	0.030	
	50	19.00	0.023			50	68.00	0.037	
132Vac	25	21.00	0.025	±2.5	132Vac	25	27.00	0.015	±2.5
108Vac	25	28.00	0.034		108Vac	25	22.00	0.012	
CH188	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH661	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	20.00	0.024	±2.5		-30	88.00	0.047	±2.5
	-20	27.00	0.032			-20	74.00	0.039	
	-10	35.00	0.042			-10	90.00	0.048	
	0	28.00	0.033			0	37.00	0.020	
	10	16.00	0.019			10	58.00	0.031	
	20	20.00	0.024			20	45.00	0.024	
	30	28.00	0.033			30	21.00	0.011	
	40	24.00	0.029			40	65.00	0.035	
	50	35.00	0.042			50	89.00	0.047	
132Vac	25	37.00	0.044	±2.5	132Vac	25	34.00	0.018	±2.5
108Vac	25	35.00	0.042		108Vac	25	45.00	0.024	
CH251	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH810	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	31.00	0.037	±2.5		-30	88.00	0.046	±2.5
	-20	33.00	0.039			-20	94.00	0.049	
	-10	24.00	0.028			-10	70.00	0.037	
	0	19.00	0.022			0	35.00	0.018	
	10	22.00	0.026			10	28.00	0.015	
	20	27.00	0.032			20	64.00	0.034	
	30	21.00	0.025			30	75.00	0.039	
	40	28.00	0.033			40	84.00	0.044	
	50	21.00	0.025			50	94.00	0.049	
132Vac	25	38.00	0.045	±2.5	132Vac	25	48.00	0.025	±2.5
108Vac	25	21.00	0.025		108Vac	25	39.00	0.020	



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919

WCDMA BNAD2					WCDMA BNAD5				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-12.54	-0.007	±2.5		-30	-3.78	-0.005	±2.5
	-20	-9.34	-0.005			-20	-4.31	-0.005	
	-10	-11.27	-0.006			-10	-5.91	-0.007	
	0	-8.31	-0.004			0	-3.15	-0.004	
	10	9.86	0.005			10	6.12	0.007	
	20	10.55	0.006			20	6.61	0.008	
	30	13.45	0.007			30	5.50	0.007	
	40	10.60	0.006			40	5.55	0.007	
	50	6.80	0.004			50	2.48	0.003	
132Vac	25	11.42	0.006		132Vac	25	-3.78	-0.005	
108Vac	25	8.94	0.005		108Vac	25	4.28	0.005	
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-3.94	-0.002	±2.5		-30	-1.87	-0.002	±2.5
	-20	-2.70	-0.001			-20	-2.00	-0.002	
	-10	-7.84	-0.004			-10	2.55	0.003	
	0	-5.50	-0.003			0	2.11	0.003	
	10	-3.05	-0.002			10	-2.91	-0.003	
	20	4.60	0.002			20	2.21	0.003	
	30	6.40	0.003			30	3.65	0.004	
	40	5.12	0.003			40	-2.48	-0.003	
	50	-4.67	-0.002			50	4.15	0.005	
132Vac	25	-4.28	-0.002		132Vac	25	-1.97	-0.002	
108Vac	25	-3.60	-0.002		108Vac	25	-1.65	-0.002	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	10.78	0.006	±2.5		-30	6.20	0.007	±2.5
	-20	9.97	0.005			-20	4.89	0.006	
	-10	-9.00	-0.005			-10	5.80	0.007	
	0	-7.96	-0.004			0	4.53	0.005	
	10	-11.17	-0.006			10	6.19	0.007	
	20	10.55	0.006			20	-4.44	-0.005	
	30	11.84	0.006			30	-5.46	-0.006	
	40	-7.58	-0.004			40	5.82	0.007	
	50	8.67	0.005			50	5.84	0.007	
132Vac	25	-9.34	-0.005		132Vac	25	-3.61	-0.004	
108Vac	25	-9.63	-0.005		108Vac	25	-5.14	-0.006	



Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919

LTE BAND2 QPSK 10MHz FRB					LTE BAND4 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-10.30	-0.005	±2.5		-30	4.30	0.002	±2.5
	-20	-5.90	-0.003			-20	7.80	0.005	
	-10	-8.20	-0.004			-10	4.20	0.002	
	0	9.50	0.005			0	3.30	0.002	
	10	-4.70	-0.003			10	-2.60	-0.002	
	20	-5.30	-0.003			20	5.50	0.003	
	30	-5.60	-0.003			30	6.00	0.003	
	40	-3.40	-0.002			40	2.50	0.001	
	50	4.90	0.003			50	-4.30	-0.002	
132Vac	25	-9.00	-0.005	±2.5	132Vac	25	3.30	0.002	±2.5
108Vac	25	-5.80	-0.003		108Vac	25	3.10	0.002	

LTE BAND7 QPSK 10MHz FRB					LTE BAND28 QPSK 10MHz FRB				
CH21100	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH27410	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.40	-0.013	±2.5		-20	2.60	0.004	±2.5
	-20	-6.00	-0.008			-20	-3.70	-0.005	
	-10	-7.70	-0.011			-10	-2.80	-0.004	
	0	2.20	0.003			0	-2.90	-0.004	
	10	-6.70	-0.009			10	3.10	0.004	
	20	6.60	0.009			20	1.40	0.002	
	30	-7.40	-0.010			30	4.60	0.006	
	40	-4.90	-0.007			40	-2.50	-0.003	
	50	-5.70	-0.008			50	1.60	0.002	
132Vac	25	-1.60	-0.002	±2.5	132Vac	25	-1.50	-0.002	±2.5
108Vac	25	3.50	0.005		108Vac	25	2.90	0.004	

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004



Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919

10 Maximum Permissible Exposure

10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

MPE Calculation Method

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f ²)*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f ²)*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz

*Plane-wave equivalent power density



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22007-20039-P-247

FCC ID: GX9HSGWF1919

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)


d = Separation distance between radiator and human body (m)

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

The formula can be changed to mW/cm^2 .

Frequency	Max output power		Antenna Gain	Power Density(S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
	(dBm)	(W)				
GSM 850	31.65	1.46	1.45	0.4062	0.5495	Complies
PCS 1900	27.80	0.60	-0.27	0.1127	1	Complies
WCDMA Band 2	23.15	0.20	-0.27	0.0386	1	Complies
WCDMA Band 5	23.08	0.20	1.45	0.0564	0.5644	Complies
LTE Band 2	23.06	0.20	-0.27	0.0378	1	Complies
LTE Band 4	22.98	0.20	-0.01	0.0394	1	Complies
LTE Band 7	21.99	0.16	-0.56	0.0276	1	Complies
LTE Band 28	23.68	0.23	0.65	0.0539	0.4937	Complies

From the peak EUT RF output power, the minimum mobile separation distance, d=0.2 m, as well as the gain of the used antenna, the RF power density can be obtained.




Report Number: W6M22007-20039-P-247
FCC ID: GX9HSGWF1919

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.7692	-89.95	peak	23.73	-66.22	-13.00	150	150	-53.22	
	151.2340	-93.67	peak	22.97	-70.70	-13.00	150	88	-57.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 02:27:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	34.3590	-86.79	peak	23.41	-63.38	-13.00	150	185	-50.38	
	76.5865	-91.01	peak	23.30	-67.71	-13.00	150	334	-54.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:14:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.3590	-58.72	peak	-1.26	-59.98	-13.00	150	102	-46.98	
	876.9231	-63.86	peak	0.22	-63.64	-13.00	150	330	-50.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:20:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	824.3590	-61.85	peak	-1.26	-63.11	-13.00	150	102	-50.11	
*	876.9231	-58.21	peak	0.22	-57.99	-13.00	150	220	-44.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:32:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.039	-45.25	peak	0.94	-44.31	-13.00	150	188	-31.31	
*	2471.154	-23.05	peak	5.79	-17.26	-13.00	150		-4.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:58:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.039	-51.92	peak	2.67	-49.25	-13.00	150	217	-36.25	
*	2471.154	-31.95	peak	7.40	-24.55	-13.00	150	89	-11.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:33:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:59:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:34:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:01:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:22:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.3205	-91.55	peak	23.65	-67.90	-13.00	150	100	-54.90	
	157.7724	-93.82	peak	23.37	-70.45	-13.00	150	125	-57.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 02:25:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.7212	-86.62	peak	23.29	-63.33	-13.00	150	89	-50.33	
*	75.7692	-84.67	peak	23.28	-61.39	-13.00	150	284	-48.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:25:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	429.4872	-61.13	peak	-7.96	-69.09	-13.00	150	65	-56.09	
*	876.9231	-64.33	peak	0.22	-64.11	-13.00	150	110	-51.11	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#2


Date: 2020/8/3

Temperature:24 °C

0.0 dBm

Time: 上午 09:28:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.2051	-67.15	peak	-0.97	-68.12	-13.00	150	102	-55.12	
*	876.9231	-58.49	peak	-0.14	-58.63	-13.00	150	84	-45.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:38:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.077	-44.56	peak	1.10	-43.46	-13.00	150	110	-30.46	
*	2509.615	-25.17	peak	5.97	-19.20	-13.00	150	227	-6.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:52:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.077	-52.94	peak	2.79	-50.15	-13.00	150	220	-37.15	
*	2509.615	-34.46	peak	7.57	-26.89	-13.00	150	102	-13.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:39:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:53:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:40:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:56:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:24:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3141	-88.72	peak	23.74	-64.98	-13.00	150	115	-51.98	
	152.8686	-93.80	peak	23.07	-70.73	-13.00	150	87	-57.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 02:24:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8141	-86.69	peak	23.45	-63.24	-13.00	150	110	-50.24	
	76.3141	-92.18	peak	23.29	-68.89	-13.00	150	66	-55.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:35:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	876.9231	-45.70	peak	0.22	-45.48	-13.00	150	126	-32.48	
	894.8718	-47.46	peak	0.69	-46.77	-13.00	150	98	-33.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:39:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	876.9231	-58.03	peak	-0.14	-58.17	-13.00	150	215	-45.17	
	894.8718	-60.47	peak	-0.53	-61.00	-13.00	150	83	-48.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:43:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1697.115	-44.75	peak	1.25	-43.50	-13.00	150	330	-30.50	
*	2509.615	-25.32	peak	5.97	-19.35	-13.00	150	102	-6.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:48:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1697.115	-53.83	peak	2.92	-50.91	-13.00	150	84	-37.91	
*	2548.077	-40.28	peak	7.55	-32.73	-13.00	150	107	-19.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:44:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:48:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:45:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 10:50:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:25:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	69.5032	-92.37	peak	23.66	-68.71	-13.00	150	125	-55.71	
	75.7692	-92.52	peak	23.73	-68.79	-13.00	150	60	-55.79	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 02:22:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4487	-86.89	peak	23.31	-63.58	-13.00	150	123	-50.58	
	76.8590	-89.08	peak	23.31	-65.77	-13.00	150	66	-52.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:47:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.2051	-66.83	peak	-2.23	-69.06	-13.00	150	105	-56.06	
	953.8462	-70.98	peak	-0.86	-71.84	-13.00	150	58	-58.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:59:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	475.6410	-64.24	peak	-5.47	-69.71	-13.00	150	106	-56.71	
*	767.9487	-65.90	peak	-1.16	-67.06	-13.00	150	99	-54.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:11:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3701.923	-58.59	peak	9.73	-48.86	-13.00	150	108	-35.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:41:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3701.923	-59.12	peak	9.65	-49.47	-13.00	150	271	-36.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:11:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5552.885	-69.02	peak	10.44	-58.58	-13.00	150	114	-45.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:43:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5551.282	-69.01	peak	10.79	-58.22	-13.00	150	174	-45.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:12:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:45:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:12:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:45:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:13:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:45:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:27:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	43.8941	-92.99	peak	23.84	-69.15	-13.00	150	115	-56.15	
*	75.2244	-89.37	peak	23.72	-65.65	-13.00	150	69	-52.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 02:21:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.7212	-86.63	peak	23.29	-63.34	-13.00	150	102	-50.34	
	40.0801	-86.89	peak	22.92	-63.97	-13.00	150	38	-50.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:49:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.2051	-67.32	peak	-2.23	-69.55	-13.00	150	202	-56.55	
	844.8718	-70.49	peak	-0.64	-71.13	-13.00	150	300	-58.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:57:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	438.4615	-56.20	peak	-6.86	-63.06	-13.00	150	102	-50.06	
	765.3846	-66.95	peak	-1.21	-68.16	-13.00	150	300	-55.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:15:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-60.65	peak	9.82	-50.83	-13.00	150	96	-37.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:16:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5525.641	-68.31	peak	10.36	-57.95	-13.00	150	207	-44.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:17:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:17:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:17:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:33:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-60.14	peak	9.60	-50.54	-13.00	150	228	-37.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:34:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5519.231	-67.94	peak	10.74	-57.20	-13.00	150	74	-44.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:35:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:35:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:35:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 1

Data : #1

Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:29:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4487	-91.59	peak	24.27	-67.32	-13.00	150	168	-54.32	
	68.6860	-91.77	peak	23.69	-68.08	-13.00	150	265	-55.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 02:20:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	34.3590	-86.87	peak	23.41	-63.46	-13.00	150	152	-50.46	
*	75.2244	-83.34	peak	23.27	-60.07	-13.00	150	66	-47.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 09:50:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.2051	-67.47	peak	-2.23	-69.70	-13.00	150	92	-56.70	
	979.4872	-69.55	peak	-0.90	-70.45	-13.00	150	163	-57.45	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#2


Date: 2020/8/3

Temperature:24 °C

0.0 dBm

Time: 上午 09:53:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	235.8974	-51.11	peak	-10.49	-61.60	-13.00	150	101	-48.60	
	778.2051	-66.72	peak	-0.97	-67.69	-13.00	150	287	-54.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:19:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-61.46	peak	9.29	-52.17	-13.00	150	102	-39.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:26:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3822.115	-62.45	peak	9.54	-52.91	-13.00	150	174	-39.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:20:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5205.128	-67.95	peak	7.70	-60.25	-13.00	150	211	-47.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:27:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5692.308	-68.37	peak	11.02	-57.35	-13.00	150	300	-44.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:21:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:28:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:21:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:28:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:21:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 上午 11:28:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : GSM1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:45:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.9520	-91.76	peak	23.72	-68.04	-13.00	150	102	-55.04	
	180.1121	-93.96	peak	23.67	-70.29	-13.00	150	335	-57.29	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:07:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	32.7244	-87.18	peak	23.55	-63.63	-13.00	150	100	-50.63	
	77.1314	-91.56	peak	23.32	-68.24	-13.00	150	205	-55.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 08:03:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	250.0000	-66.15	peak	-11.16	-77.31	-13.00	150	287	-64.31	
*	778.2051	-67.93	peak	-2.23	-70.16	-13.00	150	95	-57.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 下午 07:38:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.8205	-66.33	peak	-1.26	-67.59	-13.00	150	110	-54.59	
*	958.9744	-64.22	peak	-0.74	-64.96	-13.00	150	45	-51.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #1

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 12:00:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3701.923	-62.93	peak	9.73	-53.20	-13.00	150	117	-40.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:06:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3706.731	-61.80	peak	9.65	-52.15	-13.00	150	117	-39.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 12:01:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5557.692	-67.98	peak	10.45	-57.53	-13.00	150	324	-44.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 02:07:05

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5551.282	-66.79	peak	10.79	-56.00	-13.00	150	323	-43.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 12:02:23

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:07:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 12:02:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:08:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 12:02:45

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:08:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:47:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.4487	-93.94	peak	24.27	-69.67	-13.00	150	156	-56.67	
*	69.5032	-92.19	peak	23.66	-68.53	-13.00	150	99	-55.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 1


Data : #2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:06:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	32.9967	-87.19	peak	23.52	-63.67	-13.00	150	102	-50.67	
*	77.1314	-86.28	peak	23.32	-62.96	-13.00	150	36	-49.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 08:09:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	250.0000	-66.57	peak	-11.16	-77.73	-13.00	150	102	-64.73	
*	778.2051	-66.74	peak	-2.23	-68.97	-13.00	150	333	-55.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 08:21:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	350.0000	-70.53	peak	-6.87	-77.40	-13.00	150	244	-64.40	
*	778.2051	-65.22	peak	-0.97	-66.19	-13.00	150	196	-53.19	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2020/8/1

Temperature:24 °C

Time: 下午 12:06:27

Humidity:60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3754.808	-63.73	peak	9.81	-53.92	-13.00	150	108	-40.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 01:49:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3677.885	-60.45	peak	9.68	-50.77	-13.00	150	117	-37.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 12:08:10

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-68.08	peak	10.68	-57.40	-13.00	150	107	-44.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:01:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5724.359	-66.90	peak	11.07	-55.83	-13.00	150	147	-42.83	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 12:09:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:02:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 12:09:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:03:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 12:09:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:03:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:48:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.1314	-89.87	peak	23.75	-66.12	-13.00	150	103	-53.12	
	168.6700	-93.85	peak	23.58	-70.27	-13.00	150	88	-57.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:04:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	36.2660	-86.84	peak	23.24	-63.60	-13.00	150	156	-50.60	
	75.7692	-91.77	peak	23.28	-68.49	-13.00	150	73	-55.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 08:13:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	397.4360	-69.30	peak	-8.34	-77.64	-13.00	150	184	-64.64	
*	778.2051	-66.47	peak	-2.23	-68.70	-13.00	150	93	-55.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 08:16:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	350.0000	-70.10	peak	-6.87	-76.97	-13.00	150	115	-63.97	
*	778.2051	-66.37	peak	-0.97	-67.34	-13.00	150	88	-54.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 12:13:36

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 01:41:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3817.308	-61.99	peak	9.55	-52.44	-13.00	150	177	-39.44	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #2

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 12:14:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 01:43:50

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5717.949	-65.44	peak	11.06	-54.38	-13.00	150	174	-41.38	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 12:14:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 01:44:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2020/8/1

Temperature:24 °C

Time: 下午 12:15:10

Humidity:60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 01:44:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 12:15:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 01:45:00

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:51:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.1410	-93.06	peak	23.70	-69.36	-13.00	150	102	-56.36	
	147.1474	-93.87	peak	22.71	-71.16	-13.00	150	330	-58.16	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:03:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.7212	-86.61	peak	23.29	-63.32	-13.00	150	155	-50.32	
	77.9487	-87.45	peak	23.34	-64.11	-13.00	150	69	-51.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 08:31:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	250.0000	-66.53	peak	-11.16	-77.69	-13.00	150	102	-64.69	
*	778.2051	-67.90	peak	-2.23	-70.13	-13.00	150	330	-57.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 08:59:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.2051	-66.83	peak	-0.97	-67.80	-13.00	150	102	-54.80	
*	956.4103	-66.88	peak	-0.75	-67.63	-13.00	150	330	-54.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:14:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1653.846	-53.72	peak	0.97	-52.75	-13.00	150	110	-39.75	
*	2480.769	-49.83	peak	5.85	-43.98	-13.00	150	58	-30.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:42:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1774.039	-59.84	peak	3.31	-56.53	-13.00	150	232	-43.53	
*	2480.769	-56.49	peak	7.46	-49.03	-13.00	150	154	-36.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:14:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 02:44:03

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 02:16:05

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:45:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:52:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.9583	-92.37	peak	23.68	-68.69	-13.00	150	145	-55.69	
	150.1442	-93.91	peak	22.90	-71.01	-13.00	150	50	-58.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:01:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	34.0865	-86.93	peak	23.43	-63.50	-13.00	150	102	-50.50	
	76.8590	-90.71	peak	23.31	-67.40	-13.00	150	330	-54.40	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#1


Date: 2020/8/3

Temperature:24 °C

0.0 dBm

Time: 上午 08:34:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	300.0000	-68.69	peak	-8.17	-76.86	-13.00	150	102	-63.86	
*	778.2051	-67.22	peak	-2.23	-69.45	-13.00	150	301	-56.45	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#2


Date: 2020/8/3

Temperature:24 °C

0.0 dBm

Time: 上午 08:45:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	250.0000	-66.76	peak	-11.16	-77.92	-13.00	150	128	-64.92	
*	778.2051	-66.36	peak	-2.23	-68.59	-13.00	150	99	-55.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:19:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.077	-58.90	peak	1.10	-57.80	-13.00	150	63	-44.80	
*	2509.615	-45.05	peak	5.97	-39.08	-13.00	150	122	-26.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:37:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1774.039	-60.34	peak	3.31	-57.03	-13.00	150	298	-44.03	
*	2509.615	-54.02	peak	7.57	-46.45	-13.00	150	174	-33.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:20:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 02:38:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:22:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 02:39:36

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:56:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	38.4455	-92.28	peak	24.14	-68.14	-13.00	150	150	-55.14	
	69.5032	-92.42	peak	23.66	-68.76	-13.00	150	214	-55.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:00:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	33.8141	-86.79	peak	23.45	-63.34	-13.00	150	123	-50.34	
*	75.7692	-84.02	peak	23.28	-60.74	-13.00	150	52	-47.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #1

Date: 2020/8/3

Temperature: 24 °C

Time: 上午 08:48:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	250.0000	-66.73	peak	-11.16	-77.89	-13.00	150	230	-64.89	
*	778.2051	-67.47	peak	-2.23	-69.70	-13.00	150	65	-56.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#2


Date: 2020/8/3

Temperature:24 °C

0.0 dBm

Time: 上午 08:56:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	765.3846	-66.48	peak	-1.21	-67.69	-13.00	150	211	-54.69	
	956.4103	-68.89	peak	-0.75	-69.64	-13.00	150	98	-56.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:24:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1687.500	-56.16	peak	1.19	-54.97	-13.00	150	44	-41.97	
*	2538.461	-54.63	peak	6.05	-48.58	-13.00	150	120	-35.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:31:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1389.423	-50.08	peak	1.57	-48.51	-13.00	150	122	-35.51	
	2538.461	-60.03	peak	7.56	-52.47	-13.00	150	320	-39.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:25:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 02:33:24

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 02:27:20

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:34:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:31:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.8654	-89.56	peak	23.66	-65.90	-13.00	150	86	-52.90	
*	76.3141	-88.82	peak	23.74	-65.08	-13.00	150	321	-52.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:18:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	34.0865	-86.77	peak	23.43	-63.34	-13.00	150	123	-50.34	
	40.8974	-87.30	peak	22.97	-64.33	-13.00	150	88	-51.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 10:14:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	274.3590	-58.18	peak	-9.81	-67.99	-13.00	150	269	-54.99	
	778.2051	-68.43	peak	-2.23	-70.66	-13.00	150	63	-57.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 10:47:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	765.3846	-66.77	peak	-1.21	-67.98	-13.00	150	221	-54.98	
*	958.9744	-66.80	peak	-0.74	-67.54	-13.00	150	82	-54.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:56:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.615	-62.02	peak	9.81	-52.21	-13.00	150	102	-39.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:14:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.615	-61.79	peak	9.60	-52.19	-13.00	150	186	-39.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:58:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-63.81	peak	10.68	-53.13	-13.00	150	158	-40.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 03:15:08

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-62.53	peak	10.94	-51.59	-13.00	150	185	-38.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:59:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:16:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:59:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:16:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 02:59:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 03:16:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 1.4M 1RB CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:33:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	69.7756	-92.40	peak	23.66	-68.74	-13.00	150	162	-55.74	
	161.0417	-93.54	peak	23.52	-70.02	-13.00	150	287	-57.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:17:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.4487	-86.81	peak	23.31	-63.50	-13.00	150	298	-50.50	
*	71.4103	-85.38	peak	23.17	-62.21	-13.00	150	65	-49.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 10:36:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	300.0000	-67.75	peak	-8.17	-75.92	-13.00	150	221	-62.92	
*	778.2051	-69.34	peak	-2.23	-71.57	-13.00	150	57	-58.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2020/8/3

Temperature: 24 °C

Time: 上午 10:45:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.2051	-67.00	peak	-0.97	-67.97	-13.00	150	246	-54.97	
*	958.9744	-66.53	peak	-0.74	-67.27	-13.00	150	263	-54.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:03:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-61.82	peak	9.82	-52.00	-13.00	150	116	-39.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:09:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-60.85	peak	9.60	-51.25	-13.00	150	288	-38.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:04:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-62.04	peak	10.68	-51.36	-13.00	150	87	-38.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 03:10:51

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-61.50	peak	10.94	-50.56	-13.00	150	90	-37.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:05:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:11:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:05:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 03:11:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:06:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:12:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND2 20M 1RB CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:36:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.9904	-93.03	peak	24.12	-68.91	-13.00	150	209	-55.91	
*	75.4968	-88.95	peak	23.73	-65.22	-13.00	150	163	-52.22	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:16:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.5417	-86.61	peak	23.48	-63.13	-13.00	150	211	-50.13	
	76.3141	-91.18	peak	23.29	-67.89	-13.00	150	63	-54.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 10:58:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.2051	-68.71	peak	-2.23	-70.94	-13.00	150	140	-57.94	
	958.9744	-72.06	peak	-0.87	-72.93	-13.00	150	93	-59.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 05:00:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	770.5128	-65.26	peak	-1.11	-66.37	-13.00	150	55	-53.37	
*	953.8462	-65.52	peak	-0.76	-66.28	-13.00	150	330	-53.28	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:21:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3461.539	-61.99	peak	9.27	-52.72	-13.00	150	170	-39.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:42:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-62.68	peak	9.67	-53.01	-13.00	150	100	-40.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:24:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-63.64	peak	7.59	-56.05	-13.00	150	117	-43.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:42:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-66.97	peak	8.33	-58.64	-13.00	150	187	-45.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:25:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:43:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:25:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2020/8/1

Temperature:24 °C

0.0 dBm

Time: 下午 03:44:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:26:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:44:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 1.4M 1RB CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:40:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	67.8685	-91.59	peak	23.71	-67.88	-13.00	150	169	-54.88	
	78.7660	-92.98	peak	23.77	-69.21	-13.00	150	85	-56.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 02:14:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.7212	-87.20	peak	23.29	-63.91	-13.00	150	341	-50.91	
*	74.4070	-85.57	peak	23.24	-62.33	-13.00	150	121	-49.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 11:00:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	250.0000	-66.74	peak	-11.16	-77.90	-13.00	150	112	-64.90	
*	778.2051	-68.27	peak	-2.23	-70.50	-13.00	150	60	-57.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2020/8/3

Temperature: 24 °C

Time: 上午 11:02:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.2051	-67.82	peak	-0.97	-68.79	-13.00	150	334	-55.79	
*	958.9744	-66.86	peak	-0.74	-67.60	-13.00	150	213	-54.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 03:30:11

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-61.77	peak	9.29	-52.48	-13.00	150	158	-39.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:35:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-62.79	peak	9.67	-53.12	-13.00	150	178	-40.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #2

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 03:30:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5198.718	-63.70	peak	7.64	-56.06	-13.00	150	187	-43.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 03:36:33

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5198.718	-67.16	peak	8.38	-58.78	-13.00	150	147	-45.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 03:31:42

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:37:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:31:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:37:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:32:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 03:38:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND4 20M 1RB CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:43:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.1378	-91.13	peak	23.67	-67.46	-13.00	150	102	-54.46	
	100.2885	-94.19	peak	23.73	-70.46	-13.00	150	198	-57.46	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:13:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.5417	-87.05	peak	23.48	-63.57	-13.00	150	116	-50.57	
	73.8622	-90.16	peak	23.23	-66.93	-13.00	150	98	-53.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 11:06:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.2051	-68.37	peak	-2.23	-70.60	-13.00	150	95	-57.60	
*	806.4103	-62.82	peak	-1.81	-64.63	-13.00	150	127	-51.63	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :2


Data :#2

Date: 2020/8/3

Temperature:24 °C

Time: 上午 11:13:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.2051	-65.76	peak	-0.97	-66.73	-13.00	150	300	-53.73	
	958.9744	-67.90	peak	-0.74	-68.64	-13.00	150	152	-55.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:21:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2581.731	-58.55	peak	6.16	-52.39	-13.00	150	177	-39.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:36:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2456.731	-40.04	peak	7.31	-32.73	-13.00	150	102	-19.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #2

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:22:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5224.359	-53.20	peak	7.87	-45.33	-13.00	150	186	-32.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #7

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:37:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5224.359	-67.57	peak	8.58	-58.99	-13.00	150	110	-45.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:23:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:38:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:23:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:38:21

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:23:52

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #10

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:38:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 5M 1RB CH21100 ACTIVE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:44:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.0737	-93.63	peak	23.71	-69.92	-13.00	150	112	-56.92	
*	69.2308	-91.64	peak	23.67	-67.97	-13.00	150	330	-54.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:12:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	34.9038	-86.41	peak	23.36	-63.05	-13.00	150	126	-50.05	
*	73.0450	-85.42	peak	23.21	-62.21	-13.00	150	85	-49.21	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#1


Date: 2020/8/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:08:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	300.0000	-69.08	peak	-8.17	-77.25	-13.00	150	201	-64.25	
*	778.2051	-70.06	peak	-2.23	-72.29	-13.00	150	30	-59.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2020/8/3

Temperature: 24 °C

Time: 上午 11:10:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	764.1026	-66.85	peak	-1.23	-68.08	-13.00	150	205	-55.08	
*	958.9744	-67.19	peak	-0.74	-67.93	-13.00	150	83	-54.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:27:45

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2461.539	-53.69	peak	5.74	-47.95	-13.00	150	102	-34.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:31:44

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2423.077	-49.85	peak	7.10	-42.75	-13.00	150	148	-29.75	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #2

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:28:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5211.538	-57.95	peak	7.76	-50.19	-13.00	150	145	-37.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #7

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:32:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5211.538	-65.55	peak	8.48	-57.07	-13.00	150	102	-44.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:29:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:33:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:29:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:33:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:29:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:33:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND7 20M 1RB CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2020/8/3

Temperature: 24 °C

5.0 dBm

Time: 下午 01:18:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.1378	-88.13	peak	23.67	-64.46	-13.00	150	115	-51.46	
	150.6891	-94.35	peak	22.93	-71.42	-13.00	150	87	-58.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:11:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.2691	-87.24	peak	23.50	-63.74	-13.00	150	289	-50.74	
	75.2244	-91.84	peak	23.27	-68.57	-13.00	150	126	-55.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 11:22:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	717.9487	-66.23	peak	-1.17	-67.40	-13.00	150	102	-54.40	
*	774.3590	-47.88	peak	-2.27	-50.15	-13.00	150	230	-37.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2020/8/3

Temperature: 24 °C

Time: 上午 11:26:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	775.6410	-62.29	peak	-1.02	-63.31	-13.00	150	112	-50.31	
	956.4103	-67.61	peak	-0.75	-68.36	-13.00	150	320	-55.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:49:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1437.500	-61.17	peak	-0.04	-61.21	-13.00	150	55	-48.21	
*	2158.654	-53.28	peak	4.11	-49.17	-13.00	150	102	-36.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 07:03:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1495.192	-60.70	peak	1.90	-58.80	-13.00	150	220	-45.80	
*	2153.846	-56.75	peak	5.42	-51.33	-13.00	150	102	-38.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

Time: 下午 06:50:04

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #5

Date: 2020/8/1

Temperature: 24 °C

Time: 下午 07:04:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:51:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 07:05:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 3M 1RB CH27375 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#1

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 01:15:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	100.5610	-94.44	peak	23.71	-70.73	-13.00	150	120	-57.73	
*	148.2371	-93.50	peak	22.78	-70.72	-13.00	150	337	-57.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :1


Data :#2

Date: 2020/8/3

Temperature: 24 °C

Time: 下午 02:09:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	34.3590	-86.81	peak	23.41	-63.40	-13.00	150	102	-50.40	
*	76.5865	-85.27	peak	23.30	-61.97	-13.00	150	66	-48.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 11:39:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	719.2308	-55.88	peak	-1.23	-57.11	-13.00	150	102	-44.11	
	735.8973	-62.26	peak	-1.93	-64.19	-13.00	150	330	-51.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2020/8/3

Temperature: 24 °C

0.0 dBm

Time: 上午 11:49:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	719.2308	-67.34	peak	-1.19	-68.53	-13.00	150	266	-55.53	
	778.2051	-70.46	peak	-0.97	-71.43	-13.00	150	210	-58.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:54:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1423.077	-61.57	peak	-0.04	-61.61	-13.00	150	223	-48.61	
*	2158.654	-53.20	peak	4.11	-49.09	-13.00	150	102	-36.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:58:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1432.692	-61.68	peak	1.70	-59.98	-13.00	150	61	-46.98	
*	2158.654	-56.72	peak	5.45	-51.27	-13.00	150	230	-38.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:54:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:59:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 06:55:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2020/8/1

Temperature: 24 °C

0.0 dBm

Time: 下午 07:00:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22007-20039

M/N:

Test Mode : LTE BAND28 20M 1RB CH27460 ACTIVE

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin

Idle

GSM 850



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei

Tel: +886-2-6606-8877

Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:05:28 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	27.61	peak	-7.12	20.49	43.50	100	72	-23.01	
	300.2004	29.90	peak	-6.02	23.88	46.00	100	167	-22.12	
	657.8758	27.84	peak	-0.29	27.55	46.00	100	338	-18.45	
*	908.6372	27.34	peak	3.67	31.01	46.00	100	40	-14.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:05:36 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	46.21	peak	-8.99	37.22	40.00	100	201	-2.78	
	148.5772	28.14	peak	-7.25	20.89	43.50	100	39	-22.61	
	613.1663	27.57	peak	-1.70	25.87	46.00	100	164	-20.13	
	887.2545	26.60	peak	3.31	29.91	46.00	100	80	-16.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:07:19 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4044.088	41.57	peak	-2.01	39.56	74.00	150	338	-34.44	
*	6989.980	40.19	peak	3.41	43.60	74.00	150	96	-30.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:08:16 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4184.369	41.62	peak	-2.45	39.17	74.00	150	83	-34.83	
*	7102.204	39.92	peak	3.54	43.46	74.00	150	265	-30.54	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 8/7/2020

Temperature:27.8 °C

90.0 dBuV/m

Time: 6:07:32 AM

Humidity:49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:08:30 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:07:57 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:08:55 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:08:08 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/7/2020

Temperature:27.8 °C

90.0 dBuV/m

Time: 6:09:06 AM

Humidity:49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:07:35 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22007-20039

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6593	28.38	peak	-7.82	20.56	46.00	100	0	-25.44	
	300.2004	30.58	peak	-6.02	24.56	46.00	100	17	-21.44	
	753.1263	29.17	peak	0.76	29.93	46.00	100	249	-16.07	
*	959.1784	26.72	peak	4.55	31.27	46.00	100	65	-14.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:07:43 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	45.87	peak	-9.24	36.63	40.00	100	145	-3.37	
	148.5772	27.44	peak	-7.25	20.19	43.50	100	84	-23.31	
	690.9218	27.47	peak	-0.19	27.28	46.00	100	32	-18.72	
	898.9178	27.53	peak	3.49	31.02	46.00	100	291	-14.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:10:33 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.14	peak	-1.88	39.26	74.00	150	138	-34.74	
*	7018.036	39.72	peak	3.48	43.20	74.00	150	266	-30.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:11:30 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4058.116	41.63	peak	-2.13	39.50	74.00	150	75	-34.50	
*	7116.233	40.08	peak	3.50	43.58	74.00	150	139	-30.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:10:45 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:11:43 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:11:11 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:12:08 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:11:21 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:12:19 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : GSM 1900 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:16:21 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22007-20039

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	177.7355	29.63	peak	-10.74	18.89	43.50	100	202	-24.61	
	300.2004	29.70	peak	-6.02	23.68	46.00	100	45	-22.32	
	772.5651	27.22	peak	1.10	28.32	46.00	100	318	-17.68	
*	906.6933	27.45	peak	3.63	31.08	46.00	100	74	-14.92	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/7/2020

Temperature: 27.8 °C

Time: 7:16:30 AM

Humidity: 49.1 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	45.64	peak	-8.76	36.88	40.00	100	143	-3.12	
	580.1201	27.82	peak	-2.20	25.62	46.00	100	15	-20.38	
	790.0601	28.07	peak	1.41	29.48	46.00	100	260	-16.52	
	955.2906	26.88	peak	4.50	31.38	46.00	100	97	-14.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:27:54 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	42.15	peak	-1.88	40.27	74.00	150	38	-33.73	
*	6653.306	40.11	peak	2.69	42.80	74.00	150	223	-31.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:28:51 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.30	peak	-1.88	39.42	74.00	150	160	-34.58	
*	7466.934	39.65	peak	3.62	43.27	74.00	150	317	-30.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:28:07 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 8/7/2020

Temperature:27.8 °C

90.0 dBuV/m

Time: 6:29:05 AM

Humidity:49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:28:32 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:29:30 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:28:43 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:29:41 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 1900 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:14:42 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22007-20039

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	300.2004	30.53	peak	-6.02	24.51	46.00	100	40	-21.49	
	545.1303	27.12	peak	-2.05	25.07	46.00	100	135	-20.93	
	722.0240	27.49	peak	0.22	27.71	46.00	100	262	-18.29	
*	935.8517	26.85	peak	4.16	31.01	46.00	100	94	-14.99	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 1

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:14:51 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	46.80	peak	-9.24	37.56	40.00	100	76	-2.44	
	420.7214	27.84	peak	-3.60	24.24	46.00	100	140	-21.76	
	702.5852	27.69	peak	-0.12	27.57	46.00	100	20	-18.43	
	924.1884	26.23	peak	3.95	30.18	46.00	100	292	-15.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:25:10 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.32	peak	-1.88	39.44	74.00	150	90	-34.56	
*	7158.317	39.57	peak	3.36	42.93	74.00	150	327	-31.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:26:07 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	42.83	peak	-1.88	40.95	74.00	150	100	-33.05	
*	6470.942	40.74	peak	2.02	42.76	74.00	150	76	-31.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:25:23 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:26:20 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:25:48 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/7/2020

Temperature: 27.8 °C

Time: 6:26:45 AM

Humidity: 49.1 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:25:58 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:26:56 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : WCDMA 850 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:08:44 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22007-20039

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6593	28.91	peak	-7.82	21.09	46.00	100	109	-24.91	
	300.2004	30.32	peak	-6.02	24.30	46.00	100	50	-21.70	
	679.2585	28.07	peak	-0.22	27.85	46.00	100	184	-18.15	
*	910.5811	27.18	peak	3.70	30.88	46.00	100	36	-15.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/7/2020

Temperature: 27.8 °C

Time: 7:08:53 AM

Humidity: 49.1 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	45.70	peak	-8.99	36.71	40.00	100	286	-3.29	
	127.1944	27.90	peak	-7.03	20.87	43.50	100	210	-22.63	
	782.2846	27.62	peak	1.27	28.89	46.00	100	65	-17.11	
	959.1784	26.00	peak	4.55	30.55	46.00	100	190	-15.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:13:24 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.64	peak	-1.88	39.76	74.00	150	274	-34.24	
*	7102.204	39.75	peak	3.54	43.29	74.00	150	360	-30.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 8/7/2020

Temperature: 27.8 °C

Time: 6:14:21 AM

Humidity: 49.1 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.50	peak	-1.88	39.62	74.00	150	66	-34.38	
*	7228.457	40.47	peak	3.27	43.74	74.00	150	197	-30.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:13:36 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:14:34 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:14:01 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:15:00 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:14:13 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:15:11 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:10:00 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22007-20039

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	300.2004	29.95	peak	-6.02	23.93	46.00	100	70	-22.07	
	550.9620	27.58	peak	-2.01	25.57	46.00	100	185	-20.43	
	766.7335	26.94	peak	1.00	27.94	46.00	100	315	-18.06	
*	959.1784	26.27	peak	4.55	30.82	46.00	100	45	-15.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:10:09 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	46.58	peak	-8.99	37.59	40.00	100	145	-2.41	
	358.5170	27.99	peak	-4.90	23.09	46.00	100	329	-22.91	
	675.3706	27.27	peak	-0.23	27.04	46.00	100	80	-18.96	
	933.9078	27.07	peak	4.13	31.20	46.00	100	170	-14.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:16:57 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4044.088	41.65	peak	-2.01	39.64	74.00	150	210	-34.36	
*	7354.709	39.57	peak	3.59	43.16	74.00	150	66	-30.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:17:54 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4044.088	41.87	peak	-2.01	39.86	74.00	150	175	-34.14	
*	7326.653	40.06	peak	3.48	43.54	74.00	150	290	-30.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:17:10 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:18:07 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:17:35 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:18:33 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:17:46 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/7/2020

Temperature: 27.8 °C

Time: 6:18:43 AM

Humidity: 49.1 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:12:08 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22007-20039

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	26.48	peak	-6.75	19.73	43.50	100	245	-23.77	
	300.2004	29.63	peak	-6.02	23.61	46.00	100	90	-22.39	
	683.1462	28.38	peak	-0.21	28.17	46.00	100	315	-17.83	
*	924.1884	26.77	peak	3.95	30.72	46.00	100	20	-15.28	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:12:16 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	46.68	peak	-8.76	37.92	40.00	100	104	-2.08	
	148.5772	29.00	peak	-7.25	21.75	43.50	100	59	-21.75	
	512.0842	28.49	peak	-2.60	25.89	46.00	100	328	-20.11	
	937.7956	27.42	peak	4.20	31.62	46.00	100	12	-14.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

Time: 6:19:41 AM

Humidity: 49.1 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4044.088	41.41	peak	-2.01	39.40	74.00	150	99	-34.60	
*	6891.783	39.87	peak	2.87	42.74	74.00	150	65	-31.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:20:38 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.19	peak	-1.88	39.31	74.00	150	30	-34.69	
*	6737.475	40.76	peak	2.58	43.34	74.00	150	184	-30.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:19:54 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:20:51 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:20:19 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:21:17 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:20:30 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:21:27 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:13:25 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22007-20039

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 28 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	142.7453	25.97	peak	-6.88	19.09	43.50	100	173	-24.41	
	300.2004	30.30	peak	-6.02	24.28	46.00	100	80	-21.72	
	687.0340	27.86	peak	-0.20	27.66	46.00	100	100	-18.34	
*	902.8056	27.20	peak	3.56	30.76	46.00	100	297	-15.24	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/7/2020

Temperature: 27.8 °C

80.0 dBuV/m

Time: 7:13:34 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.9440	45.62	peak	-8.56	37.06	40.00	100	150	-2.94	
	148.5772	28.45	peak	-7.25	21.20	43.50	100	210	-22.30	
	776.4530	27.67	peak	1.17	28.84	46.00	100	44	-17.16	
	943.6273	27.07	peak	4.30	31.37	46.00	100	313	-14.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:22:23 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.76	peak	-1.88	39.88	74.00	150	92	-34.12	
*	6569.138	40.46	peak	2.57	43.03	74.00	150	278	-30.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:23:20 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4044.088	41.46	peak	-2.01	39.45	74.00	150	305	-34.55	
*	7102.204	39.85	peak	3.54	43.39	74.00	150	164	-30.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:22:36 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:23:33 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:23:01 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:23:59 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:23:12 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/7/2020

Temperature: 27.8 °C

90.0 dBuV/m

Time: 6:24:09 AM

Humidity: 49.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22007-20039

M/N:

Test Mode : LTE Band 28 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin